



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:53 AM UTC

PDB ID : 9C9I / pdb_00009c9i
Title : Structure of the TSC1:WIPI3 complex
Authors : D'Andrea, L.; Bayly-Jones, C.; Lupton, C.J.; Ellisdon, A.M.
Deposited on : 2024-06-14
Resolution : 3.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2001 (3.20-3.16)
Clashscore	190562	2119 (3.20-3.16)
Ramachandran outliers	187476	2070 (3.20-3.16)
Sidechain outliers	187428	2069 (3.20-3.16)
RSRZ outliers	180081	2001 (3.20-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	
1	C	316	
1	E	316	
1	G	316	
2	B	34	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	34	 44% 56%
2	F	34	 56% 9% 35%
2	H	34	 47% 53%
2	X	34	 29% • 68%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10118 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called WD repeat domain phosphoinositide-interacting protein 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	305	Total	C	N	O	S	0	0	0
			2372	1512	406	436	18			
1	C	305	Total	C	N	O	S	0	0	0
			2372	1512	406	436	18			
1	E	305	Total	C	N	O	S	0	0	0
			2372	1512	406	436	18			
1	G	303	Total	C	N	O	S	0	0	0
			2354	1501	402	434	17			

There are 124 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	5	MET	-	initiating methionine	UNP Q5MNZ6
A	6	HIS	-	expression tag	UNP Q5MNZ6
A	7	HIS	-	expression tag	UNP Q5MNZ6
A	8	HIS	-	expression tag	UNP Q5MNZ6
A	9	HIS	-	expression tag	UNP Q5MNZ6
A	10	HIS	-	expression tag	UNP Q5MNZ6
A	11	HIS	-	expression tag	UNP Q5MNZ6
A	?	-	PRO	deletion	UNP Q5MNZ6
A	?	-	LYS	deletion	UNP Q5MNZ6
A	?	-	TYR	deletion	UNP Q5MNZ6
A	?	-	PRO	deletion	UNP Q5MNZ6
A	?	-	PRO	deletion	UNP Q5MNZ6
A	?	-	ASN	deletion	UNP Q5MNZ6
A	?	-	ARG	deletion	UNP Q5MNZ6
A	?	-	ASN	deletion	UNP Q5MNZ6
A	?	-	LYS	deletion	UNP Q5MNZ6
A	?	-	GLN	deletion	UNP Q5MNZ6
A	?	-	SER	deletion	UNP Q5MNZ6
A	?	-	SER	deletion	UNP Q5MNZ6
A	?	-	LEU	deletion	UNP Q5MNZ6
A	?	-	ALA	deletion	UNP Q5MNZ6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP Q5MNZ6
A	?	-	ALA	deletion	UNP Q5MNZ6
A	?	-	SER	deletion	UNP Q5MNZ6
A	?	-	PHE	deletion	UNP Q5MNZ6
A	?	-	LEU	deletion	UNP Q5MNZ6
A	?	-	PRO	deletion	UNP Q5MNZ6
A	?	-	LYS	deletion	UNP Q5MNZ6
A	?	-	TYR	deletion	UNP Q5MNZ6
A	?	-	PHE	deletion	UNP Q5MNZ6
A	?	-	SER	deletion	UNP Q5MNZ6
C	5	MET	-	initiating methionine	UNP Q5MNZ6
C	6	HIS	-	expression tag	UNP Q5MNZ6
C	7	HIS	-	expression tag	UNP Q5MNZ6
C	8	HIS	-	expression tag	UNP Q5MNZ6
C	9	HIS	-	expression tag	UNP Q5MNZ6
C	10	HIS	-	expression tag	UNP Q5MNZ6
C	11	HIS	-	expression tag	UNP Q5MNZ6
C	?	-	PRO	deletion	UNP Q5MNZ6
C	?	-	LYS	deletion	UNP Q5MNZ6
C	?	-	TYR	deletion	UNP Q5MNZ6
C	?	-	PRO	deletion	UNP Q5MNZ6
C	?	-	PRO	deletion	UNP Q5MNZ6
C	?	-	ASN	deletion	UNP Q5MNZ6
C	?	-	ARG	deletion	UNP Q5MNZ6
C	?	-	ASN	deletion	UNP Q5MNZ6
C	?	-	LYS	deletion	UNP Q5MNZ6
C	?	-	GLN	deletion	UNP Q5MNZ6
C	?	-	SER	deletion	UNP Q5MNZ6
C	?	-	SER	deletion	UNP Q5MNZ6
C	?	-	LEU	deletion	UNP Q5MNZ6
C	?	-	ALA	deletion	UNP Q5MNZ6
C	?	-	SER	deletion	UNP Q5MNZ6
C	?	-	ALA	deletion	UNP Q5MNZ6
C	?	-	SER	deletion	UNP Q5MNZ6
C	?	-	PHE	deletion	UNP Q5MNZ6
C	?	-	LEU	deletion	UNP Q5MNZ6
C	?	-	PRO	deletion	UNP Q5MNZ6
C	?	-	LYS	deletion	UNP Q5MNZ6
C	?	-	TYR	deletion	UNP Q5MNZ6
C	?	-	PHE	deletion	UNP Q5MNZ6
C	?	-	SER	deletion	UNP Q5MNZ6
E	5	MET	-	initiating methionine	UNP Q5MNZ6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	6	HIS	-	expression tag	UNP Q5MNZ6
E	7	HIS	-	expression tag	UNP Q5MNZ6
E	8	HIS	-	expression tag	UNP Q5MNZ6
E	9	HIS	-	expression tag	UNP Q5MNZ6
E	10	HIS	-	expression tag	UNP Q5MNZ6
E	11	HIS	-	expression tag	UNP Q5MNZ6
E	?	-	PRO	deletion	UNP Q5MNZ6
E	?	-	LYS	deletion	UNP Q5MNZ6
E	?	-	TYR	deletion	UNP Q5MNZ6
E	?	-	PRO	deletion	UNP Q5MNZ6
E	?	-	PRO	deletion	UNP Q5MNZ6
E	?	-	ASN	deletion	UNP Q5MNZ6
E	?	-	ARG	deletion	UNP Q5MNZ6
E	?	-	ASN	deletion	UNP Q5MNZ6
E	?	-	LYS	deletion	UNP Q5MNZ6
E	?	-	GLN	deletion	UNP Q5MNZ6
E	?	-	SER	deletion	UNP Q5MNZ6
E	?	-	SER	deletion	UNP Q5MNZ6
E	?	-	LEU	deletion	UNP Q5MNZ6
E	?	-	ALA	deletion	UNP Q5MNZ6
E	?	-	SER	deletion	UNP Q5MNZ6
E	?	-	ALA	deletion	UNP Q5MNZ6
E	?	-	SER	deletion	UNP Q5MNZ6
E	?	-	PHE	deletion	UNP Q5MNZ6
E	?	-	LEU	deletion	UNP Q5MNZ6
E	?	-	PRO	deletion	UNP Q5MNZ6
E	?	-	LYS	deletion	UNP Q5MNZ6
E	?	-	TYR	deletion	UNP Q5MNZ6
E	?	-	PHE	deletion	UNP Q5MNZ6
E	?	-	SER	deletion	UNP Q5MNZ6
G	5	MET	-	initiating methionine	UNP Q5MNZ6
G	6	HIS	-	expression tag	UNP Q5MNZ6
G	7	HIS	-	expression tag	UNP Q5MNZ6
G	8	HIS	-	expression tag	UNP Q5MNZ6
G	9	HIS	-	expression tag	UNP Q5MNZ6
G	10	HIS	-	expression tag	UNP Q5MNZ6
G	11	HIS	-	expression tag	UNP Q5MNZ6
G	?	-	PRO	deletion	UNP Q5MNZ6
G	?	-	LYS	deletion	UNP Q5MNZ6
G	?	-	TYR	deletion	UNP Q5MNZ6
G	?	-	PRO	deletion	UNP Q5MNZ6
G	?	-	PRO	deletion	UNP Q5MNZ6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	?	-	ASN	deletion	UNP Q5MNZ6
G	?	-	ARG	deletion	UNP Q5MNZ6
G	?	-	ASN	deletion	UNP Q5MNZ6
G	?	-	LYS	deletion	UNP Q5MNZ6
G	?	-	GLN	deletion	UNP Q5MNZ6
G	?	-	SER	deletion	UNP Q5MNZ6
G	?	-	SER	deletion	UNP Q5MNZ6
G	?	-	LEU	deletion	UNP Q5MNZ6
G	?	-	ALA	deletion	UNP Q5MNZ6
G	?	-	SER	deletion	UNP Q5MNZ6
G	?	-	ALA	deletion	UNP Q5MNZ6
G	?	-	SER	deletion	UNP Q5MNZ6
G	?	-	PHE	deletion	UNP Q5MNZ6
G	?	-	LEU	deletion	UNP Q5MNZ6
G	?	-	PRO	deletion	UNP Q5MNZ6
G	?	-	LYS	deletion	UNP Q5MNZ6
G	?	-	TYR	deletion	UNP Q5MNZ6
G	?	-	PHE	deletion	UNP Q5MNZ6
G	?	-	SER	deletion	UNP Q5MNZ6

- Molecule 2 is a protein called Hamartin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	X	11	Total	C	N	O	0	0	0
			55	33	11	11			
2	B	22	Total	C	N	O	0	0	0
			176	114	31	31			
2	D	15	Total	C	N	O	0	0	0
			116	77	19	20			
2	F	22	Total	C	N	O	0	0	0
			176	114	31	31			
2	H	16	Total	C	N	O	0	0	0
			125	83	21	21			

There are 55 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	8	UNK	VAL	conflict	UNP Q92574
X	9	UNK	LEU	conflict	UNP Q92574
X	10	UNK	ASP	conflict	UNP Q92574
X	11	UNK	ARG	conflict	UNP Q92574
X	12	UNK	LEU	conflict	UNP Q92574

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	13	UNK	ILE	conflict	UNP Q92574
X	14	UNK	GLN	conflict	UNP Q92574
X	15	UNK	GLN	conflict	UNP Q92574
X	16	UNK	GLY	conflict	UNP Q92574
X	17	UNK	ALA	conflict	UNP Q92574
X	18	UNK	ASP	conflict	UNP Q92574
B	648	UNK	VAL	conflict	UNP Q92574
B	649	UNK	LEU	conflict	UNP Q92574
B	650	UNK	ASP	conflict	UNP Q92574
B	651	UNK	ARG	conflict	UNP Q92574
B	652	UNK	LEU	conflict	UNP Q92574
B	653	UNK	ILE	conflict	UNP Q92574
B	654	UNK	GLN	conflict	UNP Q92574
B	655	UNK	GLN	conflict	UNP Q92574
B	656	UNK	GLY	conflict	UNP Q92574
B	657	UNK	ALA	conflict	UNP Q92574
B	658	UNK	ASP	conflict	UNP Q92574
D	648	UNK	VAL	conflict	UNP Q92574
D	649	UNK	LEU	conflict	UNP Q92574
D	650	UNK	ASP	conflict	UNP Q92574
D	651	UNK	ARG	conflict	UNP Q92574
D	652	UNK	LEU	conflict	UNP Q92574
D	653	UNK	ILE	conflict	UNP Q92574
D	654	UNK	GLN	conflict	UNP Q92574
D	655	UNK	GLN	conflict	UNP Q92574
D	656	UNK	GLY	conflict	UNP Q92574
D	657	UNK	ALA	conflict	UNP Q92574
D	658	UNK	ASP	conflict	UNP Q92574
F	648	UNK	VAL	conflict	UNP Q92574
F	649	UNK	LEU	conflict	UNP Q92574
F	650	UNK	ASP	conflict	UNP Q92574
F	651	UNK	ARG	conflict	UNP Q92574
F	652	UNK	LEU	conflict	UNP Q92574
F	653	UNK	ILE	conflict	UNP Q92574
F	654	UNK	GLN	conflict	UNP Q92574
F	655	UNK	GLN	conflict	UNP Q92574
F	656	UNK	GLY	conflict	UNP Q92574
F	657	UNK	ALA	conflict	UNP Q92574
F	658	UNK	ASP	conflict	UNP Q92574
H	648	UNK	VAL	conflict	UNP Q92574
H	649	UNK	LEU	conflict	UNP Q92574
H	650	UNK	ASP	conflict	UNP Q92574


Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	651	UNK	ARG	conflict	UNP Q92574
H	652	UNK	LEU	conflict	UNP Q92574
H	653	UNK	ILE	conflict	UNP Q92574
H	654	UNK	GLN	conflict	UNP Q92574
H	655	UNK	GLN	conflict	UNP Q92574
H	656	UNK	GLY	conflict	UNP Q92574
H	657	UNK	ALA	conflict	UNP Q92574
H	658	UNK	ASP	conflict	UNP Q92574




- Molecule 2: Hamartin



- Molecule 2: Hamartin




- Molecule 2: Hamartin



- Molecule 2: Hamartin



- Molecule 2: Hamartin



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	94.24Å 94.24Å 199.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.12 – 3.18 47.12 – 3.18	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.12-3.18) 99.3 (47.12-3.18)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.198 , 0.255 0.199 , 0.257	Depositor DCC
R_{free} test set	1496 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	94.3	Xtriage
Anisotropy	0.274	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 85.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.439 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10118	wwPDB-VP
Average B, all atoms (Å ²)	108.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.08	0/2427	0.25	0/3283
1	C	0.08	0/2427	0.24	0/3283
1	E	0.08	0/2427	0.23	0/3283
1	G	0.08	0/2408	0.23	0/3258
2	B	0.12	0/182	0.32	0/246
2	D	0.11	0/121	0.27	0/165
2	F	0.09	0/182	0.25	0/246
2	H	0.10	0/130	0.27	0/176
All	All	0.08	0/10304	0.24	0/13940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2372	0	2345	19	0
1	C	2372	0	2345	24	0
1	E	2372	0	2345	22	0
1	G	2354	0	2329	18	0
2	B	176	0	173	2	0
2	D	116	0	110	0	0
2	F	176	0	173	2	0
2	H	125	0	123	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	X	55	0	14	1	0
All	All	10118	0	9957	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:LEU:HD12	1:A:306:ARG:HB2	1.68	0.76
1:C:58:GLU:HB3	1:C:67:ALA:HB3	1.73	0.70
1:E:20:GLN:HG2	1:E:143:PRO:HG3	1.72	0.69
1:G:58:GLU:HB3	1:G:67:ALA:HB3	1.75	0.69
1:C:20:GLN:HG2	1:C:143:PRO:HG3	1.73	0.68
1:A:115:LYS:HG2	1:A:128:VAL:HG22	1.78	0.66
1:G:20:GLN:HG2	1:G:143:PRO:HG3	1.78	0.66
1:C:208:ASP:HB2	1:C:215:ILE:HD11	1.78	0.64
1:C:295:LYS:HB3	1:C:308:VAL:HB	1.82	0.62
1:E:58:GLU:HB3	1:E:67:ALA:HB3	1.82	0.62
1:G:115:LYS:HG2	1:G:128:VAL:HG22	1.82	0.62
1:G:295:LYS:HB3	1:G:308:VAL:HB	1.83	0.60
1:E:115:LYS:HG2	1:E:128:VAL:HG12	1.82	0.60
1:E:59:MET:HG2	1:E:66:LEU:HD22	1.84	0.59
1:C:246:GLY:HA3	1:C:267:VAL:HG22	1.83	0.59
1:C:187:LEU:HD21	1:C:191:GLY:HA2	1.86	0.57
1:A:299:ASN:OD1	1:A:303:GLU:N	2.37	0.57
1:A:58:GLU:HB3	1:A:67:ALA:HB3	1.88	0.56
1:C:233:ASN:ND2	1:C:235:ASP:OD1	2.38	0.56
1:G:24:CYS:SG	1:G:62:ARG:NH1	2.79	0.55
1:C:115:LYS:HG2	1:C:128:VAL:HG22	1.88	0.55
1:E:204:ILE:HD13	1:E:241:VAL:HG21	1.87	0.55
1:G:29:MET:HG3	1:G:34:ARG:HH11	1.72	0.55
1:G:59:MET:HG2	1:G:66:LEU:HD22	1.88	0.54
1:C:59:MET:HG2	1:C:66:LEU:HD22	1.89	0.54
1:E:77:MET:HG2	1:E:89:GLU:HG2	1.90	0.53
1:A:59:MET:HG2	1:A:66:LEU:HD22	1.90	0.52
1:E:177:ALA:O	1:E:205:ARG:NH1	2.42	0.52
1:C:217:GLU:O	1:C:259:LYS:NZ	2.44	0.51
1:A:244:ASP:N	1:A:244:ASP:OD1	2.42	0.51
1:A:20:GLN:HG2	1:A:143:PRO:HG3	1.92	0.51
1:G:182:LEU:HD13	1:G:185:ILE:HD11	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:ASN:O	1:C:50:LEU:N	2.39	0.49
1:A:48:GLU:C	1:A:50:LEU:H	2.20	0.49
1:G:217:GLU:O	1:G:259:LYS:NZ	2.42	0.49
1:C:220:ARG:HG2	1:C:224:ALA:HB3	1.94	0.49
1:A:104:ASP:OD1	1:A:104:ASP:N	2.41	0.49
1:E:14:LEU:HD11	1:E:30:GLU:HG2	1.94	0.48
2:F:663:GLU:O	2:F:667:LEU:HG	2.13	0.48
1:G:162:LEU:HB2	1:G:173:VAL:HB	1.94	0.48
1:G:268:PRO:HD2	1:G:294:TYR:CE2	2.48	0.48
1:E:153:PRO:HB3	1:E:182:LEU:HD12	1.94	0.48
1:C:29:MET:HE1	1:C:313:LEU:HD22	1.95	0.48
1:G:102:ARG:NH2	1:G:148:SER:OG	2.47	0.48
1:C:235:ASP:OD1	1:C:235:ASP:N	2.45	0.48
1:G:102:ARG:NH1	1:G:142:CYS:O	2.47	0.48
1:C:219:ARG:HG3	1:C:259:LYS:HE3	1.96	0.47
1:E:111:ASP:OD1	1:E:111:ASP:N	2.47	0.47
1:A:301:LYS:O	1:G:219:ARG:NH2	2.42	0.46
1:C:257:LYS:HG3	1:E:222:SER:HB3	1.97	0.46
1:A:255:ASP:N	1:A:255:ASP:OD1	2.49	0.46
2:B:663:GLU:O	2:B:667:LEU:HD13	2.15	0.45
1:A:296:PHE:HE1	1:A:298:PHE:HB3	1.82	0.45
1:E:307:ASP:O	2:X:13:UNK:N	2.50	0.45
1:G:87:VAL:HG23	1:G:88:ILE:HG13	1.99	0.45
1:C:37:ASN:OD1	1:C:62:ARG:NH2	2.49	0.45
1:E:243:SER:N	1:E:247:THR:O	2.47	0.45
1:G:201:GLY:O	1:G:220:ARG:NH1	2.50	0.45
1:G:301:LYS:HE3	1:G:303:GLU:OE1	2.16	0.44
1:E:102:ARG:NH1	1:E:104:ASP:OD1	2.50	0.44
1:E:295:LYS:HB3	1:E:308:VAL:HB	1.98	0.44
1:A:87:VAL:HG23	1:A:88:ILE:HG13	2.00	0.44
1:A:140:VAL:HG23	1:A:151:ALA:HB3	1.98	0.44
1:C:202:THR:OG1	1:C:219:ARG:NH2	2.49	0.44
1:E:20:GLN:NE2	1:E:59:MET:O	2.46	0.44
1:A:20:GLN:HB3	1:A:143:PRO:HG3	1.99	0.44
1:E:201:GLY:HA3	1:E:225:ALA:O	2.18	0.43
1:A:295:LYS:HB3	1:A:308:VAL:HB	1.99	0.43
1:E:54:VAL:HG11	1:E:68:LEU:HD22	2.01	0.43
1:E:90:ILE:HD11	1:E:123:PRO:HG2	2.01	0.43
2:F:659:ALA:O	2:F:663:GLU:HG3	2.19	0.43
1:C:250:ILE:HG12	1:C:263:SER:HB3	2.00	0.43
1:C:268:PRO:HD2	1:C:294:TYR:CE1	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:LEU:HD23	1:C:188:ASN:O	2.19	0.42
1:C:312:PHE:HA	1:C:315:MET:HG2	2.01	0.42
2:B:668:PRO:O	2:B:671:SER:OG	2.36	0.42
1:A:90:ILE:HD11	1:A:123:PRO:HG2	2.02	0.42
1:G:60:LEU:HB3	1:G:63:CYS:SG	2.60	0.42
1:E:208:ASP:HB2	1:E:215:ILE:HD11	2.02	0.41
1:E:246:GLY:HA3	1:E:267:VAL:HG22	2.03	0.41
1:C:60:LEU:HB3	1:C:63:CYS:SG	2.60	0.41
1:C:56:HIS:CD2	1:C:99:VAL:H	2.39	0.41
1:A:193:ARG:HG2	1:A:215:ILE:HD12	2.03	0.41
1:A:246:GLY:HA3	1:A:267:VAL:HG22	2.02	0.40
1:E:257:LYS:HE2	1:E:257:LYS:HB3	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/316 (96%)	276 (91%)	27 (9%)	0	100	100
1	C	303/316 (96%)	283 (93%)	20 (7%)	0	100	100
1	E	303/316 (96%)	282 (93%)	21 (7%)	0	100	100
1	G	301/316 (95%)	283 (94%)	18 (6%)	0	100	100
2	B	20/34 (59%)	19 (95%)	1 (5%)	0	100	100
2	D	13/34 (38%)	11 (85%)	2 (15%)	0	100	100
2	F	20/34 (59%)	19 (95%)	1 (5%)	0	100	100
2	H	14/34 (41%)	13 (93%)	1 (7%)	0	100	100
All	All	1277/1400 (91%)	1186 (93%)	91 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/272 (96%)	261 (100%)	0	100	100
1	C	261/272 (96%)	261 (100%)	0	100	100
1	E	261/272 (96%)	261 (100%)	0	100	100
1	G	259/272 (95%)	259 (100%)	0	100	100
2	B	20/20 (100%)	20 (100%)	0	100	100
2	D	13/20 (65%)	13 (100%)	0	100	100
2	F	20/20 (100%)	20 (100%)	0	100	100
2	H	14/20 (70%)	14 (100%)	0	100	100
All	All	1109/1168 (95%)	1109 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	127	HIS
1	A	213	HIS
1	A	223	GLN
1	C	121	HIS
1	E	127	HIS
1	G	121	HIS
1	G	124	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/316 (96%)	-1.27	0 100 100	72, 95, 142, 205	0
1	C	305/316 (96%)	-1.31	0 100 100	78, 107, 155, 194	0
1	E	305/316 (96%)	-1.27	0 100 100	69, 95, 138, 194	0
1	G	303/316 (95%)	-1.30	0 100 100	74, 108, 155, 181	0
2	B	22/34 (64%)	-1.18	0 100 100	91, 116, 175, 206	0
2	D	15/34 (44%)	-1.05	0 100 100	101, 113, 135, 137	0
2	F	22/34 (64%)	-1.22	0 100 100	103, 116, 156, 161	0
2	H	16/34 (47%)	-1.03	0 100 100	97, 115, 152, 156	0
2	X	0/34	-	-	-	-
All	All	1293/1434 (90%)	-1.28	0 100 100	69, 103, 154, 206	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.