



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:36 PM UTC

PDB ID : 4CAF / pdb_00004caf
Title : Plasmodium vivax N-myristoyltransferase in complex with a benzothiophene inhibitor (compound 34a)
Authors : Rackham, M.D.; Brannigan, J.A.; Rangachari, K.; Wilkinson, A.J.; Holder, A.A.; Tate, E.W.; Leatherbarrow, R.J.
Deposited on : 2013-10-08
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	
1	B	384	
1	C	384	

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 11782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	31	0
			3356	2184	541	619	12			
1	B	384	Total	C	N	O	S	0	34	0
			3366	2205	543	606	12			
1	C	373	Total	C	N	O	S	3	36	0
			3302	2166	523	602	11			

- Molecule 2 is 4-[(2-{5-[(3,5-dimethyl-1H-pyrazol-4-yl)methyl]-1,3,4-oxadiazol-2-yl}-1-benzothiophen-3-yl)oxy]piperidine (CCD ID: 370) (formula: C₂₁H₂₃N₅O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			29	21	5	2	1		
2	B	1	Total	C	N	O	S	0	0
			29	21	5	2	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	S	0	0
			29	21	5	2	1		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		
3	C	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO_4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		

- Molecule 6 is AMMONIUM ION (CCD ID: NH4) (formula: H₄N).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total N 1 1	0	0
6	B	1	Total N 1 1	0	0
6	C	1	Total N 1 1	0	0

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Cl 1 1	0	0
7	B	1	Total Cl 1 1	0	0
7	C	1	Total Cl 1 1	0	0

- Molecule 8 is 2-oxopentadecyl-CoA (CCD ID: NHW) (formula: C₃₆H₆₄N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
8	A	1	Total 64	C 36	N 7	O 17	P 3	S 1	0	0
8	B	1	Total 64	C 36	N 7	O 17	P 3	S 1	0	0
8	C	1	Total 64	C 36	N 7	O 17	P 3	S 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	529	Total	O	0	0
			529	529		
9	B	489	Total	O	0	0
			489	489		
9	C	427	Total	O	0	0
			427	427		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.46Å 121.10Å 178.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.19 – 1.70 100.19 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (100.19-1.70) 100.0 (100.19-1.70)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0029	Depositor
R, R_{free}	0.160 , 0.205 0.159 , 0.205	Depositor DCC
R_{free} test set	6905 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	15.4	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11782	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 370, SO4, NH4, MG, DMS, NHW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.18	2/3508 (0.1%)	1.11	3/4748 (0.1%)
1	B	1.18	2/3540 (0.1%)	1.13	4/4784 (0.1%)
1	C	1.14	2/3473 (0.1%)	1.08	3/4696 (0.1%)
All	All	1.17	6/10521 (0.1%)	1.11	10/14228 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	313	SER	N-CA	7.41	1.54	1.46
1	A	34	GLN	C-O	5.76	1.30	1.23
1	B	329	THR	N-CA	5.72	1.53	1.46
1	C	203	PRO	C-O	5.61	1.29	1.23
1	B	175	ALA	N-CA	5.35	1.51	1.46
1	C	408	VAL	C-O	5.12	1.29	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	372	ASN	N-CA-C	7.08	119.00	111.28
1	B	226	PHE	N-CA-C	-6.89	102.99	111.40
1	A	87	ILE	N-CA-C	-6.15	104.50	110.72
1	B	49	GLU	CA-C-N	-5.61	114.48	120.03
1	B	49	GLU	C-N-CA	-5.61	114.48	120.03
1	A	385	ASP	CB-CA-C	-5.54	99.08	109.72
1	C	138	ILE	N-CA-C	-5.45	107.81	113.10
1	C	240	LYS	N-CA-C	-5.28	106.15	112.59
1	A	396	LYS	N-CA-CB	-5.18	102.44	110.57
1	B	102	ILE	CB-CA-C	-5.11	105.51	111.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3356	0	3387	28	0
1	B	3366	0	3465	47	0
1	C	3302	0	3355	52	0
2	A	29	0	23	0	0
2	B	29	0	23	1	0
2	C	29	0	23	0	0
3	A	8	0	12	5	0
3	B	8	0	12	0	0
3	C	4	0	6	0	0
4	A	5	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	64	0	60	0	0
8	B	64	0	60	0	0
8	C	64	0	60	0	0
9	A	529	0	0	6	0
9	B	489	0	0	12	0
9	C	427	0	0	6	0
All	All	11782	0	10486	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:CYS:O	1:B:123[B]:LYS:HE2	1.44	1.18
1:B:147[B]:ASP:OD1	1:B:156[B]:LYS:HD3	1.49	1.11
1:B:325:ASP:HB2	9:B:2416:HOH:O	1.56	1.06
1:C:239:ILE:CG2	1:C:242[A]:TYR:HD1	1.71	1.04
1:C:147[A]:ASP:OD1	1:C:156[A]:LYS:HE3	1.55	1.04
1:C:243:ARG:HH11	1:C:243:ARG:HB2	1.25	0.97
1:A:147[B]:ASP:OD1	1:A:156:LYS:HD3	1.64	0.97
1:C:239:ILE:HG23	1:C:242[A]:TYR:HD1	1.30	0.97
1:B:147[B]:ASP:OD1	1:B:156[B]:LYS:CD	2.13	0.96
1:C:239:ILE:HG21	1:C:242[A]:TYR:CD1	2.00	0.95
1:C:239:ILE:CG2	1:C:242[A]:TYR:CD1	2.51	0.93
1:B:76:CYS:O	1:B:123[B]:LYS:CE	2.17	0.92
1:B:243[B]:ARG:HD3	9:B:2319:HOH:O	1.78	0.84
1:B:257[A]:LYS:HD2	9:B:2353:HOH:O	1.78	0.83
3:A:1413:DMS:H13	9:A:2460:HOH:O	1.78	0.83
1:C:262[B]:GLU:HG3	1:C:283[B]:LYS:NZ	1.95	0.82
1:B:123[B]:LYS:HG2	9:B:2205:HOH:O	1.80	0.80
1:C:243:ARG:HH11	1:C:243:ARG:CB	1.95	0.79
1:C:239:ILE:HG22	1:C:239:ILE:O	1.83	0.77
1:A:230:ASN:OD1	1:A:232:ARG:HG3	1.87	0.75
1:B:222[A]:ILE:HD12	1:B:229:LEU:HG	1.69	0.74
1:C:262[B]:GLU:CG	1:C:283[B]:LYS:HZ3	2.01	0.74
1:C:239:ILE:HG23	1:C:242[A]:TYR:CD1	2.20	0.72
1:C:239:ILE:HG21	1:C:242[A]:TYR:CE1	2.25	0.71
1:B:206[B]:VAL:HG12	1:B:400:PHE:CE1	2.26	0.70
1:C:240:LYS:O	1:C:380[A]:LYS:NZ	2.24	0.70
1:C:262[B]:GLU:CG	1:C:283[B]:LYS:NZ	2.54	0.69
1:C:243:ARG:HB2	1:C:243:ARG:NH1	2.06	0.66
1:C:262[B]:GLU:HG2	1:C:283[B]:LYS:HZ3	1.61	0.66
1:A:42[B]:GLU:HG3	1:B:344:THR:HG21	1.78	0.66
1:A:159:GLU:OE1	3:A:1413:DMS:H12	1.95	0.66
1:A:42[B]:GLU:CG	1:B:344:THR:HG21	2.26	0.66
1:B:257[B]:LYS:HE3	9:B:2350:HOH:O	1.96	0.64
1:A:257:LYS:NZ	9:A:2380:HOH:O	2.30	0.64
1:C:385[B]:ASP:O	1:C:385[B]:ASP:OD1	2.15	0.63
1:B:230[A]:ASN:HD21	1:B:232:ARG:HB2	1.62	0.62
1:B:123[B]:LYS:CG	9:B:2205:HOH:O	2.43	0.61
1:C:239:ILE:HG13	1:C:242[A]:TYR:HE1	1.69	0.58
1:C:241:LEU:HD13	1:C:380[A]:LYS:HE2	1.87	0.57
1:C:102:ILE:HD11	1:C:103:PHE:CZ	2.40	0.56
1:B:266[A]:LYS:HG3	9:B:2362:HOH:O	2.06	0.56
1:C:212:TYR:OH	1:C:373[B]:LYS:NZ	2.32	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:360:ASN:ND2	9:B:2296:HOH:O	2.36	0.56
1:B:58:GLU:H	1:B:58:GLU:CD	2.14	0.55
1:C:239:ILE:CG2	1:C:239:ILE:O	2.52	0.55
1:B:76:CYS:O	1:B:123[B]:LYS:NZ	2.40	0.55
1:B:39:ILE:HD11	1:B:201:TYR:HE2	1.71	0.54
1:C:239:ILE:HG13	1:C:242[A]:TYR:CE1	2.43	0.54
1:A:212:TYR:OH	1:A:373[B]:LYS:HE2	2.08	0.53
1:C:213:HIS:HD2	1:C:365:ASN:OD1	1.92	0.53
1:B:32[B]:TYR:C	1:B:32[B]:TYR:CD1	2.87	0.52
1:C:239:ILE:HG23	1:C:242[B]:TYR:HB2	1.90	0.52
1:A:257:LYS:HE3	1:A:259:LYS:HE2	1.92	0.52
1:A:276[A]:ASN:ND2	1:A:400:PHE:CE1	2.78	0.51
1:C:147[A]:ASP:OD1	1:C:156[A]:LYS:CE	2.44	0.51
1:C:130:LYS:NZ	9:C:2093:HOH:O	2.40	0.51
1:B:265:HIS:ND1	1:B:283[B]:LYS:HG2	2.26	0.51
1:C:239:ILE:HD12	1:C:241:LEU:HB2	1.91	0.51
1:A:197:THR:HG23	1:A:409[A]:LEU:HD12	1.92	0.51
1:C:317:LEU:HB3	1:C:334:TYR:CE1	2.46	0.50
1:C:239:ILE:CD1	1:C:241:LEU:HB2	2.41	0.50
1:C:331[B]:ASN:ND2	9:C:2367:HOH:O	2.44	0.50
1:C:123[A]:LYS:NZ	9:C:2185:HOH:O	2.45	0.50
1:A:159:GLU:OE1	3:A:1413:DMS:C1	2.60	0.49
1:B:118:SER:HB3	1:B:289:TRP:CZ2	2.47	0.49
1:C:262[B]:GLU:HG3	1:C:283[B]:LYS:HZ1	1.73	0.49
1:B:371:GLN:HG2	9:B:2379:HOH:O	2.12	0.49
1:A:134:SER:OG	1:A:136:LYS:HB2	2.12	0.49
1:B:130:LYS:NZ	9:B:2129:HOH:O	2.45	0.49
1:C:123[B]:LYS:HB3	9:C:2098:HOH:O	2.13	0.49
1:B:123[B]:LYS:HZ3	1:B:126:HIS:HB2	1.78	0.48
1:B:82:LYS:HD3	9:B:2105:HOH:O	2.12	0.48
1:C:138:ILE:HD12	1:C:138:ILE:C	2.38	0.47
1:B:218:VAL:HG21	1:B:242:TYR:HB2	1.97	0.47
1:C:28:TYR:CE2	1:C:39[B]:ILE:HD13	2.49	0.47
1:C:156[B]:LYS:HZ3	1:C:191:ILE:CD1	2.28	0.47
1:C:253[B]:MET:HE2	1:C:312:ILE:HD12	1.97	0.47
1:C:118:SER:HB3	1:C:289:TRP:CZ2	2.50	0.46
1:A:110[A]:GLU:HG3	9:A:2203:HOH:O	2.14	0.46
1:A:138:ILE:C	1:A:138:ILE:HD12	2.40	0.46
1:B:230[A]:ASN:ND2	1:B:232:ARG:HB2	2.30	0.45
1:B:156[A]:LYS:HZ3	1:B:156[A]:LYS:HG3	1.58	0.45
1:B:250:ILE:O	1:B:253[B]:MET:HG2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:262[B]:GLU:HG3	9:C:2305:HOH:O	2.16	0.45
1:B:123[B]:LYS:NZ	1:B:126:HIS:HB2	2.32	0.44
1:B:138:ILE:C	1:B:138:ILE:HD12	2.42	0.44
1:A:57[B]:VAL:HG23	9:A:2067:HOH:O	2.17	0.44
1:B:32[B]:TYR:CD1	1:B:32[B]:TYR:O	2.70	0.44
1:A:159:GLU:CD	1:A:409[A]:LEU:HD22	2.43	0.43
2:B:1411:370:C14	2:B:1411:370:H8	2.48	0.43
1:C:32[B]:TYR:OH	1:C:39[B]:ILE:HG22	2.18	0.43
1:B:218:VAL:CG2	1:B:242:TYR:HB2	2.48	0.43
1:A:29:LYS:HE2	9:A:2004:HOH:O	2.18	0.43
1:C:92:THR:O	1:C:104:ARG:HD2	2.18	0.43
1:A:276[A]:ASN:ND2	1:A:400:PHE:CD1	2.86	0.43
1:A:265:HIS:HE1	1:A:281:PHE:O	2.02	0.42
1:A:295:ASN:HD22	3:A:1412:DMS:H13	1.84	0.42
1:A:317:LEU:HB3	1:A:334:TYR:CE1	2.54	0.42
1:C:239:ILE:HA	1:C:239:ILE:HD13	1.63	0.42
1:A:295:ASN:ND2	3:A:1412:DMS:H13	2.35	0.42
1:B:276[A]:ASN:ND2	1:B:400:PHE:CE1	2.85	0.42
1:A:118:SER:HB3	1:A:289:TRP:CZ2	2.54	0.42
1:C:346:LYS:HE2	1:C:378:ASP:HB3	2.02	0.42
1:C:243:ARG:HA	1:C:243:ARG:HD3	1.67	0.42
1:B:39:ILE:HD11	1:B:201:TYR:CE2	2.54	0.41
1:B:147[B]:ASP:OD1	1:B:156[B]:LYS:HD2	2.14	0.41
1:B:317:LEU:HB3	1:B:334:TYR:CE1	2.55	0.41
1:A:344:THR:HG21	1:B:42[B]:GLU:HG2	2.02	0.41
1:B:96:VAL:HB	1:B:105:PHE:CD2	2.55	0.41
1:B:329:THR:HG23	9:B:2172:HOH:O	2.21	0.41
1:B:396[A]:LYS:HB2	1:B:396[A]:LYS:HE3	1.92	0.41
1:C:239:ILE:CG2	1:C:242[B]:TYR:HB2	2.51	0.41
1:A:240[B]:LYS:HB3	1:A:240[B]:LYS:HE3	1.84	0.41
1:C:39[A]:ILE:HD12	1:C:39[A]:ILE:HA	1.95	0.40
1:C:123[A]:LYS:HB3	9:C:2098:HOH:O	2.22	0.40
1:A:371:GLN:HG2	9:A:2409:HOH:O	2.19	0.40
1:C:298:TYR:O	1:C:313:SER:HA	2.21	0.40
1:A:304:GLU:O	1:A:305[B]:ASN:HB2	2.21	0.40
1:C:213:HIS:HE1	1:C:384:GLY:HA3	1.85	0.40
1:C:218:VAL:HB	1:C:242[A]:TYR:CD2	2.56	0.40
1:B:56:LYS:HB3	1:B:58:GLU:HG2	2.03	0.40
1:B:232:ARG:O	1:B:237[B]:ARG:NE	2.55	0.40
1:A:222[A]:ILE:HD13	1:A:227:SER:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/384 (108%)	403 (98%)	10 (2%)	0	100	100
1	B	416/384 (108%)	407 (98%)	9 (2%)	0	100	100
1	C	405/384 (106%)	390 (96%)	15 (4%)	0	100	100
All	All	1234/1152 (107%)	1200 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	381/350 (109%)	373 (98%)	8 (2%)	47	30
1	B	384/350 (110%)	372 (97%)	12 (3%)	35	18
1	C	374/350 (107%)	359 (96%)	15 (4%)	28	12
All	All	1139/1050 (108%)	1104 (97%)	35 (3%)	43	18

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ILE
1	A	136	LYS
1	A	224	ILE
1	A	232	ARG
1	A	258	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	266[A]	LYS
1	A	266[B]	LYS
1	A	309	LYS
1	B	39	ILE
1	B	58	GLU
1	B	146[A]	THR
1	B	146[B]	THR
1	B	156[A]	LYS
1	B	156[B]	LYS
1	B	230[A]	ASN
1	B	230[B]	ASN
1	B	240[A]	LYS
1	B	240[B]	LYS
1	B	325	ASP
1	B	385	ASP
1	C	102	ILE
1	C	123[A]	LYS
1	C	123[B]	LYS
1	C	241	LEU
1	C	242[A]	TYR
1	C	242[B]	TYR
1	C	243	ARG
1	C	244	VAL
1	C	266	LYS
1	C	294[A]	GLU
1	C	294[B]	GLU
1	C	385[A]	ASP
1	C	385[B]	ASP
1	C	409[A]	LEU
1	C	409[B]	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	187	ASN
1	A	249	ASN
1	A	265	HIS
1	A	295	ASN
1	A	350	GLN
1	A	359	ASN
1	A	372	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	34	GLN
1	B	55	ASN
1	B	120	ASN
1	B	187	ASN
1	B	249	ASN
1	B	320	GLN
1	B	359	ASN
1	B	371	GLN
1	B	372	ASN
1	C	34	GLN
1	C	40	ASN
1	C	55	ASN
1	C	106	ASN
1	C	213	HIS
1	C	320	GLN
1	C	372	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 6 are monoatomic and 3 are modelled with single atom - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	370	C	1411	-	33,33,33	2.86	13 (39%)	41,47,47	2.72	18 (43%)
8	NHW	C	1422	-	64,66,66	1.61	7 (10%)	87,92,92	1.78	17 (19%)
2	370	B	1411	-	33,33,33	2.38	10 (30%)	41,47,47	3.41	17 (41%)
4	SO4	A	1414	-	4,4,4	0.32	0	6,6,6	1.19	1 (16%)
3	DMS	A	1413	-	3,3,3	1.12	0	3,3,3	0.94	0
3	DMS	C	1412	-	3,3,3	0.46	0	3,3,3	1.10	0
2	370	A	1411	-	33,33,33	2.84	12 (36%)	41,47,47	2.28	10 (24%)
3	DMS	B	1413	-	3,3,3	0.35	0	3,3,3	1.45	0
3	DMS	A	1412	-	3,3,3	0.33	0	3,3,3	1.14	0
8	NHW	B	1422	5	64,66,66	1.49	8 (12%)	87,92,92	1.59	15 (17%)
8	NHW	A	1422	5	64,66,66	1.27	7 (10%)	87,92,92	1.68	19 (21%)
3	DMS	B	1412	-	3,3,3	0.54	0	3,3,3	1.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	370	C	1411	-	-	4/12/20/20	0/5/5/5
8	NHW	C	1422	-	-	1/65/81/81	0/3/3/3
2	370	B	1411	-	-	3/12/20/20	0/5/5/5
2	370	A	1411	-	-	2/12/20/20	0/5/5/5
8	NHW	B	1422	5	-	3/65/81/81	0/3/3/3
8	NHW	A	1422	5	-	0/65/81/81	0/3/3/3

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	1422	NHW	P1A-O3A	8.28	1.68	1.59
2	A	1411	370	C7-C6	7.38	1.48	1.37
2	C	1411	370	C7-C6	6.52	1.47	1.37
2	B	1411	370	C5-N1	6.40	1.35	1.29
2	A	1411	370	C13-C18	6.22	1.50	1.41
2	C	1411	370	C19-C2	6.21	1.50	1.38
2	B	1411	370	C7-C6	5.56	1.45	1.37
2	B	1411	370	C4-N	5.43	1.35	1.28
2	C	1411	370	C4-N	5.40	1.35	1.28
2	A	1411	370	C19-C2	5.36	1.49	1.38
2	C	1411	370	C14-C13	5.15	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1411	370	C13-C18	5.02	1.48	1.41
2	A	1411	370	C4-N	4.59	1.34	1.28
2	C	1411	370	C5-N1	4.57	1.33	1.29
2	A	1411	370	C5-N1	4.29	1.33	1.29
2	C	1411	370	C2-C1	4.22	1.50	1.40
2	B	1411	370	C19-C2	4.16	1.46	1.38
8	B	1422	NHW	CP-S1	4.13	1.91	1.81
2	A	1411	370	C16-C17	4.13	1.46	1.38
2	A	1411	370	C2-C1	4.01	1.49	1.40
2	B	1411	370	C13-C18	3.98	1.47	1.41
8	B	1422	NHW	P2A-O3A	-3.90	1.55	1.59
2	C	1411	370	C16-C17	3.84	1.45	1.38
2	A	1411	370	O-C4	3.72	1.42	1.36
8	C	1422	NHW	C8A-N7A	3.63	1.38	1.31
2	A	1411	370	C6-S	-3.57	1.67	1.74
8	B	1422	NHW	C6-C5	3.51	1.58	1.51
2	A	1411	370	C14-C13	3.41	1.45	1.39
2	B	1411	370	C2-C1	3.31	1.48	1.40
8	B	1422	NHW	O10-C10	3.21	1.48	1.42
8	C	1422	NHW	CP-C1M	3.13	1.56	1.51
2	C	1411	370	O-C4	3.08	1.41	1.36
8	A	1422	NHW	O10-C10	3.03	1.47	1.42
8	B	1422	NHW	P1A-O3A	2.89	1.62	1.59
8	A	1422	NHW	CP-C1M	2.87	1.56	1.51
2	C	1411	370	C13-C7	2.84	1.52	1.45
2	C	1411	370	N3-N4	2.82	1.42	1.36
2	C	1411	370	C15-C14	2.81	1.43	1.38
8	A	1422	NHW	C7-C6	2.81	1.60	1.51
8	C	1422	NHW	CP-S1	2.77	1.88	1.81
2	C	1411	370	C6-S	-2.63	1.69	1.74
8	C	1422	NHW	P2A-O4A	-2.57	1.43	1.55
2	B	1411	370	C-C1	2.56	1.54	1.49
8	B	1422	NHW	P3X-O3X	2.53	1.64	1.59
2	A	1411	370	N3-N4	2.52	1.41	1.36
8	B	1422	NHW	CP-C1M	2.51	1.55	1.51
8	C	1422	NHW	O4X-C4X	2.44	1.50	1.45
8	B	1422	NHW	O4X-C4X	2.40	1.50	1.45
2	B	1411	370	C20-C19	2.30	1.53	1.49
2	B	1411	370	C17-C18	2.30	1.43	1.39
2	A	1411	370	C18-S	-2.22	1.70	1.74
8	A	1422	NHW	C3-N4	2.21	1.51	1.46
8	A	1422	NHW	C3M-C2M	2.19	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1422	NHW	P2A-O3A	-2.15	1.57	1.59
8	C	1422	NHW	O2X-C2X	2.12	1.48	1.43
2	B	1411	370	C14-C13	2.09	1.43	1.39
8	A	1422	NHW	C4A-N9A	-2.01	1.33	1.37

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1411	370	C4-N-N1	11.48	112.48	106.25
2	B	1411	370	C5-N1-N	-9.98	98.20	106.03
2	A	1411	370	O-C4-C3	7.88	125.10	117.72
2	C	1411	370	O-C4-C3	6.96	124.24	117.72
8	C	1422	NHW	N3A-C2A-N1A	-6.82	118.25	128.58
2	B	1411	370	O-C4-C3	6.73	124.02	117.72
2	B	1411	370	O-C5-N1	6.71	119.29	113.00
2	C	1411	370	C4-N-N1	6.00	109.50	106.25
2	A	1411	370	C18-S-C6	5.87	97.27	91.02
8	C	1422	NHW	C5A-C4A-N3A	-5.85	118.67	126.72
2	C	1411	370	C17-C18-C13	-5.61	115.58	121.47
2	C	1411	370	C5-N1-N	-5.47	101.73	106.03
2	C	1411	370	O-C5-N1	5.28	117.95	113.00
8	B	1422	NHW	C5A-C4A-N3A	-5.26	119.48	126.72
8	A	1422	NHW	C5A-C4A-N3A	-5.02	119.81	126.72
2	B	1411	370	C17-C18-C13	-5.01	116.22	121.47
2	A	1411	370	C-C1-N4	4.81	128.25	120.99
8	B	1422	NHW	N3A-C2A-N1A	-4.75	121.40	128.58
2	C	1411	370	C18-C13-C7	-4.74	103.59	110.45
8	C	1422	NHW	C2A-N3A-C4A	4.71	123.33	111.83
8	C	1422	NHW	N9A-C8A-N7A	-4.53	107.52	113.94
2	B	1411	370	O-C4-N	-4.28	109.32	112.75
8	A	1422	NHW	N9A-C8A-N7A	-4.22	107.95	113.94
2	B	1411	370	C-C1-N4	4.18	127.29	120.99
8	C	1422	NHW	N3A-C4A-N9A	3.92	133.84	127.17
8	C	1422	NHW	O3A-P2A-O5A	-3.85	99.14	110.70
8	A	1422	NHW	C4A-C5A-N7A	-3.79	106.24	110.58
8	B	1422	NHW	O6A-C12-C11	-3.78	104.47	110.55
2	B	1411	370	C15-C16-C17	3.62	124.71	120.24
8	A	1422	NHW	C6-C7-N8	-3.60	104.33	112.00
8	A	1422	NHW	C5A-N7A-C8A	3.55	109.02	103.45
2	A	1411	370	C11-N2-C10	3.43	120.10	110.40
2	C	1411	370	C13-C18-S	3.38	116.21	112.24
2	C	1411	370	C14-C13-C18	3.34	122.58	118.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1411	370	O-C4-N	-3.33	110.08	112.75
8	B	1422	NHW	N3A-C4A-N9A	3.21	132.62	127.17
8	A	1422	NHW	O4A-P2A-O3A	3.19	115.89	107.27
2	A	1411	370	O-C5-N1	3.17	115.97	113.00
8	B	1422	NHW	C2A-N3A-C4A	3.16	119.56	111.83
8	C	1422	NHW	C4A-N9A-C8A	3.15	109.05	105.74
8	A	1422	NHW	C4A-N9A-C8A	3.12	109.02	105.74
8	A	1422	NHW	N3A-C4A-N9A	3.10	132.44	127.17
8	A	1422	NHW	C6-C5-N4	-3.08	110.72	116.34
8	C	1422	NHW	O2A-P1A-O3A	3.05	115.51	107.27
2	B	1411	370	C14-C13-C18	3.02	122.21	118.77
2	B	1411	370	C18-C13-C7	-3.01	106.09	110.45
8	A	1422	NHW	C2-C3-N4	-2.99	106.17	112.41
8	B	1422	NHW	N9A-C8A-N7A	-2.95	109.75	113.94
8	C	1422	NHW	O4A-P2A-O3A	2.95	115.24	107.27
8	B	1422	NHW	C5X-C4X-C3X	-2.89	104.74	114.38
2	C	1411	370	C18-S-C6	2.88	94.09	91.02
8	A	1422	NHW	O1M-C1M-CP	-2.87	118.08	122.17
8	B	1422	NHW	P3X-O3X-C3X	-2.85	115.81	123.43
2	B	1411	370	C12-C11-N2	-2.76	105.61	110.81
2	B	1411	370	C20-C19-N3	2.72	126.11	121.81
8	A	1422	NHW	C2A-N3A-C4A	2.71	118.44	111.83
8	A	1422	NHW	C5X-C4X-C3X	-2.66	105.50	114.38
8	B	1422	NHW	O4A-P2A-O3A	2.65	114.44	107.27
8	A	1422	NHW	C13-C11-C12	-2.64	103.87	108.22
2	B	1411	370	C13-C18-S	2.64	115.34	112.24
8	B	1422	NHW	C2-C3-N4	-2.63	106.92	112.41
8	C	1422	NHW	C5A-N7A-C8A	2.60	107.54	103.45
2	A	1411	370	C3-C2-C19	2.60	131.39	127.13
2	B	1411	370	C3-C4-N	2.59	126.66	118.34
8	A	1422	NHW	CP-C1M-C2M	2.57	120.98	115.55
8	B	1422	NHW	O3A-P2A-O5A	-2.52	103.14	110.70
2	C	1411	370	C12-C8-C9	2.49	116.75	111.67
8	C	1422	NHW	C3-N4-C5	-2.49	118.19	122.82
8	A	1422	NHW	N3A-C2A-N1A	-2.48	124.83	128.58
8	B	1422	NHW	O4X-C1X-C2X	-2.47	101.34	106.62
8	C	1422	NHW	C2A-N1A-C6A	2.39	122.66	118.73
8	B	1422	NHW	O2A-P1A-O3A	2.37	113.69	107.27
8	A	1422	NHW	C2-S1-CP	-2.33	97.88	101.72
8	B	1422	NHW	C13-C11-C10	2.33	112.74	108.77
2	A	1411	370	C7-C6-S	-2.27	109.83	111.49
2	C	1411	370	C20-C19-N3	2.27	125.39	121.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	1422	NHW	C2-C3-N4	-2.23	107.75	112.41
2	C	1411	370	C3-C4-N	2.21	125.46	118.34
8	B	1422	NHW	C5A-N7A-C8A	2.20	106.92	103.45
2	B	1411	370	C4-O-C5	-2.17	100.61	102.67
2	C	1411	370	C-C1-N4	2.16	124.25	120.99
8	A	1422	NHW	C13-C11-C10	2.15	112.44	108.77
2	A	1411	370	C18-C13-C7	-2.13	107.37	110.45
2	C	1411	370	C11-N2-C10	2.13	116.41	110.40
8	C	1422	NHW	P3X-O3X-C3X	-2.12	117.76	123.43
2	C	1411	370	C4-O-C5	-2.12	100.66	102.67
4	A	1414	SO4	O3-S-O1	-2.12	98.50	109.56
2	C	1411	370	O1-C8-C9	-2.11	103.39	108.37
8	C	1422	NHW	O8A-P3X-O3X	-2.09	97.69	105.85
8	C	1422	NHW	O6A-C12-C11	-2.08	107.20	110.55
8	C	1422	NHW	C7-N8-C9	2.08	126.28	122.55
2	B	1411	370	C9-C10-N2	2.06	114.68	110.81
2	C	1411	370	C8-O1-C7	-2.05	112.65	122.72
2	A	1411	370	C1-N4-N3	2.04	111.01	106.51
8	A	1422	NHW	C2X-C1X-N9A	-2.02	108.29	113.30
2	B	1411	370	C20-C19-C2	-2.01	127.81	131.20
2	A	1411	370	C16-C15-C14	2.01	122.71	120.24

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1411	370	O-C5-C6-C7
2	B	1411	370	O-C5-C6-C7
2	C	1411	370	O-C5-C6-C7
2	C	1411	370	N1-C5-C6-C7
8	B	1422	NHW	C7M-C8M-C9M-CAM
8	B	1422	NHW	C6-C7-N8-C9
2	B	1411	370	O-C5-C6-S
2	C	1411	370	O-C5-C6-S
2	A	1411	370	N1-C5-C6-C7
2	B	1411	370	N1-C5-C6-C7
8	C	1422	NHW	C6-C7-N8-C9
2	C	1411	370	N1-C5-C6-S
8	B	1422	NHW	P2A-O3A-P1A-O1A



There are no ring outliers.

3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1411	370	1	0
3	A	1413	DMS	3	0
3	A	1412	DMS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand 370 A 1411



Ligand NHW B 1422



Ligand NHW A 1422



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/384 (100%)	-0.59	7 (1%) 67 72	6, 13, 28, 67	41 (10%)
1	B	384/384 (100%)	-0.62	5 (1%) 75 79	6, 13, 30, 69	41 (10%)
1	C	373/384 (97%)	-0.42	10 (2%) 56 60	6, 15, 32, 71	42 (11%)
All	All	1141/1152 (99%)	-0.55	22 (1%) 66 71	6, 14, 31, 71	124 (10%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	238	ALA	5.3
1	C	242[A]	TYR	5.2
1	C	239	ILE	4.7
1	C	241	LEU	3.8
1	C	243	ARG	3.2
1	A	231	SER	2.9
1	C	240	LYS	2.9
1	B	230[A]	ASN	2.8
1	C	226	PHE	2.5
1	A	230	ASN	2.4
1	A	385	ASP	2.4
1	B	226	PHE	2.3
1	C	45	GLU	2.3
1	A	226	PHE	2.3
1	A	323	GLY	2.3
1	B	231[A]	SER	2.2
1	C	27	ASP	2.2
1	A	232	ARG	2.2
1	B	229	LEU	2.2
1	C	323	GLY	2.2
1	A	228	SER	2.1
1	B	325	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	DMS	A	1412	4/4	0.76	0.19	41,44,47,53	0
3	DMS	B	1413	4/4	0.78	0.18	38,41,42,51	0
6	NH4	C	1414	1/1	0.89	0.22	35,35,35,35	0
6	NH4	B	1415	1/1	0.90	0.14	32,32,32,32	0
4	SO4	A	1414	5/5	0.92	0.10	38,39,43,44	0
3	DMS	A	1413	4/4	0.94	0.13	14,22,24,27	0
3	DMS	C	1412	4/4	0.95	0.13	27,28,32,33	0
6	NH4	A	1416	1/1	0.96	0.08	24,24,24,24	0
3	DMS	B	1412	4/4	0.96	0.09	21,21,25,25	0
2	370	C	1411	29/29	0.96	0.07	16,20,31,32	0
2	370	A	1411	29/29	0.98	0.05	10,15,22,23	0
2	370	B	1411	29/29	0.98	0.05	10,13,21,24	0
5	MG	C	1413	1/1	0.99	0.05	22,22,22,22	0
5	MG	B	1414	1/1	0.99	0.04	22,22,22,22	0
7	CL	A	1417	1/1	0.99	0.02	13,13,13,13	0
8	NHW	A	1422	64/64	0.99	0.04	8,11,14,15	0
8	NHW	B	1422	64/64	0.99	0.03	6,11,14,15	0
8	NHW	C	1422	64/64	0.99	0.04	8,12,16,18	0
5	MG	A	1415	1/1	1.00	0.04	21,21,21,21	0
7	CL	B	1416	1/1	1.00	0.02	13,13,13,13	0
7	CL	C	1415	1/1	1.00	0.03	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 370 C 1411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 370 A 1411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 370 B 1411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NHW A 1422:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NHW B 1422:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.