



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:35 AM UTC

PDB ID : 6CA2 / pdb_00006ca2
Title : ENGINEERING THE HYDROPHOBIC POCKET OF CARBONIC ANHYDRASE II
Authors : Alexander, R.S.; Christianson, D.W.
Deposited on : 1991-07-09
Resolution : 2.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	260	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2118 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBONIC ANHYDRASE II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	255	2033	1307	347	377	2	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	143	PHE	VAL	conflict	UNP P00918

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MERCURY (II) ION (CCD ID: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Hg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	83	Total	O	0	0
			83	83		

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.70Å 41.70Å 73.00Å 90.00° 104.60° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.180 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2118	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.80	23/2093 (1.1%)	2.05	72/2839 (2.5%)

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	41	ASP	C-O	-7.87	1.18	1.25
1	A	190	ASP	N-CA	7.11	1.54	1.46
1	A	85	ASP	CA-C	6.92	1.60	1.52
1	A	179	PHE	CA-C	6.88	1.60	1.52
1	A	6	GLY	N-CA	6.53	1.51	1.45
1	A	208	THR	CA-C	6.43	1.61	1.52
1	A	75	ASP	N-CA	6.42	1.54	1.46
1	A	238	GLU	CD-OE1	6.30	1.37	1.25
1	A	34	ASP	N-CA	6.28	1.54	1.46
1	A	182	ARG	C-O	6.20	1.31	1.24
1	A	162	ASP	C-N	-5.77	1.27	1.33
1	A	21	PRO	C-O	5.76	1.32	1.24
1	A	97	TRP	C-N	-5.62	1.28	1.33
1	A	106	GLU	CD-OE2	5.53	1.35	1.25
1	A	107	HIS	CE1-NE2	5.47	1.38	1.32
1	A	8	GLY	C-O	5.42	1.30	1.23
1	A	192	TRP	CA-C	5.39	1.59	1.52
1	A	22	ILE	C-O	-5.31	1.17	1.24
1	A	59	ILE	N-CA	5.27	1.52	1.46
1	A	145	GLY	C-O	-5.22	1.17	1.23
1	A	76	LYS	C-O	5.13	1.30	1.24
1	A	75	ASP	C-N	-5.10	1.27	1.33
1	A	88	TYR	C-N	-5.04	1.26	1.33

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	230	ASN	CA-CB-CG	10.90	123.50	112.60
1	A	207	VAL	N-CA-C	10.47	123.72	108.53
1	A	93	PHE	CA-CB-CG	9.82	123.62	113.80
1	A	242	VAL	CA-C-O	-7.48	114.22	121.63
1	A	20	PHE	CA-C-N	7.43	127.10	119.82
1	A	20	PHE	C-N-CA	7.43	127.10	119.82
1	A	75	ASP	CA-C-O	-7.37	112.57	122.44
1	A	198	LEU	N-CA-C	-7.32	100.17	110.50
1	A	190	ASP	CA-CB-CG	7.19	119.79	112.60
1	A	37	THR	CA-CB-OG1	-7.18	98.83	109.60
1	A	231	PHE	CA-CB-CG	7.17	120.97	113.80
1	A	180	ASP	CA-CB-CG	7.14	119.74	112.60
1	A	140	GLY	O-C-N	6.96	128.94	122.19
1	A	207	VAL	CA-C-O	6.95	128.64	120.72
1	A	226	PHE	CA-CB-CG	6.66	120.45	113.80
1	A	131	PHE	CA-C-N	6.49	127.32	119.99
1	A	131	PHE	C-N-CA	6.49	127.32	119.99
1	A	14	GLU	CB-CG-CD	6.34	123.39	112.60
1	A	214	GLU	CA-C-N	6.11	126.30	120.31
1	A	214	GLU	C-N-CA	6.11	126.30	120.31
1	A	41	ASP	CA-C-N	6.08	125.64	119.19
1	A	41	ASP	C-N-CA	6.08	125.64	119.19
1	A	190	ASP	N-CA-C	-6.04	101.35	110.28
1	A	192	TRP	N-CA-C	-6.01	100.39	109.95
1	A	216	ILE	N-CA-C	-6.00	99.67	108.97
1	A	53	GLN	OE1-CD-NE2	5.97	128.57	122.60
1	A	107	HIS	CA-CB-CG	5.92	119.72	113.80
1	A	60	LEU	N-CA-CB	-5.91	100.55	111.13
1	A	64	HIS	ND1-CE1-NE2	5.81	114.21	108.40
1	A	175	ASP	N-CA-C	-5.81	101.81	110.23
1	A	191	TYR	CA-C-O	5.76	127.55	121.33
1	A	10	HIS	CA-CB-CG	-5.75	108.05	113.80
1	A	242	VAL	O-C-N	5.72	129.49	123.02
1	A	252	LYS	N-CA-C	5.70	118.14	111.02
1	A	166	SER	N-CA-C	5.68	120.06	113.18
1	A	68	VAL	N-CA-C	-5.67	99.71	107.99
1	A	96	HIS	CA-C-O	-5.62	113.36	120.28
1	A	233	GLY	N-CA-C	-5.62	104.09	113.02
1	A	177	THR	CA-CB-OG1	-5.59	101.22	109.60
1	A	147	PHE	CA-CB-CG	5.59	119.39	113.80
1	A	93	PHE	O-C-N	5.54	129.70	123.27
1	A	225	LYS	CA-C-N	5.43	127.82	120.44
1	A	225	LYS	C-N-CA	5.43	127.82	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	137	GLN	CA-C-N	5.42	125.25	119.28
1	A	137	GLN	C-N-CA	5.42	125.25	119.28
1	A	82	GLY	CA-C-N	5.40	125.88	120.04
1	A	82	GLY	C-N-CA	5.40	125.88	120.04
1	A	26	GLU	CA-C-O	-5.37	112.66	119.31
1	A	169	THR	CA-C-O	5.33	127.18	121.16
1	A	145	GLY	CA-C-O	5.30	125.53	120.91
1	A	162	ASP	CA-CB-CG	5.29	117.89	112.60
1	A	23	ALA	O-C-N	5.26	129.23	122.39
1	A	68	VAL	CB-CA-C	5.24	118.16	110.98
1	A	185	LEU	N-CA-C	5.24	116.43	109.93
1	A	125	THR	CA-C-O	5.18	127.92	120.51
1	A	201	PRO	CB-CA-C	5.16	117.21	110.92
1	A	140	GLY	CA-C-O	-5.14	115.22	120.66
1	A	84	LEU	N-CA-C	5.13	118.08	110.48
1	A	99	SER	N-CA-C	-5.13	106.18	112.90
1	A	40	TYR	N-CA-C	-5.11	102.30	109.96
1	A	208	THR	O-C-N	5.10	129.12	123.05
1	A	139	ASP	CA-C-N	5.10	125.61	120.00
1	A	139	ASP	C-N-CA	5.10	125.61	120.00
1	A	75	ASP	O-C-N	5.09	129.33	122.61
1	A	92	GLN	CB-CG-CD	5.08	121.23	112.60
1	A	92	GLN	N-CA-C	5.08	116.24	108.42
1	A	201	PRO	N-CA-C	-5.06	104.52	110.70
1	A	257	LYS	CA-CB-CG	-5.06	103.97	114.10
1	A	179	PHE	O-C-N	5.05	129.25	123.29
1	A	12	GLY	CA-C-N	5.02	125.29	119.47
1	A	12	GLY	C-N-CA	5.02	125.29	119.47
1	A	90	LEU	O-C-N	5.01	129.09	122.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2033	0	1981	48	2
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	83	0	0	3	1
All	All	2118	0	1981	48	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:THR:C	1:A:127:LYS:N	2.17	1.02
1:A:53:GLN:O	1:A:76:LYS:HD3	1.61	1.00
1:A:58:ARG:HD2	1:A:69:GLU:OE1	1.68	0.93
1:A:253:ASN:C	1:A:253:ASN:HD22	1.78	0.90
1:A:113:LYS:NZ	4:A:271:HOH:O	2.21	0.73
1:A:53:GLN:HG3	1:A:76:LYS:CE	2.23	0.69
1:A:53:GLN:HG3	1:A:76:LYS:NZ	2.08	0.69
1:A:89:ARG:O	1:A:122:HIS:HA	1.96	0.65
1:A:128:TYR:CE1	1:A:137:GLN:HG3	2.32	0.64
1:A:89:ARG:HG3	1:A:125:THR:CG2	2.30	0.61
1:A:253:ASN:HD22	1:A:254:ARG:N	1.98	0.60
1:A:45:LYS:O	1:A:82:GLY:HA2	2.02	0.60
1:A:55:THR:HG23	4:A:336:HOH:O	2.01	0.60
1:A:128:TYR:CZ	1:A:137:GLN:HG3	2.37	0.60
1:A:253:ASN:C	1:A:253:ASN:ND2	2.51	0.59
1:A:160:VAL:O	1:A:163:VAL:HG12	2.03	0.59
1:A:89:ARG:HG3	1:A:125:THR:HG22	1.85	0.56
1:A:72:ASP:OD2	1:A:123:TRP:NE1	2.37	0.55
1:A:132:GLY:O	1:A:135:VAL:HG22	2.08	0.54
1:A:135:VAL:O	1:A:206:CYS:SG	2.67	0.53
1:A:236:GLU:HB3	1:A:237:PRO:HD2	1.90	0.53
1:A:51:TYR:CD1	1:A:77:ALA:HB1	2.44	0.53
1:A:219:SER:OG	1:A:222:GLN:HG3	2.09	0.53
1:A:203:LEU:HD22	1:A:246:ARG:NH1	2.25	0.52
1:A:58:ARG:NH1	1:A:60:LEU:HD13	2.25	0.52
1:A:56:SER:O	1:A:177:THR:HA	2.11	0.50
1:A:121:VAL:HG22	1:A:143:PHE:CE2	2.47	0.50
1:A:146:ILE:HG12	1:A:212:LEU:HD23	1.94	0.49
1:A:117:GLU:OE2	1:A:119:HIS:NE2	2.34	0.48
1:A:88:TYR:HB3	1:A:122:HIS:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:LEU:O	1:A:66:PHE:HA	2.14	0.48
1:A:64:HIS:ND1	4:A:334:HOH:O	2.33	0.48
1:A:236:GLU:HB3	1:A:237:PRO:CD	2.44	0.48
1:A:252:LYS:O	1:A:253:ASN:CG	2.58	0.46
1:A:134:ALA:O	1:A:140:GLY:HA3	2.16	0.45
1:A:114:TYR:HB3	1:A:148:LEU:O	2.17	0.45
1:A:213:LYS:HD3	1:A:260:PHE:CZ	2.51	0.45
1:A:59:ILE:HA	1:A:67:ASN:O	2.17	0.44
1:A:146:ILE:HG12	1:A:212:LEU:CD2	2.48	0.44
1:A:112:LYS:HE3	1:A:114:TYR:CZ	2.53	0.43
1:A:249:GLN:HB3	1:A:250:PRO:CD	2.48	0.43
1:A:110:ASP:O	1:A:111:LYS:HB2	2.19	0.42
1:A:53:GLN:CG	1:A:76:LYS:CE	2.95	0.42
1:A:125:THR:C	1:A:127:LYS:CA	2.90	0.42
1:A:243:ASP:HA	1:A:245:TRP:CD1	2.54	0.41
1:A:109:VAL:O	1:A:112:LYS:HB3	2.21	0.41
1:A:53:GLN:CG	1:A:76:LYS:HE2	2.51	0.41
1:A:27:ARG:HG3	1:A:205:GLU:HB3	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:ARG:NH2	1:A:239:GLU:OE1[2_555]	2.13	0.07
1:A:162:ASP:OD2	4:A:316:HOH:O[2_445]	2.14	0.06

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	251/260 (96%)	239 (95%)	11 (4%)	1 (0%)	30 49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	65	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	220/225 (98%)	207 (94%)	13 (6%)	18 37

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	THR
1	A	50	SER
1	A	53	GLN
1	A	58	ARG
1	A	60	LEU
1	A	79	LEU
1	A	83	PRO
1	A	127	LYS
1	A	144	LEU
1	A	212	LEU
1	A	221	GLU
1	A	229	LEU
1	A	253	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	ASN
1	A	74	GLN
1	A	136	GLN
1	A	178	ASN
1	A	249	GLN
1	A	253	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	125:THR	C	127:LYS	N	2.17

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.