



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 07:25 AM UTC

PDB ID : 6CAN / pdb_00006can
Title : Prolyl oligopeptidase mutant S477C from *Pyrococcus furiosus*
Authors : Ellis-Guardiola, K.; Lewis, J.C.; Sukumar, N.
Deposited on : 2018-01-31
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	616	
1	B	616	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10866 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prolyl endopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	616	Total	C	N	O	S	37	0	0
			5009	3243	829	923	14			
1	B	616	Total	C	N	O	S	34	0	0
			5009	3243	829	923	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	464	LEU	ARG	variant	UNP Q51714
A	477	CYS	SER	engineered mutation	UNP Q51714
B	464	LEU	ARG	variant	UNP Q51714
B	477	CYS	SER	engineered mutation	UNP Q51714

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Cl	0	0
			3	3		
2	B	3	Total	Cl	0	0
			3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	435	Total	O	0	0
			435	435		
3	B	407	Total	O	0	0
			407	407		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Prolyl endopeptidase



• Molecule 1: Prolyl endopeptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.29Å 178.76Å 59.29Å 90.00° 104.35° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.5 (20.00-2.20) 93.4 (20.00-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.21Å)	Xtriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, R_{free}	0.196 , 0.251 0.196 , 0.254	Depositor DCC
R_{free} test set	932 reflections (1.63%)	wwPDB-VP
Wilson B-factor (Å ²)	40.3	Xtriage
Anisotropy	0.045	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10866	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/5134	0.86	13/6931 (0.2%)
1	B	0.50	0/5134	0.85	14/6931 (0.2%)
All	All	0.51	0/10268	0.85	27/13862 (0.2%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	181	GLU	N-CA-C	8.49	122.84	108.23
1	B	151	TYR	N-CA-C	8.40	121.36	108.42
1	B	117	GLY	N-CA-C	6.73	123.96	115.21
1	A	226	ASN	CA-C-N	6.67	126.36	119.56
1	A	226	ASN	C-N-CA	6.67	126.36	119.56
1	A	149	ASP	N-CA-C	6.00	117.91	111.36
1	B	513	TYR	CB-CA-C	-5.81	109.89	116.63
1	A	248	GLY	N-CA-C	5.77	123.03	115.36
1	A	78	GLY	N-CA-C	5.66	119.07	111.20
1	B	564	HIS	CA-C-N	5.57	125.25	119.56
1	B	564	HIS	C-N-CA	5.57	125.25	119.56
1	A	121	GLY	N-CA-C	-5.54	102.02	112.10
1	B	226	ASN	CA-C-N	5.48	125.10	119.56
1	B	226	ASN	C-N-CA	5.48	125.10	119.56
1	B	447	ARG	CA-C-N	5.48	128.17	120.28
1	B	447	ARG	C-N-CA	5.48	128.17	120.28
1	A	131	GLY	N-CA-C	-5.47	107.72	115.43
1	B	289	ARG	CB-CA-C	-5.43	109.85	117.23
1	A	512	LEU	N-CA-C	5.32	117.19	108.52
1	B	167	ASN	CA-C-N	5.27	125.81	120.38
1	B	167	ASN	C-N-CA	5.27	125.81	120.38
1	A	148	LYS	CB-CA-C	-5.25	110.51	116.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	353	ASP	N-CA-C	-5.24	106.83	113.43
1	B	116	GLY	N-CA-C	5.23	121.12	113.48
1	A	591	GLY	N-CA-C	-5.15	102.44	112.02
1	A	344	ILE	CA-C-N	5.07	125.10	119.32
1	A	344	ILE	C-N-CA	5.07	125.10	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5009	0	4994	98	0
1	B	5009	0	4994	108	0
2	A	3	0	0	1	0
2	B	3	0	0	0	0
3	A	435	0	0	25	0
3	B	407	0	0	19	0
All	All	10866	0	9988	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:ARG:HD2	3:A:1027:HOH:O	1.60	0.99
1:A:254:THR:HG22	1:A:256:GLU:H	1.36	0.90
1:B:330:LYS:HG2	1:B:331:ASP:N	1.89	0.88
1:B:254:THR:HG22	1:B:256:GLU:H	1.47	0.78
1:A:240:VAL:HG12	1:A:254:THR:HG23	1.66	0.78
1:A:216:GLN:CA	3:A:837:HOH:O	2.34	0.76
1:B:481:LEU:HD13	1:B:506:MET:HE3	1.69	0.75
1:A:334:ARG:NH1	1:A:350:GLU:OE2	2.20	0.74
1:A:216:GLN:HA	3:A:837:HOH:O	1.88	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:481:LEU:HD13	1:A:506:MET:HE3	1.71	0.73
1:A:69:ASP:HA	1:A:597:PRO:HG2	1.72	0.72
1:B:178:ARG:CG	1:B:179:GLU:N	2.52	0.72
1:A:559:HIS:CG	1:A:590:SER:HB2	2.25	0.72
1:A:122:ILE:HG12	1:A:138:LYS:CG	2.20	0.71
1:B:328:LEU:HD11	1:B:338:ARG:HB2	1.72	0.71
1:A:504:ILE:HG21	1:A:571:PHE:HB2	1.75	0.69
1:A:330:LYS:NZ	3:A:804:HOH:O	2.22	0.68
1:A:48:GLN:HG3	3:A:1037:HOH:O	1.93	0.68
1:A:91:VAL:HG11	1:A:115:ILE:HG21	1.77	0.67
1:B:315:LYS:HE2	3:B:808:HOH:O	1.94	0.67
1:B:221:ILE:HD11	3:B:1073:HOH:O	1.95	0.67
2:A:702:CL:CL	3:A:811:HOH:O	2.50	0.66
1:B:91:VAL:HG11	1:B:115:ILE:HD13	1.78	0.66
1:B:178:ARG:HG2	1:B:179:GLU:N	2.10	0.66
1:B:28:ARG:HD2	3:B:1112:HOH:O	1.95	0.66
1:A:43:TRP:CH2	1:A:598:GLU:HG3	2.31	0.65
1:A:227:PRO:HA	1:A:230:TRP:CD2	2.32	0.65
1:A:590:SER:OG	1:A:591:GLY:N	2.26	0.64
1:B:503:VAL:HG12	1:B:506:MET:HE1	1.80	0.64
1:B:290:ASP:OD1	1:B:290:ASP:N	2.27	0.64
1:B:388:LYS:NZ	1:B:392:ASP:OD2	2.31	0.64
1:A:25:LYS:O	1:A:29:GLU:HG2	1.98	0.64
1:A:120:GLU:HA	1:A:120:GLU:OE1	1.98	0.64
1:B:289:ARG:NH1	1:B:353:ASP:OD2	2.30	0.63
1:A:69:ASP:HB2	3:A:864:HOH:O	1.98	0.63
1:A:70:ARG:HD3	1:A:85:LYS:HD3	1.80	0.63
1:B:108:LYS:NZ	3:B:801:HOH:O	2.22	0.63
1:B:198:ARG:NH2	3:B:806:HOH:O	2.25	0.62
1:A:356:ARG:HG2	1:A:356:ARG:HH11	1.64	0.62
1:A:304:LEU:HB3	1:A:317:ILE:HB	1.81	0.62
1:B:141:ILE:HG21	1:B:153:PHE:CD1	2.35	0.62
1:B:289:ARG:NH1	1:B:353:ASP:CG	2.58	0.61
1:A:122:ILE:HG12	1:A:138:LYS:HD2	1.83	0.61
1:A:334:ARG:HD3	3:A:1105:HOH:O	1.99	0.61
1:B:84:SER:O	1:B:88:GLU:HG3	2.00	0.61
1:A:70:ARG:CD	1:A:85:LYS:HD3	2.30	0.61
1:B:12:GLU:HG2	3:B:1139:HOH:O	2.00	0.61
1:B:74:LYS:NZ	3:B:817:HOH:O	2.34	0.60
1:A:593:MET:HG2	3:A:828:HOH:O	2.01	0.60
1:A:330:LYS:NZ	3:A:816:HOH:O	2.27	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:THR:HG21	1:B:256:GLU:OE2	2.01	0.59
1:B:282:LEU:HD11	1:B:294:ALA:HB1	1.84	0.59
1:A:504:ILE:HG22	1:A:540:TYR:HB2	1.85	0.59
1:A:393:GLU:O	1:A:395:ARG:NH1	2.35	0.59
1:B:291:LYS:NZ	1:B:353:ASP:OD1	2.36	0.59
1:B:141:ILE:HG22	1:B:142:TRP:H	1.68	0.59
1:A:169:PRO:HD3	3:A:925:HOH:O	2.03	0.58
1:A:179:GLU:OE2	1:A:182:ARG:NH1	2.37	0.58
1:B:443:ARG:NE	3:B:809:HOH:O	2.27	0.58
1:B:221:ILE:HG12	1:B:233:VAL:HG21	1.86	0.57
1:B:313:LYS:NZ	1:B:316:GLU:OE2	2.23	0.57
1:B:186:GLY:HA2	1:B:189:LEU:HD12	1.87	0.57
1:A:559:HIS:ND1	1:A:590:SER:HB2	2.18	0.57
1:B:83:ASP:HB3	1:B:86:GLU:HG2	1.87	0.56
1:B:352:LYS:NZ	3:B:821:HOH:O	2.38	0.56
1:A:122:ILE:HG12	1:A:138:LYS:CD	2.36	0.56
1:A:585:ARG:HH12	1:A:587:GLU:HG2	1.70	0.56
1:B:178:ARG:HG2	1:B:179:GLU:H	1.70	0.56
1:B:227:PRO:HA	1:B:230:TRP:CD2	2.41	0.56
1:A:43:TRP:CZ3	1:A:598:GLU:HG3	2.40	0.55
1:B:461:LEU:HD22	1:B:471:VAL:HG11	1.87	0.55
1:B:36:ASP:OD1	1:B:602:ARG:NH2	2.36	0.55
1:B:401:TYR:CE1	1:B:478:ASN:HB3	2.42	0.55
1:B:306:VAL:HG12	1:B:314:ILE:HD12	1.88	0.55
1:B:255:LYS:HB3	1:B:259:GLY:HA2	1.88	0.54
1:A:55:ARG:HD2	3:A:844:HOH:O	2.07	0.54
1:A:218:GLU:OE1	1:A:232:LYS:HD2	2.06	0.54
1:A:585:ARG:NH1	1:A:587:GLU:HG2	2.23	0.54
1:B:69:ASP:OD1	1:B:69:ASP:N	2.41	0.54
1:A:83:ASP:OD1	1:A:84:SER:N	2.40	0.54
1:A:395:ARG:HG2	1:A:615:LEU:HB3	1.90	0.54
1:A:173:MET:HB2	1:A:195:MET:HE1	1.89	0.54
1:A:440:GLU:HG2	3:A:938:HOH:O	2.08	0.54
1:A:48:GLN:HA	3:A:1037:HOH:O	2.08	0.54
1:B:169:PRO:HD3	3:B:1096:HOH:O	2.08	0.53
1:A:242:ALA:HA	1:A:252:ILE:HD13	1.89	0.53
1:A:198:ARG:NH1	3:A:829:HOH:O	2.42	0.53
1:A:282:LEU:HD11	1:A:294:ALA:HB1	1.89	0.53
1:A:339:TYR:HB3	1:A:347:ARG:HB2	1.91	0.53
1:A:122:ILE:HG12	1:A:138:LYS:HG3	1.90	0.53
1:A:53:MET:HG3	3:A:1050:HOH:O	2.07	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:THR:OG1	1:B:191:SER:N	2.40	0.52
1:B:371:GLU:OE1	1:B:383:HIS:NE2	2.29	0.52
1:B:5:TYR:OH	1:B:577:GLU:OE1	2.23	0.52
1:B:551:PRO:HG2	3:B:1070:HOH:O	2.09	0.52
1:B:292:ILE:N	1:B:307:TYR:O	2.37	0.52
1:A:201:SER:OG	1:A:244:ASP:OD2	2.21	0.52
1:B:3:ASP:HB3	1:B:6:ILE:HB	1.92	0.51
1:B:595:ALA:O	1:B:597:PRO:HD3	2.10	0.51
1:B:289:ARG:HH11	1:B:353:ASP:CG	2.19	0.51
1:A:530:ASP:HA	1:A:533:PHE:CE2	2.46	0.50
1:A:206:ALA:HB2	1:A:224:ILE:HD12	1.94	0.49
1:B:391:ARG:HH21	1:B:422:ARG:HA	1.77	0.49
1:A:173:MET:HE3	1:A:230:TRP:HZ3	1.75	0.49
1:B:69:ASP:HA	1:B:597:PRO:HG2	1.94	0.49
1:A:91:VAL:HG21	1:A:115:ILE:HD13	1.95	0.49
1:A:356:ARG:HG2	1:A:356:ARG:NH1	2.23	0.49
1:A:173:MET:HB3	1:A:185:PHE:HB3	1.95	0.49
1:B:113:PHE:O	1:B:122:ILE:N	2.45	0.48
1:B:345:PRO:HD2	1:B:362:LYS:HA	1.94	0.48
1:B:73:ILE:HB	1:B:82:VAL:HB	1.94	0.48
1:B:223:PRO:HG2	1:B:229:GLU:HB2	1.96	0.47
1:A:255:LYS:O	1:A:259:GLY:HA2	2.15	0.47
1:A:67:GLU:HG2	1:A:68:LYS:HG3	1.97	0.47
1:B:197:ILE:HD11	1:B:206:ALA:HB1	1.95	0.47
1:A:477:CYS:HB2	3:A:1093:HOH:O	2.15	0.47
1:B:118:ALA:HA	3:B:977:HOH:O	2.14	0.47
1:B:53:MET:HE1	3:B:1030:HOH:O	2.15	0.47
1:B:477:CYS:HB2	3:B:1067:HOH:O	2.13	0.47
1:A:67:GLU:O	1:A:68:LYS:C	2.58	0.46
1:A:379:GLY:O	1:A:381:LYS:NZ	2.49	0.46
1:B:356:ARG:NH2	3:B:814:HOH:O	2.33	0.46
1:A:490:ARG:O	1:A:493:VAL:HG22	2.16	0.46
1:B:447:ARG:NH2	1:B:530:ASP:OD1	2.45	0.46
1:A:8:MET:HE2	1:A:569:LEU:HB3	1.97	0.45
1:B:289:ARG:NH1	1:B:353:ASP:OD1	2.50	0.45
1:A:260:LEU:O	1:A:281:PRO:HA	2.16	0.45
1:B:291:LYS:HD3	3:B:1062:HOH:O	2.16	0.45
1:B:500:GLY:O	1:B:501:TYR:C	2.60	0.45
1:A:8:MET:HE1	1:A:573:MET:HE3	1.99	0.45
1:B:143:ASN:OD1	1:B:197:ILE:HG22	2.16	0.45
1:B:240:VAL:HG12	1:B:254:THR:HG23	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:TYR:OH	3:A:801:HOH:O	2.21	0.45
1:B:178:ARG:CG	1:B:179:GLU:HG2	2.47	0.45
1:B:155:ARG:O	1:B:171:ALA:HA	2.17	0.45
1:B:178:ARG:HG3	1:B:179:GLU:N	2.32	0.45
1:B:540:TYR:CE1	1:B:570:LYS:HB3	2.51	0.45
1:A:347:ARG:HG2	1:A:360:GLU:HG3	1.98	0.45
1:B:585:ARG:NH1	1:B:587:GLU:HG2	2.32	0.44
1:A:84:SER:O	1:A:88:GLU:HG3	2.17	0.44
1:B:247:ASN:O	1:B:247:ASN:ND2	2.43	0.44
1:A:195:MET:HE3	1:A:195:MET:HB2	1.69	0.44
1:A:327:PRO:HA	1:A:337:LEU:HD23	2.00	0.44
1:A:332:GLU:HB2	3:A:999:HOH:O	2.16	0.44
1:B:331:ASP:OD1	1:B:333:GLU:N	2.50	0.44
1:A:79:ASP:OD1	3:A:802:HOH:O	2.21	0.44
1:B:70:ARG:HB2	1:B:85:LYS:HG3	2.00	0.44
1:A:3:ASP:OD1	1:A:540:TYR:OH	2.28	0.44
1:A:90:GLU:OE2	1:A:124:ARG:NH2	2.44	0.44
1:B:373:PHE:CE2	1:B:383:HIS:HB2	2.53	0.44
1:A:216:GLN:C	3:A:837:HOH:O	2.60	0.44
1:A:216:GLN:N	3:A:837:HOH:O	2.46	0.44
1:B:323:GLY:HA2	1:B:410:PRO:HB2	2.00	0.44
1:B:477:CYS:O	1:B:480:GLY:N	2.49	0.44
1:A:149:ASP:N	1:A:149:ASP:OD1	2.50	0.44
1:A:394:LYS:HD3	1:A:394:LYS:HA	1.72	0.44
1:A:514:ILE:C	1:A:514:ILE:HD12	2.42	0.44
1:A:476:ARG:HH21	1:A:593:MET:HE2	1.83	0.43
1:B:200:SER:OG	1:B:202:ASP:OD1	2.34	0.43
1:B:401:TYR:CE2	1:B:406:ILE:HD12	2.53	0.43
1:B:6:ILE:HD11	1:B:508:ARG:CZ	2.49	0.43
1:B:72:VAL:HG13	1:B:80:VAL:HG13	2.00	0.43
1:B:457:PHE:HD2	1:B:486:THR:HG21	1.83	0.43
1:A:27:PHE:CE2	1:A:31:ILE:HD11	2.54	0.43
1:A:215:ASN:O	1:A:215:ASN:OD1	2.36	0.43
1:B:509:PHE:O	1:B:515:GLY:HA3	2.18	0.43
1:B:338:ARG:NH1	3:B:834:HOH:O	2.49	0.43
1:B:397:TRP:HE1	1:B:474:TRP:HB2	1.84	0.43
1:A:413:PHE:HA	1:A:414:PRO:HD2	1.92	0.43
1:B:415:GLN:O	1:B:608:LEU:HD13	2.19	0.43
1:B:127:ASP:HB2	1:B:132:GLU:HG2	2.01	0.42
1:B:186:GLY:HA2	1:B:195:MET:HE1	2.01	0.42
1:B:227:PRO:HA	1:B:230:TRP:CE2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:564:HIS:HA	1:A:565:PRO:HD3	1.86	0.42
1:B:255:LYS:O	1:B:259:GLY:HA2	2.19	0.42
1:B:490:ARG:O	1:B:493:VAL:HG22	2.19	0.42
1:A:479:GLY:O	1:A:482:LEU:HB3	2.20	0.42
1:B:287:ILE:HD13	1:B:309:LEU:HD21	2.02	0.42
1:B:147:LEU:O	1:B:148:LYS:C	2.63	0.42
1:B:178:ARG:HG3	1:B:179:GLU:HG2	2.02	0.42
1:B:327:PRO:HA	1:B:337:LEU:HD23	2.02	0.42
1:B:112:SER:HA	1:B:122:ILE:O	2.20	0.42
1:B:330:LYS:HG2	1:B:331:ASP:O	2.20	0.41
1:B:110:ALA:HA	1:B:124:ARG:O	2.20	0.41
1:B:250:LEU:HD12	1:B:251:TYR:N	2.35	0.41
1:B:368:ARG:HH11	1:B:368:ARG:HD2	1.72	0.41
1:A:21:GLU:OE2	3:A:803:HOH:O	2.22	0.41
1:B:27:PHE:CE2	1:B:31:ILE:HD11	2.55	0.41
1:A:461:LEU:HD22	1:A:471:VAL:HG11	2.03	0.41
1:B:20:ILE:HG23	1:B:586:VAL:HB	2.03	0.41
1:B:104:GLU:OE1	3:B:802:HOH:O	2.22	0.41
1:B:391:ARG:HG3	1:B:423:GLY:CA	2.51	0.41
1:A:25:LYS:HE3	1:A:25:LYS:HB3	1.71	0.41
1:A:122:ILE:HG23	1:A:138:LYS:HG3	2.03	0.41
1:A:173:MET:HE3	1:A:230:TRP:CZ3	2.55	0.41
1:A:239:PRO:HA	3:A:837:HOH:O	2.20	0.41
1:A:417:ILE:HB	1:A:418:PRO:HD3	2.03	0.41
1:A:536:LYS:NZ	3:A:825:HOH:O	2.39	0.41
1:B:1:MET:SD	3:B:1118:HOH:O	2.62	0.41
1:B:151:TYR:CD1	1:B:151:TYR:N	2.89	0.41
1:B:324:SER:O	1:B:339:TYR:HA	2.20	0.41
1:A:148:LYS:HE2	1:A:148:LYS:HB2	1.54	0.41
1:A:3:ASP:CG	1:A:540:TYR:HH	2.27	0.40
1:B:298:VAL:HG21	1:B:303:LYS:HE3	2.02	0.40
1:A:18:LYS:HE3	1:A:22:GLU:OE1	2.22	0.40
1:B:91:VAL:HG11	1:B:115:ILE:HG21	2.03	0.40
1:A:5:TYR:CE1	1:A:573:MET:HG2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	614/616 (100%)	596 (97%)	18 (3%)	0	100	100
1	B	614/616 (100%)	592 (96%)	22 (4%)	0	100	100
All	All	1228/1232 (100%)	1188 (97%)	40 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	534/534 (100%)	518 (97%)	16 (3%)	36	49
1	B	534/534 (100%)	520 (97%)	14 (3%)	40	55
All	All	1068/1068 (100%)	1038 (97%)	30 (3%)	38	52

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	LYS
1	A	86	GLU
1	A	91	VAL
1	A	105	GLU
1	A	108	LYS
1	A	143	ASN
1	A	148	LYS
1	A	179	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	195	MET
1	A	238	VAL
1	A	249	LYS
1	A	330	LYS
1	A	352	LYS
1	A	578	ILE
1	A	588	THR
1	A	590	SER
1	B	14	GLU
1	B	68	LYS
1	B	134	ILE
1	B	141	ILE
1	B	176	LYS
1	B	184	VAL
1	B	190	THR
1	B	247	ASN
1	B	249	LYS
1	B	270	LYS
1	B	330	LYS
1	B	372	ASP
1	B	589	LYS
1	B	593	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	B	45	GLN
1	B	98	GLN
1	B	226	ASN
1	B	228	GLN
1	B	268	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	615/616 (99%)	-0.19	3 (0%) 87 85	24, 41, 68, 95	7 (1%)
1	B	616/616 (100%)	-0.19	1 (0%) 91 90	27, 42, 71, 92	8 (1%)
All	All	1231/1232 (99%)	-0.19	4 (0%) 90 88	24, 41, 70, 95	15 (1%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	593	MET	3.0
1	A	595	ALA	2.8
1	A	69	ASP	2.3
1	A	215	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	A	702	1/1	0.83	0.09	58,58,58,58	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	A	703	1/1	0.90	0.25	62,62,62,62	0
2	CL	B	703	1/1	0.92	0.21	58,58,58,58	0
2	CL	B	702	1/1	0.93	0.08	53,53,53,53	0
2	CL	B	701	1/1	0.96	0.06	39,39,39,39	0
2	CL	A	701	1/1	0.98	0.09	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CL A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CL A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.