



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 02:12 AM UTC

PDB ID : 7CA1 / pdb_00007ca1
Title : Crystal structure of dihydroorotase in complex with plumbagin from *Saccharomyces cerevisiae*
Authors : Guan, H.H.; Huang, Y.H.; Huang, C.Y.; Chen, C.J.
Deposited on : 2020-06-08
Resolution : 3.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1747 (3.70-3.50)
Clashscore	190562	1827 (3.70-3.50)
Ramachandran outliers	187476	1773 (3.70-3.50)
Sidechain outliers	187428	1772 (3.70-3.50)
RSRZ outliers	180081	1745 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	372	 84% 13% ..
1	B	372	 87% 11% .
1	C	372	 80% 18% .
1	D	372	 84% 12% ..

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 11430 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	364	2844	1829	471	533	11	0	0	0
1	C	364	2844	1829	471	533	11	0	0	0
1	B	364	2844	1829	471	533	11	0	0	0
1	D	364	2844	1829	471	533	11	0	0	0

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	365	LEU	-	expression tag	UNP P20051
A	366	GLU	-	expression tag	UNP P20051
A	367	HIS	-	expression tag	UNP P20051
A	368	HIS	-	expression tag	UNP P20051
A	369	HIS	-	expression tag	UNP P20051
A	370	HIS	-	expression tag	UNP P20051
A	371	HIS	-	expression tag	UNP P20051
A	372	HIS	-	expression tag	UNP P20051
C	365	LEU	-	expression tag	UNP P20051
C	366	GLU	-	expression tag	UNP P20051
C	367	HIS	-	expression tag	UNP P20051
C	368	HIS	-	expression tag	UNP P20051
C	369	HIS	-	expression tag	UNP P20051
C	370	HIS	-	expression tag	UNP P20051
C	371	HIS	-	expression tag	UNP P20051
C	372	HIS	-	expression tag	UNP P20051
B	365	LEU	-	expression tag	UNP P20051
B	366	GLU	-	expression tag	UNP P20051
B	367	HIS	-	expression tag	UNP P20051
B	368	HIS	-	expression tag	UNP P20051
B	369	HIS	-	expression tag	UNP P20051

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	370	HIS	-	expression tag	UNP P20051
B	371	HIS	-	expression tag	UNP P20051
B	372	HIS	-	expression tag	UNP P20051
D	365	LEU	-	expression tag	UNP P20051
D	366	GLU	-	expression tag	UNP P20051
D	367	HIS	-	expression tag	UNP P20051
D	368	HIS	-	expression tag	UNP P20051
D	369	HIS	-	expression tag	UNP P20051
D	370	HIS	-	expression tag	UNP P20051
D	371	HIS	-	expression tag	UNP P20051
D	372	HIS	-	expression tag	UNP P20051

- Molecule 2 is (2S)-2-hydroxybutanedioic acid (CCD ID: LMR) (formula: C₄H₆O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 9 4 5	0	0
2	B	1	Total C O 9 4 5	0	0

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Zn 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	2	Total	Zn	0	0
			2	2		
3	B	2	Total	Zn	0	0
			2	2		
3	D	2	Total	Zn	0	0
			2	2		

- Molecule 4 is 5-hydroxy-2-methylnaphthalene-1,4-dione (CCD ID: 90R) (formula: C₁₁H₈O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			14	11	3		
4	D	1	Total	C	O	0	0
			14	11	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydroorotase




- Molecule 1: Dihydroorotase




- Molecule 1: Dihydroorotase



- Molecule 1: Dihydroorotase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.24Å 88.36Å 103.42Å 90.00° 95.16° 90.00°	Depositor
Resolution (Å)	45.90 – 3.60 45.90 – 3.60	Depositor EDS
% Data completeness (in resolution range)	94.6 (45.90-3.60) 94.6 (45.90-3.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 3.57Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.261 , 0.309 0.264 , 0.305	Depositor DCC
R_{free} test set	698 reflections (3.89%)	wwPDB-VP
Wilson B-factor (Å ²)	89.1	Xtrriage
Anisotropy	0.140	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.36$, $\langle L^2 \rangle = 0.19$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	11430	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 90R, ZN, LMR, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/2900	0.40	5/3937 (0.1%)
1	B	0.14	0/2900	0.36	0/3937
1	C	0.27	1/2900 (0.0%)	0.47	5/3937 (0.1%)
1	D	0.18	0/2900	0.47	5/3937 (0.1%)
All	All	0.19	1/11600 (0.0%)	0.43	15/15748 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	230	LYS	C-N	8.52	1.50	1.34

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	145	ASP	CB-CA-C	-10.03	91.39	110.24
1	D	109	ALA	CB-CA-C	-8.39	95.10	110.63
1	D	109	ALA	N-CA-C	8.39	121.36	111.71
1	C	108	SER	CA-C-N	6.23	129.48	120.38
1	C	108	SER	C-N-CA	6.23	129.48	120.38
1	A	198	LYS	CA-C-N	6.22	133.43	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	LYS	C-N-CA	6.22	133.43	121.54
1	D	145	ASP	CA-C-N	5.78	132.74	121.41
1	D	145	ASP	C-N-CA	5.78	132.74	121.41
1	A	199	LYS	N-CA-CB	5.78	120.25	110.49
1	A	200	ALA	CA-C-N	-5.69	113.41	122.29
1	A	200	ALA	C-N-CA	-5.69	113.41	122.29
1	C	111	GLY	CA-C-N	5.50	128.69	122.48
1	C	111	GLY	C-N-CA	5.50	128.69	122.48
1	D	364	ARG	CB-CA-C	-5.18	103.20	113.45

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	198	LYS	Mainchain
1	C	230	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2844	0	2843	32	0
1	B	2844	0	2844	26	0
1	C	2844	0	2844	43	0
1	D	2844	0	2843	31	0
2	A	9	0	4	1	0
2	B	9	0	4	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	C	14	0	0	0	0
4	D	14	0	0	0	0
All	All	11430	0	11382	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:78:LYS:H	1:D:78:LYS:HD2	1.34	0.93
1:C:137:HIS:HE1	1:C:230:LYS:O	1.56	0.86
1:D:74:PHE:HB2	1:D:97:VAL:HG12	1.55	0.86
1:C:137:HIS:CE1	1:C:230:LYS:O	2.29	0.86
1:D:78:LYS:H	1:D:78:LYS:CD	1.95	0.77
1:C:365:LEU:O	1:C:365:LEU:HD23	1.90	0.72
1:B:18:ARG:NH2	2:B:501:LMR:O4B	2.24	0.71
1:C:75:TYR:CE1	1:C:110:ALA:O	2.46	0.68
1:C:75:TYR:HE1	1:C:110:ALA:O	1.77	0.66
1:A:302:GLY:HA2	1:A:306:ASP:HB2	1.77	0.65
1:C:95:ARG:NH2	1:C:318:GLU:OE1	2.30	0.65
1:B:328:PHE:HE1	1:B:330:LYS:HE2	1.61	0.64
1:C:74:PHE:HB2	1:C:97:VAL:HG12	1.79	0.64
1:C:115:ASN:HB3	1:C:140:LYS:HE3	1.80	0.64
1:C:237:ASN:OD1	1:B:188:LYS:NZ	2.30	0.64
1:A:37:ILE:HD13	1:A:314:VAL:HG11	1.80	0.63
1:D:179:GLU:O	1:D:180:HIS:ND1	2.34	0.60
1:A:25:LEU:HD22	1:A:340:ASP:HB3	1.82	0.60
1:A:184:GLU:OE2	1:D:188:LYS:NZ	2.34	0.60
1:B:229:CYS:HB3	1:B:277:VAL:HG23	1.84	0.60
1:A:98:KCX:HA	1:A:135:ASN:HB2	1.84	0.59
1:C:309:ILE:HG23	1:C:314:VAL:HB	1.84	0.59
1:D:46:PRO:O	1:D:53:ARG:NH2	2.37	0.58
1:D:302:GLY:HA2	1:D:306:ASP:HB2	1.86	0.58
1:C:240:LYS:NZ	1:B:192:ASP:OD1	2.36	0.58
1:D:225:PRO:HB3	1:D:273:VAL:HG11	1.85	0.58
1:B:322:SER:O	1:B:364:ARG:HB3	2.02	0.58
1:A:219:ASP:OD1	1:C:144:HIS:NE2	2.30	0.58
1:A:98:KCX:OQ2	1:A:180:HIS:NE2	2.31	0.58
1:C:225:PRO:HB3	1:C:273:VAL:HG11	1.86	0.58
1:A:19:GLU:HG3	1:A:44:LEU:HD13	1.86	0.57
1:C:37:ILE:HD13	1:C:314:VAL:HG11	1.87	0.57
1:A:262:HIS:NE2	2:A:401:LMR:O1B	2.35	0.57
1:A:147:ASP:O	1:B:165:LYS:NZ	2.37	0.55
1:A:179:GLU:O	1:A:180:HIS:ND1	2.41	0.54
1:A:17:VAL:HG23	1:A:18:ARG:H	1.74	0.53
1:C:365:LEU:HD23	1:C:365:LEU:C	2.34	0.53
1:A:229:CYS:HB3	1:A:277:VAL:HG23	1.92	0.52
1:A:22:MET:HE1	1:A:346:ILE:HD11	1.90	0.52
1:A:278:TYR:HH	1:A:281:SER:HG	1.57	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:CYS:SG	1:A:309:ILE:HG13	2.51	0.51
1:B:74:PHE:HB2	1:B:97:VAL:HG22	1.92	0.51
1:C:229:CYS:HA	1:C:275:ALA:HB1	1.93	0.50
1:B:23:CYS:O	1:B:27:THR:OG1	2.22	0.50
1:D:127:MET:HE1	1:D:134:LEU:HB2	1.94	0.50
1:A:98:KCX:HE2	1:A:100:TYR:CZ	2.47	0.50
1:B:54:VAL:HG21	1:B:94:ILE:HG22	1.94	0.49
1:C:365:LEU:C	1:C:365:LEU:CD2	2.85	0.49
1:C:212:HIS:H	1:C:212:HIS:CD2	2.30	0.49
1:C:179:GLU:O	1:C:180:HIS:ND1	2.46	0.48
1:D:78:LYS:CD	1:D:78:LYS:N	2.73	0.48
1:D:105:THR:OG1	1:D:106:THR:N	2.46	0.48
1:D:95:ARG:NH1	1:D:312:TYR:O	2.46	0.48
1:B:179:GLU:O	1:B:180:HIS:ND1	2.47	0.47
1:A:364:ARG:O	1:A:364:ARG:HG2	2.14	0.47
1:B:302:GLY:HA2	1:B:306:ASP:HB2	1.97	0.47
1:A:42:PRO:HA	1:A:48:ILE:HD12	1.97	0.47
1:A:225:PRO:HB3	1:A:273:VAL:HG11	1.95	0.47
1:C:195:LYS:HZ1	1:B:294:GLN:HA	1.79	0.47
1:A:11:CYS:HB3	1:A:13:MET:HE3	1.96	0.47
1:A:286:TYR:OH	1:A:349:PHE:O	2.23	0.46
1:C:114:PRO:HA	1:C:117:PHE:CE2	2.50	0.46
1:B:98:KCX:HG3	1:B:100:TYR:CE2	2.50	0.46
1:A:254:PHE:HB3	1:A:307:PHE:HB2	1.97	0.46
1:B:17:VAL:HG21	1:B:61:LEU:HD21	1.96	0.46
1:C:147:ASP:HB3	1:D:165:LYS:HD3	1.96	0.46
1:A:219:ASP:OD2	1:C:153:VAL:HG13	2.16	0.46
1:C:218:ILE:HA	1:C:221:TRP:NE1	2.31	0.46
1:C:11:CYS:HB3	1:C:13:MET:HE2	1.98	0.46
1:C:40:ILE:O	1:C:73:SER:OG	2.30	0.46
1:C:43:ASN:HB3	1:C:100:TYR:CZ	2.50	0.46
1:B:99:CYS:HB3	1:B:136:LEU:HD23	1.98	0.46
1:C:259:SER:O	1:C:261:PRO:HD3	2.16	0.46
1:B:144:HIS:O	1:B:144:HIS:ND1	2.45	0.46
1:D:14:HIS:HA	1:D:41:MET:HE2	1.98	0.46
1:C:58:LYS:HB2	1:C:72:MET:HG3	1.98	0.46
1:B:192:ASP:O	1:B:195:LYS:HG3	2.17	0.45
1:A:105:THR:OG1	1:A:106:THR:N	2.49	0.45
1:C:105:THR:OG1	1:C:106:THR:N	2.50	0.45
1:C:221:TRP:CD1	1:C:233:ALA:HB3	2.51	0.45
1:D:218:ILE:HA	1:D:221:TRP:NE1	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:45:GLN:HB2	1:C:107:ASN:HD21	1.81	0.44
1:D:98:KCX:OQ1	1:D:180:HIS:NE2	2.49	0.44
1:C:23:CYS:O	1:C:27:THR:OG1	2.22	0.44
1:B:127:MET:HB3	1:B:132:LEU:HB2	2.00	0.44
1:C:18:ARG:HH22	1:C:260:ALA:HB1	1.83	0.44
1:D:24:GLU:HA	1:D:64:LEU:HD13	1.99	0.44
1:A:121:TYR:OH	1:A:170:ASP:OD2	2.28	0.43
1:B:218:ILE:HA	1:B:221:TRP:NE1	2.33	0.43
1:D:102:ALA:HA	1:D:108:SER:O	2.18	0.43
1:D:41:MET:SD	1:D:98:KCX:HD3	2.59	0.43
1:A:15:VAL:HG21	1:A:38:ALA:HB1	2.01	0.43
1:B:323:ASP:HA	1:B:363:PRO:HA	2.01	0.43
1:D:182:THR:HA	1:D:242:LEU:HD11	2.01	0.43
1:C:153:VAL:HG12	1:C:230:LYS:HE2	2.00	0.43
1:C:259:SER:OG	1:C:280:GLN:HB2	2.19	0.43
1:C:147:ASP:O	1:D:165:LYS:NZ	2.38	0.42
1:B:306:ASP:N	1:B:306:ASP:OD1	2.51	0.42
1:D:29:LYS:HA	1:D:32:ASP:HB2	2.02	0.42
1:B:210:THR:OG1	1:B:213:HIS:ND1	2.50	0.41
1:C:11:CYS:N	1:C:304:VAL:O	2.50	0.41
1:B:17:VAL:HG23	1:B:57:TYR:OH	2.20	0.41
1:D:263:PRO:HB2	1:D:265:GLN:CD	2.45	0.41
1:D:254:PHE:HB3	1:D:307:PHE:HB2	2.01	0.41
1:A:18:ARG:HG3	1:A:22:MET:HG2	2.02	0.41
1:A:192:ASP:O	1:A:195:LYS:HG3	2.20	0.41
1:C:31:ARG:NH1	1:C:361:TRP:CG	2.88	0.41
1:A:32:ASP:OD1	1:A:32:ASP:N	2.53	0.41
1:C:114:PRO:HA	1:C:117:PHE:CD2	2.56	0.41
1:D:23:CYS:O	1:D:27:THR:OG1	2.24	0.41
1:D:127:MET:HE2	1:D:174:LEU:HD11	2.02	0.41
1:B:154:LEU:HD13	1:D:218:ILE:HD13	2.02	0.41
1:B:235:LEU:HD21	1:D:154:LEU:HD12	2.03	0.41
1:D:18:ARG:HD3	1:D:18:ARG:HA	1.73	0.41
1:C:152:HIS:CE1	1:C:154:LEU:HB2	2.56	0.40
1:D:127:MET:HB3	1:D:132:LEU:HB2	2.02	0.40
1:A:44:LEU:HD12	1:A:48:ILE:HD11	2.03	0.40
1:D:77:SER:OG	1:D:78:LYS:N	2.55	0.40
1:A:267:LYS:NZ	1:A:276:GLY:O	2.48	0.40
1:C:14:HIS:HB3	1:C:258:ASP:H	1.87	0.40
1:C:96:GLY:HA2	1:C:132:LEU:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/372 (97%)	341 (94%)	17 (5%)	3 (1%)	16	49
1	B	361/372 (97%)	345 (96%)	16 (4%)	0	100	100
1	C	361/372 (97%)	335 (93%)	25 (7%)	1 (0%)	36	65
1	D	361/372 (97%)	336 (93%)	22 (6%)	3 (1%)	16	49
All	All	1444/1488 (97%)	1357 (94%)	80 (6%)	7 (0%)	24	57

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	LYS
1	D	146	GLY
1	A	18	ARG
1	A	146	GLY
1	D	18	ARG
1	C	200	ALA
1	D	200	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/320 (98%)	309 (99%)	3 (1%)	68	75
1	B	312/320 (98%)	311 (100%)	1 (0%)	86	83
1	C	312/320 (98%)	309 (99%)	3 (1%)	68	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	312/320 (98%)	308 (99%)	4 (1%)	61	72
All	All	1248/1280 (98%)	1237 (99%)	11 (1%)	70	76

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	199	LYS
1	A	364	ARG
1	A	365	LEU
1	C	148	LYS
1	C	230	LYS
1	C	364	ARG
1	B	198	LYS
1	D	78	LYS
1	D	147	ASP
1	D	148	LYS
1	D	364	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	HIS
1	A	168	HIS
1	A	212	HIS
1	A	269	ASN
1	C	137	HIS
1	C	168	HIS
1	C	169	ASN
1	C	294	GLN
1	C	299	ASN
1	D	3	GLN
1	D	168	HIS
1	D	266	ASN
1	D	336	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KCX	B	98	1,3	10,11,12	1.01	1 (10%)	6,12,14	1.86	1 (16%)
1	KCX	C	98	1,3	10,11,12	1.03	0	6,12,14	1.77	2 (33%)
1	KCX	A	98	1,3	10,11,12	0.88	0	6,12,14	1.63	1 (16%)
1	KCX	D	98	1,3	10,11,12	0.92	0	6,12,14	1.39	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	98	1,3	-	2/9/10/12	-
1	KCX	C	98	1,3	-	3/9/10/12	-
1	KCX	A	98	1,3	-	2/9/10/12	-
1	KCX	D	98	1,3	-	0/9/10/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	98	KCX	CE-NZ	2.26	1.51	1.46

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	98	KCX	OQ1-CX-NZ	-4.28	118.42	124.92
1	C	98	KCX	OQ1-CX-NZ	-3.55	119.53	124.92
1	A	98	KCX	OQ1-CX-NZ	-3.36	119.81	124.92
1	D	98	KCX	OQ1-CX-NZ	-3.14	120.15	124.92
1	C	98	KCX	CD-CE-NZ	2.02	117.87	112.20

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	98	KCX	CG-CD-CE-NZ
1	C	98	KCX	CG-CD-CE-NZ
1	B	98	KCX	CA-CB-CG-CD
1	B	98	KCX	CG-CD-CE-NZ
1	A	98	KCX	CE-CD-CG-CB
1	C	98	KCX	CA-CB-CG-CD
1	C	98	KCX	CE-CD-CG-CB

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	98	KCX	1	0
1	A	98	KCX	3	0
1	D	98	KCX	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LMR	A	401	3	8,8,8	1.11	0	10,10,10	1.52	1 (10%)
4	90R	C	401	-	15,15,15	2.75	6 (40%)	22,22,22	1.35	3 (13%)
4	90R	D	401	-	15,15,15	2.76	8 (53%)	22,22,22	1.47	4 (18%)
2	LMR	B	501	3	8,8,8	1.09	0	10,10,10	1.64	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMR	A	401	3	-	4/8/8/8	-
4	90R	C	401	-	-	-	0/2/2/2
4	90R	D	401	-	-	-	0/2/2/2
2	LMR	B	501	3	-	4/8/8/8	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	401	90R	C7-C3	6.62	1.48	1.35
4	D	401	90R	C7-C3	6.48	1.48	1.35
4	D	401	90R	C1-C4	4.72	1.57	1.48
4	C	401	90R	C1-C4	4.71	1.57	1.48
4	C	401	90R	C2-C5	4.28	1.57	1.46
4	D	401	90R	C2-C5	4.14	1.56	1.46
4	C	401	90R	C7-C5	3.02	1.51	1.44
4	D	401	90R	O3-C5	-2.86	1.18	1.24
4	D	401	90R	C7-C5	2.76	1.50	1.44
4	C	401	90R	O3-C5	-2.54	1.18	1.24
4	D	401	90R	O2-C4	-2.19	1.18	1.23
4	D	401	90R	O1-C6	2.13	1.40	1.36
4	C	401	90R	O2-C4	-2.10	1.18	1.23
4	D	401	90R	C3-C4	2.01	1.51	1.48

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	LMR	O1B-C1-C2	3.50	120.14	112.74
4	D	401	90R	O1-C6-C2	3.41	127.45	121.14
2	A	401	LMR	O1B-C1-C2	3.31	119.75	112.74
4	C	401	90R	O1-C6-C2	3.14	126.96	121.14
4	D	401	90R	C3-C7-C5	-2.87	119.50	123.25
4	C	401	90R	O1-C6-C9	-2.79	111.87	119.36
4	C	401	90R	C3-C7-C5	-2.65	119.78	123.25
4	D	401	90R	O1-C6-C9	-2.58	112.44	119.36
4	D	401	90R	C2-C5-C7	2.29	120.61	116.31
2	B	501	LMR	O4A-C4-C3	2.04	120.35	114.00

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	LMR	O1A-C1-C2-O2
2	A	401	LMR	O1A-C1-C2-C3
2	A	401	LMR	O1B-C1-C2-O2
2	A	401	LMR	O1B-C1-C2-C3
2	B	501	LMR	O1A-C1-C2-O2
2	B	501	LMR	O1B-C1-C2-O2
2	B	501	LMR	C1-C2-C3-C4
2	B	501	LMR	O2-C2-C3-C4


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	LMR	1	0
2	B	501	LMR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	363/372 (97%)	-0.15	1 (0%) 90 75	55, 87, 99, 103	0
1	B	363/372 (97%)	-0.17	0 100 100	63, 75, 88, 97	0
1	C	363/372 (97%)	-0.18	0 100 100	59, 70, 79, 93	0
1	D	363/372 (97%)	-0.17	0 100 100	68, 93, 102, 108	0
All	All	1452/1488 (97%)	-0.17	1 (0%) 92 85	55, 79, 99, 108	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	287	ILE	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	C	98	12/13	0.86	0.13	69,71,74,75	0
1	KCX	A	98	12/13	0.91	0.07	84,88,91,91	0
1	KCX	B	98	12/13	0.92	0.10	72,75,76,77	0
1	KCX	D	98	12/13	0.92	0.08	85,89,92,92	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	90R	C	401	14/14	0.75	0.13	69,70,71,71	0
4	90R	D	401	14/14	0.82	0.10	84,85,87,89	0
2	LMR	A	401	9/9	0.86	0.09	80,82,83,83	0
2	LMR	B	501	9/9	0.88	0.08	71,72,72,73	0
3	ZN	C	402	1/1	0.97	0.05	69,69,69,69	0
3	ZN	D	403	1/1	0.98	0.03	86,86,86,86	0
3	ZN	C	403	1/1	0.98	0.03	69,69,69,69	0
3	ZN	D	402	1/1	0.98	0.03	85,85,85,85	0
3	ZN	B	502	1/1	0.99	0.02	72,72,72,72	0
3	ZN	B	503	1/1	0.99	0.02	71,71,71,71	0
3	ZN	A	402	1/1	0.99	0.03	84,84,84,84	0
3	ZN	A	403	1/1	1.00	0.02	84,84,84,84	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 90R C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.