



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:08 AM UTC

PDB ID : 2CBQ / pdb_00002cbq
Title : Crystal structure of the neocarzinostatin 1Tes15 mutant bound to testosterone hemisuccinate.
Authors : Drevelle, A.; Graille, M.; Heyd, B.; Sorel, I.; Ulryck, N.; Pecorari, F.; Desmadril, M.; Van Tilbeurgh, H.; Minard, P.
Deposited on : 2006-01-06
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	114	97% 75% 21% ..
1	B	114	99% 75% 20% ..
1	C	114	98% 74% 22% ..
1	D	114	98% 74% 23% ..
1	E	114	98% 75% 19% ...
1	F	114	97% 73% 21% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1113	-	-	-	X
2	SO4	B	1115	-	-	-	X
2	SO4	C	1114	-	-	-	X
2	SO4	E	1114	-	-	-	X
2	SO4	F	1113	-	-	-	X
3	TH2	A	1114	-	-	-	X
3	TH2	A	1115	-	-	-	X
3	TH2	B	1116	-	-	-	X
3	TH2	B	1117	-	-	-	X
3	TH2	C	1115	-	-	-	X
3	TH2	D	1114	-	-	-	X
3	TH2	E	1115	-	-	-	X
3	TH2	F	1114	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NEOCARZINOSTATIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	111	Total	C	N	O	S	0	0	0
			773	475	134	162	2			
1	B	113	Total	C	N	O	S	0	0	0
			791	485	139	165	2			
1	C	112	Total	C	N	O	S	0	0	0
			781	479	136	164	2			
1	D	112	Total	C	N	O	S	0	0	0
			781	479	136	164	2			
1	E	112	Total	C	N	O	S	0	0	0
			781	479	136	164	2			
1	F	111	Total	C	N	O	S	0	0	0
			773	475	134	162	2			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	33	TRP	ASP	engineered mutation	UNP P0A3R9
A	35	TYR	GLY	engineered mutation	UNP P0A3R9
A	37	ARG	CYS	engineered mutation	UNP P0A3R9
A	39	ALA	TRP	engineered mutation	UNP P0A3R9
A	45	HIS	LEU	engineered mutation	UNP P0A3R9
A	47	SER	CYS	engineered mutation	UNP P0A3R9
A	52	LEU	PHE	engineered mutation	UNP P0A3R9
B	33	TRP	ASP	engineered mutation	UNP P0A3R9
B	35	TYR	GLY	engineered mutation	UNP P0A3R9
B	37	ARG	CYS	engineered mutation	UNP P0A3R9
B	39	ALA	TRP	engineered mutation	UNP P0A3R9
B	45	HIS	LEU	engineered mutation	UNP P0A3R9
B	47	SER	CYS	engineered mutation	UNP P0A3R9
B	52	LEU	PHE	engineered mutation	UNP P0A3R9
C	33	TRP	ASP	engineered mutation	UNP P0A3R9
C	35	TYR	GLY	engineered mutation	UNP P0A3R9
C	37	ARG	CYS	engineered mutation	UNP P0A3R9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	39	ALA	TRP	engineered mutation	UNP P0A3R9
C	45	HIS	LEU	engineered mutation	UNP P0A3R9
C	47	SER	CYS	engineered mutation	UNP P0A3R9
C	52	LEU	PHE	engineered mutation	UNP P0A3R9
D	33	TRP	ASP	engineered mutation	UNP P0A3R9
D	35	TYR	GLY	engineered mutation	UNP P0A3R9
D	37	ARG	CYS	engineered mutation	UNP P0A3R9
D	39	ALA	TRP	engineered mutation	UNP P0A3R9
D	45	HIS	LEU	engineered mutation	UNP P0A3R9
D	47	SER	CYS	engineered mutation	UNP P0A3R9
D	52	LEU	PHE	engineered mutation	UNP P0A3R9
E	33	TRP	ASP	engineered mutation	UNP P0A3R9
E	35	TYR	GLY	engineered mutation	UNP P0A3R9
E	37	ARG	CYS	engineered mutation	UNP P0A3R9
E	39	ALA	TRP	engineered mutation	UNP P0A3R9
E	45	HIS	LEU	engineered mutation	UNP P0A3R9
E	47	SER	CYS	engineered mutation	UNP P0A3R9
E	52	LEU	PHE	engineered mutation	UNP P0A3R9
F	33	TRP	ASP	engineered mutation	UNP P0A3R9
F	35	TYR	GLY	engineered mutation	UNP P0A3R9
F	37	ARG	CYS	engineered mutation	UNP P0A3R9
F	39	ALA	TRP	engineered mutation	UNP P0A3R9
F	45	HIS	LEU	engineered mutation	UNP P0A3R9
F	47	SER	CYS	engineered mutation	UNP P0A3R9
F	52	LEU	PHE	engineered mutation	UNP P0A3R9

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	E	1	Total O S 5 4 1	0	0
2	F	1	Total O S 5 4 1	0	0

- Molecule 3 is TESTOSTERONE HEMISUCCINATE (CCD ID: TH2) (formula: $C_{23}H_{32}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 28 23 5	0	0
3	A	1	Total C O 28 23 5	0	0
3	B	1	Total C O 28 23 5	0	0
3	B	1	Total C O 28 23 5	0	0
3	C	1	Total C O 28 23 5	0	0
3	D	1	Total C O 28 23 5	0	0
3	E	1	Total C O 28 23 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	C	O	0	0
			28	23	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		
4	B	17	Total	O	0	0
			17	17		
4	C	17	Total	O	0	0
			17	17		
4	D	17	Total	O	0	0
			17	17		
4	E	14	Total	O	0	0
			14	14		
4	F	7	Total	O	0	0
			7	7		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: NEOCARZINOSTATIN




• Molecule 1: NEOCARZINOSTATIN




• Molecule 1: NEOCARZINOSTATIN






• Molecule 1: NEOCARZINOSTATIN








• Molecule 1: NEOCARZINOSTATIN



• Molecule 1: NEOCARZINOSTATIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.98Å 97.83Å 129.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60 20.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	94.6 (20.00-2.60) 88.1 (20.00-2.60)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.74 (at 1.28Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.207 , 0.257 0.778 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	24.4	Xtrriage
Anisotropy	0.650	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.53 , 40.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.67$, $\langle L^2 \rangle = 0.55$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.02	EDS
Total number of atoms	5016	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 73.30 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8852e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, TH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/787	0.93	1/1078 (0.1%)
1	B	0.44	0/806	0.87	1/1104 (0.1%)
1	C	0.52	1/795 (0.1%)	1.02	4/1089 (0.4%)
1	D	0.50	1/795 (0.1%)	1.05	5/1089 (0.5%)
1	E	0.50	1/795 (0.1%)	0.98	4/1089 (0.4%)
1	F	0.43	0/787	0.89	2/1078 (0.2%)
All	All	0.47	3/4765 (0.1%)	0.96	17/6527 (0.3%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	113	ASN	CG-OD1	6.59	1.36	1.23
1	D	113	ASN	CG-OD1	6.58	1.36	1.23
1	E	113	ASN	CG-OD1	6.55	1.35	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	113	ASN	OD1-CG-ND2	-16.52	106.08	122.60
1	D	113	ASN	OD1-CG-ND2	-16.52	106.08	122.60
1	C	113	ASN	OD1-CG-ND2	-16.49	106.11	122.60
1	D	2	ALA	CA-C-N	6.35	126.72	119.93
1	D	2	ALA	C-N-CA	6.35	126.72	119.93
1	C	71	ARG	N-CA-C	-6.34	104.37	111.28
1	F	47	SER	N-CA-C	5.89	118.18	109.69
1	A	45	HIS	N-CA-C	5.66	119.04	109.76
1	E	40	VAL	N-CA-C	5.58	118.07	111.09
1	E	71	ARG	N-CA-C	-5.33	105.52	112.23
1	E	113	ASN	CB-CG-OD1	5.21	131.22	120.80
1	D	113	ASN	CB-CG-OD1	5.21	131.21	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	71	ARG	N-CA-C	-5.14	105.76	111.36
1	D	46	ALA	N-CA-C	-5.10	101.37	109.59
1	C	113	ASN	CB-CG-OD1	5.10	131.00	120.80
1	B	71	ARG	N-CA-C	-5.08	105.82	111.36
1	C	40	VAL	N-CA-C	-5.04	107.84	112.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	773	0	731	21	0
1	B	791	0	744	24	0
1	C	781	0	737	23	0
1	D	781	0	737	16	0
1	E	781	0	737	23	0
1	F	773	0	731	19	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	56	0	62	3	0
3	B	56	0	62	1	0
3	C	28	0	31	0	0
3	D	28	0	31	0	0
3	E	28	0	31	0	0
3	F	28	0	31	0	0
4	A	15	0	0	0	0
4	B	17	0	0	1	0
4	C	17	0	0	2	0
4	D	17	0	0	0	0
4	E	14	0	0	0	0
4	F	7	0	0	0	0
All	All	5016	0	4665	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37:ARG:HE	1:C:94:GLN:HE21	1.17	0.92
1:D:35:TYR:HB3	1:D:52:LEU:HD23	1.53	0.90
3:A:1115:TH2:H6C2	1:F:20:LYS:HB2	1.53	0.88
3:B:1117:TH2:H6C2	1:C:20:LYS:HB2	1.64	0.79
1:E:37:ARG:NE	1:E:94:GLN:HE21	1.86	0.74
1:E:82:ARG:HG3	1:E:82:ARG:HH11	1.55	0.70
1:B:34:VAL:HG22	1:B:97:LEU:CD1	2.21	0.69
1:A:87:ASP:OD2	1:A:89:THR:HB	1.93	0.69
1:E:39:ALA:HA	1:E:45:HIS:HD2	1.58	0.69
1:A:52:LEU:HD22	1:A:53:SER:H	1.60	0.66
1:C:55:VAL:HG22	1:C:63:ALA:HB1	1.79	0.65
1:C:37:ARG:NE	1:C:94:GLN:HE21	1.92	0.64
1:B:34:VAL:HG22	1:B:97:LEU:HD12	1.79	0.64
1:E:37:ARG:CZ	1:E:94:GLN:HE21	2.12	0.63
1:F:82:ARG:HG2	1:F:82:ARG:NH1	2.14	0.63
1:C:34:VAL:HG23	1:C:54:SER:HA	1.80	0.62
1:E:39:ALA:HA	1:E:45:HIS:CD2	2.34	0.62
1:B:74:GLU:HG3	1:B:82:ARG:NH1	2.15	0.61
1:E:40:VAL:HB	1:E:83:TRP:CZ2	2.34	0.61
1:D:87:ASP:OD2	1:D:89:THR:HB	2.01	0.61
1:B:93:CYS:HB2	4:B:2014:HOH:O	2.00	0.61
1:C:35:TYR:HB3	1:C:52:LEU:HD23	1.84	0.60
1:D:52:LEU:C	1:D:52:LEU:HD13	2.28	0.58
1:F:82:ARG:HG2	1:F:82:ARG:HH11	1.69	0.58
1:C:99:ASP:OD2	1:C:103:ASN:HB2	2.04	0.57
1:A:48:ASN:HB2	1:A:73:PHE:CD1	2.39	0.57
1:E:82:ARG:HG3	1:E:82:ARG:NH1	2.20	0.56
1:B:10:SER:O	1:B:110:ILE:HA	2.05	0.56
1:E:52:LEU:HD13	1:E:53:SER:N	2.19	0.56
1:A:52:LEU:C	1:A:52:LEU:HD13	2.31	0.56
1:D:7:VAL:HG21	1:D:95:VAL:HB	1.87	0.55
1:C:74:GLU:OE1	1:C:82:ARG:NE	2.40	0.55
1:A:41:ASP:HB3	1:A:44:VAL:HB	1.89	0.54
1:B:34:VAL:HG22	1:B:97:LEU:HD11	1.88	0.54
1:A:52:LEU:HD13	1:A:53:SER:N	2.22	0.54
1:E:52:LEU:HD13	1:E:52:LEU:C	2.32	0.54
1:B:48:ASN:HB2	1:B:73:PHE:CD1	2.42	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:LYS:NZ	1:B:22:ALA:HB2	2.23	0.54
1:C:58:ASP:HB2	4:C:2010:HOH:O	2.08	0.54
1:C:48:ASN:HB2	1:C:73:PHE:CD1	2.44	0.53
1:A:33:TRP:CE3	1:A:52:LEU:HD21	2.43	0.53
1:F:82:ARG:HH11	1:F:82:ARG:CG	2.23	0.52
1:F:76:PHE:CE1	1:F:82:ARG:HG3	2.45	0.52
1:F:94:GLN:OE1	1:F:107:GLY:HA3	2.09	0.52
1:C:33:TRP:CE3	1:C:52:LEU:HD11	2.45	0.52
1:C:37:ARG:HH21	1:C:94:GLN:NE2	2.08	0.51
1:A:33:TRP:CZ2	1:C:80:GLY:HA2	2.45	0.51
1:E:37:ARG:CZ	1:E:94:GLN:NE2	2.72	0.51
1:E:48:ASN:HB2	1:E:73:PHE:CD1	2.45	0.51
1:C:37:ARG:HE	1:C:94:GLN:NE2	1.97	0.50
1:C:52:LEU:HD13	1:C:53:SER:N	2.27	0.50
1:C:52:LEU:HD13	1:C:52:LEU:C	2.36	0.50
1:D:80:GLY:HA2	1:E:33:TRP:CZ2	2.47	0.50
1:A:52:LEU:HD22	1:A:53:SER:N	2.26	0.49
1:F:97:LEU:HD23	1:F:105:PRO:HG3	1.94	0.49
1:F:7:VAL:HG12	1:F:9:PRO:O	2.13	0.49
1:B:35:TYR:N	1:B:35:TYR:CD2	2.80	0.48
1:A:5:ALA:HB2	1:A:105:PRO:HG3	1.94	0.48
1:B:72:SER:HA	1:B:86:VAL:O	2.13	0.48
1:E:7:VAL:HG21	1:E:95:VAL:HB	1.96	0.48
1:E:87:ASP:OD2	1:E:89:THR:HB	2.14	0.48
1:E:35:TYR:N	1:E:35:TYR:CD2	2.82	0.48
1:A:33:TRP:HE3	1:A:52:LEU:HD21	1.78	0.47
1:F:8:THR:HA	1:F:9:PRO:C	2.37	0.47
1:A:33:TRP:CH2	1:C:80:GLY:HA2	2.50	0.47
1:F:57:ALA:HB1	1:F:61:GLY:HA2	1.97	0.47
1:F:74:GLU:CD	1:F:82:ARG:NH1	2.73	0.46
1:A:47:SER:HB2	3:A:1114:TH2:O3	2.15	0.46
1:B:52:LEU:HD22	1:B:53:SER:N	2.31	0.46
1:E:71:ARG:HB2	1:E:71:ARG:HH21	1.80	0.45
1:A:77:LEU:HD12	1:A:81:THR:HB	1.97	0.45
1:B:40:VAL:O	1:B:41:ASP:HB2	2.15	0.45
1:B:27:GLN:O	1:B:30:THR:HB	2.16	0.45
1:C:55:VAL:CG2	1:C:63:ALA:HB1	2.46	0.45
1:D:34:VAL:HG12	1:D:67:LEU:HD22	1.98	0.45
1:A:7:VAL:O	1:A:10:SER:HB3	2.15	0.45
1:B:112:PHE:CD1	1:B:112:PHE:N	2.84	0.45
1:F:41:ASP:OD1	1:F:42:THR:N	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:74:GLU:OE1	1:D:82:ARG:NE	2.37	0.45
1:D:5:ALA:HB2	1:D:105:PRO:HG3	1.99	0.44
1:A:21:VAL:O	1:A:64:SER:HA	2.17	0.44
1:A:80:GLY:HA2	1:C:33:TRP:CZ2	2.53	0.44
1:E:57:ALA:HB1	1:E:61:GLY:HA2	1.99	0.44
1:B:52:LEU:HD22	1:B:53:SER:H	1.82	0.44
1:E:52:LEU:C	1:E:52:LEU:CD1	2.91	0.43
1:B:33:TRP:CE3	1:B:52:LEU:HD21	2.53	0.43
1:C:7:VAL:HG12	1:C:9:PRO:O	2.17	0.43
1:D:33:TRP:CZ2	1:E:80:GLY:HA2	2.54	0.43
1:E:48:ASN:HB2	1:E:73:PHE:CG	2.54	0.43
1:B:35:TYR:HB3	1:B:52:LEU:HD23	2.00	0.43
1:D:48:ASN:ND2	1:D:51:ASP:HB2	2.34	0.43
1:B:33:TRP:CZ3	1:B:52:LEU:HD11	2.54	0.43
1:E:37:ARG:NH1	1:E:45:HIS:ND1	2.66	0.43
1:A:112:PHE:CD1	1:A:112:PHE:N	2.86	0.43
1:D:41:ASP:HB3	1:D:44:VAL:CG2	2.49	0.43
1:A:47:SER:O	1:A:75:GLY:HA2	2.19	0.42
1:E:72:SER:HA	1:E:86:VAL:O	2.19	0.42
1:C:36:GLN:HB2	4:C:2005:HOH:O	2.19	0.42
1:B:20:LYS:HZ3	1:B:22:ALA:HB2	1.84	0.42
1:C:82:ARG:HH22	1:C:84:GLY:HA2	1.85	0.42
1:C:5:ALA:HA	1:C:22:ALA:O	2.19	0.42
1:B:9:PRO:HG2	1:B:13:LEU:CD2	2.50	0.41
1:B:97:LEU:HB3	1:B:105:PRO:HD2	2.02	0.41
1:F:49:PRO:HA	1:F:52:LEU:HB2	2.02	0.41
1:E:82:ARG:NH1	1:E:82:ARG:CG	2.83	0.41
1:F:17:THR:O	1:F:69:VAL:HG22	2.20	0.41
1:D:2:ALA:HA	1:D:3:PRO:HD3	1.89	0.41
1:F:9:PRO:HG2	1:F:13:LEU:CD2	2.50	0.41
1:B:5:ALA:HB2	1:B:105:PRO:HG3	2.03	0.41
1:F:55:VAL:HG22	1:F:63:ALA:HB1	2.03	0.41
1:A:5:ALA:HA	1:A:22:ALA:O	2.20	0.41
1:D:17:THR:O	1:D:69:VAL:HG22	2.20	0.41
1:D:94:GLN:OE1	1:D:107:GLY:HA3	2.21	0.41
1:D:48:ASN:HB2	1:D:73:PHE:CD1	2.56	0.41
1:D:35:TYR:CD2	1:D:35:TYR:N	2.88	0.41
1:F:112:PHE:CD1	1:F:112:PHE:N	2.89	0.41
1:F:35:TYR:HB3	1:F:52:LEU:HD23	2.02	0.40
1:A:35:TYR:CD2	3:A:1114:TH2:H6C1	2.57	0.40
1:B:33:TRP:O	1:B:97:LEU:HA	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:TRP:CZ2	1:F:80:GLY:HA2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	109/114 (96%)	106 (97%)	3 (3%)	0	100	100
1	B	111/114 (97%)	107 (96%)	4 (4%)	0	100	100
1	C	110/114 (96%)	104 (94%)	6 (6%)	0	100	100
1	D	110/114 (96%)	105 (96%)	5 (4%)	0	100	100
1	E	110/114 (96%)	107 (97%)	3 (3%)	0	100	100
1	F	109/114 (96%)	105 (96%)	4 (4%)	0	100	100
All	All	659/684 (96%)	634 (96%)	25 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	79/81 (98%)	75 (95%)	4 (5%)	21	45
1	B	81/81 (100%)	77 (95%)	4 (5%)	22	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	80/81 (99%)	77 (96%)	3 (4%)	29	56
1	D	80/81 (99%)	78 (98%)	2 (2%)	42	69
1	E	80/81 (99%)	75 (94%)	5 (6%)	16	36
1	F	79/81 (98%)	74 (94%)	5 (6%)	16	36
All	All	479/486 (99%)	456 (95%)	23 (5%)	23	47

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	SER
1	A	52	LEU
1	A	55	VAL
1	A	97	LEU
1	B	20	LYS
1	B	52	LEU
1	B	71	ARG
1	B	97	LEU
1	C	52	LEU
1	C	55	VAL
1	C	113	ASN
1	D	52	LEU
1	D	55	VAL
1	E	52	LEU
1	E	55	VAL
1	E	71	ARG
1	E	97	LEU
1	E	113	ASN
1	F	4	THR
1	F	8	THR
1	F	52	LEU
1	F	55	VAL
1	F	82	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS
1	A	94	GLN
1	C	27	GLN
1	C	94	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	45	HIS
1	D	48	ASN
1	E	94	GLN
1	F	27	GLN
1	F	45	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	E	1114	-	4,4,4	0.37	0	6,6,6	0.08	0
3	TH2	F	1114	-	31,31,31	1.62	10 (32%)	48,48,48	2.01	10 (20%)
2	SO4	F	1113	-	4,4,4	0.36	0	6,6,6	0.12	0
3	TH2	A	1115	-	31,31,31	1.70	10 (32%)	48,48,48	2.04	10 (20%)
3	TH2	E	1115	-	31,31,31	1.62	8 (25%)	48,48,48	2.07	13 (27%)
2	SO4	C	1114	-	4,4,4	0.37	0	6,6,6	0.14	0
2	SO4	A	1113	-	4,4,4	0.38	0	6,6,6	0.09	0
3	TH2	B	1116	-	31,31,31	1.68	8 (25%)	48,48,48	1.99	13 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TH2	C	1115	-	31,31,31	1.66	9 (29%)	48,48,48	1.99	10 (20%)
3	TH2	B	1117	-	31,31,31	1.70	10 (32%)	48,48,48	2.11	12 (25%)
3	TH2	A	1114	-	31,31,31	1.64	7 (22%)	48,48,48	2.03	11 (22%)
3	TH2	D	1114	-	31,31,31	1.70	8 (25%)	48,48,48	2.04	11 (22%)
2	SO4	B	1115	-	4,4,4	0.40	0	6,6,6	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TH2	F	1114	-	-	8/9/67/67	0/4/4/4
3	TH2	A	1115	-	-	5/9/67/67	0/4/4/4
3	TH2	E	1115	-	-	8/9/67/67	0/4/4/4
3	TH2	B	1116	-	-	5/9/67/67	0/4/4/4
3	TH2	C	1115	-	-	5/9/67/67	0/4/4/4
3	TH2	B	1117	-	-	7/9/67/67	0/4/4/4
3	TH2	A	1114	-	-	4/9/67/67	0/4/4/4
3	TH2	D	1114	-	-	7/9/67/67	0/4/4/4

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1114	TH2	C10-C5	3.56	1.59	1.52
3	D	1114	TH2	C10-C5	3.47	1.59	1.52
3	B	1117	TH2	C10-C5	3.37	1.59	1.52
3	C	1115	TH2	C10-C5	3.32	1.59	1.52
3	B	1116	TH2	C10-C5	3.17	1.58	1.52
3	A	1115	TH2	C10-C5	3.04	1.58	1.52
3	B	1116	TH2	O17-C17	-2.90	1.41	1.46
3	E	1115	TH2	C16-C17	2.85	1.59	1.53
3	F	1114	TH2	C10-C5	2.81	1.58	1.52
3	D	1114	TH2	C11-C9	2.78	1.58	1.53
3	A	1114	TH2	O17-C17	-2.75	1.41	1.46
3	E	1115	TH2	C10-C5	2.66	1.57	1.52
3	E	1115	TH2	O17-C17	-2.64	1.42	1.46
3	A	1115	TH2	C16-C17	2.62	1.59	1.53
3	B	1117	TH2	C11-C9	2.59	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1115	TH2	C4-C5	2.57	1.38	1.34
3	D	1114	TH2	C16-C17	2.56	1.59	1.53
3	F	1114	TH2	O17-C17	-2.55	1.42	1.46
3	C	1115	TH2	C11-C9	2.54	1.58	1.53
3	F	1114	TH2	C10-C9	2.54	1.60	1.56
3	B	1117	TH2	C16-C17	2.54	1.59	1.53
3	A	1114	TH2	C11-C9	2.54	1.57	1.53
3	E	1115	TH2	C8-C9	2.54	1.58	1.53
3	B	1117	TH2	C8-C9	2.51	1.58	1.53
3	D	1114	TH2	C7-C8	2.50	1.57	1.53
3	B	1116	TH2	C16-C17	2.49	1.58	1.53
3	C	1115	TH2	O17-C17	-2.46	1.42	1.46
3	A	1115	TH2	C1-C10	2.45	1.58	1.54
3	B	1116	TH2	C11-C9	2.44	1.57	1.53
3	A	1115	TH2	C13-C17	2.42	1.57	1.53
3	A	1115	TH2	C8-C9	2.41	1.58	1.53
3	B	1117	TH2	C7-C8	2.41	1.57	1.53
3	B	1117	TH2	C4-C5	2.40	1.37	1.34
3	D	1114	TH2	C8-C9	2.40	1.58	1.53
3	F	1114	TH2	C7-C8	2.40	1.57	1.53
3	B	1116	TH2	O17-C20	-2.37	1.27	1.34
3	F	1114	TH2	C16-C17	2.36	1.58	1.53
3	E	1115	TH2	O17-C20	-2.33	1.27	1.34
3	A	1115	TH2	C11-C9	2.33	1.57	1.53
3	A	1115	TH2	C10-C9	2.31	1.59	1.56
3	D	1114	TH2	O17-C17	-2.29	1.42	1.46
3	A	1114	TH2	C10-C9	2.29	1.59	1.56
3	A	1114	TH2	O17-C20	-2.25	1.27	1.34
3	A	1114	TH2	C8-C9	2.24	1.57	1.53
3	D	1114	TH2	C1-C10	2.23	1.58	1.54
3	E	1115	TH2	C4-C5	2.23	1.37	1.34
3	B	1116	TH2	C10-C9	2.23	1.59	1.56
3	C	1115	TH2	C10-C9	2.22	1.59	1.56
3	E	1115	TH2	C1-C10	2.20	1.58	1.54
3	C	1115	TH2	C16-C17	2.17	1.58	1.53
3	E	1115	TH2	C11-C9	2.15	1.57	1.53
3	B	1117	TH2	O17-C17	-2.15	1.42	1.46
3	F	1114	TH2	C1-C10	2.12	1.58	1.54
3	A	1114	TH2	C16-C17	2.12	1.58	1.53
3	C	1115	TH2	O3-C3	-2.12	1.19	1.23
3	F	1114	TH2	C21-C23	2.11	1.55	1.50
3	F	1114	TH2	C4-C5	2.10	1.37	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1114	TH2	C8-C9	2.09	1.57	1.53
3	F	1114	TH2	O17-C20	-2.08	1.28	1.34
3	C	1115	TH2	C4-C5	2.08	1.37	1.34
3	C	1115	TH2	C7-C8	2.08	1.57	1.53
3	B	1116	TH2	C13-C14	2.07	1.58	1.55
3	B	1117	TH2	O3-C3	-2.07	1.19	1.23
3	A	1115	TH2	O17-C17	-2.06	1.43	1.46
3	B	1117	TH2	O17-C20	-2.03	1.28	1.34
3	B	1116	TH2	C18-C13	2.02	1.57	1.54
3	A	1115	TH2	O17-C20	-2.01	1.28	1.34
3	B	1117	TH2	C21-C23	2.01	1.55	1.50
3	C	1115	TH2	C8-C9	2.01	1.57	1.53
3	D	1114	TH2	C4-C5	2.01	1.37	1.34

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	1115	TH2	O17-C17-C16	5.96	125.74	111.06
3	B	1117	TH2	O17-C17-C16	5.57	124.76	111.06
3	B	1117	TH2	C17-O17-C20	5.54	128.13	118.03
3	E	1115	TH2	C17-O17-C20	5.44	127.95	118.03
3	A	1115	TH2	O17-C17-C16	5.32	124.15	111.06
3	F	1114	TH2	O17-C17-C16	5.30	124.12	111.06
3	B	1116	TH2	O17-C17-C16	5.28	124.05	111.06
3	A	1114	TH2	O17-C17-C13	5.26	123.53	111.20
3	D	1114	TH2	O17-C17-C13	5.22	123.42	111.20
3	D	1114	TH2	O17-C17-C16	5.14	123.71	111.06
3	A	1115	TH2	C17-O17-C20	5.10	127.33	118.03
3	F	1114	TH2	O17-C17-C13	5.04	123.01	111.20
3	C	1115	TH2	C17-O17-C20	5.03	127.20	118.03
3	E	1115	TH2	C11-C9-C10	-5.03	106.89	113.08
3	A	1115	TH2	O17-C17-C13	4.93	122.76	111.20
3	B	1117	TH2	O17-C17-C13	4.87	122.62	111.20
3	C	1115	TH2	O17-C17-C16	4.86	123.02	111.06
3	C	1115	TH2	O17-C17-C13	4.84	122.54	111.20
3	A	1114	TH2	O17-C17-C16	4.76	122.78	111.06
3	B	1116	TH2	C11-C9-C10	-4.68	107.32	113.08
3	B	1116	TH2	C17-O17-C20	4.67	126.56	118.03
3	B	1117	TH2	C11-C9-C10	-4.64	107.37	113.08
3	D	1114	TH2	C11-C9-C10	-4.62	107.38	113.08
3	A	1114	TH2	C11-C9-C10	-4.61	107.40	113.08
3	C	1115	TH2	C11-C9-C10	-4.60	107.41	113.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1115	TH2	C11-C9-C10	-4.60	107.42	113.08
3	A	1114	TH2	C17-O17-C20	4.55	126.33	118.03
3	F	1114	TH2	C11-C9-C10	-4.53	107.50	113.08
3	F	1114	TH2	C17-O17-C20	4.52	126.27	118.03
3	D	1114	TH2	C17-O17-C20	4.50	126.24	118.03
3	B	1116	TH2	O17-C17-C13	4.47	121.67	111.20
3	D	1114	TH2	C12-C11-C9	-3.99	106.36	113.14
3	B	1117	TH2	C12-C11-C9	-3.85	106.58	113.14
3	E	1115	TH2	O17-C17-C13	3.76	120.00	111.20
3	A	1115	TH2	C12-C11-C9	-3.74	106.78	113.14
3	A	1114	TH2	C12-C11-C9	-3.73	106.79	113.14
3	F	1114	TH2	C12-C11-C9	-3.67	106.89	113.14
3	E	1115	TH2	C12-C11-C9	-3.65	106.93	113.14
3	A	1114	TH2	O17-C20-O20	3.50	131.89	123.70
3	B	1116	TH2	C12-C11-C9	-3.50	107.19	113.14
3	C	1115	TH2	O17-C20-O20	3.42	131.69	123.70
3	C	1115	TH2	C12-C11-C9	-3.38	107.39	113.14
3	E	1115	TH2	O17-C20-O20	3.35	131.55	123.70
3	B	1117	TH2	O17-C20-O20	3.31	131.45	123.70
3	B	1116	TH2	O17-C20-O20	3.21	131.21	123.70
3	A	1115	TH2	C16-C17-C13	-3.15	102.00	105.18
3	B	1117	TH2	C16-C17-C13	-3.12	102.03	105.18
3	A	1115	TH2	O17-C20-O20	3.08	130.91	123.70
3	C	1115	TH2	C16-C17-C13	-3.03	102.12	105.18
3	D	1114	TH2	C16-C17-C13	-2.96	102.19	105.18
3	F	1114	TH2	O17-C20-O20	2.96	130.62	123.70
3	B	1117	TH2	C18-C13-C14	2.95	117.03	111.68
3	F	1114	TH2	C16-C17-C13	-2.94	102.21	105.18
3	A	1114	TH2	C16-C17-C13	-2.94	102.22	105.18
3	E	1115	TH2	C16-C17-C13	-2.91	102.24	105.18
3	F	1114	TH2	C18-C13-C14	2.87	116.88	111.68
3	D	1114	TH2	O17-C20-O20	2.87	130.41	123.70
3	D	1114	TH2	C18-C13-C14	2.83	116.81	111.68
3	B	1116	TH2	C16-C17-C13	-2.77	102.38	105.18
3	A	1114	TH2	C9-C10-C5	-2.74	105.64	109.65
3	A	1115	TH2	C18-C13-C14	2.70	116.57	111.68
3	A	1115	TH2	C9-C10-C5	-2.58	105.88	109.65
3	A	1114	TH2	O20-C20-C22	-2.54	113.85	123.78
3	B	1117	TH2	O20-C20-C22	-2.53	113.90	123.78
3	F	1114	TH2	O20-C20-C22	-2.51	113.96	123.78
3	D	1114	TH2	O20-C20-C22	-2.47	114.11	123.78
3	D	1114	TH2	C9-C10-C5	-2.45	106.06	109.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1114	TH2	C18-C13-C14	2.43	116.08	111.68
3	B	1116	TH2	O20-C20-C22	-2.42	114.33	123.78
3	C	1115	TH2	C9-C10-C5	-2.41	106.13	109.65
3	E	1115	TH2	C18-C13-C14	2.38	115.99	111.68
3	B	1116	TH2	C18-C13-C14	2.37	115.98	111.68
3	E	1115	TH2	C9-C10-C5	-2.37	106.19	109.65
3	A	1115	TH2	O20-C20-C22	-2.34	114.62	123.78
3	B	1117	TH2	C9-C10-C5	-2.33	106.25	109.65
3	C	1115	TH2	O20-C20-C22	-2.31	114.74	123.78
3	E	1115	TH2	O20-C20-C22	-2.30	114.77	123.78
3	E	1115	TH2	C19-C10-C9	-2.27	109.12	111.66
3	B	1117	TH2	C19-C10-C9	-2.27	109.12	111.66
3	C	1115	TH2	C15-C16-C17	2.19	108.30	104.76
3	F	1114	TH2	C9-C10-C5	-2.13	106.54	109.65
3	B	1116	TH2	C9-C10-C5	-2.12	106.55	109.65
3	D	1114	TH2	C19-C10-C9	-2.12	109.28	111.66
3	B	1117	TH2	O23-C23-C21	-2.11	116.39	123.09
3	B	1116	TH2	O23-C23-C21	-2.11	116.39	123.09
3	B	1116	TH2	C13-C14-C8	-2.09	111.45	114.41
3	B	1116	TH2	C15-C16-C17	2.08	108.13	104.76
3	E	1115	TH2	C13-C14-C8	-2.07	111.47	114.41
3	E	1115	TH2	O23-C23-C21	-2.07	116.53	123.09
3	A	1114	TH2	C15-C16-C17	2.05	108.08	104.76

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1114	TH2	C22-C20-O17-C17
3	B	1116	TH2	C16-C17-O17-C20
3	B	1117	TH2	C16-C17-O17-C20
3	C	1115	TH2	C22-C20-O17-C17
3	D	1114	TH2	C16-C17-O17-C20
3	E	1115	TH2	C16-C17-O17-C20
3	F	1114	TH2	C16-C17-O17-C20
3	C	1115	TH2	O20-C20-O17-C17
3	B	1116	TH2	C22-C20-O17-C17
3	E	1115	TH2	C22-C20-O17-C17
3	A	1115	TH2	C23-C21-C22-C20
3	E	1115	TH2	C23-C21-C22-C20
3	A	1114	TH2	O20-C20-O17-C17
3	E	1115	TH2	O20-C20-O17-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	1115	TH2	C16-C17-O17-C20
3	A	1115	TH2	C22-C20-O17-C17
3	B	1117	TH2	C22-C20-O17-C17
3	D	1114	TH2	C22-C20-O17-C17
3	F	1114	TH2	C22-C20-O17-C17
3	A	1115	TH2	O20-C20-O17-C17
3	B	1116	TH2	O20-C20-O17-C17
3	B	1117	TH2	O20-C20-O17-C17
3	D	1114	TH2	O20-C20-O17-C17
3	F	1114	TH2	O20-C20-O17-C17
3	F	1114	TH2	C23-C21-C22-C20
3	D	1114	TH2	C23-C21-C22-C20
3	B	1117	TH2	C22-C21-C23-O23
3	A	1115	TH2	C22-C21-C23-O24
3	B	1116	TH2	C22-C21-C23-O24
3	B	1116	TH2	C22-C21-C23-O23
3	C	1115	TH2	C22-C21-C23-O23
3	A	1115	TH2	C22-C21-C23-O23
3	C	1115	TH2	C22-C21-C23-O24
3	F	1114	TH2	C22-C21-C23-O24
3	A	1114	TH2	C22-C21-C23-O24
3	D	1114	TH2	C22-C21-C23-O24
3	A	1114	TH2	C22-C21-C23-O23
3	B	1117	TH2	C22-C21-C23-O24
3	D	1114	TH2	C22-C21-C23-O23
3	F	1114	TH2	C22-C21-C23-O23
3	E	1115	TH2	C22-C21-C23-O24
3	E	1115	TH2	C22-C21-C23-O23
3	F	1114	TH2	O17-C20-C22-C21
3	E	1115	TH2	O17-C20-C22-C21
3	B	1117	TH2	O17-C20-C22-C21
3	D	1114	TH2	O17-C20-C22-C21
3	E	1115	TH2	O20-C20-C22-C21
3	F	1114	TH2	O20-C20-C22-C21
3	B	1117	TH2	O20-C20-C22-C21

There are no ring outliers.

3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1115	TH2	1	0
3	B	1117	TH2	1	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1114	TH2	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	111/114 (97%)	16.99	111 (100%) 0 0	17, 27, 36, 45	0
1	B	113/114 (99%)	15.35	113 (100%) 0 0	13, 24, 35, 46	0
1	C	112/114 (98%)	15.59	112 (100%) 0 0	16, 25, 36, 50	0
1	D	112/114 (98%)	16.71	112 (100%) 0 0	16, 24, 40, 49	0
1	E	112/114 (98%)	16.54	112 (100%) 0 0	18, 30, 45, 56	0
1	F	111/114 (97%)	17.25	111 (100%) 0 0	17, 31, 45, 50	0
All	All	671/684 (98%)	16.40	671 (100%) 0 0	13, 27, 42, 56	0

All (671) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	101	ALA	59.3
1	A	43	GLY	43.9
1	B	4	THR	42.8
1	A	69	VAL	37.9
1	A	91	ALA	37.3
1	D	10	SER	37.2
1	D	75	GLY	37.1
1	A	44	VAL	36.2
1	C	63	ALA	33.9
1	F	60	ASN	33.7
1	C	92	ALA	31.7
1	F	57	ALA	31.7
1	E	34	VAL	30.7
1	D	103	ASN	30.0
1	E	47	SER	29.3
1	D	47	SER	29.2
1	D	52	LEU	29.2
1	E	59	ALA	29.0
1	E	2	ALA	29.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	113	ASN	28.7
1	D	24	ALA	28.6
1	E	99	ASP	28.2
1	E	104	GLY	27.7
1	A	101	ALA	27.7
1	A	2	ALA	27.6
1	C	72	SER	27.2
1	D	21	VAL	27.1
1	E	21	VAL	26.4
1	F	28	ALA	25.8
1	B	89	THR	25.6
1	B	91	ALA	25.4
1	F	105	PRO	25.3
1	B	92	ALA	25.2
1	C	43	GLY	25.1
1	F	100	ALA	25.1
1	F	25	GLY	25.1
1	A	11	SER	25.1
1	A	105	PRO	25.0
1	C	15	ASP	24.9
1	F	19	VAL	24.8
1	F	59	ALA	24.8
1	E	66	SER	24.8
1	D	100	ALA	24.8
1	D	27	GLN	24.5
1	C	61	GLY	24.4
1	E	80	GLY	24.3
1	C	88	CYS	24.3
1	E	44	VAL	24.3
1	E	72	SER	24.2
1	A	88	CYS	24.0
1	D	98	SER	24.0
1	E	14	SER	24.0
1	B	9	PRO	24.0
1	B	15	ASP	24.0
1	C	66	SER	23.8
1	F	54	SER	23.8
1	D	112	PHE	23.8
1	F	31	ALA	23.7
1	F	63	ALA	23.5
1	E	28	ALA	23.5
1	B	8	THR	23.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	91	ALA	23.4
1	E	4	THR	23.4
1	B	5	ALA	23.3
1	C	110	ILE	23.2
1	E	10	SER	23.2
1	F	83	TRP	23.2
1	A	106	GLU	23.0
1	D	60	ASN	23.0
1	F	112	PHE	23.0
1	A	64	SER	22.8
1	B	100	ALA	22.7
1	C	10	SER	22.7
1	C	113	ASN	22.7
1	F	109	ALA	22.6
1	D	94	GLN	22.6
1	A	96	GLY	22.5
1	F	47	SER	22.4
1	C	90	THR	22.3
1	E	65	THR	22.3
1	D	72	SER	22.2
1	D	42	THR	22.1
1	A	102	GLY	22.1
1	A	22	ALA	22.1
1	F	111	SER	22.0
1	F	62	SER	22.0
1	A	90	THR	22.0
1	C	109	ALA	21.9
1	A	51	ASP	21.9
1	E	103	ASN	21.9
1	D	6	THR	21.9
1	E	62	SER	21.9
1	A	5	ALA	21.8
1	C	101	ALA	21.8
1	F	89	THR	21.8
1	D	86	VAL	21.8
1	A	32	TYR	21.7
1	F	84	GLY	21.7
1	C	62	SER	21.6
1	A	36	GLN	21.5
1	D	90	THR	21.4
1	C	48	ASN	21.4
1	C	27	GLN	21.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	87	ASP	21.3
1	A	10	SER	21.3
1	C	9	PRO	21.3
1	D	19	VAL	21.2
1	A	92	ALA	21.1
1	C	87	ASP	21.1
1	B	81	THR	21.0
1	F	66	SER	21.0
1	E	37	ARG	21.0
1	B	51	ASP	20.8
1	E	6	THR	20.8
1	A	23	GLY	20.7
1	B	78	PHE	20.6
1	E	89	THR	20.6
1	F	96	GLY	20.6
1	A	61	GLY	20.6
1	D	17	THR	20.5
1	B	46	ALA	20.5
1	D	25	GLY	20.5
1	E	102	GLY	20.5
1	A	84	GLY	20.4
1	B	28	ALA	20.3
1	B	93	CYS	20.3
1	F	61	GLY	20.3
1	A	56	THR	20.3
1	A	18	VAL	20.2
1	B	106	GLU	20.2
1	F	16	GLY	20.2
1	B	88	CYS	20.1
1	D	37	ARG	20.1
1	F	93	CYS	20.0
1	F	81	THR	20.0
1	C	6	THR	20.0
1	F	37	ARG	20.0
1	A	57	ALA	20.0
1	F	7	VAL	20.0
1	E	58	ASP	19.9
1	C	8	THR	19.9
1	C	21	VAL	19.9
1	F	12	GLY	19.7
1	B	107	GLY	19.6
1	D	67	LEU	19.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	103	ASN	19.6
1	F	65	THR	19.5
1	F	2	ALA	19.5
1	B	37	ARG	19.5
1	B	42	THR	19.5
1	D	39	ALA	19.5
1	B	47	SER	19.4
1	D	15	ASP	19.4
1	F	48	ASN	19.4
1	F	99	ASP	19.4
1	E	45	HIS	19.4
1	A	20	LYS	19.3
1	E	112	PHE	19.3
1	E	71	ARG	19.2
1	C	18	VAL	19.2
1	F	42	THR	19.2
1	F	15	ASP	19.2
1	E	52	LEU	19.1
1	E	95	VAL	19.1
1	D	91	ALA	19.1
1	D	102	GLY	19.1
1	F	50	ALA	19.0
1	A	79	ASP	19.0
1	F	92	ALA	18.9
1	D	8	THR	18.9
1	D	40	VAL	18.9
1	F	5	ALA	18.8
1	C	20	LYS	18.8
1	B	39	ALA	18.8
1	A	17	THR	18.8
1	F	72	SER	18.7
1	E	19	VAL	18.6
1	F	74	GLU	18.6
1	E	88	CYS	18.5
1	A	108	VAL	18.5
1	B	109	ALA	18.5
1	B	110	ILE	18.5
1	F	24	ALA	18.5
1	C	94	GLN	18.5
1	F	68	THR	18.5
1	E	54	SER	18.4
1	A	46	ALA	18.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	111	SER	18.4
1	A	68	THR	18.4
1	E	68	THR	18.4
1	E	22	ALA	18.3
1	F	85	THR	18.3
1	B	18	VAL	18.3
1	C	95	VAL	18.3
1	F	18	VAL	18.3
1	F	30	THR	18.2
1	F	41	ASP	18.2
1	A	37	ARG	18.1
1	A	77	LEU	18.1
1	E	67	LEU	18.1
1	B	85	THR	18.1
1	D	87	ASP	18.1
1	E	50	ALA	18.0
1	A	99	ASP	18.0
1	D	96	GLY	18.0
1	D	32	TYR	18.0
1	E	32	TYR	18.0
1	F	22	ALA	18.0
1	F	10	SER	18.0
1	F	91	ALA	17.9
1	A	89	THR	17.9
1	C	28	ALA	17.9
1	B	11	SER	17.9
1	A	41	ASP	17.8
1	A	6	THR	17.8
1	D	111	SER	17.7
1	A	19	VAL	17.7
1	B	61	GLY	17.7
1	C	99	ASP	17.7
1	E	60	ASN	17.7
1	D	70	ARG	17.7
1	B	7	VAL	17.7
1	B	64	SER	17.6
1	A	14	SER	17.6
1	C	17	THR	17.6
1	D	38	ALA	17.6
1	B	114	HIS	17.5
1	F	77	LEU	17.5
1	C	102	GLY	17.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	88	CYS	17.5
1	C	40	VAL	17.5
1	C	31	ALA	17.4
1	D	41	ASP	17.4
1	E	57	ALA	17.4
1	E	73	PHE	17.4
1	C	89	THR	17.4
1	C	60	ASN	17.3
1	E	42	THR	17.3
1	D	30	THR	17.3
1	A	3	PRO	17.2
1	A	103	ASN	17.2
1	F	27	GLN	17.2
1	C	39	ALA	17.2
1	E	79	ASP	17.2
1	E	113	ASN	17.1
1	F	90	THR	17.1
1	A	15	ASP	17.1
1	F	52	LEU	17.1
1	B	48	ASN	17.1
1	A	31	ALA	17.1
1	E	33	TRP	17.1
1	F	80	GLY	17.1
1	F	107	GLY	17.0
1	A	72	SER	17.0
1	B	53	SER	17.0
1	E	77	LEU	16.9
1	E	41	ASP	16.9
1	D	61	GLY	16.9
1	E	39	ALA	16.9
1	B	14	SER	16.9
1	E	38	ALA	16.9
1	C	106	GLU	16.9
1	E	8	THR	16.8
1	F	13	LEU	16.8
1	B	36	GLN	16.8
1	D	85	THR	16.7
1	E	109	ALA	16.7
1	D	99	ASP	16.7
1	E	11	SER	16.7
1	A	75	GLY	16.6
1	F	70	ARG	16.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	74	GLU	16.6
1	C	32	TYR	16.6
1	D	57	ALA	16.6
1	D	18	VAL	16.6
1	C	23	GLY	16.5
1	B	104	GLY	16.5
1	C	103	ASN	16.4
1	D	56	THR	16.4
1	E	85	THR	16.4
1	E	40	VAL	16.4
1	B	97	LEU	16.3
1	B	96	GLY	16.3
1	D	104	GLY	16.3
1	A	70	ARG	16.3
1	C	24	ALA	16.3
1	C	82	ARG	16.2
1	D	22	ALA	16.2
1	C	4	THR	16.2
1	F	29	GLY	16.1
1	F	32	TYR	16.1
1	A	54	SER	16.0
1	B	66	SER	16.0
1	E	105	PRO	16.0
1	C	47	SER	16.0
1	C	2	ALA	16.0
1	B	21	VAL	16.0
1	B	77	LEU	16.0
1	A	45	HIS	16.0
1	E	20	LYS	16.0
1	D	58	ASP	15.9
1	F	45	HIS	15.9
1	A	80	GLY	15.9
1	D	79	ASP	15.9
1	A	67	LEU	15.9
1	A	111	SER	15.9
1	B	90	THR	15.9
1	D	77	LEU	15.9
1	F	82	ARG	15.9
1	A	25	GLY	15.9
1	A	107	GLY	15.9
1	B	87	ASP	15.9
1	A	71	ARG	15.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	105	PRO	15.9
1	F	95	VAL	15.8
1	B	59	ALA	15.8
1	A	109	ALA	15.8
1	A	98	SER	15.8
1	D	74	GLU	15.7
1	D	12	GLY	15.6
1	B	58	ASP	15.6
1	D	43	GLY	15.6
1	C	100	ALA	15.5
1	E	46	ALA	15.5
1	F	39	ALA	15.5
1	E	86	VAL	15.5
1	C	3	PRO	15.5
1	B	19	VAL	15.5
1	C	34	VAL	15.5
1	D	33	TRP	15.4
1	F	9	PRO	15.4
1	C	69	VAL	15.4
1	A	63	ALA	15.4
1	A	16	GLY	15.4
1	C	112	PHE	15.4
1	F	55	VAL	15.4
1	A	74	GLU	15.4
1	E	98	SER	15.4
1	C	80	GLY	15.4
1	B	60	ASN	15.4
1	A	35	TYR	15.4
1	E	90	THR	15.4
1	B	41	ASP	15.4
1	D	89	THR	15.3
1	E	84	GLY	15.3
1	D	83	TRP	15.3
1	A	50	ALA	15.3
1	E	91	ALA	15.3
1	F	101	ALA	15.3
1	B	75	GLY	15.3
1	A	58	ASP	15.3
1	F	64	SER	15.2
1	E	36	GLN	15.1
1	F	11	SER	15.1
1	D	78	PHE	15.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	12	GLY	15.1
1	B	82	ARG	15.1
1	F	106	GLU	15.1
1	F	46	ALA	15.0
1	F	76	PHE	15.0
1	D	11	SER	15.0
1	C	77	LEU	14.9
1	C	107	GLY	14.9
1	C	14	SER	14.9
1	B	72	SER	14.9
1	E	75	GLY	14.9
1	C	5	ALA	14.8
1	E	30	THR	14.8
1	E	29	GLY	14.8
1	C	54	SER	14.7
1	E	87	ASP	14.7
1	B	67	LEU	14.7
1	C	96	GLY	14.7
1	A	9	PRO	14.7
1	E	27	GLN	14.7
1	A	4	THR	14.7
1	B	73	PHE	14.7
1	A	33	TRP	14.6
1	A	24	ALA	14.6
1	A	52	LEU	14.6
1	F	78	PHE	14.6
1	A	104	GLY	14.6
1	E	108	VAL	14.5
1	F	40	VAL	14.5
1	E	83	TRP	14.5
1	E	78	PHE	14.5
1	D	31	ALA	14.5
1	F	97	LEU	14.5
1	B	111	SER	14.5
1	D	48	ASN	14.5
1	B	57	ALA	14.5
1	F	51	ASP	14.5
1	B	22	ALA	14.4
1	C	49	PRO	14.4
1	F	102	GLY	14.4
1	D	65	THR	14.4
1	B	94	GLN	14.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	12	GLY	14.4
1	A	8	THR	14.4
1	D	34	VAL	14.4
1	D	28	ALA	14.3
1	A	94	GLN	14.3
1	F	3	PRO	14.3
1	B	103	ASN	14.2
1	D	16	GLY	14.2
1	C	30	THR	14.2
1	D	108	VAL	14.2
1	A	95	VAL	14.1
1	D	62	SER	14.1
1	A	27	GLN	14.0
1	F	36	GLN	14.0
1	A	83	TRP	14.0
1	D	29	GLY	14.0
1	E	70	ARG	14.0
1	E	55	VAL	14.0
1	E	31	ALA	14.0
1	F	79	ASP	14.0
1	B	86	VAL	14.0
1	D	44	VAL	14.0
1	C	11	SER	14.0
1	E	53	SER	13.9
1	E	17	THR	13.9
1	D	14	SER	13.9
1	C	74	GLU	13.9
1	A	78	PHE	13.9
1	C	68	THR	13.9
1	B	68	THR	13.9
1	F	58	ASP	13.8
1	B	56	THR	13.8
1	A	62	SER	13.8
1	D	63	ALA	13.8
1	D	88	CYS	13.8
1	C	65	THR	13.8
1	F	104	GLY	13.8
1	C	58	ASP	13.7
1	A	48	ASN	13.7
1	C	57	ALA	13.7
1	D	7	VAL	13.7
1	A	60	ASN	13.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	53	SER	13.6
1	E	94	GLN	13.6
1	A	59	ALA	13.6
1	E	100	ALA	13.6
1	D	20	LYS	13.6
1	D	113	ASN	13.6
1	D	13	LEU	13.6
1	B	2	ALA	13.5
1	B	12	GLY	13.5
1	B	49	PRO	13.5
1	F	6	THR	13.5
1	D	5	ALA	13.5
1	B	20	LYS	13.5
1	C	108	VAL	13.5
1	E	35	TYR	13.5
1	D	54	SER	13.5
1	C	70	ARG	13.5
1	B	99	ASP	13.5
1	E	74	GLU	13.5
1	B	112	PHE	13.5
1	B	101	ALA	13.4
1	D	69	VAL	13.4
1	D	4	THR	13.4
1	C	42	THR	13.4
1	C	13	LEU	13.4
1	D	2	ALA	13.4
1	B	26	LEU	13.3
1	F	17	THR	13.3
1	A	39	ALA	13.3
1	B	62	SER	13.3
1	F	73	PHE	13.3
1	E	15	ASP	13.3
1	A	81	THR	13.2
1	E	56	THR	13.2
1	C	111	SER	13.2
1	F	49	PRO	13.2
1	C	64	SER	13.2
1	A	110	ILE	13.2
1	C	55	VAL	13.2
1	A	21	VAL	13.2
1	A	12	GLY	13.1
1	E	24	ALA	13.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	38	ALA	13.1
1	B	95	VAL	13.1
1	F	26	LEU	13.0
1	B	33	TRP	13.0
1	A	85	THR	13.0
1	D	107	GLY	13.0
1	C	76	PHE	13.0
1	A	7	VAL	12.9
1	A	112	PHE	12.9
1	E	106	GLU	12.9
1	F	8	THR	12.9
1	C	78	PHE	12.9
1	D	46	ALA	12.9
1	F	14	SER	12.8
1	B	54	SER	12.8
1	C	59	ALA	12.8
1	F	94	GLN	12.8
1	E	69	VAL	12.7
1	D	84	GLY	12.7
1	E	13	LEU	12.7
1	F	75	GLY	12.7
1	D	93	CYS	12.6
1	E	107	GLY	12.6
1	F	67	LEU	12.6
1	A	42	THR	12.6
1	D	97	LEU	12.6
1	E	96	GLY	12.6
1	F	110	ILE	12.5
1	A	53	SER	12.5
1	A	13	LEU	12.5
1	D	45	HIS	12.5
1	F	71	ARG	12.5
1	B	35	TYR	12.5
1	F	44	VAL	12.5
1	E	63	ALA	12.5
1	E	18	VAL	12.5
1	B	30	THR	12.4
1	D	82	ARG	12.4
1	B	40	VAL	12.4
1	C	73	PHE	12.4
1	A	87	ASP	12.3
1	C	93	CYS	12.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	83	TRP	12.3
1	F	34	VAL	12.3
1	C	84	GLY	12.2
1	F	33	TRP	12.2
1	F	43	GLY	12.2
1	C	26	LEU	12.2
1	C	29	GLY	12.2
1	C	52	LEU	12.2
1	B	24	ALA	12.1
1	C	19	VAL	12.1
1	A	100	ALA	12.1
1	D	49	PRO	12.1
1	C	46	ALA	12.1
1	F	20	LYS	12.1
1	D	76	PHE	12.1
1	C	50	ALA	12.0
1	B	17	THR	12.0
1	F	4	THR	12.0
1	C	71	ARG	12.0
1	D	92	ALA	12.0
1	E	3	PRO	11.9
1	E	110	ILE	11.9
1	D	59	ALA	11.9
1	A	66	SER	11.9
1	C	104	GLY	11.9
1	C	85	THR	11.9
1	C	25	GLY	11.9
1	E	49	PRO	11.8
1	A	82	ARG	11.8
1	E	25	GLY	11.8
1	D	109	ALA	11.8
1	B	25	GLY	11.8
1	E	61	GLY	11.8
1	F	69	VAL	11.8
1	F	23	GLY	11.8
1	E	92	ALA	11.8
1	C	45	HIS	11.8
1	D	26	LEU	11.7
1	E	97	LEU	11.7
1	D	95	VAL	11.7
1	B	13	LEU	11.7
1	B	52	LEU	11.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	83	TRP	11.7
1	B	23	GLY	11.7
1	B	10	SER	11.7
1	D	55	VAL	11.7
1	A	97	LEU	11.7
1	F	35	TYR	11.7
1	D	73	PHE	11.6
1	B	6	THR	11.6
1	D	68	THR	11.6
1	A	26	LEU	11.6
1	A	49	PRO	11.6
1	E	9	PRO	11.6
1	A	65	THR	11.5
1	B	55	VAL	11.5
1	D	9	PRO	11.5
1	A	86	VAL	11.5
1	E	101	ALA	11.4
1	B	45	HIS	11.4
1	A	28	ALA	11.4
1	B	63	ALA	11.4
1	D	106	GLU	11.4
1	B	84	GLY	11.4
1	C	33	TRP	11.4
1	F	21	VAL	11.4
1	C	41	ASP	11.4
1	A	40	VAL	11.4
1	D	53	SER	11.4
1	C	56	THR	11.3
1	B	98	SER	11.3
1	D	64	SER	11.3
1	B	29	GLY	11.3
1	C	75	GLY	11.3
1	A	76	PHE	11.2
1	A	73	PHE	11.2
1	D	50	ALA	11.2
1	D	51	ASP	11.1
1	D	36	GLN	11.1
1	F	56	THR	11.1
1	E	81	THR	11.0
1	C	7	VAL	11.0
1	C	67	LEU	11.0
1	B	71	ARG	11.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	37	ARG	11.0
1	B	69	VAL	11.0
1	A	93	CYS	10.9
1	A	34	VAL	10.9
1	D	71	ARG	10.9
1	A	30	THR	10.8
1	E	76	PHE	10.8
1	E	82	ARG	10.8
1	B	44	VAL	10.8
1	E	7	VAL	10.8
1	D	35	TYR	10.7
1	C	79	ASP	10.6
1	B	65	THR	10.6
1	E	43	GLY	10.6
1	B	50	ALA	10.5
1	B	70	ARG	10.5
1	A	55	VAL	10.5
1	B	3	PRO	10.5
1	B	80	GLY	10.4
1	C	86	VAL	10.3
1	D	81	THR	10.3
1	F	38	ALA	10.2
1	C	51	ASP	10.2
1	C	22	ALA	10.1
1	F	86	VAL	10.1
1	B	108	VAL	10.1
1	F	108	VAL	10.1
1	C	35	TYR	10.0
1	C	36	GLN	10.0
1	D	23	GLY	10.0
1	E	26	LEU	10.0
1	B	76	PHE	9.9
1	E	64	SER	9.9
1	E	5	ALA	9.7
1	E	16	GLY	9.5
1	A	47	SER	9.5
1	B	27	GLN	9.5
1	E	93	CYS	9.4
1	C	98	SER	9.3
1	B	79	ASP	9.2
1	A	38	ALA	9.2
1	F	98	SER	9.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	51	ASP	9.1
1	B	105	PRO	9.1
1	C	44	VAL	9.1
1	C	81	THR	9.0
1	E	48	ASN	9.0
1	B	32	TYR	8.8
1	B	34	VAL	8.6
1	D	66	SER	8.5
1	B	31	ALA	8.5
1	C	53	SER	8.4
1	B	16	GLY	8.1
1	D	3	PRO	8.1
1	E	23	GLY	8.0
1	B	102	GLY	8.0
1	C	38	ALA	8.0
1	A	29	GLY	7.9
1	C	105	PRO	7.8
1	B	43	GLY	7.7
1	C	16	GLY	7.7
1	D	80	GLY	7.6
1	D	110	ILE	6.9
1	C	97	LEU	6.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	B	1115	5/5	-0.27	0.67	41,41,42,44	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	1113	5/5	-0.25	1.32	77,77,78,78	0
2	SO4	C	1114	5/5	-0.24	1.31	53,53,53,54	0
3	TH2	E	1115	28/28	-0.22	0.77	29,34,51,52	0
3	TH2	C	1115	28/28	-0.17	0.82	24,29,53,53	0
3	TH2	A	1115	28/28	-0.13	0.85	58,62,84,85	0
2	SO4	F	1113	5/5	-0.12	1.53	65,65,65,66	0
3	TH2	B	1117	28/28	-0.09	0.75	28,36,53,54	0
3	TH2	F	1114	28/28	-0.07	0.74	24,31,53,54	0
2	SO4	E	1114	5/5	-0.04	0.88	76,76,77,77	0
3	TH2	B	1116	28/28	0.01	0.68	12,16,45,46	0
3	TH2	A	1114	28/28	0.02	0.78	27,32,58,61	0
3	TH2	D	1114	28/28	0.09	0.70	22,34,57,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TH2 C 1115:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TH2 A 1115:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TH2 B 1117:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TH2 F 1114:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TH2 B 1116:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TH2 A 1114:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.