



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:14 PM UTC

PDB ID : 3CBA / pdb_00003cba
Title : Crystal structure of Lipopeptide Detergent (LPD-12) (Hexagonal)
Authors : Ho, D.N.; Pomroy, N.C.; Cuesta-Seijo, J.A.; Prive, G.G.
Deposited on : 2008-02-21
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	27	85% 7% 7%
1	B	27	78% 15% 7%
1	C	27	78% 22%
1	D	27	85% 15%
1	E	27	74% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	27	 85%15%
1	G	27	 89%11%
1	H	27	 70%26%.
1	I	27	 81%11%7%
1	J	27	 63%33%.
1	K	27	 85%11%.
1	L	27	 89%11%

2 Entry composition


There are 3 unique types of molecules in this entry. The entry contains 2788 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LPD-12.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	27	Total	C	N	O	0	0	1
			191	122	32	37			
1	B	27	Total	C	N	O	0	0	1
			200	131	32	37			
1	C	27	Total	C	N	O	0	0	1
			196	127	32	37			
1	D	27	Total	C	N	O	0	0	1
			182	115	31	36			
1	E	27	Total	C	N	O	0	0	1
			190	121	32	37			
1	F	27	Total	C	N	O	0	0	1
			198	129	32	37			
1	G	27	Total	C	N	O	0	0	1
			198	129	32	37			
1	H	27	Total	C	N	O	0	0	1
			198	129	32	37			
1	I	27	Total	C	N	O	0	0	1
			196	127	32	37			
1	J	27	Total	C	N	O	0	0	1
			181	114	31	36			
1	K	27	Total	C	N	O	0	1	1
			206	136	33	37			
1	L	27	Total	C	N	O	0	0	1
			192	125	32	35			

- Molecule 2 is DECYL-BETA-D-MALTOPYRANOSIDE (CCD ID: DMU) (formula: $C_{22}H_{42}O_{11}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			23	17	6		
2	B	1	Total	C	O	0	0
			22	16	6		
2	B	1	Total	C	O	0	0
			17	11	6		
2	B	1	Total	C		0	0
			9	9			
2	D	1	Total	C		0	0
			7	7			
2	D	1	Total	C		0	0
			7	7			
2	F	1	Total	C		0	0
			6	6			
2	G	1	Total	C		0	0
			9	9			
2	H	1	Total	C	O	0	0
			33	22	11		
2	I	1	Total	C	O	0	0
			22	16	6		
2	I	1	Total	C	O	0	0
			12	6	6		
2	J	1	Total	C	O	0	0
			18	12	6		
2	J	1	Total	C	O	0	0
			16	10	6		
2	J	1	Total	C		0	0
			7	7			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	K	1	Total C 10 10	0	0
2	L	1	Total C 10 10	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	24	Total O 24 24	0	0
3	B	18	Total O 18 18	0	0
3	C	18	Total O 18 18	0	0
3	D	16	Total O 16 16	0	0
3	E	24	Total O 24 24	0	0
3	F	22	Total O 22 22	0	0
3	G	21	Total O 21 21	0	0
3	H	13	Total O 13 13	0	0
3	I	19	Total O 19 19	0	0
3	J	20	Total O 20 20	0	0
3	K	20	Total O 20 20	0	0
3	L	17	Total O 17 17	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LPD-12

Chain A: 




- Molecule 1: LPD-12

Chain B: 



- Molecule 1: LPD-12

Chain C: 




- Molecule 1: LPD-12

Chain D: 




- Molecule 1: LPD-12

Chain E: 



- Molecule 1: LPD-12

Chain F: 



- Molecule 1: LPD-12

Chain G: 89% 11%



- Molecule 1: LPD-12

Chain H: 70% 26% .



- Molecule 1: LPD-12

Chain I: 81% 11% 7%



- Molecule 1: LPD-12

Chain J: 63% 33% .



- Molecule 1: LPD-12

Chain K: 85% 11% .



- Molecule 1: LPD-12

Chain L: 89% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 64	Depositor
Cell constants a, b, c, α , β , γ	127.26Å 127.26Å 42.85Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 1.70 10.00 – 1.70	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-1.70) 96.8 (10.00-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.07 (at 1.70Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.184 , 0.243 0.180 , 0.210	Depositor DCC
R_{free} test set	13174 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	15.6	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.132 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	2788	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: O12, NH2, ACE, DMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/153	1.16	0/201
1	B	0.49	0/153	1.22	0/201
1	C	0.49	0/153	1.19	0/201
1	D	0.46	0/153	1.11	0/201
1	E	0.42	0/153	1.11	0/201
1	F	0.44	0/153	1.09	0/201
1	G	0.48	0/153	1.22	0/201
1	H	0.46	0/153	1.10	0/201
1	I	0.42	0/153	1.26	0/201
1	J	0.53	0/153	1.31	1/201 (0.5%)
1	K	0.51	0/162	1.00	0/212
1	L	0.46	0/149	1.22	0/196
All	All	0.47	0/1841	1.17	1/2418 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	15	GLU	O-C-N	6.27	129.30	122.15

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	191	0	198	8	0
1	B	200	0	222	10	0
1	C	196	0	211	5	0
1	D	182	0	185	6	0
1	E	190	0	196	10	0
1	F	198	0	215	11	0
1	G	198	0	215	9	0
1	H	198	0	215	11	0
1	I	196	0	211	9	0
1	J	181	0	183	10	0
1	K	206	0	235	3	0
1	L	192	0	204	2	0
2	A	23	0	31	1	0
2	B	48	0	66	9	0
2	D	14	0	20	4	0
2	F	6	0	8	0	0
2	G	9	0	17	0	0
2	H	33	0	42	4	0
2	I	34	0	41	6	0
2	J	41	0	49	4	0
2	K	10	0	19	0	0
2	L	10	0	19	0	0
3	A	24	0	0	0	0
3	B	18	0	0	0	0
3	C	18	0	0	0	0
3	D	16	0	0	0	0
3	E	24	0	0	2	0
3	F	22	0	0	1	0
3	G	21	0	0	0	0
3	H	13	0	0	0	0
3	I	19	0	0	1	0
3	J	20	0	0	0	0
3	K	20	0	0	0	0
3	L	17	0	0	0	0
All	All	2788	0	2802	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:5:ALA:HA	1:K:8[B]:LYS:HE2	1.45	0.99
1:A:2:O12:H2A	1:C:6:ALA:HB2	1.45	0.97
1:J:12:TYR:HB2	2:J:511:DMU:H29	1.52	0.89
1:A:2:O12:H2	1:B:24:O12:H7	1.56	0.88
1:A:24:O12:HD	1:B:0:ACE:H3	1.57	0.84
1:K:4:GLU:O	1:K:8[B]:LYS:HG3	1.83	0.78
1:K:24:O12:H10A	1:L:2:O12:H3	1.66	0.76
1:B:20:ALA:HB2	2:B:502:DMU:H5	1.70	0.74
1:F:24:O12:H8	1:G:2:O12:H5	1.71	0.72
1:J:8:LYS:HB3	2:J:511:DMU:O61	1.92	0.69
1:I:2:O12:H5	2:I:510:DMU:H21	1.74	0.68
1:E:2:O12:O1	1:G:2:O12:H4A	1.98	0.64
1:J:15:GLU:HA	1:J:15:GLU:OE1	1.98	0.63
1:F:4:GLU:O	1:F:8:LYS:HE3	2.01	0.60
1:B:2:O12:H5A	1:E:24:O12:H6	1.85	0.59
1:D:5:ALA:CB	2:D:504:DMU:H12	2.33	0.59
2:B:503:DMU:H1	1:C:12:TYR:CE1	2.39	0.58
1:H:15:GLU:HG3	2:H:509:DMU:O1	2.05	0.57
1:J:20:ALA:O	1:J:24:O12:HG	2.04	0.56
2:B:502:DMU:H8	2:B:503:DMU:H7	1.88	0.56
1:H:13:ALA:HB1	1:H:24:O12:H12B	1.89	0.55
1:A:24:O12:HD	1:B:0:ACE:CH3	2.34	0.55
1:J:12:TYR:CD2	2:J:511:DMU:H3	2.42	0.55
1:B:0:ACE:H1	1:B:1:ALA:HB3	1.90	0.54
1:D:5:ALA:HB3	2:D:504:DMU:H12	1.90	0.53
1:G:2:O12:HDA	1:H:24:O12:H3	1.92	0.52
1:D:8:LYS:HB3	2:D:506:DMU:H8	1.91	0.52
1:A:16:ALA:HB1	1:F:2:O12:H2A	1.92	0.51
1:H:15:GLU:HG3	2:H:509:DMU:H29	1.92	0.51
1:E:25:ALA:HB2	3:E:1201:HOH:O	2.11	0.49
1:E:4:GLU:O	1:E:8:LYS:HG3	2.13	0.49
1:C:18:GLU:OE2	1:J:7:GLU:OE2	2.30	0.49
1:I:8:LYS:HD2	2:I:510:DMU:H8	1.94	0.49
1:G:3:ALA:HB2	1:H:24:O12:H3A	1.95	0.48
1:I:19:LYS:HD3	3:I:1193:HOH:O	2.12	0.48
2:B:505:DMU:H23	2:D:504:DMU:H16	1.95	0.48
1:I:8:LYS:CD	2:I:510:DMU:H8	2.43	0.47
1:F:4:GLU:C	1:F:8:LYS:HE3	2.38	0.47
1:J:24:O12:H4A	1:J:24:O12:H7A	1.46	0.47
2:B:503:DMU:H13	1:C:13:ALA:HB2	1.97	0.47
2:A:501:DMU:H21	2:A:501:DMU:H14	1.63	0.47
1:I:4:GLU:HB3	2:I:510:DMU:H29	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:O12:C5	1:E:24:O12:H6	2.45	0.46
1:F:24:O12:C12	1:G:2:O12:H9A	2.46	0.46
1:C:7:GLU:OE2	1:J:18:GLU:OE2	2.34	0.46
1:H:18:GLU:OE2	1:H:22:LYS:HE3	2.16	0.45
1:G:2:O12:H10	1:H:24:O12:H11	1.98	0.45
1:E:24:O12:C8	1:H:2:O12:H6A	2.47	0.45
1:B:24:O12:H9A	1:B:24:O12:H12B	1.77	0.44
1:A:24:O12:O1	1:B:0:ACE:H3	2.17	0.44
1:E:2:O12:H4	1:G:2:O12:H2A	1.99	0.44
2:B:505:DMU:H14	3:E:1137:HOH:O	2.17	0.43
1:F:24:O12:H9A	1:F:24:O12:H6	1.15	0.43
1:I:4:GLU:HB3	2:I:510:DMU:C57	2.49	0.43
1:F:24:O12:H12B	1:G:2:O12:H11	2.01	0.43
1:G:24:O12:H3A	1:H:3:ALA:HB2	2.00	0.43
1:H:12:TYR:CE1	2:H:509:DMU:H22	2.54	0.42
1:A:2:O12:C2	1:B:24:O12:H7	2.39	0.42
1:D:18:GLU:OE2	1:I:7:GLU:OE2	2.37	0.42
1:E:2:O12:HGA	1:F:24:O12:H5	2.01	0.42
1:E:2:O12:HGA	1:F:24:O12:H7A	2.02	0.42
1:F:8:LYS:NZ	3:F:1175:HOH:O	2.51	0.42
2:B:502:DMU:H23	2:B:502:DMU:H17	1.80	0.42
1:J:0:ACE:O	1:J:4:GLU:HG2	2.20	0.42
2:B:505:DMU:C19	1:D:8:LYS:HE3	2.49	0.42
1:H:12:TYR:HA	2:H:509:DMU:H30	2.02	0.41
1:L:0:ACE:O	1:L:3:ALA:N	2.54	0.41
1:J:9:ALA:HB1	2:J:511:DMU:H10	2.03	0.41
2:B:505:DMU:H15	1:E:12:TYR:HB3	2.04	0.40
1:I:2:O12:H5	2:I:510:DMU:C37	2.45	0.40
1:A:13:ALA:HB2	1:F:2:O12:H8	2.04	0.40
1:D:22:LYS:NZ	1:I:4:GLU:OE1	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	23/27 (85%)	23 (100%)	0	0	100	100
1	B	23/27 (85%)	22 (96%)	0	1 (4%)	2	0
1	C	23/27 (85%)	23 (100%)	0	0	100	100
1	D	23/27 (85%)	23 (100%)	0	0	100	100
1	E	23/27 (85%)	23 (100%)	0	0	100	100
1	F	23/27 (85%)	23 (100%)	0	0	100	100
1	G	23/27 (85%)	23 (100%)	0	0	100	100
1	H	23/27 (85%)	23 (100%)	0	0	100	100
1	I	23/27 (85%)	23 (100%)	0	0	100	100
1	J	23/27 (85%)	23 (100%)	0	0	100	100
1	K	24/27 (89%)	24 (100%)	0	0	100	100
1	L	23/27 (85%)	23 (100%)	0	0	100	100
All	All	277/324 (86%)	276 (100%)	0	1 (0%)	30	16

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	9/9 (100%)	9 (100%)	0	100	100
1	B	9/9 (100%)	8 (89%)	1 (11%)	6	1
1	C	9/9 (100%)	9 (100%)	0	100	100
1	D	9/9 (100%)	9 (100%)	0	100	100
1	E	9/9 (100%)	8 (89%)	1 (11%)	6	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	9/9 (100%)	9 (100%)	0	100	100
1	G	9/9 (100%)	9 (100%)	0	100	100
1	H	9/9 (100%)	9 (100%)	0	100	100
1	I	9/9 (100%)	8 (89%)	1 (11%)	6	1
1	J	9/9 (100%)	8 (89%)	1 (11%)	6	1
1	K	10/9 (111%)	10 (100%)	0	100	100
1	L	8/9 (89%)	8 (100%)	0	100	100
All	All	108/108 (100%)	104 (96%)	4 (4%)	30	14

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	19	LYS
1	E	19	LYS
1	I	19	LYS
1	J	15	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	O12	H	24	1	19,20,21	0.43	0	16,21,23	1.10	2 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	O12	D	2	1	3,4,21	0.66	0	2,4,23	0.87	0
1	O12	I	2	1	15,16,21	0.53	0	12,17,23	1.91	3 (25%)
1	O12	J	24	1	16,17,21	0.37	0	13,18,23	0.78	0
1	O12	K	24	1	19,20,21	0.39	0	16,21,23	1.22	2 (12%)
1	O12	G	24	1	17,18,21	0.41	0	14,19,23	0.75	0
1	O12	I	24	1	19,20,21	0.40	0	16,21,23	0.60	0
1	O12	E	24	1	15,16,21	0.36	0	12,17,23	0.68	0
1	O12	C	24	1	19,20,21	0.39	0	16,21,23	0.78	1 (6%)
1	O12	B	24	1	19,20,21	0.40	0	16,21,23	1.01	2 (12%)
1	O12	K	2	1	19,20,21	0.38	0	16,21,23	0.60	0
1	O12	L	24	1	18,19,21	0.38	0	15,20,23	0.79	0
1	O12	G	2	1	19,20,21	0.34	0	16,21,23	0.63	0
1	O12	A	24	1	15,16,21	0.38	0	12,17,23	0.99	1 (8%)
1	O12	B	2	1	19,20,21	0.34	0	16,21,23	0.66	0
1	O12	H	2	1	17,18,21	0.39	0	14,19,23	0.71	0
1	O12	F	24	1	19,20,21	0.36	0	16,21,23	0.79	0
1	O12	C	2	1	15,16,21	0.43	0	12,17,23	0.88	0
1	O12	A	2	1	14,15,21	0.52	0	11,16,23	1.37	3 (27%)
1	O12	E	2	1	13,14,21	0.44	0	10,15,23	0.60	0
1	O12	L	2	1	16,17,21	0.39	0	13,18,23	0.73	0
1	O12	J	2	1	3,4,21	0.64	0	2,4,23	0.95	0
1	O12	F	2	1	17,18,21	0.32	0	14,19,23	0.59	0
1	O12	D	24	1	17,18,21	0.42	0	14,19,23	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	O12	H	24	1	-	9/19/20/22	-
1	O12	D	2	1	-	1/1/2/22	-
1	O12	I	2	1	-	4/15/16/22	-
1	O12	J	24	1	-	3/16/17/22	-
1	O12	K	24	1	-	8/19/20/22	-
1	O12	G	24	1	-	3/17/18/22	-
1	O12	I	24	1	-	5/19/20/22	-
1	O12	E	24	1	-	4/15/16/22	-
1	O12	C	24	1	-	3/19/20/22	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	O12	B	24	1	-	6/19/20/22	-
1	O12	K	2	1	-	4/19/20/22	-
1	O12	L	24	1	-	6/18/19/22	-
1	O12	G	2	1	-	10/19/20/22	-
1	O12	A	24	1	-	2/15/16/22	-
1	O12	B	2	1	-	6/19/20/22	-
1	O12	H	2	1	-	6/17/18/22	-
1	O12	F	24	1	-	6/19/20/22	-
1	O12	C	2	1	-	3/15/16/22	-
1	O12	A	2	1	-	7/14/15/22	-
1	O12	E	2	1	-	7/13/14/22	-
1	O12	L	2	1	-	8/16/17/22	-
1	O12	J	2	1	-	0/1/2/22	-
1	O12	F	2	1	-	10/17/18/22	-
1	O12	D	24	1	-	2/17/18/22	-

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	2	O12	O1-C1-C2	-4.49	113.88	122.02
1	I	2	O12	CD-NE-C1	3.87	130.02	122.82
1	K	24	O12	CD-NE-C1	-3.18	116.91	122.82
1	A	2	O12	C2-C1-NE	-2.67	111.47	116.34
1	K	24	O12	O1-C1-NE	-2.66	117.81	123.03
1	A	24	O12	C2-C1-NE	-2.56	111.67	116.34
1	H	24	O12	O1-C1-C2	-2.37	117.73	122.02
1	A	2	O12	O1-C1-NE	2.29	127.52	123.03
1	C	24	O12	CD-NE-C1	-2.26	118.61	122.82
1	B	24	O12	CB-CG-CD	-2.22	105.66	112.07
1	A	2	O12	CD-NE-C1	2.14	126.81	122.82
1	B	24	O12	C2-C1-NE	-2.09	112.53	116.34
1	I	2	O12	O1-C1-NE	-2.05	119.02	123.03
1	H	24	O12	O1-C1-NE	-2.03	119.04	123.03

There are no chirality outliers.

All (123) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	2	O12	O1-C1-NE-CD
1	B	2	O12	C2-C1-NE-CD
1	D	2	O12	O-C-CA-CB
1	E	2	O12	C-CA-CB-CG
1	E	2	O12	O1-C1-NE-CD
1	E	2	O12	C2-C1-NE-CD
1	G	2	O12	O1-C1-NE-CD
1	G	2	O12	C2-C1-NE-CD
1	I	2	O12	O1-C1-NE-CD
1	I	2	O12	C2-C1-NE-CD
1	K	2	O12	C-CA-CB-CG
1	A	2	O12	C1-C2-C3-C4
1	L	2	O12	O1-C1-NE-CD
1	F	24	O12	C6-C7-C8-C9
1	L	2	O12	NE-CD-CG-CB
1	J	24	O12	C4-C5-C6-C7
1	E	2	O12	C1-C2-C3-C4
1	I	24	O12	C1-C2-C3-C4
1	K	24	O12	C1-C2-C3-C4
1	E	24	O12	C1-C2-C3-C4
1	A	2	O12	O1-C1-NE-CD
1	G	2	O12	NE-CD-CG-CB
1	H	24	O12	C2-C1-NE-CD
1	K	2	O12	NE-CD-CG-CB
1	A	2	O12	C2-C1-NE-CD
1	F	2	O12	O1-C1-C2-C3
1	E	24	O12	C3-C4-C5-C6
1	K	24	O12	C7-C8-C9-C10
1	L	24	O12	C7-C8-C9-C10
1	K	24	O12	C2-C1-NE-CD
1	A	2	O12	C2-C3-C4-C5
1	C	2	O12	C1-C2-C3-C4
1	B	24	O12	C7-C8-C9-C10
1	C	24	O12	C11-C10-C9-C8
1	F	24	O12	C4-C5-C6-C7
1	G	2	O12	C3-C4-C5-C6
1	E	2	O12	CA-CB-CG-CD
1	H	24	O12	C4-C5-C6-C7
1	I	24	O12	C11-C10-C9-C8
1	L	24	O12	C1-C2-C3-C4
1	B	2	O12	C3-C4-C5-C6
1	F	2	O12	NE-C1-C2-C3
1	H	2	O12	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	F	24	O12	C3-C4-C5-C6
1	F	2	O12	C5-C6-C7-C8
1	A	24	O12	C3-C4-C5-C6
1	I	24	O12	C3-C4-C5-C6
1	A	2	O12	NE-C1-C2-C3
1	G	2	O12	C2-C3-C4-C5
1	L	2	O12	C3-C4-C5-C6
1	J	24	O12	C3-C4-C5-C6
1	F	2	O12	C1-C2-C3-C4
1	F	24	O12	C7-C8-C9-C10
1	K	2	O12	C7-C8-C9-C10
1	F	2	O12	C2-C3-C4-C5
1	K	24	O12	C3-C4-C5-C6
1	B	24	O12	C9-C10-C11-C12
1	J	24	O12	C6-C7-C8-C9
1	L	2	O12	C2-C3-C4-C5
1	E	24	O12	O1-C1-NE-CD
1	I	24	O12	C6-C7-C8-C9
1	I	2	O12	C1-C2-C3-C4
1	A	2	O12	O1-C1-C2-C3
1	K	2	O12	C5-C6-C7-C8
1	K	24	O12	C2-C3-C4-C5
1	E	2	O12	C2-C3-C4-C5
1	C	24	O12	C7-C8-C9-C10
1	F	24	O12	C2-C3-C4-C5
1	K	24	O12	C11-C10-C9-C8
1	L	24	O12	C2-C3-C4-C5
1	G	2	O12	C1-C2-C3-C4
1	F	2	O12	C3-C4-C5-C6
1	K	24	O12	C5-C6-C7-C8
1	H	2	O12	C6-C7-C8-C9
1	G	24	O12	C6-C7-C8-C9
1	L	24	O12	C4-C5-C6-C7
1	H	24	O12	C5-C6-C7-C8
1	H	24	O12	C6-C7-C8-C9
1	G	2	O12	C4-C5-C6-C7
1	I	2	O12	C5-C6-C7-C8
1	G	2	O12	O1-C1-C2-C3
1	F	24	O12	C5-C6-C7-C8
1	H	24	O12	C9-C10-C11-C12
1	H	2	O12	C3-C4-C5-C6
1	D	24	O12	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	H	24	O12	C3-C4-C5-C6
1	C	24	O12	C2-C3-C4-C5
1	I	24	O12	C9-C10-C11-C12
1	B	24	O12	C11-C10-C9-C8
1	F	2	O12	C7-C8-C9-C10
1	G	2	O12	C9-C10-C11-C12
1	L	24	O12	C5-C6-C7-C8
1	G	24	O12	C2-C3-C4-C5
1	B	24	O12	C5-C6-C7-C8
1	H	24	O12	C1-C2-C3-C4
1	B	2	O12	C4-C5-C6-C7
1	H	24	O12	C7-C8-C9-C10
1	L	2	O12	NE-C1-C2-C3
1	F	2	O12	C-CA-CB-CG
1	L	24	O12	C3-C4-C5-C6
1	C	2	O12	C4-C5-C6-C7
1	F	2	O12	C6-C7-C8-C9
1	E	2	O12	N-CA-CB-CG
1	A	2	O12	C3-C4-C5-C6
1	H	2	O12	C2-C3-C4-C5
1	L	2	O12	C1-C2-C3-C4
1	G	2	O12	C11-C10-C9-C8
1	E	24	O12	C2-C3-C4-C5
1	H	24	O12	C11-C10-C9-C8
1	L	2	O12	C2-C1-NE-CD
1	B	2	O12	C1-C2-C3-C4
1	F	2	O12	C2-C1-NE-CD
1	G	24	O12	C3-C4-C5-C6
1	C	2	O12	C2-C3-C4-C5
1	B	24	O12	C3-C4-C5-C6
1	H	2	O12	NE-CD-CG-CB
1	A	24	O12	C1-C2-C3-C4
1	B	2	O12	C-CA-CB-CG
1	B	24	O12	C-CA-CB-CG
1	D	24	O12	C-CA-CB-CG
1	K	24	O12	O1-C1-C2-C3
1	L	2	O12	O1-C1-C2-C3
1	H	2	O12	O1-C1-C2-C3

There are no ring outliers.

16 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	H	24	O12	4	0
1	I	2	O12	2	0
1	J	24	O12	2	0
1	K	24	O12	1	0
1	G	24	O12	1	0
1	E	24	O12	3	0
1	B	24	O12	3	0
1	G	2	O12	7	0
1	A	24	O12	3	0
1	B	2	O12	2	0
1	H	2	O12	1	0
1	F	24	O12	6	0
1	A	2	O12	3	0
1	E	2	O12	4	0
1	L	2	O12	1	0
1	F	2	O12	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DMU	F	507	-	5,5,34	0.38	0	4,4,45	0.48	0
2	DMU	D	504	-	6,6,34	0.37	0	5,5,45	0.44	0
2	DMU	B	502	-	22,22,34	0.58	0	27,27,45	1.66	5 (18%)
2	DMU	J	511	-	18,18,34	0.60	0	23,23,45	1.03	3 (13%)
2	DMU	K	512	-	9,9,34	0.36	0	8,8,45	0.53	0
2	DMU	B	503	-	17,17,34	0.74	1 (5%)	22,22,45	1.35	3 (13%)
2	DMU	D	506	-	6,6,34	0.38	0	5,5,45	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DMU	I	510	-	22,22,34	0.65	1 (4%)	27,27,45	0.84	1 (3%)
2	DMU	G	508	-	8,8,34	0.33	0	7,7,45	0.45	0
2	DMU	I	514	-	12,12,34	0.54	0	17,17,45	0.92	1 (5%)
2	DMU	B	505	-	8,8,34	0.38	0	7,7,45	0.55	0
2	DMU	J	513	-	16,16,34	0.73	1 (6%)	21,21,45	1.05	1 (4%)
2	DMU	J	515	-	6,6,34	0.36	0	5,5,45	0.43	0
2	DMU	L	516	-	9,9,34	0.35	0	8,8,45	0.40	0
2	DMU	H	509	-	34,34,34	0.70	1 (2%)	45,45,45	1.06	5 (11%)
2	DMU	A	501	-	23,23,34	0.60	1 (4%)	28,28,45	1.25	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DMU	F	507	-	-	1/3/3/59	-
2	DMU	D	504	-	-	2/4/4/59	-
2	DMU	B	502	-	-	7/13/33/59	0/1/1/2
2	DMU	J	511	-	-	8/9/29/59	0/1/1/2
2	DMU	K	512	-	-	3/7/7/59	-
2	DMU	B	503	-	-	2/8/28/59	0/1/1/2
2	DMU	D	506	-	-	3/4/4/59	-
2	DMU	I	510	-	-	4/13/33/59	0/1/1/2
2	DMU	G	508	-	-	5/6/6/59	-
2	DMU	I	514	-	-	0/2/22/59	0/1/1/2
2	DMU	B	505	-	-	5/6/6/59	-
2	DMU	J	513	-	-	3/7/27/59	0/1/1/2
2	DMU	J	515	-	-	3/4/4/59	-
2	DMU	L	516	-	-	1/7/7/59	-
2	DMU	H	509	-	-	9/19/59/59	0/2/2/2
2	DMU	A	501	-	-	5/15/35/59	0/1/1/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	503	DMU	O16-C6	2.66	1.44	1.40
2	H	509	DMU	O16-C6	2.64	1.44	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	510	DMU	O16-C6	2.48	1.44	1.40
2	J	513	DMU	O16-C6	2.30	1.44	1.40
2	A	501	DMU	O16-C6	2.06	1.43	1.40

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	DMU	O5-C4-C3	4.50	117.81	109.70
2	B	502	DMU	O16-C6-C1	3.93	114.25	108.27
2	B	503	DMU	C18-O16-C6	-3.51	107.68	113.68
2	B	503	DMU	O16-C6-C1	3.27	113.23	108.27
2	B	502	DMU	C18-O16-C6	-2.99	108.58	113.68
2	B	502	DMU	O5-C4-C57	2.90	113.61	106.44
2	A	501	DMU	C18-O16-C6	-2.72	109.03	113.68
2	I	510	DMU	C57-C4-C3	-2.71	106.36	113.02
2	H	509	DMU	C6-O5-C4	-2.69	108.46	113.72
2	J	511	DMU	C18-O16-C6	-2.59	109.26	113.68
2	J	511	DMU	C6-O5-C4	-2.51	108.81	113.72
2	H	509	DMU	O5-C6-C1	-2.37	105.49	110.37
2	A	501	DMU	C10-O7-C3	-2.35	108.44	114.47
2	H	509	DMU	O1-C9-C11	2.25	112.01	106.44
2	B	502	DMU	O55-C2-C1	2.17	115.48	110.38
2	A	501	DMU	O7-C3-C2	-2.15	105.47	110.39
2	J	513	DMU	C6-C1-C2	2.14	114.50	110.01
2	H	509	DMU	C10-O7-C3	-2.12	112.94	117.98
2	A	501	DMU	O49-C1-C2	-2.11	105.39	110.38
2	I	514	DMU	O5-C6-C1	-2.06	106.69	110.30
2	B	503	DMU	C57-C4-C3	-2.04	108.02	113.02
2	H	509	DMU	O1-C10-C5	-2.02	106.21	110.37
2	J	511	DMU	O5-C4-C57	2.01	111.42	106.44

There are no chirality outliers.

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	510	DMU	C19-C18-O16-C6
2	B	502	DMU	C3-C4-C57-O61
2	B	502	DMU	O5-C4-C57-O61
2	A	501	DMU	C28-C31-C34-C37
2	J	511	DMU	C1-C6-O16-C18
2	H	509	DMU	O6-C11-C9-C8
2	B	502	DMU	C31-C34-C37-C40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	J	511	DMU	C3-C4-C57-O61
2	B	502	DMU	O16-C18-C19-C22
2	J	511	DMU	O5-C6-O16-C18
2	J	511	DMU	O5-C4-C57-O61
2	H	509	DMU	O6-C11-C9-O1
2	H	509	DMU	C19-C18-O16-C6
2	J	511	DMU	O16-C18-C19-C22
2	I	510	DMU	C25-C28-C31-C34
2	B	505	DMU	C28-C31-C34-C37
2	I	510	DMU	C18-C19-C22-C25
2	B	505	DMU	C25-C28-C31-C34
2	G	508	DMU	C28-C31-C34-C37
2	J	511	DMU	C18-C19-C22-C25
2	H	509	DMU	C31-C34-C37-C40
2	B	502	DMU	C18-C19-C22-C25
2	H	509	DMU	C28-C31-C34-C37
2	L	516	DMU	C19-C22-C25-C28
2	D	506	DMU	C19-C22-C25-C28
2	B	503	DMU	C3-C4-C57-O61
2	B	503	DMU	O5-C4-C57-O61
2	J	513	DMU	C3-C4-C57-O61
2	I	510	DMU	C28-C31-C34-C37
2	B	505	DMU	C34-C37-C40-C43
2	H	509	DMU	O5-C4-C57-O61
2	F	507	DMU	C22-C25-C28-C31
2	G	508	DMU	C34-C37-C40-C43
2	H	509	DMU	C3-C4-C57-O61
2	D	504	DMU	C22-C25-C28-C31
2	B	502	DMU	C19-C22-C25-C28
2	K	512	DMU	C34-C37-C40-C43
2	J	513	DMU	O5-C4-C57-O61
2	A	501	DMU	C18-C19-C22-C25
2	A	501	DMU	C25-C28-C31-C34
2	H	509	DMU	C25-C28-C31-C34
2	A	501	DMU	C34-C37-C40-C43
2	B	505	DMU	C22-C25-C28-C31
2	K	512	DMU	C25-C28-C31-C34
2	A	501	DMU	C22-C25-C28-C31
2	G	508	DMU	C22-C25-C28-C31
2	G	508	DMU	C25-C28-C31-C34
2	J	515	DMU	C34-C37-C40-C43
2	H	509	DMU	O1-C10-O7-C3

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	D	506	DMU	C18-C19-C22-C25
2	B	505	DMU	C31-C34-C37-C40
2	B	502	DMU	C34-C37-C40-C43
2	J	511	DMU	C22-C25-C28-C31
2	G	508	DMU	C19-C22-C25-C28
2	D	504	DMU	C25-C28-C31-C34
2	J	511	DMU	C19-C22-C25-C28
2	J	515	DMU	C28-C31-C34-C37
2	K	512	DMU	C18-C19-C22-C25
2	J	513	DMU	O5-C6-O16-C18
2	J	515	DMU	C25-C28-C31-C34
2	D	506	DMU	C22-C25-C28-C31


There are no ring outliers.


9 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	504	DMU	3	0
2	B	502	DMU	3	0
2	J	511	DMU	4	0
2	B	503	DMU	3	0
2	D	506	DMU	1	0
2	I	510	DMU	6	0
2	B	505	DMU	4	0
2	H	509	DMU	4	0
2	A	501	DMU	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	23/27 (85%)	-1.28	0 100 100	10, 14, 22, 27	0
1	B	23/27 (85%)	-1.12	0 100 100	11, 15, 30, 31	0
1	C	23/27 (85%)	-1.18	0 100 100	11, 16, 25, 29	0
1	D	23/27 (85%)	-1.18	0 100 100	12, 15, 26, 31	0
1	E	23/27 (85%)	-1.18	0 100 100	12, 15, 32, 37	0
1	F	23/27 (85%)	-1.29	0 100 100	11, 15, 25, 30	0
1	G	23/27 (85%)	-1.16	0 100 100	10, 14, 29, 36	0
1	H	23/27 (85%)	-1.32	0 100 100	11, 14, 24, 30	0
1	I	23/27 (85%)	-1.12	0 100 100	13, 16, 27, 34	0
1	J	23/27 (85%)	-1.15	0 100 100	12, 16, 28, 34	0
1	K	23/27 (85%)	-1.34	0 100 100	11, 15, 22, 24	1 (4%)
1	L	23/27 (85%)	-1.17	0 100 100	13, 15, 27, 33	0
All	All	276/324 (85%)	-1.21	0 100 100	10, 15, 30, 37	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	O12	D	2	5/22	0.97	0.05	19,19,23,31	0
1	O12	J	2	5/22	0.97	0.06	14,16,19,23	0
1	O12	E	2	15/22	0.98	0.07	16,37,46,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	O12	G	2	21/22	0.98	0.07	17,46,62,81	0
1	O12	C	2	17/22	0.98	0.05	12,28,42,46	0
1	O12	L	2	18/22	0.98	0.07	20,35,59,77	0
1	O12	C	24	21/22	0.98	0.06	20,32,41,45	0
1	O12	D	24	19/22	0.98	0.05	17,27,40,41	0
1	O12	E	24	17/22	0.98	0.05	16,28,41,48	0
1	O12	H	24	21/22	0.98	0.06	13,28,46,48	0
1	O12	J	24	18/22	0.98	0.06	16,27,41,44	0
1	O12	L	24	20/22	0.98	0.05	12,28,47,49	0
1	O12	A	24	17/22	0.99	0.04	13,25,35,36	0
1	O12	B	24	21/22	0.99	0.04	16,23,35,46	0
1	O12	B	2	21/22	0.99	0.06	14,31,47,49	0
1	O12	H	2	19/22	0.99	0.05	10,25,59,67	0
1	O12	I	2	17/22	0.99	0.05	11,21,41,41	0
1	O12	F	24	21/22	0.99	0.06	15,27,44,57	0
1	O12	G	24	19/22	0.99	0.04	16,24,31,32	0
1	O12	A	2	16/22	0.99	0.06	7,28,44,49	0
1	O12	I	24	21/22	0.99	0.04	11,23,47,50	0
1	O12	K	2	21/22	0.99	0.05	15,26,47,49	0
1	O12	K	24	21/22	0.99	0.05	12,29,56,59	0
1	O12	F	2	19/22	0.99	0.04	15,27,37,47	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DMU	B	505	9/33	0.96	0.09	40,47,53,55	0
2	DMU	D	504	7/33	0.97	0.08	29,43,49,52	0
2	DMU	F	507	6/33	0.97	0.10	32,40,45,45	0
2	DMU	I	514	12/33	0.97	0.07	44,60,76,78	0
2	DMU	J	511	18/33	0.97	0.10	42,65,79,92	0
2	DMU	K	512	10/33	0.97	0.07	27,32,42,49	0
2	DMU	G	508	9/33	0.98	0.06	26,31,46,49	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DMU	H	509	33/33	0.98	0.05	18,24,32,33	0
2	DMU	I	510	22/33	0.98	0.08	33,49,84,95	0
2	DMU	B	503	17/33	0.98	0.07	22,57,67,74	0
2	DMU	D	506	7/33	0.98	0.06	22,31,44,45	0
2	DMU	J	513	16/33	0.98	0.08	25,45,64,66	0
2	DMU	J	515	7/33	0.98	0.05	27,29,32,34	0
2	DMU	A	501	23/33	0.98	0.05	15,25,38,46	0
2	DMU	L	516	10/33	0.98	0.07	21,38,45,45	0
2	DMU	B	502	22/33	0.99	0.06	19,45,58,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around DMU D 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU F 507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU I 514:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU J 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU K 512:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU G 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU H 509:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU I 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU B 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU D 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU J 513:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU J 515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU L 516:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.