



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 06:13 AM UTC

PDB ID : 3CCS / pdb_00003ccs
Title : Structure of Anisomycin resistant 50S Ribosomal Subunit: 23S rRNA mutation G2482A
Authors : Blaha, G.; Gurel, G.
Deposited on : 2008-02-26
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)
RNA backbone	3983	1046 (3.16-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div>
2	B	338	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 59%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 35%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div>
3	C	246	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div>
4	D	177	<div style="display: flex; align-items: center;"> <div style="width: 14%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 47%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 28%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 21%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	178	
6	F	120	
7	G	348	
8	H	177	
9	I	162	
10	J	145	
11	K	132	
12	L	165	
13	M	196	
14	N	187	
15	O	116	
16	P	149	
17	Q	96	
18	R	155	
19	S	85	
20	T	120	
21	U	67	
22	V	71	
23	W	154	
24	X	92	
25	Y	241	
26	Z	116	
27	1	57	
28	2	50	
29	3	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	0	2923	
31	9	122	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
33	CL	0	8812	-	-	X	-
33	CL	Y	8820	-	-	X	-
35	NA	0	8574	-	-	-	X
37	CD	3	8704	-	-	-	X

2 Entry composition

There are 38 unique types of molecules in this entry. The entry contains 99121 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	237	1753	1072	352	324	5	0	0	0

- Molecule 2 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	337	2625	1616	493	511	5	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	246	1860	1130	345	384	1	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	140	1094	685	195	210	4	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	172	1357	840	224	289	4	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	119	890	551	141	197	1	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	29	240	149	39	51	1	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	160	1282	798	240	238	6	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	70	519	323	81	114	1	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	142	1120	696	199	222	3	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	132	994	609	189	192	4	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
12	L	145	1118	670	222	226	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	194	1558	943	333	281	1	0	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	186	1445	895	262	286	2	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
15	O	115	865	529	161	175		0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
16	P	143	1136	683	229	224		0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
17	Q	95	735	450	141	144		0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
18	R	150	1149	713	209	223	4	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	S	81	641	389	111	138	3	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
20	T	119	950	568	180	202		0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L24e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 22 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 23 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 24 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 25 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	Y	142	Total	C	N	O	0	0	0
			1130	686	228	216			

- Molecule 26 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	73	Total	C	N	O	S	0	0	0
			573	343	113	112	5			

- Molecule 27 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			

- Molecule 28 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	46	Total	C	N	O	S	0	0	0
			396	239	89	67	1			

- Molecule 29 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 30 is a RNA chain called 23S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	0	2754	Total	C	N	O	P	0	0	0
			59019	26349	10873	19052	2745			

- Molecule 31 is a RNA chain called 5S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	9	122	Total	C	N	O	P	0	0	0
			2599	1160	471	847	121			

- Molecule 32 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
32	A	2	Total	Mg	0	0
			2	2		
32	B	1	Total	Mg	0	0
			1	1		
32	K	1	Total	Mg	0	0
			1	1		
32	T	1	Total	Mg	0	0
			1	1		
32	Y	1	Total	Mg	0	0
			1	1		
32	0	86	Total	Mg	0	0
			86	86		
32	9	1	Total	Mg	0	0
			1	1		

- Molecule 33 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
33	A	1	Total Cl 1 1	0	0
33	B	1	Total Cl 1 1	0	0
33	J	3	Total Cl 3 3	0	0
33	L	1	Total Cl 1 1	0	0
33	M	1	Total Cl 1 1	0	0
33	N	1	Total Cl 1 1	0	0
33	O	1	Total Cl 1 1	0	0
33	R	1	Total Cl 1 1	0	0
33	Y	1	Total Cl 1 1	0	0
33	3	1	Total Cl 1 1	0	0
33	0	10	Total Cl 10 10	0	0

- Molecule 34 is STRONTIUM ION (CCD ID: SR) (formula: Sr).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	A	2	Total Sr 2 2	0	0
34	B	2	Total Sr 2 2	0	0
34	F	1	Total Sr 1 1	0	0
34	H	1	Total Sr 1 1	0	0
34	L	1	Total Sr 1 1	0	0
34	R	1	Total Sr 1 1	0	0
34	S	1	Total Sr 1 1	0	0
34	1	2	Total Sr 2 2	0	0
34	3	2	Total Sr 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	92	Total 92	Sr 92	0	0
34	9	3	Total 3	Sr 3	0	0

- Molecule 35 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	B	1	Total 1	Na 1	0	0
35	C	1	Total 1	Na 1	0	0
35	H	1	Total 1	Na 1	0	0
35	J	1	Total 1	Na 1	0	0
35	M	1	Total 1	Na 1	0	0
35	Q	1	Total 1	Na 1	0	0
35	R	1	Total 1	Na 1	0	0
35	S	1	Total 1	Na 1	0	0
35	0	65	Total 65	Na 65	0	0
35	9	2	Total 2	Na 2	0	0

- Molecule 36 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	M	1	Total 1	K 1	0	0
36	0	1	Total 1	K 1	0	0

- Molecule 37 is CADMIUM ION (CCD ID: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	O	1	Total 1	Cd 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	U	1	Total 1	Cd 1	0	0
37	Z	1	Total 1	Cd 1	0	0
37	1	1	Total 1	Cd 1	0	0
37	3	1	Total 1	Cd 1	0	0

- Molecule 38 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	A	119	Total 119	O 119	0	0
38	B	152	Total 152	O 152	0	0
38	C	185	Total 185	O 185	0	0
38	D	42	Total 42	O 42	0	0
38	E	43	Total 43	O 43	0	0
38	F	26	Total 26	O 26	0	0
38	G	19	Total 19	O 19	0	0
38	H	65	Total 65	O 65	0	0
38	I	8	Total 8	O 8	0	0
38	J	53	Total 53	O 53	0	0
38	K	58	Total 58	O 58	0	0
38	L	85	Total 85	O 85	0	0
38	M	127	Total 127	O 127	0	0
38	N	59	Total 59	O 59	0	0
38	O	39	Total 39	O 39	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	P	67	Total 67	O 67	0	0
38	Q	48	Total 48	O 48	0	0
38	R	77	Total 77	O 77	0	0
38	S	30	Total 30	O 30	0	0
38	T	36	Total 36	O 36	0	0
38	U	28	Total 28	O 28	0	0
38	V	13	Total 13	O 13	0	0
38	W	67	Total 67	O 67	0	0
38	X	21	Total 21	O 21	0	0
38	Y	100	Total 100	O 100	0	0
38	Z	31	Total 31	O 31	0	0
38	1	59	Total 59	O 59	0	0
38	2	43	Total 43	O 43	0	0
38	3	70	Total 70	O 70	0	0
38	0	5904	Total 5904	O 5904	0	0
38	9	149	Total 149	O 149	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2P




- Molecule 2: 50S ribosomal protein L3P




- Molecule 3: 50S ribosomal protein L4P






- Molecule 4: 50S ribosomal protein L5P




- Molecule 5: 50S ribosomal protein L6P



- Molecule 6: 50S ribosomal protein L7Ae




- Molecule 7: 50S ribosomal protein L10E






- Molecule 12: 50S ribosomal protein L15P




- Molecule 13: 50S ribosomal protein L15e



- Molecule 14: 50S ribosomal protein L18P




- Molecule 15: 50S ribosomal protein L18e






- Molecule 16: 50S ribosomal protein L19e




- Molecule 17: 50S ribosomal protein L21e





- Molecule 18: 50S ribosomal protein L22P




- Molecule 19: 50S ribosomal protein L23P




- Molecule 20: 50S ribosomal protein L24P




- Molecule 21: 50S ribosomal protein L24e




- Molecule 22: 50S ribosomal protein L29P




- Molecule 23: 50S ribosomal protein L30P





- Molecule 24: 50S ribosomal protein L31e




- Molecule 25: 50S ribosomal protein L32e




- Molecule 26: 50S ribosomal protein L37Ae




• Molecule 27: 50S ribosomal protein L37e




• Molecule 28: 50S ribosomal protein L39e



• Molecule 29: 50S ribosomal protein L44E




• Molecule 30: 23S RIBOSOMAL RNA




G246	G247	A248	G249	C250	C254	A256	C256	G257	G258	G259	U263	G264	U265	C271	A272	G273	G274	G275	C276	C279	C280	U281	C282	U283	C284	A285	U286	C287	A288	G289	C290	C291	G292	A293	C294	G296	U297	C298	U299	U300	C301	A302	G303	G304	A305	A306	G307	U308	G309	U310	C311	U312	U313	G314		
G315	A316	A317	U318	A319	G320	G324	U325	U328	A329	C330	G333	U335	G336	A337	C338	A339	C342	C343	C344	G345	U346	A347	C348	U352	C443	C444	U445	U446	G446	A447	U448	A449	C450	G361	G362	C363	U364	G365	U366	G367	C368	G369	U370	U371	A372	G373	U374	G375	C376	G377	A378	G379	A380	G381	C390	U391
U392	G393	U396	A397	U398	C399	A407	A408	U409	A410	A411	C412	G413	G416	A507	C508	A509	U510	A511	U512	C421	C424	U425	C440	A441	A442	C443	C444	U445	G446	A447	U448	A449	C450	C451	G452	A453	U454	A459	C461	A462	A463	U371	A372	U465	A466	G467	U468	A469	U470	A471	G472	A473	G479	C480	U481	C481
U481	G482	C483	A484	A485	U486	U488	G496	A497	U498	A499	C500	G506	A507	C508	A509	U510	A511	U512	C421	C424	U425	C440	A441	A442	C443	C444	U445	G446	A447	U448	A449	C450	C451	G452	A453	U454	A459	C461	A462	A463	U371	A372	U465	A466	G467	U468	A469	U470	A471	G472	A473	G479	C480	U481	C481	
C558	U559	U560	G561	A562	U563	U564	U567	C571	G581	U582	C583	U584	C585	U586	A587	U588	U589	A590	U591	A593	C594	U595	C596	A597	C598	U599	G600	A603	G604	U611	U612	C613	U614	G615	U616	U619	A620	C621	G622	U623	U624	U625	A628	C629	A629	U628	U629	A632	C633	U634	A635	G636				
G644	U645	U646	U647	G652	U653	A654	U656	G657	C658	A659	A660	U661	U662	C663	U664	G669	U670	A671	U672	C677	G678	G681	A682	C683	U684	G685	U686	A687	U688	A689	A690	C691	A692	A693	U694	C695	U696	G697	A698	C699	U700	U701	G702	U703	C704	C705	U706	C707	U708	A709	U710	G711	U714			
U	G716	C717	C718	C719	G724	C725	G726	C727	C728	U734	C735	A736	A737	G738	G744	G745	C748	A749	U751	C759	G760	A761	C762	C763	G764	G765	G766	A767	U768	U769	C770	A771	U772	C773	U774	A775	U776	A777	U778	U779	A780	G781	U801	C802	C803	C804	G805	A806	U807	U808	C809	C810	C811			
A812	C813	G814	U815	G816	G817	A818	A819	G820	U821	C822	U823	A827	C834	U835	C836	U840	A844	U845	A846	C849	U850	C851	U852	C853	U854	U855	C856	A857	U858	A867	C868	U869	G870	U871	A872	A875	U876	C877	G878	U879	A880	U881	C882	U883	C884	G885	U888	A894	C898							
C899	G902	U903	U904	C905	A912	G918	U919	C920	G921	A922	G924	C925	A926	U932	C933	A939	U945	C946	U947	G948	U949	C950	U951	G952	G953	A957	G960	A961	C962	C963	G964	A965	G969	U970	G	U	C	U	G	U	C	U	C	U	C	U	C									
C	G	A	G	A	G	U	C	G	C	A	C	C999	C1000	U1003	C1004	A1005	A1006	A1007	C1008	U1009	C1010	C1011	A1012	U1013	A1014	C1015	U1016	U1017	C1018	C1019	A1020	G1021	A1022	C1025	U1026	G1027	U1028	U1029	G1039	U1042	C1043	C1044	G1045	C1051	U1052	G1053	U1054	U1056								
A1057	A1058	C1059	C1061	U1066	A1067	G1071	U1072	A1073	G1074	G1075	U1076	A1079	C1080	A1081	C1084	U1085	A1086	G1087	A1088	U1095	U1096	A1097	U1098	C1099	G1100	C1104	A1107	G1108	U1109	G1110	U1116	A1118	G1119	C1127	C1129	U1130	G1131	A1132	G1135	U1136	G1137	G1151	A1154	G1155												
C1156	C1157	G1158	U1159	G1160	A1161	G1162	U1163	U1164	G1165	A1166	C1167	U1168	U1169	U1170	A1171	G1172	A1173	U1174	G1175	C1176	A1177	U1180	A1181	C1182	U1183	C1184	U1185	C1186	U1187	A1188	U1189	G1190	A1191	C1192	U1193	A1194	G1197	U1198	A1199	A1200	C1201	A1202	G1203	C1204	U1205	U1206	A1207	C1208	U1209	G1210	C1213	G1214	A1215	U1216	U1218	
U1219	U1220	G1221	C1225	G1226	C1229	A1230	U1234	G1235	A1236	U1237	C1238	U1239	G1240	U1241	A1242	C1243	U1244	C1245	A1246	U1247	A1248	U1249	C1250	U1251	C1252	U1253	A1254	U1255	G1260	U1266	C1267	U1268	G1269	U1270	C1273	A1278	U1279	A1280	U1287	U1288	C1289	A1294	U1295	A1296	G1299	G1300	U1304	C1305	U1306							
A1307	A1308	U1309	U1310	C1311	G1312	A1313	U1314	U1315	G1316	A1317	A1318	A1321	G1322	G1325	U1326	G1327	A1328	G1331	C1332	U1333	A1334	C1335	U1336	A1337	U1338	C1339	G1340	A1341	C1342	G1343	U1344	A1345	U1346	U1347	U1350	G1351	A1352	C1353	U1359	C1360	U1361	U1362	G1363	G1364	C1365	A1372	A1375	G1376	C1377	U1378	A1379					
C1384	A1393	C1394	C1395	G1396	C1397	G1398	A1399	U1405	A1406	A1407	U1408	G1409	G1410	A1413	U1419	C1420	C1421	U1422	C1423	A1424	G1425	A1426	U1427	C1428	U1429	G1430	A1434	U1435	C1436	U1439	U1440	G1441	A1442	U1446	U1447	C1451	G1452	U1453	U1454	C1455	U1456	U1457	U1461	C1462	U1469	A1470	A1471	C1472	U1473							

C1474	A1559	C1633	U1741	C1816	C1916	A1981	G2073	A2291	G2365	G2451	C2526	G2603
C1477	U	G1634	A1742	U1817	A1919	C1962	A2074	G2295	C2366	C2454	U2527	A2604
C1482	C1562	U1635	G1819	G1818	A1921	C1983	G2075	G2296	A2367	U2457	U2531	U2607
A1485	G1564	A1642	U1748	G1820	A1922	U1992	A2081	U2297	A2368	U2458	C2532	C2608
A1486	C1565	A1643	U1749	A1829	G1923	C1993	C2088	G2299	A2370	G2459	C2534	A2612
A1487	C1566	C1643	G1750	C1830	A1924	G1995	G2092	A2300	U2372	A2460	G2537	G2613
U1488	C1567	G1655	G1752	U1831	G1925	U1996	A2096	A2301	U2373	U2461	U2538	G2614
A1494	C1574	A1656	A1755	G1832	A1926	A1997	A2099	A2302	G2374	G2462	U2539	U2615
C1495	C1575	A1657	G1756	U1833	A1927	G1998	A2100	A2303	A2375	A2466	G2540	G2616
U1496	C1576	A1658	U1757	G1834	G1928	U1999	A2101	G2309	U2376	G2467	U2541	G2617
G1497	U1577	A1661	U1758	A1835	G1929	U2000	A2102	C2310	U2377	A2468	G2542	G2618
U1500	C1578	A1664	U1759	A1836	U1933	U2003	A2103	C2311	U2378	A2469	G2543	U2620
U1503	C1581	G1665	G1760	G1837	A1934	U2004	G2102	G2312	G2379	C2472	U2544	U2621
A1504	C1582	A1666	U1761	A1838	C1935	G2005	A2103	G2313	A2382	U2473	U2545	A2624
U1506	C1585	A1667	G1762	U1839	C1936	C2006	G2104	G2314	U2383	U2474	U2546	C2624
U1511	U1587	C1666	C1762	A1840	C1937	U2007	C2105	G2315	U2384	C2475	C2547	C2625
G1512	G1588	A1668	C1763	U1845	C1938	G2008	C2106	G2316	U2387	C2476	C2548	C2626
A1515	G1589	U1667	G1765	U1846	U1939	G2009	G2110	C2317	U2388	G2480	C2549	U2627
U1516	U1592	U1677	U1766	U1850	C1940	A2011	G2111	A2311	C2388	G2481	U2550	U2628
G1520	C1593	C1667	U1767	A1851	A1941	U2012	A2112	U2322	A2402	G2482	C2551	C2629
C1521	C1594	A1682	C1768	C1852	C1942	U2013	G2119	G2323	A2401	A2483	C2552	C2630
U1522	G1595	U1683	U1769	C1853	A1943	U2017	U2120	G2324	C2409	U2484	A2553	G2634
G1524	U1596	C1683	U1770	C1854	G1947	A2018	U2121	U2325	G2410	G2485	C2554	A2635
A1526	A1603	A1684	C1771	C1855	C1948	A2019	G2121	U2326	G2411	U2486	U2555	A2636
A1527	G1604	U1685	C1772	C1856	C1949	A2022	G2128	C2327	G2412	C2487	U2556	A2637
A1528	G1605	C1686	G1773	C1857	C1950	U2032	U2129	U2328	G2413	G2488	C2557	C2638
A1529	G1606	A1687	G1774	C1858	C1951	G2033	G2134	U2329	A2414	G2489	C2558	G2642
U1530	A1607	U1688	C1775	C1859	U	G2034	A2135	C2330	A2415	A2490	G2559	G2643
U1531	G1608	C1689	U1777	A1864	A	U2034	G2136	C2331	G2256	C2493	C2570	C2644
G1536	G1609	A1701	A1787	A1865	A	C2035	A	C2332	G2257	G2494	C2571	A2649
C1537	G1610	U1702	U1788	A1866	U	C2036	A	C2333	A2258	G2494	C2572	U2650
C1538	G1611	G1706	G1789	C1867	U	C2039	A	C2334	G2263	U2498	G2573	C2651
U1539	G1612	U1707	U1790	C1868	U	C2040	A	C2335	A2264	C2500	U2581	U2652
G1540	G1613	G1706	C1791	G1877	U	U2043	A	C2336	U2265	G2501	G2582	G2653
G1541	G1614	U1710	C1792	U1879	C	G2044	A	C2337	A2266	C2502	C2583	A2664
G1542	A1615	A1711	C1793	C1884	C	G2050	A	C2338	G2269	A2504	G2584	U2665
G1543	G1616	C1714	U1722	G1902	U1964	C2061	A	C2339	G2270	U2505	U2585	U2666
U1544	G1617	C1715	U1724	U1882	C1965	A2062	A	C2340	G2271	G2506	G2586	A2667
C1545	G1622	U1716	C1725	U1883	U1966	A2063	A	C2341	C2272	U2507	U2587	U2668
G1546	G1623	A1717	U1726	G1884	U1967	U2057	A	C2342	C2273	C2508	U2588	U2669
G1552	A1624	U1717	A1801	U1890	A1968	U2058	A	C2343	A2274	U2509	C2589	A2670
C1553	U1730	U1722	A1804	C1894	A1969	A2059	A	C2344	G2275	C2510	G2590	U2671
C1554	A1732	U1723	G1804	G1902	U1970	A2060	A	C2345	U2276	C2511	C2591	C2672
G1552	C1733	U1724	A1804	U1902	G1971	C2061	A	C2346	U2277	A2354	G2592	U2673
C1553	A1626	C1725	G1805	U1903	U1972	A2062	A	C2347	G2278	A2345	G2593	U2674
C1554	G1627	U1716	U1806	U1904	A1973	A2063	A	C2348	U2282	U2355	U2594	U2675
A1632	A1626	A1731	G1809	U1905	C1974	U2064	A	C2349	G2283	A2356	U2595	A2676
	G1627	C1732	C1810	C1906	C1975	U2065	A	C2350	U2279	A2357	G2596	U2677
	C1627	U1724	A1811	U1913	U1976	U2066	A	C2351	G2287	A2358	G2597	G2678
	A1632	C1736	A1815	U1914	A1978	U2067	A	C2352	U2288	A2359	U2598	U2679
		A1736		U1915	C2071	U2068	A	C2353	G2289	A2360	U2599	A2680
					C2071	U2069	A	C2354	U2290	A2361	U2600	A2681
					C2072	U2070	A	C2355		A2362	G2601	C2682
						U2071	A	C2356		A2363		
						C2072	A	C2357		A2364		
							A	C2358		A2365		
							A	C2359		A2366		
							A	C2360		A2367		
							A	C2361		A2368		
							A	C2362		A2369		
							A	C2363		A2370		
							A	C2364		A2371		
							A	C2365		A2372		
							A	C2366		A2373		
							A	C2367		A2374		
							A	C2368		A2375		
							A	C2369		A2376		
							A	C2370		A2377		
							A	C2371		A2378		
							A	C2372		A2379		
							A	C2373		A2380		
							A	C2374		A2381		
							A	C2375		A2382		
							A	C2376		A2383		
							A	C2377		A2384		
							A	C2378		A2385		
							A	C2379		A2386		
							A	C2380		A2387		
							A	C2381		A2388		
							A	C2382		A2389		
							A	C2383		A2390		
							A	C2384		A2391		
							A	C2385		A2392		
							A	C2386		A2393		
							A	C2387		A2394		
							A	C2388		A2395		
							A	C2389		A2396		
							A	C2390		A2397		
							A	C2391		A2398		
							A	C2392		A2399		
							A	C2393		A2400		
							A	C2394		A2401		
							A	C2395		A2402		
							A	C2396		A2403		
							A	C2397		A2404		
							A	C2398		A2405		
							A	C2399		A2406		
							A	C2400		A2407		
							A	C2401		A2408		
							A	C2402		A2409		
							A	C2403		A2410		
							A	C2404		A2411		
							A	C2405		A2412		
							A	C2406		A2413		
							A	C2407		A2414		
							A	C2408		A2415		
							A	C2409		A2416		
							A	C2410		A2417		
							A	C2411		A2418		
							A	C2412		A2419		
							A	C2413		A2420		
							A	C2414		A2421		
							A	C2415		A2422		



● Molecule 31: 5S RIBOSOMAL RNA



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	212.24Å 299.19Å 575.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.95 50.00 – 2.95	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.95) 91.8 (50.00-2.95)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.40Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.179 , 0.238 0.178 , 0.232	Depositor DCC
R_{free} test set	6547 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å ²)	62.1	Xtrriage
Anisotropy	0.128	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 79.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	99121	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, CL, NA, OMU, CD, MG, PSU, K, SR, 1MA, UR3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.45	0/1786	1.02	10/2408 (0.4%)
2	B	0.43	0/2690	1.00	10/3652 (0.3%)
3	C	0.50	0/1885	0.98	5/2552 (0.2%)
4	D	0.41	0/1111	1.03	9/1498 (0.6%)
5	E	0.42	0/1382	0.87	3/1880 (0.2%)
6	F	0.42	0/901	0.99	5/1224 (0.4%)
7	G	0.36	0/241	0.82	0/324
8	H	0.39	0/1302	0.95	4/1743 (0.2%)
9	I	0.43	0/526	0.95	1/716 (0.1%)
10	J	0.45	0/1136	0.97	1/1530 (0.1%)
11	K	0.43	0/1004	1.00	3/1351 (0.2%)
12	L	0.38	0/1130	0.95	5/1509 (0.3%)
13	M	0.51	0/1582	0.92	6/2116 (0.3%)
14	N	0.39	0/1474	1.08	15/1999 (0.8%)
15	O	0.47	0/874	0.94	3/1181 (0.3%)
16	P	0.42	0/1147	0.87	2/1528 (0.1%)
17	Q	0.42	0/749	1.05	8/1005 (0.8%)
18	R	1.30	7/1172 (0.6%)	1.39	9/1578 (0.6%)
19	S	0.43	0/648	0.95	3/875 (0.3%)
20	T	0.41	0/958	1.02	7/1289 (0.5%)
21	U	0.53	0/417	0.92	1/562 (0.2%)
22	V	0.43	0/502	1.01	3/675 (0.4%)
23	W	0.50	0/1219	0.98	3/1655 (0.2%)
24	X	0.47	0/664	1.02	5/895 (0.6%)
25	Y	0.47	0/1146	0.95	2/1536 (0.1%)
26	Z	0.51	0/584	1.06	4/781 (0.5%)
27	1	0.50	0/438	0.91	1/578 (0.2%)
28	2	0.45	0/401	0.84	0/529
29	3	0.60	0/771	1.01	5/1024 (0.5%)
30	0	0.40	0/65956	0.61	11/102865 (0.0%)
31	9	0.38	0/2904	0.56	1/4526 (0.0%)
All	All	0.44	7/98700 (0.0%)	0.73	145/147584 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
18	R	1	0
23	W	0	1
30	0	0	34
All	All	1	35

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	R	150	PRO	CB-CG	27.21	2.85	1.49
18	R	150	PRO	CA-C	-17.67	1.15	1.52
18	R	150	PRO	CG-CD	13.41	1.96	1.50
18	R	150	PRO	N-CA	13.25	1.67	1.47
18	R	150	PRO	C-O	11.72	1.47	1.23

The worst 5 of 145 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	R	150	PRO	CB-CA-C	-28.52	55.92	110.10
18	R	150	PRO	N-CA-C	-20.23	61.53	112.10
18	R	150	PRO	N-CA-CB	12.25	116.47	103.00
18	R	150	PRO	CA-N-CD	12.06	128.88	112.00
14	N	163	PHE	N-CA-C	-10.26	100.63	113.55

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
18	R	150	PRO	CA

5 of 35 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
30	0	196	G	Sidechain
30	0	221	G	Sidechain
30	0	324	G	Sidechain
30	0	333	G	Sidechain
23	W	90	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1753	0	1766	86	0
2	B	2625	0	2533	112	0
3	C	1860	0	1813	63	0
4	D	1094	0	1085	40	0
5	E	1357	0	1266	42	0
6	F	890	0	843	22	0
7	G	240	0	231	9	0
8	H	1282	0	1292	33	0
9	I	519	0	500	14	0
10	J	1120	0	1098	45	0
11	K	994	0	1027	36	0
12	L	1118	0	1076	38	0
13	M	1558	0	1573	97	0
14	N	1445	0	1401	73	0
15	O	865	0	873	22	0
16	P	1136	0	1123	35	0
17	Q	735	0	729	28	0
18	R	1149	0	1122	39	0
19	S	641	0	605	16	0
20	T	950	0	924	36	0
21	U	410	0	368	26	0
22	V	499	0	511	22	0
23	W	1196	0	1137	65	0
24	X	654	0	653	20	0
25	Y	1130	0	1133	39	0
26	Z	573	0	535	52	0
27	1	431	0	426	21	0
28	2	396	0	413	21	0
29	3	755	0	732	62	0
30	0	59019	0	29809	1671	0
31	9	2599	0	1325	128	0
32	0	86	0	0	0	0
32	9	1	0	0	0	0
32	A	2	0	0	0	0
32	B	1	0	0	0	0
32	K	1	0	0	0	0
32	T	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
32	Y	1	0	0	0	0
33	0	10	0	0	3	0
33	3	1	0	0	1	0
33	A	1	0	0	0	0
33	B	1	0	0	0	0
33	J	3	0	0	2	0
33	L	1	0	0	0	0
33	M	1	0	0	0	0
33	N	1	0	0	0	0
33	O	1	0	0	0	0
33	R	1	0	0	0	0
33	Y	1	0	0	2	0
34	0	92	0	0	0	0
34	1	2	0	0	0	0
34	3	2	0	0	0	0
34	9	3	0	0	0	0
34	A	2	0	0	0	0
34	B	2	0	0	0	0
34	F	1	0	0	0	0
34	H	1	0	0	0	0
34	L	1	0	0	0	0
34	R	1	0	0	0	0
34	S	1	0	0	0	0
35	0	65	0	0	0	0
35	9	2	0	0	0	0
35	B	1	0	0	0	0
35	C	1	0	0	0	0
35	H	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0
35	R	1	0	0	0	0
35	S	1	0	0	0	0
36	0	1	0	0	0	0
36	M	1	0	0	0	0
37	1	1	0	0	0	0
37	3	1	0	0	0	0
37	O	1	0	0	0	0
37	U	1	0	0	0	0
37	Z	1	0	0	0	0
38	0	5904	0	0	252	0
38	1	59	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	2	43	0	0	2	0
38	3	70	0	0	3	0
38	9	149	0	0	10	0
38	A	119	0	0	7	0
38	B	152	0	0	15	0
38	C	185	0	0	18	0
38	D	42	0	0	4	0
38	E	43	0	0	1	0
38	F	26	0	0	1	0
38	G	19	0	0	1	0
38	H	65	0	0	4	0
38	I	8	0	0	1	0
38	J	53	0	0	1	0
38	K	58	0	0	4	0
38	L	85	0	0	9	0
38	M	127	0	0	13	0
38	N	59	0	0	2	0
38	O	39	0	0	2	0
38	P	67	0	0	3	0
38	Q	48	0	0	1	0
38	R	77	0	0	2	0
38	S	30	0	0	2	0
38	T	36	0	0	3	0
38	U	28	0	0	4	0
38	V	13	0	0	2	0
38	W	67	0	0	3	0
38	X	21	0	0	2	0
38	Y	100	0	0	5	0
38	Z	31	0	0	7	0
All	All	99121	0	59922	2718	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 2718 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:R:150:PRO:CG	18:R:150:PRO:CD	1.96	1.41
30:0:871:G:C8	30:0:871:G:H5'	1.77	1.19
10:J:82:THR:HG23	30:0:1242:A:H5'	1.23	1.16
30:0:1165:G:H1'	30:0:1174:A:H1'	1.17	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
31:9:56:A:H2'	31:9:57:A:H5''	1.19	1.13

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	235/240 (98%)	202 (86%)	27 (12%)	6 (3%)	4	12
2	B	335/338 (99%)	309 (92%)	17 (5%)	9 (3%)	4	11
3	C	244/246 (99%)	222 (91%)	20 (8%)	2 (1%)	16	37
4	D	134/177 (76%)	110 (82%)	20 (15%)	4 (3%)	3	9
5	E	170/178 (96%)	157 (92%)	12 (7%)	1 (1%)	21	45
6	F	117/120 (98%)	106 (91%)	7 (6%)	4 (3%)	3	7
7	G	25/348 (7%)	24 (96%)	1 (4%)	0	100	100
8	H	156/177 (88%)	144 (92%)	10 (6%)	2 (1%)	9	26
9	I	68/162 (42%)	52 (76%)	12 (18%)	4 (6%)	1	2
10	J	140/145 (97%)	131 (94%)	8 (6%)	1 (1%)	18	40
11	K	130/132 (98%)	121 (93%)	8 (6%)	1 (1%)	16	37
12	L	141/165 (86%)	120 (85%)	21 (15%)	0	100	100
13	M	192/196 (98%)	179 (93%)	9 (5%)	4 (2%)	5	16
14	N	184/187 (98%)	163 (89%)	17 (9%)	4 (2%)	5	15
15	O	113/116 (97%)	107 (95%)	6 (5%)	0	100	100
16	P	141/149 (95%)	133 (94%)	8 (6%)	0	100	100
17	Q	93/96 (97%)	85 (91%)	7 (8%)	1 (1%)	11	29
18	R	148/155 (96%)	140 (95%)	7 (5%)	1 (1%)	18	40
19	S	79/85 (93%)	74 (94%)	5 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	T	117/120 (98%)	107 (92%)	8 (7%)	2 (2%)	7	20
21	U	51/67 (76%)	42 (82%)	8 (16%)	1 (2%)	6	16
22	V	63/71 (89%)	58 (92%)	5 (8%)	0	100	100
23	W	152/154 (99%)	140 (92%)	10 (7%)	2 (1%)	9	26
24	X	80/92 (87%)	74 (92%)	4 (5%)	2 (2%)	4	13
25	Y	140/241 (58%)	137 (98%)	3 (2%)	0	100	100
26	Z	71/116 (61%)	58 (82%)	8 (11%)	5 (7%)	1	1
27	1	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
28	2	42/50 (84%)	39 (93%)	2 (5%)	1 (2%)	4	13
29	3	90/92 (98%)	74 (82%)	13 (14%)	3 (3%)	3	7
All	All	3705/4472 (83%)	3359 (91%)	286 (8%)	60 (2%)	7	21

5 of 60 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	34	ASP
1	A	37	VAL
1	A	74	VAL
4	D	65	GLU
4	D	137	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/182 (98%)	169 (94%)	10 (6%)	19	43
2	B	282/283 (100%)	265 (94%)	17 (6%)	17	40
3	C	193/193 (100%)	180 (93%)	13 (7%)	15	36
4	D	117/148 (79%)	109 (93%)	8 (7%)	14	35
5	E	152/156 (97%)	144 (95%)	8 (5%)	20	45
6	F	93/94 (99%)	93 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	27/282 (10%)	25 (93%)	2 (7%)	13	32
8	H	134/145 (92%)	126 (94%)	8 (6%)	17	40
9	I	58/130 (45%)	56 (97%)	2 (3%)	32	58
10	J	118/121 (98%)	114 (97%)	4 (3%)	32	58
11	K	106/106 (100%)	103 (97%)	3 (3%)	38	62
12	L	113/127 (89%)	108 (96%)	5 (4%)	25	51
13	M	158/160 (99%)	148 (94%)	10 (6%)	16	38
14	N	149/150 (99%)	141 (95%)	8 (5%)	20	44
15	O	93/94 (99%)	90 (97%)	3 (3%)	34	59
16	P	113/117 (97%)	107 (95%)	6 (5%)	20	45
17	Q	79/80 (99%)	78 (99%)	1 (1%)	61	78
18	R	117/122 (96%)	113 (97%)	4 (3%)	32	58
19	S	71/74 (96%)	68 (96%)	3 (4%)	26	53
20	T	105/106 (99%)	100 (95%)	5 (5%)	23	48
21	U	44/53 (83%)	41 (93%)	3 (7%)	14	35
22	V	51/57 (90%)	50 (98%)	1 (2%)	48	71
23	W	130/130 (100%)	124 (95%)	6 (5%)	24	50
24	X	66/74 (89%)	63 (96%)	3 (4%)	24	50
25	Y	120/196 (61%)	116 (97%)	4 (3%)	33	58
26	Z	60/94 (64%)	57 (95%)	3 (5%)	22	47
27	1	46/47 (98%)	45 (98%)	1 (2%)	45	69
28	2	42/46 (91%)	41 (98%)	1 (2%)	43	67
29	3	79/79 (100%)	75 (95%)	4 (5%)	21	47
All	All	3095/3646 (85%)	2949 (95%)	146 (5%)	23	49

5 of 146 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
20	T	39	ASN
29	3	36	ILE
20	T	117	ASP
24	X	52	PRO
5	E	7	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 99 such sidechains are listed below:

Mol	Chain	Res	Type
17	Q	27	GLN
21	U	48	ASN
18	R	61	GLN
19	S	53	ASN
23	W	2	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	0	2745/2923 (93%)	254 (9%)	21 (0%)
31	9	121/122 (99%)	19 (15%)	2 (1%)
All	All	2866/3045 (94%)	273 (9%)	23 (0%)

5 of 273 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	0	31	C
30	0	67	A
30	0	69	A
30	0	70	A
30	0	71	G

5 of 23 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
30	0	2011	A
30	0	2526	C
30	0	2467	A
30	0	2718	C
30	0	857	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	1MA	0	628	35,30	21,25,26	0.74	1 (4%)	30,37,40	0.81	1 (3%)
30	OMG	0	2588	30	23,26,27	0.31	0	32,38,41	0.37	0
30	OMU	0	2587	30	19,22,23	0.39	0	25,31,34	0.42	0
30	UR3	0	2619	30	19,22,23	0.50	0	26,32,35	0.69	1 (3%)
30	PSU	0	2621	30	18,21,22	1.47	2 (11%)	21,30,33	1.41	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	1MA	0	628	35,30	-	2/7/25/26	0/3/3/3
30	OMG	0	2588	30	-	0/9/27/28	0/3/3/3
30	OMU	0	2587	30	-	0/9/27/28	0/2/2/2
30	UR3	0	2619	30	-	0/7/25/26	0/2/2/2
30	PSU	0	2621	30	-	0/7/25/26	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	0	2621	PSU	C2-N1	4.72	1.42	1.36
30	0	2621	PSU	C6-C5	2.72	1.38	1.35
30	0	628	1MA	C6-N6	2.51	1.34	1.28

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	0	2621	PSU	C6-C5-C4	3.61	120.61	118.17
30	0	2621	PSU	C6-N1-C2	-3.20	119.72	122.69
30	0	2621	PSU	O2-C2-N1	2.98	125.86	122.79
30	0	2619	UR3	C4-N3-C2	2.88	126.90	124.58
30	0	628	1MA	N1-C2-N3	2.72	129.23	126.00

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
30	0	628	1MA	C2'-C1'-N9-C4
30	0	628	1MA	C2'-C1'-N9-C8

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	0	2588	OMG	1	0
30	0	2587	OMU	1	0
30	0	2621	PSU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 305 ligands modelled in this entry, 305 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/240 (98%)	0.14	8 (3%) 48 41	36, 71, 108, 128	0
2	B	337/338 (99%)	0.06	3 (0%) 81 76	38, 67, 98, 112	0
3	C	246/246 (100%)	-0.12	2 (0%) 82 78	32, 56, 80, 91	0
4	D	140/177 (79%)	1.16	25 (17%) 3 3	89, 121, 144, 151	0
5	E	172/178 (96%)	0.25	8 (4%) 36 30	57, 83, 104, 113	0
6	F	119/120 (99%)	0.31	2 (1%) 69 62	64, 88, 121, 131	0
7	G	29/348 (8%)	0.66	1 (3%) 48 41	92, 107, 116, 118	0
8	H	160/177 (90%)	0.53	10 (6%) 26 22	65, 89, 118, 127	0
9	I	70/162 (43%)	1.96	31 (44%) 0 0	145, 162, 177, 179	0
10	J	142/145 (97%)	0.01	2 (1%) 73 67	47, 63, 86, 105	0
11	K	132/132 (100%)	-0.10	0 100 100	45, 63, 91, 100	0
12	L	145/165 (87%)	0.47	5 (3%) 48 41	41, 88, 131, 140	0
13	M	194/196 (98%)	0.42	24 (12%) 8 8	37, 53, 115, 122	0
14	N	186/187 (99%)	0.47	8 (4%) 40 32	70, 90, 134, 139	0
15	O	115/116 (99%)	0.12	1 (0%) 81 76	46, 64, 81, 87	0
16	P	143/149 (95%)	0.16	4 (2%) 55 47	48, 67, 85, 96	0
17	Q	95/96 (98%)	0.10	4 (4%) 40 33	57, 69, 89, 97	0
18	R	150/155 (96%)	-0.31	1 (0%) 84 80	39, 56, 79, 95	0
19	S	81/85 (95%)	-0.05	1 (1%) 76 71	52, 70, 89, 104	0
20	T	119/120 (99%)	0.04	3 (2%) 58 50	48, 67, 95, 125	0
21	U	53/67 (79%)	1.71	17 (32%) 1 1	112, 125, 131, 134	0
22	V	65/71 (91%)	0.47	7 (10%) 11 10	51, 83, 131, 135	0
23	W	154/154 (100%)	0.04	0 100 100	45, 62, 79, 92	0
24	X	82/92 (89%)	0.14	4 (4%) 35 29	54, 72, 95, 109	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	Y	142/241 (58%)	-0.15	0 100 100	30, 53, 78, 97	0
26	Z	73/116 (62%)	2.39	34 (46%) 0 0	111, 130, 139, 142	0
27	1	56/57 (98%)	-0.64	0 100 100	30, 39, 47, 65	0
28	2	46/50 (92%)	0.36	4 (8%) 16 14	39, 72, 104, 110	0
29	3	92/92 (100%)	2.89	55 (59%) 0 0	123, 135, 142, 148	0
30	0	2749/2923 (94%)	-0.59	14 (0%) 87 83	25, 58, 106, 183	0
31	9	122/122 (100%)	-0.30	2 (1%) 70 63	51, 90, 111, 159	0
All	All	6646/7517 (88%)	-0.06	280 (4%) 40 33	25, 66, 129, 183	0

The worst 5 of 280 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
13	M	80	GLY	11.9
29	3	84	ARG	8.3
13	M	78	LYS	7.9
9	I	70	THR	7.4
26	Z	42	TYR	7.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
30	OMG	0	2588	24/25	0.97	0.06	41,43,46,50	0
30	UR3	0	2619	21/22	0.97	0.06	47,49,51,54	0
30	PSU	0	2621	20/21	0.97	0.06	39,41,53,53	0
30	OMU	0	2587	21/22	0.98	0.07	43,47,50,51	0
30	1MA	0	628	23/24	0.98	0.07	38,44,47,47	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	NA	0	8573	1/1	0.61	0.20	73,73,73,73	0
34	SR	0	9006	1/1	0.66	0.33	200,200,200,200	0
34	SR	9	9003	1/1	0.67	0.11	187,187,187,187	0
37	CD	3	8704	1/1	0.67	0.42	200,200,200,200	0
35	NA	0	8525	1/1	0.71	0.36	75,75,75,75	0
32	MG	0	8063	1/1	0.72	0.36	116,116,116,116	0
35	NA	0	8511	1/1	0.73	0.14	81,81,81,81	0
33	CL	3	8804	1/1	0.75	0.15	128,128,128,128	0
34	SR	0	8983	1/1	0.75	0.20	197,197,197,197	0
34	SR	9	8980	1/1	0.76	0.12	183,183,183,183	0
35	NA	0	8556	1/1	0.76	0.21	71,71,71,71	0
35	NA	J	8538	1/1	0.77	0.17	78,78,78,78	0
34	SR	0	8997	1/1	0.77	0.27	189,189,189,189	0
34	SR	0	8976	1/1	0.77	0.21	193,193,193,193	0
34	SR	0	9004	1/1	0.78	0.29	200,200,200,200	0
35	NA	0	8574	1/1	0.78	0.44	60,60,60,60	0
32	MG	0	8082	1/1	0.78	0.12	76,76,76,76	0
35	NA	0	8522	1/1	0.80	0.27	82,82,82,82	0
34	SR	0	8953	1/1	0.80	0.18	200,200,200,200	0
37	CD	Z	8703	1/1	0.81	0.24	200,200,200,200	0
34	SR	L	8969	1/1	0.81	0.32	200,200,200,200	0
35	NA	H	8518	1/1	0.82	0.51	91,91,91,91	0
35	NA	0	8559	1/1	0.83	0.47	77,77,77,77	0
34	SR	0	8959	1/1	0.83	0.08	200,200,200,200	0
32	MG	0	8092	1/1	0.83	0.25	76,76,76,76	0
34	SR	0	8977	1/1	0.83	0.07	200,200,200,200	0
35	NA	0	8557	1/1	0.83	0.16	65,65,65,65	0
34	SR	0	8994	1/1	0.84	0.41	200,200,200,200	0
37	CD	U	8701	1/1	0.84	0.29	200,200,200,200	0
35	NA	0	8528	1/1	0.84	0.21	76,76,76,76	0
33	CL	A	8809	1/1	0.84	0.23	104,104,104,104	0
35	NA	0	8571	1/1	0.85	0.12	79,79,79,79	0
32	MG	0	8090	1/1	0.85	0.20	97,97,97,97	0
35	NA	0	8548	1/1	0.85	0.17	56,56,56,56	0
34	SR	B	8987	1/1	0.85	0.21	200,200,200,200	0
34	SR	0	9001	1/1	0.85	0.09	177,177,177,177	0
34	SR	0	8991	1/1	0.85	0.21	180,180,180,180	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	NA	0	8520	1/1	0.86	0.19	56,56,56,56	0
35	NA	0	8563	1/1	0.86	0.63	117,117,117,117	0
34	SR	0	8996	1/1	0.86	0.17	200,200,200,200	0
32	MG	0	8081	1/1	0.86	0.27	88,88,88,88	0
32	MG	A	8051	1/1	0.86	0.10	94,94,94,94	0
34	SR	0	8971	1/1	0.86	0.13	192,192,192,192	0
35	NA	0	8508	1/1	0.86	0.18	52,52,52,52	0
34	SR	3	8999	1/1	0.86	0.12	187,187,187,187	0
34	SR	0	9002	1/1	0.87	0.12	193,193,193,193	0
34	SR	0	8988	1/1	0.87	0.08	173,173,173,173	0
32	MG	B	8042	1/1	0.87	0.18	69,69,69,69	0
34	SR	0	8939	1/1	0.87	0.12	144,144,144,144	0
34	SR	0	8955	1/1	0.88	0.20	200,200,200,200	0
32	MG	0	8089	1/1	0.88	0.09	65,65,65,65	0
34	SR	0	8947	1/1	0.88	0.14	200,200,200,200	0
32	MG	0	8085	1/1	0.88	0.18	76,76,76,76	0
34	SR	0	8992	1/1	0.89	0.27	159,159,159,159	0
34	SR	0	8993	1/1	0.89	0.07	167,167,167,167	0
34	SR	0	8956	1/1	0.89	0.08	169,169,169,169	0
35	NA	0	8562	1/1	0.89	0.39	82,82,82,82	0
32	MG	0	8080	1/1	0.89	0.07	83,83,83,83	0
33	CL	0	8805	1/1	0.89	0.18	98,98,98,98	0
34	SR	0	8922	1/1	0.89	0.15	168,168,168,168	0
33	CL	0	8815	1/1	0.89	0.17	89,89,89,89	0
33	CL	0	8822	1/1	0.89	0.25	88,88,88,88	0
34	SR	A	8930	1/1	0.89	0.11	142,142,142,142	0
32	MG	0	8075	1/1	0.89	0.07	55,55,55,55	0
34	SR	0	8986	1/1	0.90	0.31	200,200,200,200	0
32	MG	0	8040	1/1	0.90	0.22	86,86,86,86	0
34	SR	0	8938	1/1	0.90	0.08	183,183,183,183	0
34	SR	0	8968	1/1	0.90	0.11	177,177,177,177	0
32	MG	0	8032	1/1	0.90	0.07	52,52,52,52	0
34	SR	0	8973	1/1	0.90	0.10	146,146,146,146	0
35	NA	Q	8540	1/1	0.90	0.13	79,79,79,79	0
35	NA	0	8566	1/1	0.90	0.19	63,63,63,63	0
34	SR	3	8932	1/1	0.90	0.24	178,178,178,178	0
32	MG	9	8074	1/1	0.90	0.16	87,87,87,87	0
34	SR	0	9000	1/1	0.90	0.16	183,183,183,183	0
34	SR	0	8979	1/1	0.90	0.12	196,196,196,196	0
35	NA	0	8524	1/1	0.90	0.13	73,73,73,73	0
34	SR	0	8919	1/1	0.90	0.12	168,168,168,168	0
35	NA	0	8536	1/1	0.91	0.05	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
34	SR	0	8985	1/1	0.91	0.12	164,164,164,164	0
34	SR	0	8974	1/1	0.91	0.22	166,166,166,166	0
34	SR	0	8975	1/1	0.91	0.10	149,149,149,149	0
35	NA	9	8543	1/1	0.91	0.26	61,61,61,61	0
36	K	0	8401	1/1	0.91	0.30	139,139,139,139	0
34	SR	0	8982	1/1	0.91	0.23	200,200,200,200	0
35	NA	0	8506	1/1	0.91	0.12	83,83,83,83	0
32	MG	T	8057	1/1	0.91	0.18	65,65,65,65	0
33	CL	J	8802	1/1	0.92	0.07	67,67,67,67	0
32	MG	0	8031	1/1	0.92	0.09	83,83,83,83	0
35	NA	0	8529	1/1	0.92	0.08	48,48,48,48	0
35	NA	0	8535	1/1	0.92	0.17	67,67,67,67	0
34	SR	0	9007	1/1	0.92	0.52	200,200,200,200	0
35	NA	0	8544	1/1	0.92	0.34	79,79,79,79	0
34	SR	0	8944	1/1	0.92	0.13	172,172,172,172	0
35	NA	9	8572	1/1	0.92	0.08	88,88,88,88	0
35	NA	0	8550	1/1	0.92	0.13	71,71,71,71	0
34	SR	0	8915	1/1	0.92	0.08	126,126,126,126	0
32	MG	0	8038	1/1	0.92	0.07	74,74,74,74	0
33	CL	J	8801	1/1	0.92	0.10	95,95,95,95	0
35	NA	0	8551	1/1	0.93	0.32	63,63,63,63	0
35	NA	0	8554	1/1	0.93	0.27	69,69,69,69	0
34	SR	0	8957	1/1	0.93	0.21	200,200,200,200	0
35	NA	B	8552	1/1	0.93	0.23	89,89,89,89	0
35	NA	0	8558	1/1	0.93	0.19	58,58,58,58	0
33	CL	0	8816	1/1	0.93	0.18	85,85,85,85	0
35	NA	0	8560	1/1	0.93	0.20	118,118,118,118	0
35	NA	0	8527	1/1	0.93	0.22	72,72,72,72	0
34	SR	0	8989	1/1	0.93	0.15	178,178,178,178	0
35	NA	0	8564	1/1	0.93	0.09	69,69,69,69	0
34	SR	0	8927	1/1	0.93	0.10	181,181,181,181	0
35	NA	0	8502	1/1	0.93	0.12	69,69,69,69	0
34	SR	0	8970	1/1	0.93	0.08	125,125,125,125	0
35	NA	0	8537	1/1	0.93	0.08	50,50,50,50	0
35	NA	0	8541	1/1	0.93	0.07	64,64,64,64	0
34	SR	0	8933	1/1	0.93	0.10	135,135,135,135	0
35	NA	0	8545	1/1	0.93	0.28	58,58,58,58	0
35	NA	0	8547	1/1	0.93	0.44	67,67,67,67	0
32	MG	0	8030	1/1	0.93	0.25	90,90,90,90	0
32	MG	0	8037	1/1	0.93	0.26	77,77,77,77	0
35	NA	0	8555	1/1	0.94	0.13	52,52,52,52	0
32	MG	0	8071	1/1	0.94	0.18	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
32	MG	0	8073	1/1	0.94	0.22	72,72,72,72	0
32	MG	0	8047	1/1	0.94	0.19	66,66,66,66	0
32	MG	0	8077	1/1	0.94	0.07	48,48,48,48	0
34	SR	0	8958	1/1	0.94	0.06	116,116,116,116	0
32	MG	0	8053	1/1	0.94	0.08	63,63,63,63	0
32	MG	0	8055	1/1	0.94	0.10	62,62,62,62	0
34	SR	B	8950	1/1	0.94	0.10	130,130,130,130	0
32	MG	0	8035	1/1	0.94	0.12	66,66,66,66	0
35	NA	0	8570	1/1	0.94	0.12	61,61,61,61	0
34	SR	F	9005	1/1	0.94	0.07	147,147,147,147	0
34	SR	H	8972	1/1	0.94	0.18	164,164,164,164	0
35	NA	R	8532	1/1	0.94	0.11	50,50,50,50	0
35	NA	S	8510	1/1	0.94	0.06	44,44,44,44	0
34	SR	0	8946	1/1	0.94	0.07	137,137,137,137	0
32	MG	0	8083	1/1	0.94	0.15	55,55,55,55	0
34	SR	0	8998	1/1	0.94	0.19	178,178,178,178	0
34	SR	0	8951	1/1	0.94	0.07	155,155,155,155	0
35	NA	0	8514	1/1	0.94	0.15	55,55,55,55	0
32	MG	0	8069	1/1	0.95	0.24	102,102,102,102	0
33	CL	N	8807	1/1	0.95	0.17	87,87,87,87	0
35	NA	0	8561	1/1	0.95	0.34	65,65,65,65	0
35	NA	0	8509	1/1	0.95	0.11	69,69,69,69	0
34	SR	A	8929	1/1	0.95	0.23	139,139,139,139	0
32	MG	0	8078	1/1	0.95	0.11	65,65,65,65	0
35	NA	0	8565	1/1	0.95	0.15	78,78,78,78	0
32	MG	0	8064	1/1	0.95	0.06	45,45,45,45	0
35	NA	0	8546	1/1	0.95	0.12	94,94,94,94	0
35	NA	0	8521	1/1	0.95	0.11	64,64,64,64	0
34	SR	0	8962	1/1	0.95	0.12	172,172,172,172	0
34	SR	0	8967	1/1	0.95	0.10	131,131,131,131	0
33	CL	0	8814	1/1	0.95	0.15	79,79,79,79	0
35	NA	0	8526	1/1	0.95	0.05	46,46,46,46	0
36	K	M	8402	1/1	0.95	0.13	87,87,87,87	0
34	SR	0	8920	1/1	0.95	0.07	127,127,127,127	0
32	MG	0	8091	1/1	0.95	0.06	56,56,56,56	0
34	SR	0	8926	1/1	0.95	0.08	122,122,122,122	0
35	NA	0	8533	1/1	0.95	0.13	70,70,70,70	0
35	NA	0	8542	1/1	0.96	0.27	58,58,58,58	0
35	NA	C	8503	1/1	0.96	0.06	46,46,46,46	0
32	MG	0	8067	1/1	0.96	0.04	35,35,35,35	0
33	CL	O	8808	1/1	0.96	0.09	86,86,86,86	0
35	NA	M	8539	1/1	0.96	0.07	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
34	SR	0	8984	1/1	0.96	0.07	119,119,119,119	0
32	MG	0	8039	1/1	0.96	0.12	84,84,84,84	0
34	SR	S	8961	1/1	0.96	0.07	128,128,128,128	0
35	NA	0	8553	1/1	0.96	0.25	89,89,89,89	0
33	CL	0	8803	1/1	0.96	0.12	60,60,60,60	0
35	NA	0	8505	1/1	0.96	0.36	53,53,53,53	0
32	MG	0	8020	1/1	0.96	0.18	41,41,41,41	0
35	NA	0	8507	1/1	0.96	0.11	43,43,43,43	0
34	SR	0	8910	1/1	0.96	0.05	108,108,108,108	0
33	CL	0	8811	1/1	0.96	0.11	81,81,81,81	0
34	SR	0	8917	1/1	0.96	0.07	114,114,114,114	0
35	NA	0	8513	1/1	0.96	0.18	68,68,68,68	0
32	MG	0	8033	1/1	0.96	0.07	63,63,63,63	0
34	SR	0	8995	1/1	0.96	0.10	150,150,150,150	0
32	MG	0	8049	1/1	0.96	0.07	64,64,64,64	0
34	SR	0	8963	1/1	0.96	0.04	133,133,133,133	0
32	MG	0	8026	1/1	0.96	0.04	50,50,50,50	0
35	NA	0	8567	1/1	0.96	0.20	78,78,78,78	0
35	NA	0	8568	1/1	0.96	0.13	54,54,54,54	0
35	NA	0	8569	1/1	0.96	0.11	50,50,50,50	0
34	SR	0	8924	1/1	0.96	0.13	124,124,124,124	0
32	MG	0	8036	1/1	0.96	0.09	48,48,48,48	0
32	MG	Y	8086	1/1	0.96	0.04	50,50,50,50	0
34	SR	0	8928	1/1	0.96	0.06	137,137,137,137	0
35	NA	0	8575	1/1	0.96	0.20	103,103,103,103	0
33	CL	B	8819	1/1	0.96	0.12	69,69,69,69	0
35	NA	0	8530	1/1	0.96	0.15	74,74,74,74	0
32	MG	0	8017	1/1	0.96	0.07	40,40,40,40	0
34	SR	9	8978	1/1	0.96	0.06	157,157,157,157	0
32	MG	0	8066	1/1	0.96	0.14	69,69,69,69	0
34	SR	0	8941	1/1	0.96	0.07	114,114,114,114	0
34	SR	0	8942	1/1	0.96	0.06	124,124,124,124	0
35	NA	0	8516	1/1	0.97	0.14	39,39,39,39	0
32	MG	0	8052	1/1	0.97	0.04	44,44,44,44	0
34	SR	0	8914	1/1	0.97	0.11	133,133,133,133	0
32	MG	0	8072	1/1	0.97	0.03	59,59,59,59	0
35	NA	0	8523	1/1	0.97	0.14	54,54,54,54	0
34	SR	0	8916	1/1	0.97	0.09	105,105,105,105	0
34	SR	0	8981	1/1	0.97	0.11	161,161,161,161	0
32	MG	0	8029	1/1	0.97	0.25	59,59,59,59	0
34	SR	0	8954	1/1	0.97	0.06	108,108,108,108	0
33	CL	0	8817	1/1	0.97	0.05	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
32	MG	0	8043	1/1	0.97	0.08	52,52,52,52	0
33	CL	J	8821	1/1	0.97	0.08	77,77,77,77	0
33	CL	M	8818	1/1	0.97	0.06	49,49,49,49	0
32	MG	0	8087	1/1	0.97	0.04	38,38,38,38	0
34	SR	0	8960	1/1	0.97	0.06	151,151,151,151	0
32	MG	0	8076	1/1	0.97	0.04	40,40,40,40	0
35	NA	0	8501	1/1	0.97	0.09	39,39,39,39	0
33	CL	Y	8820	1/1	0.97	0.07	52,52,52,52	0
34	SR	0	8964	1/1	0.97	0.05	134,134,134,134	0
34	SR	0	8965	1/1	0.97	0.07	134,134,134,134	0
32	MG	0	8056	1/1	0.97	0.06	57,57,57,57	0
34	SR	0	8935	1/1	0.97	0.04	103,103,103,103	0
32	MG	0	8060	1/1	0.97	0.05	53,53,53,53	0
32	MG	0	8079	1/1	0.97	0.10	66,66,66,66	0
35	NA	0	8512	1/1	0.97	0.08	56,56,56,56	0
32	MG	0	8070	1/1	0.97	0.06	66,66,66,66	0
33	CL	0	8813	1/1	0.97	0.05	60,60,60,60	0
34	SR	0	8936	1/1	0.98	0.04	95,95,95,95	0
32	MG	0	8003	1/1	0.98	0.07	38,38,38,38	0
32	MG	0	8024	1/1	0.98	0.10	62,62,62,62	0
34	SR	0	8990	1/1	0.98	0.06	137,137,137,137	0
32	MG	0	8010	1/1	0.98	0.06	72,72,72,72	0
34	SR	0	8966	1/1	0.98	0.05	105,105,105,105	0
32	MG	0	8068	1/1	0.98	0.04	56,56,56,56	0
34	SR	0	8943	1/1	0.98	0.06	84,84,84,84	0
32	MG	0	8034	1/1	0.98	0.05	50,50,50,50	0
35	NA	0	8531	1/1	0.98	0.04	39,39,39,39	0
32	MG	0	8016	1/1	0.98	0.06	40,40,40,40	0
35	NA	0	8534	1/1	0.98	0.06	50,50,50,50	0
34	SR	0	8921	1/1	0.98	0.05	83,83,83,83	0
34	SR	0	8948	1/1	0.98	0.05	115,115,115,115	0
33	CL	L	8810	1/1	0.98	0.05	64,64,64,64	0
34	SR	R	8912	1/1	0.98	0.05	95,95,95,95	0
34	SR	0	8925	1/1	0.98	0.07	98,98,98,98	0
32	MG	0	8044	1/1	0.98	0.05	58,58,58,58	0
34	SR	1	8952	1/1	0.98	0.04	90,90,90,90	0
32	MG	A	8050	1/1	0.98	0.03	64,64,64,64	0
34	SR	0	9008	1/1	0.98	0.03	92,92,92,92	0
34	SR	0	8931	1/1	0.98	0.05	111,111,111,111	0
35	NA	0	8549	1/1	0.98	0.19	56,56,56,56	0
35	NA	0	8517	1/1	0.98	0.04	38,38,38,38	0
37	CD	O	8705	1/1	0.98	0.04	100,100,100,100	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	NA	0	8519	1/1	0.98	0.07	52,52,52,52	0
32	MG	0	8093	1/1	0.98	0.03	36,36,36,36	0
33	CL	R	8806	1/1	0.98	0.06	58,58,58,58	0
34	SR	0	8923	1/1	0.99	0.02	109,109,109,109	0
32	MG	0	8048	1/1	0.99	0.09	29,29,29,29	0
32	MG	0	8018	1/1	0.99	0.08	33,33,33,33	0
32	MG	0	8006	1/1	0.99	0.04	44,44,44,44	0
32	MG	0	8021	1/1	0.99	0.04	33,33,33,33	0
32	MG	0	8009	1/1	0.99	0.10	34,34,34,34	0
32	MG	0	8025	1/1	0.99	0.02	37,37,37,37	0
32	MG	0	8058	1/1	0.99	0.02	18,18,18,18	0
34	SR	0	8934	1/1	0.99	0.09	133,133,133,133	0
35	NA	0	8504	1/1	0.99	0.04	40,40,40,40	0
32	MG	0	8059	1/1	0.99	0.05	51,51,51,51	0
32	MG	0	8002	1/1	0.99	0.04	40,40,40,40	0
34	SR	0	8937	1/1	0.99	0.05	113,113,113,113	0
32	MG	0	8061	1/1	0.99	0.03	36,36,36,36	0
34	SR	1	8913	1/1	0.99	0.06	95,95,95,95	0
34	SR	0	8940	1/1	0.99	0.03	93,93,93,93	0
32	MG	0	8062	1/1	0.99	0.09	56,56,56,56	0
32	MG	0	8027	1/1	0.99	0.04	47,47,47,47	0
32	MG	0	8084	1/1	0.99	0.09	35,35,35,35	0
35	NA	0	8515	1/1	0.99	0.04	32,32,32,32	0
34	SR	0	8901	1/1	0.99	0.05	66,66,66,66	0
34	SR	0	8945	1/1	0.99	0.04	105,105,105,105	0
34	SR	0	8902	1/1	0.99	0.02	68,68,68,68	0
34	SR	0	8904	1/1	0.99	0.08	57,57,57,57	0
34	SR	0	8905	1/1	0.99	0.13	72,72,72,72	0
34	SR	0	8949	1/1	0.99	0.04	117,117,117,117	0
34	SR	0	8907	1/1	0.99	0.02	63,63,63,63	0
34	SR	0	8908	1/1	0.99	0.04	85,85,85,85	0
34	SR	0	8909	1/1	0.99	0.07	93,93,93,93	0
32	MG	0	8014	1/1	0.99	0.09	37,37,37,37	0
34	SR	0	8911	1/1	0.99	0.03	88,88,88,88	0
32	MG	0	8065	1/1	0.99	0.03	42,42,42,42	0
32	MG	0	8088	1/1	0.99	0.02	35,35,35,35	0
33	CL	0	8812	1/1	0.99	0.06	61,61,61,61	0
32	MG	0	8041	1/1	0.99	0.05	36,36,36,36	0
34	SR	0	8918	1/1	0.99	0.02	85,85,85,85	0
32	MG	0	8015	1/1	0.99	0.04	45,45,45,45	0
32	MG	K	8054	1/1	0.99	0.07	57,57,57,57	0
32	MG	0	8046	1/1	0.99	0.04	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
32	MG	0	8005	1/1	0.99	0.08	42,42,42,42	0
32	MG	0	8022	1/1	1.00	0.08	33,33,33,33	0
32	MG	0	8023	1/1	1.00	0.05	28,28,28,28	0
32	MG	0	8007	1/1	1.00	0.03	36,36,36,36	0
32	MG	0	8008	1/1	1.00	0.06	31,31,31,31	0
32	MG	0	8001	1/1	1.00	0.03	36,36,36,36	0
32	MG	0	8004	1/1	1.00	0.01	29,29,29,29	0
32	MG	0	8028	1/1	1.00	0.04	34,34,34,34	0
32	MG	0	8011	1/1	1.00	0.04	25,25,25,25	0
34	SR	0	8903	1/1	1.00	0.08	57,57,57,57	0
32	MG	0	8019	1/1	1.00	0.05	29,29,29,29	0
32	MG	0	8012	1/1	1.00	0.02	25,25,25,25	0
34	SR	0	8906	1/1	1.00	0.04	67,67,67,67	0
32	MG	0	8013	1/1	1.00	0.02	28,28,28,28	0
37	CD	1	8702	1/1	1.00	0.05	61,61,61,61	0
32	MG	0	8045	1/1	1.00	0.02	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.