



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:13 AM UTC

PDB ID : 4CCQ / pdb_00004ccq
Title : Crystal structure of the thioredoxin reductase from Entamoeba histolytica with NADP
Authors : Parsonage, D.; Kells, P.M.; Hirata, K.; Debnath, A.; Poole, L.B.; McKerrow, J.H.; Reed, S.L.; Podust, L.M.
Deposited on : 2013-10-24
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	% 85% 13% .
1	B	314	82% 17% ..

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 6002 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THIOREDOXIN REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	10	0
			2422	1529	410	465	18			
1	B	312	Total	C	N	O	S	0	19	0
			2506	1574	435	477	20			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 40	C 15	N 6	O 16	P 3	0	0

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			4	2 2		

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
5	B	1	Total 53	C 27	N 9	O 15	P 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	454	Total O 454 454	0	0
6	B	410	Total O 410 410	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THIOREDOXIN REDUCTASE



• Molecule 1: THIOREDOXIN REDUCTASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.76Å 92.22Å 103.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	103.52 – 1.50 68.86 – 1.50	Depositor EDS
% Data completeness (in resolution range)	95.4 (103.52-1.50) 95.5 (68.86-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.172 , 0.207 0.168 , 0.203	Depositor DCC
R_{free} test set	4857 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	17.9	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 32.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6002	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, FAD, EDO, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.50	9/2468 (0.4%)	1.29	6/3341 (0.2%)
1	B	1.39	10/2552 (0.4%)	1.20	8/3450 (0.2%)
All	All	1.44	19/5020 (0.4%)	1.24	14/6791 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	161	GLY	N-CA	8.78	1.51	1.44
1	B	29	LYS	C-O	7.60	1.27	1.23
1	A	237	VAL	CA-C	6.95	1.58	1.53
1	B	215	GLU	N-CA	6.40	1.53	1.45
1	A	159	GLY	N-CA	6.12	1.51	1.45
1	A	21	ILE	CA-CB	-6.06	1.47	1.54
1	A	142	ILE	CA-CB	5.85	1.61	1.54
1	A	146	ALA	N-CA	5.61	1.53	1.46
1	B	123	ARG	N-CA	5.58	1.52	1.45
1	B	312	GLN	N-CA	5.48	1.53	1.46
1	B	258	GLN	N-CA	5.45	1.53	1.46
1	B	271	GLY	N-CA	5.42	1.52	1.44
1	B	150	PHE	N-CA	5.40	1.53	1.46
1	A	157	VAL	N-CA	5.27	1.52	1.46
1	B	139	ALA	CA-CB	5.22	1.61	1.53
1	A	205	VAL	N-CA	5.20	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	166	GLU	C-O	5.19	1.30	1.24
1	B	29	LYS	N-CA	5.12	1.50	1.46
1	B	293	ALA	CA-CB	5.02	1.61	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	3	ASN	N-CA-C	-11.22	92.99	109.15
1	A	231	SER	N-CA-C	6.24	120.62	112.89
1	A	141	ALA	N-CA-C	6.19	118.02	111.28
1	B	222	ASN	CA-C-N	-6.11	113.21	121.27
1	B	222	ASN	C-N-CA	-6.11	113.21	121.27
1	A	230	VAL	CB-CA-C	5.97	117.11	111.44
1	A	230	VAL	N-CA-C	-5.95	106.39	111.50
1	B	16	ALA	CA-C-O	-5.59	114.63	120.55
1	B	237	VAL	CA-C-O	5.49	123.21	119.20
1	B	252	SER	CA-C-N	-5.24	112.74	120.28
1	B	252	SER	C-N-CA	-5.24	112.74	120.28
1	B	56	PHE	CA-C-O	5.07	122.58	119.29
1	A	18	THR	N-CA-C	-5.06	105.85	111.36
1	B	62	GLY	N-CA-C	-5.02	106.35	112.68

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	2	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2422	0	2376	25	0
1	B	2506	0	2472	65	1
2	A	4	0	6	0	0
2	B	8	0	12	2	0
3	A	48	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	40	0	19	4	0
4	A	4	0	3	1	0
5	A	53	0	31	1	0
5	B	53	0	31	1	0
6	A	454	0	0	10	5
6	B	410	0	0	15	6
All	All	6002	0	4975	90	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96[B]:GLN:NE2	1:B:97:PRO:HA	1.25	1.39
1:A:314:HIS:C	6:A:2221:HOH:O	1.92	1.08
1:B:96[B]:GLN:NE2	1:B:97:PRO:CA	2.20	1.04
1:B:96[B]:GLN:HE21	1:B:97:PRO:CA	1.70	1.02
1:A:220:LEU:HB2	6:A:2334:HOH:O	1.59	0.99
1:B:193[A]:MET:HE1	1:B:196[A]:ARG:NH1	1.76	0.98
1:B:291[B]:ARG:NH2	3:B:1315:NAP:O2N	1.98	0.95
1:B:124[A]:MET:HE3	1:B:244:TYR:CE1	2.03	0.92
1:B:193[A]:MET:CE	1:B:196[A]:ARG:NH1	2.31	0.92
1:B:96[B]:GLN:HE22	1:B:97:PRO:HA	1.29	0.87
1:B:70[B]:MET:HE1	6:B:2104:HOH:O	1.75	0.87
1:B:248:HIS:ND1	1:B:291[B]:ARG:NE	2.22	0.87
1:B:134:GLN:HG3	6:B:2197:HOH:O	1.73	0.86
1:B:124[A]:MET:HE3	1:B:244:TYR:HE1	1.42	0.81
1:B:248:HIS:CE1	1:B:291[B]:ARG:HE	1.99	0.79
1:B:93:PHE:H	1:B:258:GLN:HE21	1.34	0.76
1:B:120[A]:THR:HG22	6:B:2050:HOH:O	1.85	0.74
1:B:96[B]:GLN:HE21	1:B:97:PRO:HA	0.92	0.74
1:B:248:HIS:CE1	1:B:291[B]:ARG:NE	2.56	0.73
1:B:193[A]:MET:CE	1:B:196[A]:ARG:HH11	1.99	0.73
1:B:210:GLU:OE2	1:B:227:HIS:HD2	1.72	0.71
1:B:120[A]:THR:CG2	6:B:2050:HOH:O	2.38	0.71
1:A:120:THR:HB	1:A:251:ASN:HD21	1.55	0.71
1:B:93:PHE:H	1:B:258:GLN:NE2	1.89	0.69
1:B:273:LYS:HE3	6:B:2391:HOH:O	1.92	0.68
1:B:124[A]:MET:CE	1:B:244:TYR:CE1	2.78	0.67
1:B:248:HIS:ND1	1:B:291[B]:ARG:CZ	2.58	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288[B]:ARG:NH2	6:B:2377:HOH:O	2.29	0.65
1:A:93:PHE:H	1:A:258:GLN:NE2	1.93	0.65
1:B:96[B]:GLN:HE21	1:B:96[B]:GLN:HA	1.62	0.63
1:A:93:PHE:H	1:A:258:GLN:HE21	1.45	0.62
1:A:210:GLU:OE2	1:A:227:HIS:HD2	1.82	0.61
1:B:263[A]:ASP:OD1	6:B:2347:HOH:O	2.16	0.61
1:B:124[A]:MET:CE	1:B:244:TYR:HE1	2.12	0.60
1:B:291[B]:ARG:HD2	6:B:2327:HOH:O	2.00	0.60
1:B:193[A]:MET:HE3	1:B:196[A]:ARG:HH11	1.65	0.58
1:A:248:HIS:HD2	6:A:2361:HOH:O	1.85	0.58
1:B:50:THR:HG21	1:B:53:ILE:HD11	1.86	0.58
1:A:147:VAL:HG22	1:A:150:PHE:CD2	2.40	0.57
1:B:167[B]:GLU:OE2	6:B:2200:HOH:O	2.17	0.56
1:A:66:ASN:O	1:A:70[A]:MET:HG3	2.05	0.56
1:B:96[B]:GLN:HE21	1:B:96[B]:GLN:CA	2.19	0.56
1:A:104:GLU:HG2	6:A:2152:HOH:O	2.06	0.55
1:B:310:TRP:O	1:B:314:HIS:HD2	1.89	0.55
1:B:166:GLU:HG2	1:B:193[B]:MET:HE2	1.89	0.54
1:A:53:ILE:HD11	1:A:65:GLY:HA2	1.90	0.54
1:B:248:HIS:CE1	1:B:291[B]:ARG:HH21	2.25	0.53
1:B:227:HIS:HE1	6:B:2306:HOH:O	1.91	0.53
1:B:185:ASP:HB3	1:B:208:ASN:HD21	1.74	0.53
1:B:192:THR:O	1:B:196[B]:ARG:HG3	2.09	0.52
1:A:170:HIS:HE1	6:A:2251:HOH:O	1.93	0.52
1:B:248:HIS:CE1	1:B:291[B]:ARG:NH2	2.78	0.52
1:B:177:LYS:HE2	1:B:204:GLU:OE1	2.10	0.50
1:B:45:GLY:HA2	5:B:1318:FAD:O3B	2.12	0.50
1:B:66:ASN:O	1:B:70[A]:MET:HG3	2.12	0.50
1:A:166:GLU:CG	3:A:1316:NAP:O7N	2.60	0.49
1:B:248:HIS:HE1	1:B:291[B]:ARG:HH21	1.60	0.49
1:A:191:LYS:O	1:A:195[B]:GLU:HG3	2.12	0.49
1:A:270[A]:GLU:HG2	4:A:1317:ACT:H1	1.95	0.49
1:B:291[B]:ARG:HH22	3:B:1315:NAP:PN	2.36	0.48
1:A:45:GLY:HA2	5:A:1318:FAD:O3B	2.13	0.48
1:B:67:GLU:HA	1:B:70[A]:MET:HE2	1.97	0.47
1:B:153:LYS:HE2	6:B:2212:HOH:O	2.15	0.47
1:B:70[B]:MET:O	1:B:70[B]:MET:HE3	2.15	0.47
1:B:248:HIS:CE1	1:B:291[B]:ARG:CZ	2.98	0.47
1:B:191[B]:LYS:HG2	1:B:195:GLU:OE2	2.15	0.47
1:B:291[B]:ARG:NH2	3:B:1315:NAP:PN	2.87	0.47
1:B:288[B]:ARG:HD3	6:B:2378:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288[B]:ARG:CZ	6:B:2377:HOH:O	2.64	0.46
1:A:228:ASN:OD1	1:A:230:VAL:HG22	2.15	0.45
1:B:193[A]:MET:HA	1:B:193[A]:MET:HE2	1.97	0.45
1:B:96[A]:GLN:NE2	6:B:2155:HOH:O	2.48	0.45
6:A:2039:HOH:O	1:B:192:THR:HB	2.14	0.45
1:A:263:ASP:HB2	6:A:2384:HOH:O	2.17	0.45
1:B:190:SER:OG	1:B:193[B]:MET:HG2	2.17	0.45
1:B:288[B]:ARG:NH1	6:B:2377:HOH:O	2.49	0.45
1:B:132:TYR:CZ	1:B:216:GLY:HA3	2.52	0.45
1:A:120:THR:CG2	6:A:2227:HOH:O	2.64	0.44
1:A:177:LYS:HD2	1:A:204:GLU:CD	2.42	0.43
1:B:123:ARG:NH2	1:B:130:ASP:OD1	2.51	0.43
1:B:288[A]:ARG:O	1:B:291[A]:ARG:CZ	2.68	0.42
1:A:29:LYS:HE3	6:A:2040:HOH:O	2.18	0.42
1:B:73:ARG:HD2	2:B:1316:EDO:H11	2.02	0.42
1:A:53:ILE:CD1	1:A:65:GLY:HA2	2.49	0.41
1:A:96:GLN:HA	1:A:97:PRO:C	2.44	0.41
1:B:124[A]:MET:HG2	1:B:126:VAL:HG13	2.03	0.41
1:A:210:GLU:CD	1:A:229[A]:LEU:HD21	2.46	0.41
1:A:120:THR:HG23	6:A:2227:HOH:O	2.20	0.40
1:B:70[A]:MET:HA	2:B:1316:EDO:H22	2.02	0.40
1:B:291[A]:ARG:NH2	3:B:1315:NAP:H52N	2.36	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:2034:HOH:O	6:B:2219:HOH:O[4_555]	1.31	0.89
6:A:2155:HOH:O	6:B:2101:HOH:O[3_544]	1.94	0.26
1:B:125:HIS:NE2	6:A:2384:HOH:O[3_554]	2.09	0.11
6:A:2384:HOH:O	6:B:2181:HOH:O[3_544]	2.11	0.09
6:B:2293:HOH:O	6:B:2403:HOH:O[3_554]	2.13	0.07
6:A:2235:HOH:O	6:B:2377:HOH:O[3_544]	2.18	0.02
6:A:2387:HOH:O	6:B:2330:HOH:O[3_544]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/314 (102%)	313 (98%)	8 (2%)	0	100	100
1	B	329/314 (105%)	323 (98%)	6 (2%)	0	100	100
All	All	650/628 (104%)	636 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/251 (102%)	253 (99%)	3 (1%)	63	38
1	B	267/251 (106%)	267 (100%)	0	100	100
All	All	523/502 (104%)	520 (99%)	3 (1%)	84	62

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	ARG
1	A	195[A]	GLU
1	A	195[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	A	194	GLN
1	A	208	ASN
1	A	227	HIS
1	A	248	HIS
1	A	251	ASN
1	A	258	GLN
1	B	5	HIS
1	B	61	ASN
1	B	66	ASN
1	B	194	GLN
1	B	208	ASN
1	B	227	HIS
1	B	258	GLN
1	B	314	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAP	A	1316	-	50,52,52	1.57	9 (18%)	71,80,80	1.50	12 (16%)
3	NAP	B	1315	-	42,43,52	1.82	8 (19%)	62,67,80	1.94	17 (27%)
2	EDO	B	1317	-	3,3,3	0.84	0	2,2,2	0.11	0
4	ACT	A	1317	-	3,3,3	0.90	0	3,3,3	1.37	0
2	EDO	B	1316	-	3,3,3	0.48	0	2,2,2	0.75	0
5	FAD	B	1318	-	58,58,58	1.63	10 (17%)	85,89,89	1.62	19 (22%)
5	FAD	A	1318	-	58,58,58	1.44	7 (12%)	85,89,89	1.88	15 (17%)
2	EDO	A	1315	-	3,3,3	0.68	0	2,2,2	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	1316	-	-	2/35/67/67	0/5/5/5
3	NAP	B	1315	-	-	3/27/59/67	0/4/4/5
2	EDO	B	1317	-	-	1/1/1/1	-
5	FAD	B	1318	-	-	5/34/50/50	0/6/6/6
2	EDO	B	1316	-	-	0/1/1/1	-
5	FAD	A	1318	-	-	5/34/50/50	0/6/6/6
2	EDO	A	1315	-	-	0/1/1/1	-

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1315	NAP	PN-O3	7.37	1.67	1.59
5	B	1318	FAD	PA-O3P	5.48	1.65	1.59
5	A	1318	FAD	C4X-N5	4.67	1.40	1.30
5	B	1318	FAD	C4X-N5	4.35	1.40	1.30
3	A	1316	NAP	PN-O3	4.33	1.64	1.59
3	B	1315	NAP	C5A-C4A	4.32	1.46	1.39
5	B	1318	FAD	P-O3P	4.14	1.64	1.59
3	A	1316	NAP	O4D-C1D	3.87	1.46	1.40
5	A	1318	FAD	C10-N1	3.79	1.40	1.33
3	B	1315	NAP	PA-O3	-3.27	1.56	1.59
5	B	1318	FAD	C1'-C2'	-3.25	1.48	1.52
3	A	1316	NAP	C4A-N9A	-3.21	1.31	1.37
5	B	1318	FAD	C10-N1	3.15	1.39	1.33
3	A	1316	NAP	C5A-C4A	3.01	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1318	FAD	P-O2P	-2.96	1.41	1.55
5	B	1318	FAD	C2A-N1A	2.85	1.39	1.33
3	B	1315	NAP	P2B-O2B	2.72	1.64	1.59
5	B	1318	FAD	P-O2P	-2.67	1.43	1.55
5	A	1318	FAD	P-O3P	2.55	1.62	1.59
5	B	1318	FAD	C6-C5X	2.54	1.43	1.40
5	A	1318	FAD	C2-N1	-2.50	1.31	1.36
3	A	1316	NAP	PA-O3	2.48	1.62	1.59
3	A	1316	NAP	C3N-C7N	2.48	1.54	1.50
5	A	1318	FAD	PA-O2A	-2.41	1.44	1.55
3	A	1316	NAP	C4N-C3N	2.41	1.43	1.39
5	B	1318	FAD	C4A-N3A	2.38	1.38	1.34
3	B	1315	NAP	C4A-N9A	-2.37	1.32	1.37
3	A	1316	NAP	P2B-O2B	2.31	1.63	1.59
3	A	1316	NAP	C2N-C3N	2.21	1.42	1.39
3	B	1315	NAP	P2B-O1X	2.12	1.57	1.50
5	A	1318	FAD	C8A-N7A	2.12	1.35	1.31
5	B	1318	FAD	C8A-N7A	2.05	1.35	1.31
3	B	1315	NAP	PN-O5D	2.04	1.67	1.59
3	B	1315	NAP	O4D-C1D	2.01	1.46	1.42

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1318	FAD	C5A-C4A-N9A	6.65	113.06	105.81
5	A	1318	FAD	C4A-C5A-N7A	-6.08	103.64	110.58
5	A	1318	FAD	C6A-C5A-C4A	5.92	125.26	117.18
5	B	1318	FAD	C4'-C3'-C2'	-4.87	105.46	113.57
3	B	1315	NAP	C4A-C5A-N7A	-4.73	105.17	110.58
5	A	1318	FAD	C5A-N7A-C8A	4.46	110.46	103.45
3	B	1315	NAP	C5A-C4A-N3A	-4.46	120.57	126.72
5	A	1318	FAD	C5A-C4A-N3A	-4.36	120.71	126.72
3	A	1316	NAP	C6N-N1N-C2N	-4.27	118.25	121.88
3	A	1316	NAP	C4D-O4D-C1D	4.01	113.59	109.92
3	B	1315	NAP	O3-PA-O1A	-3.97	98.77	110.70
3	B	1315	NAP	N3A-C2A-N1A	-3.81	122.82	128.58
3	B	1315	NAP	C5A-N7A-C8A	3.80	109.42	103.45
5	A	1318	FAD	N9A-C8A-N7A	-3.62	108.80	113.94
5	B	1318	FAD	C4A-C5A-N7A	-3.61	106.45	110.58
5	B	1318	FAD	C5A-C4A-N3A	-3.60	121.76	126.72
3	B	1315	NAP	O2N-PN-O3	-3.56	97.66	107.27
3	A	1316	NAP	C5A-C4A-N3A	-3.42	122.01	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1318	FAD	C4'-C3'-C2'	-3.38	107.95	113.57
5	B	1318	FAD	C5A-N7A-C8A	3.24	108.54	103.45
3	B	1315	NAP	C2A-N3A-C4A	3.14	119.50	111.83
3	B	1315	NAP	N3A-C4A-N9A	2.99	132.26	127.17
5	A	1318	FAD	O4B-C4B-C3B	-2.97	99.27	105.15
3	B	1315	NAP	O2N-PN-O5D	2.96	120.96	107.57
5	B	1318	FAD	C5A-C4A-N9A	2.93	109.01	105.81
3	A	1316	NAP	O2A-PA-O3	2.91	115.15	107.27
5	A	1318	FAD	C4X-C10-N10	2.89	120.62	116.48
5	B	1318	FAD	N9A-C8A-N7A	-2.87	109.86	113.94
3	B	1315	NAP	N6A-C6A-N1A	2.85	124.72	118.38
3	B	1315	NAP	O2A-PA-O3	2.85	114.97	107.27
5	B	1318	FAD	O2P-P-O3P	-2.84	99.60	107.27
3	B	1315	NAP	C6A-C5A-N7A	2.79	137.47	132.09
5	B	1318	FAD	N3A-C2A-N1A	-2.77	124.39	128.58
3	A	1316	NAP	C5A-C4A-N9A	2.76	108.82	105.81
5	B	1318	FAD	O3'-C3'-C4'	-2.76	102.66	108.93
5	A	1318	FAD	C10-C4X-N5	-2.74	119.20	124.81
3	A	1316	NAP	O2N-PN-O1N	2.72	125.12	112.44
3	B	1315	NAP	C2A-N1A-C6A	2.68	123.14	118.73
3	B	1315	NAP	O2A-PA-O1A	2.67	124.86	112.44
5	B	1318	FAD	C6A-C5A-C4A	2.65	120.80	117.18
3	B	1315	NAP	N9A-C8A-N7A	-2.65	110.18	113.94
3	A	1316	NAP	C4A-C5A-N7A	-2.58	107.63	110.58
3	A	1316	NAP	O5B-C5B-C4B	-2.51	100.45	108.99
3	B	1315	NAP	O2B-C2B-C1B	-2.45	101.44	110.05
5	A	1318	FAD	C1B-N9A-C8A	2.44	132.52	127.09
3	A	1316	NAP	O3-PA-O1A	-2.39	103.51	110.70
5	B	1318	FAD	O3P-PA-O1A	-2.37	103.57	110.70
3	A	1316	NAP	N6A-C6A-N1A	2.37	123.65	118.38
5	B	1318	FAD	C5'-C4'-C3'	-2.37	107.75	112.22
5	B	1318	FAD	O5'-C5'-C4'	-2.34	103.13	109.36
5	B	1318	FAD	C1'-N10-C9A	2.31	125.11	120.63
5	B	1318	FAD	C4-N3-C2	-2.21	121.71	125.64
5	B	1318	FAD	O4B-C4B-C5B	-2.20	102.28	109.33
5	B	1318	FAD	C8M-C8-C9	-2.18	115.73	119.57
5	A	1318	FAD	O2P-P-O1P	2.17	122.53	112.44
5	A	1318	FAD	C4-C4X-N5	2.16	121.19	118.21
5	A	1318	FAD	C5'-C4'-C3'	-2.13	108.21	112.22
5	B	1318	FAD	C4X-C10-N10	2.11	119.51	116.48
3	A	1316	NAP	O7N-C7N-N7N	-2.09	119.59	122.62
3	A	1316	NAP	C5N-C6N-N1N	2.09	123.23	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1318	FAD	O3B-C3B-C4B	2.09	117.07	111.08
5	A	1318	FAD	O2P-P-O3P	-2.07	101.69	107.27
3	B	1315	NAP	C4A-N9A-C8A	2.06	107.90	105.74

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1316	NAP	C3B-C2B-O2B-P2B
3	B	1315	NAP	C3B-C2B-O2B-P2B
5	A	1318	FAD	C3B-C4B-C5B-O5B
5	B	1318	FAD	C3B-C4B-C5B-O5B
3	A	1316	NAP	C1B-C2B-O2B-P2B
3	B	1315	NAP	C1B-C2B-O2B-P2B
2	B	1317	EDO	O1-C1-C2-O2
5	B	1318	FAD	PA-O3P-P-O5'
5	A	1318	FAD	P-O3P-PA-O2A
5	B	1318	FAD	P-O3P-PA-O1A
3	B	1315	NAP	C5D-O5D-PN-O3
5	A	1318	FAD	O4B-C4B-C5B-O5B
5	B	1318	FAD	O4B-C4B-C5B-O5B
5	B	1318	FAD	P-O3P-PA-O2A
5	A	1318	FAD	PA-O3P-P-O5'
5	A	1318	FAD	P-O3P-PA-O1A


There are no ring outliers.

6 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1316	NAP	1	0
3	B	1315	NAP	4	0
4	A	1317	ACT	1	0
2	B	1316	EDO	2	0
5	B	1318	FAD	1	0
5	A	1318	FAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand NAP B 1315







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/314 (99%)	-0.29	2 (0%) 85 88	5, 15, 28, 41	10 (3%)
1	B	312/314 (99%)	-0.24	0 100 100	5, 16, 30, 38	19 (6%)
All	All	625/628 (99%)	-0.26	2 (0%) 90 91	5, 16, 29, 41	29 (4%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	SER	4.0
1	A	3	ASN	3.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	B	1317	4/4	0.82	0.15	37,38,38,40	0
4	ACT	A	1317	4/4	0.87	0.14	47,48,48,48	0
2	EDO	B	1316	4/4	0.89	0.10	32,36,37,43	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	1315	4/4	0.93	0.11	24,24,24,25	0
3	NAP	B	1315	40/48	0.96	0.09	14,20,52,52	0
5	FAD	B	1318	53/53	0.97	0.07	14,18,26,28	0
5	FAD	A	1318	53/53	0.98	0.06	10,14,21,22	0
3	NAP	A	1316	48/48	0.98	0.07	11,18,50,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP B 1315:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 1318:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 1318:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAP A 1316:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.