



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:24 AM UTC

PDB ID : 5CCI / pdb_00005cci
Title : Structure of the Mg²⁺-bound synaptotagmin-1 SNARE complex (short unit cell form)
Authors : Zhou, Q.; Zhao, M.; Lyubimov, A.Y.; Uervirojnangkoorn, M.; Weis, W.I.; Brunger, A.T.
Deposited on : 2015-07-02
Resolution : 4.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1243 (4.40-3.80)
Clashscore	190562	1293 (4.40-3.80)
Ramachandran outliers	187476	1206 (4.40-3.80)
Sidechain outliers	187428	1193 (4.40-3.80)
RSRZ outliers	180081	1240 (4.40-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	63	8% 76% 22% .
2	B	67	7% 78% 22% .
3	C	77	5% 78% 17% 5%
4	D	65	9% 75% 23% .
5	E	281	13% 79% 20% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	F	281	5% 74% 21% • 5%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vesicle-associated membrane protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	62	Total	C	N	O	S	0	0	0
			503	306	95	101	1			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	GLY	-	expression tag	UNP P63045

- Molecule 2 is a protein called Syntaxin-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	67	Total	C	N	O	S	0	0	0
			541	334	92	110	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	190	MET	-	initiating methionine	UNP P32851

- Molecule 3 is a protein called Synaptosomal-associated protein 25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	73	Total	C	N	O	S	0	0	0
			588	350	106	127	5			

- Molecule 4 is a protein called Synaptosomal-associated protein 25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	64	Total	C	N	O	S	0	0	0
			499	294	98	102	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	140	MET	-	initiating methionine	UNP P60881

- Molecule 5 is a protein called Synaptotagmin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	280	Total	C	N	O	S	0	0	0
			2190	1405	367	410	8			
5	F	268	Total	C	N	O	S	0	0	0
			2081	1337	350	387	7			


- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	E	2	Total	Mg	0	0
			2	2		
6	F	2	Total	Mg	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Vesicle-associated membrane protein 2





- Molecule 2: Syntaxin-1A





- Molecule 3: Synaptosomal-associated protein 25




- Molecule 4: Synaptosomal-associated protein 25




- Molecule 5: Synaptotagmin-1





● Molecule 5: Synaptotagmin-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	69.06Å 171.76Å 146.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.24 – 4.10 48.24 – 4.10	Depositor EDS
% Data completeness (in resolution range)	95.7 (48.24-4.10) 94.8 (48.24-4.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 4.15Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.276 , 0.323 0.277 , 0.327	Depositor DCC
R_{free} test set	676 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	135.5	Xtriage
Anisotropy	0.803	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 156.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6406	wwPDB-VP
Average B, all atoms (Å ²)	193.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/506	0.61	0/677
2	B	0.29	0/546	0.59	0/730
3	C	0.24	0/588	0.59	0/782
4	D	0.28	0/499	0.71	1/664 (0.2%)
5	E	0.34	1/2239 (0.0%)	0.72	1/3029 (0.0%)
5	F	0.32	1/2127 (0.0%)	0.74	1/2875 (0.0%)
All	All	0.31	2/6505 (0.0%)	0.70	3/8757 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	284	PRO	N-CD	-7.62	1.37	1.47
5	F	187	PRO	N-CD	5.18	1.55	1.47

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	143	GLU	N-CA-C	5.76	117.56	111.28
5	F	190	LYS	N-CA-C	-5.54	103.60	110.41
5	E	187	PRO	N-CA-C	5.40	121.19	113.47

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	503	0	502	12	0
2	B	541	0	529	12	0
3	C	588	0	573	12	0
4	D	499	0	486	14	0
5	E	2190	0	2133	91	0
5	F	2081	0	2015	55	0
6	E	2	0	0	0	0
6	F	2	0	0	0	0
All	All	6406	0	6238	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:187:PRO:CG	5:F:222:LYS:HG3	1.46	1.45
5:E:142:LEU:CD2	5:E:169:PRO:HG3	1.47	1.42
5:F:187:PRO:HG3	5:F:222:LYS:CG	1.53	1.39
5:E:222:LYS:O	5:E:247:MET:HG2	1.37	1.21
5:E:142:LEU:CD2	5:E:169:PRO:CG	2.22	1.18
5:E:142:LEU:HD23	5:E:169:PRO:CG	1.82	1.07
5:E:222:LYS:O	5:E:247:MET:CG	2.01	1.07
5:E:142:LEU:HA	5:E:169:PRO:HD3	1.37	1.06
5:E:142:LEU:CA	5:E:169:PRO:HD3	1.87	1.04
5:E:142:LEU:HD22	5:E:169:PRO:CG	1.86	1.03
5:E:142:LEU:CD1	5:E:240:ILE:O	2.08	1.00
5:F:187:PRO:CD	5:F:222:LYS:HG3	1.94	0.98
4:D:141:ALA:HA	4:D:144:ASN:ND2	1.79	0.97
5:F:193:PHE:CE1	5:F:212:PHE:CE1	2.55	0.94
5:E:185:LEU:HD21	5:E:212:PHE:CG	2.01	0.94
5:E:142:LEU:O	5:E:169:PRO:HD3	1.68	0.93
5:E:142:LEU:O	5:E:168:LEU:HA	1.69	0.92
5:E:142:LEU:C	5:E:169:PRO:HD3	1.97	0.89
5:E:142:LEU:HD22	5:E:169:PRO:HG2	1.54	0.87
5:F:187:PRO:HG3	5:F:222:LYS:CD	2.04	0.86
5:E:142:LEU:HD23	5:E:169:PRO:HG3	0.86	0.85
4:D:144:ASN:OD1	4:D:145:GLU:N	2.11	0.84
5:E:187:PRO:CG	5:E:222:LYS:HA	2.09	0.83
5:E:142:LEU:HD11	5:E:240:ILE:O	1.79	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:186:LEU:N	5:E:223:THR:O	2.12	0.82
4:D:141:ALA:HA	4:D:144:ASN:HD21	1.44	0.82
5:F:186:LEU:HB3	5:F:223:THR:HB	1.62	0.81
5:E:187:PRO:HG2	5:E:222:LYS:HG2	1.63	0.81
5:E:142:LEU:O	5:E:167:GLU:O	1.98	0.81
5:E:142:LEU:HA	5:E:169:PRO:CD	2.11	0.80
5:E:185:LEU:HD21	5:E:212:PHE:CD1	2.17	0.78
5:E:193:PHE:HE2	5:E:212:PHE:CE1	2.01	0.78
5:F:187:PRO:HG3	5:F:222:LYS:HG3	0.78	0.77
5:E:142:LEU:HD13	5:E:240:ILE:O	1.86	0.76
5:E:187:PRO:HG2	5:E:222:LYS:HA	1.67	0.75
5:F:356:GLN:HE22	5:F:380:TYR:HB3	1.51	0.74
5:E:141:LYS:N	5:E:141:LYS:HD3	2.03	0.72
5:E:142:LEU:O	5:E:169:PRO:CD	2.36	0.72
5:E:193:PHE:CE2	5:E:212:PHE:CE1	2.78	0.72
5:E:142:LEU:CA	5:E:169:PRO:CD	2.66	0.72
5:F:193:PHE:HE1	5:F:212:PHE:CE1	2.06	0.71
5:E:187:PRO:HG2	5:E:222:LYS:CB	2.20	0.71
5:F:317:MET:HB2	5:F:356:GLN:HB2	1.71	0.71
5:E:223:THR:HG23	5:E:245:VAL:O	1.91	0.70
5:F:187:PRO:CG	5:F:222:LYS:CG	2.33	0.70
5:E:142:LEU:HD13	5:E:240:ILE:HG22	1.72	0.69
5:E:296:ALA:O	5:E:336:ASN:ND2	2.26	0.68
5:E:186:LEU:CB	5:E:223:THR:HB	2.24	0.68
5:E:187:PRO:HG2	5:E:222:LYS:CG	2.23	0.68
5:E:187:PRO:HG3	5:E:222:LYS:HA	1.76	0.68
5:F:187:PRO:HD3	5:F:223:THR:H	1.58	0.68
5:F:186:LEU:CB	5:F:223:THR:HB	2.26	0.65
5:F:288:LYS:NZ	5:F:290:THR:OG1	2.30	0.65
5:E:187:PRO:HG2	5:E:222:LYS:CA	2.26	0.65
5:F:281:ARG:HB3	5:F:290:THR:HB	1.78	0.65
5:F:193:PHE:HE1	5:F:212:PHE:HE1	1.44	0.64
3:C:81:LEU:HG	4:D:202:MET:HE1	1.80	0.64
5:E:187:PRO:HD3	5:E:223:THR:H	1.63	0.64
5:F:187:PRO:CD	5:F:222:LYS:CG	2.71	0.64
5:E:146:GLN:HB2	5:E:259:TRP:CE2	2.35	0.62
5:F:193:PHE:CE1	5:F:212:PHE:HE1	2.15	0.62
5:E:187:PRO:HD3	5:E:223:THR:N	2.15	0.62
2:B:248:VAL:HG22	3:C:74:ALA:HB2	1.81	0.61
5:F:316:LEU:HB3	5:F:324:LYS:HB2	1.82	0.61
5:E:223:THR:HG23	5:E:245:VAL:C	2.25	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:360:THR:HG23	5:E:375:LYS:HB3	1.83	0.60
5:F:193:PHE:CD1	5:F:212:PHE:CZ	2.90	0.60
5:E:142:LEU:O	5:E:168:LEU:CA	2.48	0.59
5:E:188:ASP:O	5:E:188:ASP:OD1	2.21	0.59
5:E:185:LEU:CD2	5:E:212:PHE:CD1	2.86	0.59
5:F:185:LEU:HB2	5:F:188:ASP:OD1	2.03	0.59
5:E:277:CYS:HB2	5:E:404:TRP:CD2	2.38	0.58
5:F:315:HIS:HB3	5:F:322:ARG:HD2	1.85	0.58
5:E:223:THR:HG22	5:E:224:LEU:N	2.19	0.58
3:C:34:GLN:NE2	3:C:38:GLU:OE2	2.38	0.57
1:A:43:VAL:HA	2:B:215:MET:HE1	1.87	0.57
1:A:55:GLU:HG2	1:A:59:LYS:HE2	1.87	0.57
5:F:312:VAL:HG22	5:F:361:VAL:HG22	1.87	0.56
5:F:283:VAL:HG13	5:F:398:ARG:HG2	1.87	0.55
5:F:363:ASP:HB3	5:F:371:ASP:HB2	1.90	0.54
1:A:78:GLU:HA	2:B:247:ALA:HB2	1.90	0.54
5:E:187:PRO:HD3	5:E:223:THR:O	2.08	0.54
5:E:335:LEU:HD23	5:E:335:LEU:H	1.73	0.53
5:F:219:LEU:HA	5:F:222:LYS:HE3	1.89	0.53
5:F:374:GLY:HA3	5:F:407:LEU:HD13	1.89	0.53
1:A:56:ARG:NH1	2:B:226:GLN:OE1	2.42	0.53
1:A:88:TYR:CD2	3:C:81:LEU:HD21	2.44	0.52
5:F:187:PRO:HD3	5:F:222:LYS:HG3	1.90	0.51
1:A:85:LYS:HA	2:B:254:ALA:HB2	1.93	0.51
2:B:218:ASP:O	2:B:222:LEU:HG	2.12	0.50
5:E:378:VAL:HG12	5:E:386:GLU:HB3	1.93	0.49
4:D:157:ILE:HD13	4:D:160:LEU:HD12	1.94	0.49
5:E:186:LEU:CB	5:E:223:THR:C	2.86	0.49
5:F:318:GLN:O	5:F:321:LYS:HG2	2.12	0.49
5:E:331:LYS:NZ	5:E:338:TYR:O	2.45	0.49
5:E:142:LEU:HA	5:E:169:PRO:CG	2.42	0.49
5:F:146:GLN:HB2	5:F:259:TRP:CE2	2.48	0.49
5:E:283:VAL:HG12	5:E:398:ARG:HA	1.94	0.48
5:F:356:GLN:NE2	5:F:380:TYR:HB3	2.24	0.48
2:B:255:VAL:HG13	2:B:256:LYS:HG3	1.96	0.48
3:C:26:LEU:O	3:C:29:THR:OG1	2.30	0.48
5:E:187:PRO:CD	5:E:223:THR:H	2.27	0.48
5:F:193:PHE:CD1	5:F:212:PHE:CE1	3.00	0.48
5:E:223:THR:CG2	5:E:224:LEU:N	2.76	0.48
5:E:187:PRO:CG	5:E:222:LYS:CA	2.85	0.47
5:F:166:ALA:O	5:F:167:GLU:HG2	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:177:GLN:O	4:D:181:ILE:HG12	2.14	0.47
5:F:218:GLU:OE1	5:F:218:GLU:N	2.45	0.47
5:E:181:VAL:HG22	5:E:228:VAL:HG22	1.96	0.47
5:F:185:LEU:HD11	5:F:212:PHE:HB3	1.96	0.47
1:A:64:ASP:HA	2:B:233:ILE:HG12	1.96	0.47
5:F:186:LEU:HD13	5:F:223:THR:HG21	1.98	0.46
5:E:230:ASP:HB2	5:E:240:ILE:HD11	1.97	0.46
5:F:181:VAL:HG22	5:F:228:VAL:HG22	1.98	0.46
5:E:222:LYS:O	5:E:247:MET:HG3	2.05	0.46
5:E:227:ALA:HA	5:E:242:GLU:HA	1.98	0.46
5:E:283:VAL:CG1	5:E:398:ARG:HA	2.46	0.46
5:E:165:ALA:HB1	5:E:168:LEU:HD21	1.98	0.46
3:C:52:GLU:CD	5:E:399:ARG:HE	2.24	0.45
5:E:142:LEU:HD13	5:E:240:ILE:CG2	2.44	0.45
5:E:141:LYS:N	5:E:141:LYS:CD	2.73	0.45
5:E:310:PRO:HD2	5:E:331:LYS:O	2.16	0.45
5:E:386:GLU:HA	5:E:405:HIS:HE1	1.82	0.45
5:E:186:LEU:CB	5:E:223:THR:CB	2.94	0.45
5:E:186:LEU:CB	5:E:225:VAL:HG23	2.47	0.44
5:F:182:LYS:HG3	5:F:194:GLU:HG2	1.98	0.44
5:F:217:SER:OG	5:F:218:GLU:OE1	2.31	0.44
5:F:214:VAL:HG21	5:F:222:LYS:HE2	1.98	0.44
3:C:56:GLN:HG2	3:C:59:ARG:NH2	2.33	0.44
5:E:185:LEU:HG	5:E:212:PHE:CE1	2.52	0.44
5:F:187:PRO:CG	5:F:222:LYS:CD	2.87	0.44
5:F:366:LYS:O	5:F:368:GLY:HA3	2.18	0.44
4:D:163:MET:HG2	5:E:338:TYR:CZ	2.53	0.43
4:D:163:MET:HG2	5:E:338:TYR:CE1	2.53	0.43
1:A:41:GLU:O	1:A:45:ILE:HG12	2.17	0.43
5:F:229:TYR:CE1	5:F:239:ILE:HG22	2.54	0.43
1:A:53:VAL:HG21	2:B:219:MET:SD	2.57	0.43
5:F:277:CYS:HB3	5:F:404:TRP:CE3	2.54	0.43
2:B:206:GLU:HB2	3:C:32:MET:HE2	2.01	0.43
4:D:172:ASP:O	4:D:176:ARG:HG2	2.19	0.43
5:E:339:TYR:HB3	5:E:341:GLU:HG3	2.00	0.43
2:B:241:VAL:HG13	3:C:66:HIS:HD2	1.84	0.42
5:E:142:LEU:CB	5:E:169:PRO:CD	2.97	0.42
1:A:68:ASP:O	1:A:71:GLN:HG3	2.19	0.42
5:F:185:LEU:HD11	5:F:212:PHE:CB	2.49	0.42
5:F:241:GLY:HA3	5:F:262:LEU:HD13	2.00	0.42
5:E:185:LEU:CG	5:E:212:PHE:CD1	3.03	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:246:PRO:O	5:E:250:VAL:HG23	2.19	0.42
5:F:187:PRO:HG3	5:F:222:LYS:HD3	1.96	0.42
5:E:283:VAL:HA	5:E:284:PRO:HD3	1.68	0.42
5:F:159:LEU:HD12	5:F:211:THR:HG22	2.02	0.42
5:F:227:ALA:HB2	5:F:242:GLU:HG3	2.01	0.42
4:D:144:ASN:O	4:D:145:GLU:C	2.63	0.42
5:E:281:ARG:HB2	5:E:400:PRO:HB3	2.01	0.42
5:E:317:MET:SD	5:E:417:LEU:HD13	2.60	0.42
4:D:159:ASN:ND2	5:E:336:ASN:OD1	2.52	0.41
4:D:182:MET:HE2	4:D:182:MET:HB3	1.93	0.41
5:F:277:CYS:HB3	5:F:404:TRP:CD2	2.55	0.41
3:C:61:GLU:HB2	4:D:181:ILE:HD11	2.03	0.41
5:E:146:GLN:HB2	5:E:259:TRP:CD2	2.54	0.41
5:E:176:THR:HG22	5:E:202:LEU:HG	2.02	0.41
5:E:145:LEU:HD12	5:E:164:GLN:O	2.20	0.41
5:E:142:LEU:HD13	5:E:240:ILE:C	2.43	0.41
5:F:219:LEU:HD21	5:F:252:PHE:HE2	1.85	0.41
1:A:87:LYS:HE3	1:A:88:TYR:CE1	2.55	0.41
5:E:142:LEU:HA	5:E:169:PRO:HG3	2.02	0.41
5:F:399:ARG:HA	5:F:400:PRO:HD3	1.91	0.41
1:A:88:TYR:CE2	3:C:81:LEU:HD21	2.56	0.41
2:B:228:GLU:O	2:B:231:ASP:HB2	2.20	0.41
5:F:347:VAL:HA	5:F:348:PRO:HD2	1.90	0.41
5:E:170:ALA:HB2	5:E:202:LEU:HD11	2.04	0.40
5:E:293:ILE:HG21	5:E:312:VAL:HG21	2.02	0.40
3:C:72:LYS:HG3	4:D:191:ARG:HH22	1.86	0.40
5:E:142:LEU:HB3	5:E:169:PRO:CD	2.51	0.40
5:E:185:LEU:HG	5:E:212:PHE:CD1	2.56	0.40
5:F:219:LEU:HD21	5:F:252:PHE:CE2	2.57	0.40
5:F:362:LEU:HD22	5:F:372:ALA:HA	2.03	0.40
5:E:375:LYS:HD3	5:E:410:GLU:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	60/63 (95%)	60 (100%)	0	0	100	100
2	B	65/67 (97%)	64 (98%)	1 (2%)	0	100	100
3	C	71/77 (92%)	71 (100%)	0	0	100	100
4	D	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
5	E	278/281 (99%)	270 (97%)	8 (3%)	0	100	100
5	F	260/281 (92%)	253 (97%)	7 (3%)	0	100	100
All	All	796/834 (95%)	778 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	54/54 (100%)	54 (100%)	0	100	100
2	B	60/61 (98%)	60 (100%)	0	100	100
3	C	65/69 (94%)	65 (100%)	0	100	100
4	D	53/56 (95%)	53 (100%)	0	100	100
5	E	233/251 (93%)	233 (100%)	0	100	100
5	F	221/251 (88%)	219 (99%)	2 (1%)	70	76
All	All	686/742 (92%)	684 (100%)	2 (0%)	86	85

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	F	167	GLU
5	F	314	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	213	HIS
3	C	15	GLN
5	F	198	HIS
5	F	207	ASN
5	F	356	GLN
5	F	381	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	62/63 (98%)	0.44	5 (8%) 18 19	145, 159, 185, 203	0
2	B	67/67 (100%)	0.56	5 (7%) 20 20	147, 159, 187, 189	0
3	C	73/77 (94%)	0.39	4 (5%) 30 27	149, 165, 208, 220	0
4	D	64/65 (98%)	0.65	6 (9%) 14 17	145, 164, 207, 211	0
5	E	280/281 (99%)	0.76	36 (12%) 7 11	144, 185, 215, 265	0
5	F	268/281 (95%)	0.54	14 (5%) 33 28	166, 228, 287, 302	0
All	All	814/834 (97%)	0.60	70 (8%) 16 18	144, 186, 272, 302	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	E	374	GLY	6.3
5	E	323	LEU	5.4
5	E	173	MET	4.9
5	E	359	VAL	4.8
5	E	361	VAL	4.6
5	E	390	TRP	4.5
5	E	378	VAL	4.2
5	F	316	LEU	4.1
5	E	352	ILE	4.0
5	E	360	THR	3.9
5	E	357	VAL	3.7
1	A	84	LEU	3.7
4	D	199	ALA	3.7
5	E	212	PHE	3.5
5	E	193	PHE	3.5
5	E	373	ILE	3.5
5	E	375	LYS	3.5
5	E	141	LYS	3.3
5	E	377	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	12	GLU	3.1
5	E	372	ALA	3.0
5	E	376	VAL	3.0
3	C	32	MET	3.0
5	F	315	HIS	3.0
5	F	375	LYS	2.9
1	A	77	PHE	2.9
2	B	202	ILE	2.9
5	F	266	GLU	2.9
3	C	50	LEU	2.9
2	B	209	ILE	2.9
5	F	154	GLN	2.8
5	F	141	LYS	2.7
5	E	420	LYS	2.7
5	F	357	VAL	2.7
5	F	254	HIS	2.7
5	F	344	SER	2.7
4	D	198	ARG	2.6
5	E	394	LEU	2.6
5	F	329	THR	2.6
5	E	276	ILE	2.5
5	E	355	VAL	2.4
1	A	60	LEU	2.4
5	E	280	LEU	2.4
5	E	398	ARG	2.4
5	E	349	PHE	2.4
5	E	316	LEU	2.3
5	E	362	LEU	2.3
5	E	154	GLN	2.3
5	E	285	THR	2.3
5	E	397	PRO	2.3
2	B	237	VAL	2.2
5	F	319	ASN	2.2
2	B	230	ILE	2.2
4	D	192	ILE	2.2
5	E	217	SER	2.1
5	E	335	LEU	2.1
1	A	88	TYR	2.1
4	D	140	MET	2.1
2	B	242	ASP	2.1
5	F	267	LYS	2.1
4	D	181	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	E	282	TYR	2.1
5	F	374	GLY	2.1
1	A	80	SER	2.1
5	E	289	LEU	2.1
4	D	174	GLN	2.1
5	F	201	THR	2.0
5	E	324	LYS	2.0
3	C	41	ASP	2.0
5	E	278	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	F	502	1/1	0.73	0.13	283,283,283,283	0
6	MG	F	501	1/1	0.92	0.14	167,167,167,167	0
6	MG	E	501	1/1	0.96	0.10	197,197,197,197	0
6	MG	E	502	1/1	0.96	0.16	160,160,160,160	0

6.5 Other polymers [i](#)

There are no such residues in this entry.