



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2026 – 09:06 AM UTC

PDB ID : 9CCQ / pdb_00009ccq
EMDB ID : EMD-45453
Title : Cryo-EM structure of the prepore-like EaCDCL short oligomer
Authors : Johnstone, B.A.; Christie, M.P.; Morton, C.M.; Brown, H.G.; Hanssen, E.; Parker, M.W.
Deposited on : 2024-06-23
Resolution : 3.13 Å(reported)
Based on initial model : 8G32

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14478 (2.63 - 3.63)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	362	62% 13% 25%
1	AA	362	62% 13% 25%
1	AB	362	62% 13% 25%
1	AC	362	62% 14% 25%


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	AD	362	 61% 14% 25%
1	B	362	 61% 14% 25%
1	C	362	 62% 14% 25%
1	D	362	 62% 13% 25%
1	E	362	 62% 13% 25%
1	F	362	 63% 12% 25%
1	G	362	 63% 12% 25%
1	H	362	 62% 13% 25%
1	I	362	 62% 13% 25%
1	J	362	 62% 13% 25%
1	K	362	 63% 12% 25%
1	L	362	 62% 13% 25%
1	M	362	 62% 13% 25%
1	N	362	 62% 14% 25%
1	O	362	 62% 13% 25%
1	P	362	 62% 14% 25%
1	Q	362	 61% 14% 25%
1	R	362	 62% 13% 25%
1	S	362	 61% 14% 25%
1	T	362	 60% 15% 25%
1	U	362	 61% 14% 25%
1	V	362	 61% 14% 25%
1	W	362	 62% 13% 25%
1	X	362	 61% 14% 25%
1	Y	362	 61% 14% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	Z	362	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment on the left labeled '62%', a yellow segment in the middle labeled '14%', and a grey segment on the right labeled '25%'. A small red square is located at the beginning of the green segment.</p>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 62430 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thiol-activated cytolysin family protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	272	2080	1331	331	415	3	0	0
1	AA	272	2080	1331	331	415	3	0	0
1	AB	272	2080	1331	331	415	3	0	0
1	AC	272	2080	1331	331	415	3	0	0
1	AD	272	2080	1331	331	415	3	0	0
1	B	272	2080	1331	331	415	3	0	0
1	C	272	2080	1331	331	415	3	0	0
1	D	272	2080	1331	331	415	3	0	0
1	E	272	2080	1331	331	415	3	0	0
1	F	272	2080	1331	331	415	3	0	0
1	G	272	2080	1331	331	415	3	0	0
1	H	272	2080	1331	331	415	3	0	0
1	I	272	2080	1331	331	415	3	0	0
1	J	272	2080	1331	331	415	3	0	0
1	K	272	2080	1331	331	415	3	0	0
1	L	272	2080	1331	331	415	3	0	0
1	M	272	2080	1331	331	415	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	N	272	2080	1331	331	415	3	0	0
1	O	272	2080	1331	331	415	3	0	0
1	P	272	2080	1331	331	415	3	0	0
1	Q	272	2080	1331	331	415	3	0	0
1	R	272	2080	1331	331	415	3	0	0
1	S	272	2080	1331	331	415	3	0	0
1	T	272	2080	1331	331	415	3	0	0
1	U	272	2080	1331	331	415	3	0	0
1	V	272	2080	1331	331	415	3	0	0
1	W	272	2080	1331	331	415	3	0	0
1	X	272	2080	1331	331	415	3	0	0
1	Y	272	2080	1331	331	415	3	0	0
1	Z	272	2080	1331	331	415	3	0	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	GLY	-	expression tag	UNP A0A7T7HCZ8
A	19	SER	-	expression tag	UNP A0A7T7HCZ8
A	20	HIS	-	expression tag	UNP A0A7T7HCZ8
A	21	MET	-	expression tag	UNP A0A7T7HCZ8
AA	18	GLY	-	expression tag	UNP A0A7T7HCZ8
AA	19	SER	-	expression tag	UNP A0A7T7HCZ8
AA	20	HIS	-	expression tag	UNP A0A7T7HCZ8
AA	21	MET	-	expression tag	UNP A0A7T7HCZ8
AB	18	GLY	-	expression tag	UNP A0A7T7HCZ8
AB	19	SER	-	expression tag	UNP A0A7T7HCZ8
AB	20	HIS	-	expression tag	UNP A0A7T7HCZ8
AB	21	MET	-	expression tag	UNP A0A7T7HCZ8
AC	18	GLY	-	expression tag	UNP A0A7T7HCZ8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AC	19	SER	-	expression tag	UNP A0A7T7HCZ8
AC	20	HIS	-	expression tag	UNP A0A7T7HCZ8
AC	21	MET	-	expression tag	UNP A0A7T7HCZ8
AD	18	GLY	-	expression tag	UNP A0A7T7HCZ8
AD	19	SER	-	expression tag	UNP A0A7T7HCZ8
AD	20	HIS	-	expression tag	UNP A0A7T7HCZ8
AD	21	MET	-	expression tag	UNP A0A7T7HCZ8
B	18	GLY	-	expression tag	UNP A0A7T7HCZ8
B	19	SER	-	expression tag	UNP A0A7T7HCZ8
B	20	HIS	-	expression tag	UNP A0A7T7HCZ8
B	21	MET	-	expression tag	UNP A0A7T7HCZ8
C	18	GLY	-	expression tag	UNP A0A7T7HCZ8
C	19	SER	-	expression tag	UNP A0A7T7HCZ8
C	20	HIS	-	expression tag	UNP A0A7T7HCZ8
C	21	MET	-	expression tag	UNP A0A7T7HCZ8
D	18	GLY	-	expression tag	UNP A0A7T7HCZ8
D	19	SER	-	expression tag	UNP A0A7T7HCZ8
D	20	HIS	-	expression tag	UNP A0A7T7HCZ8
D	21	MET	-	expression tag	UNP A0A7T7HCZ8
E	18	GLY	-	expression tag	UNP A0A7T7HCZ8
E	19	SER	-	expression tag	UNP A0A7T7HCZ8
E	20	HIS	-	expression tag	UNP A0A7T7HCZ8
E	21	MET	-	expression tag	UNP A0A7T7HCZ8
F	18	GLY	-	expression tag	UNP A0A7T7HCZ8
F	19	SER	-	expression tag	UNP A0A7T7HCZ8
F	20	HIS	-	expression tag	UNP A0A7T7HCZ8
F	21	MET	-	expression tag	UNP A0A7T7HCZ8
G	18	GLY	-	expression tag	UNP A0A7T7HCZ8
G	19	SER	-	expression tag	UNP A0A7T7HCZ8
G	20	HIS	-	expression tag	UNP A0A7T7HCZ8
G	21	MET	-	expression tag	UNP A0A7T7HCZ8
H	18	GLY	-	expression tag	UNP A0A7T7HCZ8
H	19	SER	-	expression tag	UNP A0A7T7HCZ8
H	20	HIS	-	expression tag	UNP A0A7T7HCZ8
H	21	MET	-	expression tag	UNP A0A7T7HCZ8
I	18	GLY	-	expression tag	UNP A0A7T7HCZ8
I	19	SER	-	expression tag	UNP A0A7T7HCZ8
I	20	HIS	-	expression tag	UNP A0A7T7HCZ8
I	21	MET	-	expression tag	UNP A0A7T7HCZ8
J	18	GLY	-	expression tag	UNP A0A7T7HCZ8
J	19	SER	-	expression tag	UNP A0A7T7HCZ8
J	20	HIS	-	expression tag	UNP A0A7T7HCZ8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	21	MET	-	expression tag	UNP A0A7T7HCZ8
K	18	GLY	-	expression tag	UNP A0A7T7HCZ8
K	19	SER	-	expression tag	UNP A0A7T7HCZ8
K	20	HIS	-	expression tag	UNP A0A7T7HCZ8
K	21	MET	-	expression tag	UNP A0A7T7HCZ8
L	18	GLY	-	expression tag	UNP A0A7T7HCZ8
L	19	SER	-	expression tag	UNP A0A7T7HCZ8
L	20	HIS	-	expression tag	UNP A0A7T7HCZ8
L	21	MET	-	expression tag	UNP A0A7T7HCZ8
M	18	GLY	-	expression tag	UNP A0A7T7HCZ8
M	19	SER	-	expression tag	UNP A0A7T7HCZ8
M	20	HIS	-	expression tag	UNP A0A7T7HCZ8
M	21	MET	-	expression tag	UNP A0A7T7HCZ8
N	18	GLY	-	expression tag	UNP A0A7T7HCZ8
N	19	SER	-	expression tag	UNP A0A7T7HCZ8
N	20	HIS	-	expression tag	UNP A0A7T7HCZ8
N	21	MET	-	expression tag	UNP A0A7T7HCZ8
O	18	GLY	-	expression tag	UNP A0A7T7HCZ8
O	19	SER	-	expression tag	UNP A0A7T7HCZ8
O	20	HIS	-	expression tag	UNP A0A7T7HCZ8
O	21	MET	-	expression tag	UNP A0A7T7HCZ8
P	18	GLY	-	expression tag	UNP A0A7T7HCZ8
P	19	SER	-	expression tag	UNP A0A7T7HCZ8
P	20	HIS	-	expression tag	UNP A0A7T7HCZ8
P	21	MET	-	expression tag	UNP A0A7T7HCZ8
Q	18	GLY	-	expression tag	UNP A0A7T7HCZ8
Q	19	SER	-	expression tag	UNP A0A7T7HCZ8
Q	20	HIS	-	expression tag	UNP A0A7T7HCZ8
Q	21	MET	-	expression tag	UNP A0A7T7HCZ8
R	18	GLY	-	expression tag	UNP A0A7T7HCZ8
R	19	SER	-	expression tag	UNP A0A7T7HCZ8
R	20	HIS	-	expression tag	UNP A0A7T7HCZ8
R	21	MET	-	expression tag	UNP A0A7T7HCZ8
S	18	GLY	-	expression tag	UNP A0A7T7HCZ8
S	19	SER	-	expression tag	UNP A0A7T7HCZ8
S	20	HIS	-	expression tag	UNP A0A7T7HCZ8
S	21	MET	-	expression tag	UNP A0A7T7HCZ8
T	18	GLY	-	expression tag	UNP A0A7T7HCZ8
T	19	SER	-	expression tag	UNP A0A7T7HCZ8
T	20	HIS	-	expression tag	UNP A0A7T7HCZ8
T	21	MET	-	expression tag	UNP A0A7T7HCZ8
U	18	GLY	-	expression tag	UNP A0A7T7HCZ8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
U	19	SER	-	expression tag	UNP A0A7T7HCZ8
U	20	HIS	-	expression tag	UNP A0A7T7HCZ8
U	21	MET	-	expression tag	UNP A0A7T7HCZ8
V	18	GLY	-	expression tag	UNP A0A7T7HCZ8
V	19	SER	-	expression tag	UNP A0A7T7HCZ8
V	20	HIS	-	expression tag	UNP A0A7T7HCZ8
V	21	MET	-	expression tag	UNP A0A7T7HCZ8
W	18	GLY	-	expression tag	UNP A0A7T7HCZ8
W	19	SER	-	expression tag	UNP A0A7T7HCZ8
W	20	HIS	-	expression tag	UNP A0A7T7HCZ8
W	21	MET	-	expression tag	UNP A0A7T7HCZ8
X	18	GLY	-	expression tag	UNP A0A7T7HCZ8
X	19	SER	-	expression tag	UNP A0A7T7HCZ8
X	20	HIS	-	expression tag	UNP A0A7T7HCZ8
X	21	MET	-	expression tag	UNP A0A7T7HCZ8
Y	18	GLY	-	expression tag	UNP A0A7T7HCZ8
Y	19	SER	-	expression tag	UNP A0A7T7HCZ8
Y	20	HIS	-	expression tag	UNP A0A7T7HCZ8
Y	21	MET	-	expression tag	UNP A0A7T7HCZ8
Z	18	GLY	-	expression tag	UNP A0A7T7HCZ8
Z	19	SER	-	expression tag	UNP A0A7T7HCZ8
Z	20	HIS	-	expression tag	UNP A0A7T7HCZ8
Z	21	MET	-	expression tag	UNP A0A7T7HCZ8

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	AltConf
2	A	1	Total Ca 1 1	0
2	AA	1	Total Ca 1 1	0
2	AB	1	Total Ca 1 1	0
2	AC	1	Total Ca 1 1	0
2	AD	1	Total Ca 1 1	0
2	B	1	Total Ca 1 1	0
2	C	1	Total Ca 1 1	0
2	D	1	Total Ca 1 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
2	E	1	Total 1	Ca 1	0
2	F	1	Total 1	Ca 1	0
2	G	1	Total 1	Ca 1	0
2	H	1	Total 1	Ca 1	0
2	I	1	Total 1	Ca 1	0
2	J	1	Total 1	Ca 1	0
2	K	1	Total 1	Ca 1	0
2	L	1	Total 1	Ca 1	0
2	M	1	Total 1	Ca 1	0
2	N	1	Total 1	Ca 1	0
2	O	1	Total 1	Ca 1	0
2	P	1	Total 1	Ca 1	0
2	Q	1	Total 1	Ca 1	0
2	R	1	Total 1	Ca 1	0
2	S	1	Total 1	Ca 1	0
2	T	1	Total 1	Ca 1	0
2	U	1	Total 1	Ca 1	0
2	V	1	Total 1	Ca 1	0
2	W	1	Total 1	Ca 1	0
2	X	1	Total 1	Ca 1	0
2	Y	1	Total 1	Ca 1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
2	Z	1	Total	Ca	0
			1	1	



• Molecule 1: Thiol-activated cytolysin family protein




• Molecule 1: Thiol-activated cytolysin family protein




• Molecule 1: Thiol-activated cytolysin family protein





• Molecule 1: Thiol-activated cytolysin family protein




• Molecule 1: Thiol-activated cytolysin family protein




• Molecule 1: Thiol-activated cytolysin family protein






• Molecule 1: Thiol-activated cytolysin family protein



• Molecule 1: Thiol-activated cytolysin family protein



• Molecule 1: Thiol-activated cytolysin family protein



GLY SER HIS MET ARG GLN ASP SER SER GLU VAL ASN PRO GLN VAL GLN ASN SER SER LYS VAL LEU ASN PRO VAL THR LEU PRO ALA ASN ASN ASN TYR ASP GLU PHE PHE VAL VAL SER LYS GLU SER LYS LEU ILE ASP ASP SER ARG ASN ASN LYS ARG LYS THR SER LYS ILE

ALA SER LEU ASN PRO TYR ALA SER THR LYS ALA VAL LEU THR THR S94 V103 V104 K109 T110 M117 S118 T119 D122 M123 L124 D125 Y126 Y140 S162 M167 Y189 Y190 S191 E192 A196 S199 N200 Y201 S208 S214 K219 K227 F228 T229

Q230 K231 N232 F233 T234 I235 D242 L252 A253 N256 T267 I276 N279 A280 S281 Y282 N283 E284 A291 A295 GLY ILE VAL ASN GLY SER LEU ASN ILE ASP SER ASN SER SER R309 P316 V319 Y320 L321 V332 I333 K334 G335 F336 F339 S340 I343

G347 Q346 F349 T350 P351 R368 Y371 D378 LYS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C30	Depositor
Number of particles used	91117	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.628	Depositor
Minimum map value	-3.091	Depositor
Average map value	-0.006	Depositor
Map value standard deviation	0.103	Depositor
Recommended contour level	0.62	Depositor
Map size (Å)	675.84, 675.84, 675.84	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.32, 1.32, 1.32	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/2124	0.26	0/2888
1	AA	0.09	0/2124	0.26	0/2888
1	AB	0.09	0/2124	0.26	0/2888
1	AC	0.10	0/2124	0.26	0/2888
1	AD	0.10	0/2124	0.26	0/2888
1	B	0.10	0/2124	0.26	0/2888
1	C	0.10	0/2124	0.26	0/2888
1	D	0.09	0/2124	0.26	0/2888
1	E	0.09	0/2124	0.26	0/2888
1	F	0.09	0/2124	0.26	0/2888
1	G	0.10	0/2124	0.26	0/2888
1	H	0.09	0/2124	0.26	0/2888
1	I	0.10	0/2124	0.26	0/2888
1	J	0.10	0/2124	0.26	0/2888
1	K	0.10	0/2124	0.26	0/2888
1	L	0.09	0/2124	0.26	0/2888
1	M	0.10	0/2124	0.26	0/2888
1	N	0.10	0/2124	0.26	0/2888
1	O	0.10	0/2124	0.26	0/2888
1	P	0.09	0/2124	0.26	0/2888
1	Q	0.10	0/2124	0.26	0/2888
1	R	0.10	0/2124	0.26	0/2888
1	S	0.09	0/2124	0.26	0/2888
1	T	0.10	0/2124	0.26	0/2888
1	U	0.09	0/2124	0.26	0/2888
1	V	0.10	0/2124	0.26	0/2888
1	W	0.10	0/2124	0.26	0/2888
1	X	0.09	0/2124	0.26	0/2888
1	Y	0.10	0/2124	0.26	0/2888
1	Z	0.10	0/2124	0.26	0/2888
All	All	0.10	0/63720	0.26	0/86640

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2080	0	2018	33	0
1	AA	2080	0	2018	32	0
1	AB	2080	0	2018	31	0
1	AC	2080	0	2018	32	0
1	AD	2080	0	2018	34	0
1	B	2080	0	2018	34	0
1	C	2080	0	2018	32	0
1	D	2080	0	2018	31	0
1	E	2080	0	2018	31	0
1	F	2080	0	2018	29	0
1	G	2080	0	2018	30	0
1	H	2080	0	2018	32	0
1	I	2080	0	2018	33	0
1	J	2080	0	2018	32	0
1	K	2080	0	2018	31	0
1	L	2080	0	2018	33	0
1	M	2080	0	2018	33	0
1	N	2080	0	2018	32	0
1	O	2080	0	2018	32	0
1	P	2080	0	2018	33	0
1	Q	2080	0	2018	33	0
1	R	2080	0	2018	32	0
1	S	2080	0	2018	35	0
1	T	2080	0	2018	35	0
1	U	2080	0	2018	33	0
1	V	2080	0	2018	35	0
1	W	2080	0	2018	32	0
1	X	2080	0	2018	34	0
1	Y	2080	0	2018	35	0
1	Z	2080	0	2018	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	AA	1	0	0	0	0
2	AB	1	0	0	0	0
2	AC	1	0	0	0	0
2	AD	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
2	M	1	0	0	0	0
2	N	1	0	0	0	0
2	O	1	0	0	0	0
2	P	1	0	0	0	0
2	Q	1	0	0	0	0
2	R	1	0	0	0	0
2	S	1	0	0	0	0
2	T	1	0	0	0	0
2	U	1	0	0	0	0
2	V	1	0	0	0	0
2	W	1	0	0	0	0
2	X	1	0	0	0	0
2	Y	1	0	0	0	0
2	Z	1	0	0	0	0
All	All	62430	0	60540	880	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 880 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:253:ALA:O	1:AA:256:ASN:ND2	2.27	0.68
1:AB:253:ALA:O	1:AB:256:ASN:ND2	2.27	0.68
1:E:253:ALA:O	1:E:256:ASN:ND2	2.27	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:253:ALA:O	1:H:256:ASN:ND2	2.27	0.68
1:I:253:ALA:O	1:I:256:ASN:ND2	2.27	0.68

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	AA	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	AB	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	AC	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	AD	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	B	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	C	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	D	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	E	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	F	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	G	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	H	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	I	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	J	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	K	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	L	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	M	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	N	268/362 (74%)	262 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	O	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	P	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	Q	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	R	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	S	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	T	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	U	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	V	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	W	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	X	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	Y	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
1	Z	268/362 (74%)	262 (98%)	6 (2%)	0	100	100
All	All	8040/10860 (74%)	7860 (98%)	180 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/317 (73%)	231 (100%)	0	100	100
1	AA	231/317 (73%)	231 (100%)	0	100	100
1	AB	231/317 (73%)	231 (100%)	0	100	100
1	AC	231/317 (73%)	231 (100%)	0	100	100
1	AD	231/317 (73%)	231 (100%)	0	100	100
1	B	231/317 (73%)	231 (100%)	0	100	100
1	C	231/317 (73%)	231 (100%)	0	100	100
1	D	231/317 (73%)	231 (100%)	0	100	100
1	E	231/317 (73%)	231 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	231/317 (73%)	231 (100%)	0	100	100
1	G	231/317 (73%)	231 (100%)	0	100	100
1	H	231/317 (73%)	231 (100%)	0	100	100
1	I	231/317 (73%)	231 (100%)	0	100	100
1	J	231/317 (73%)	231 (100%)	0	100	100
1	K	231/317 (73%)	231 (100%)	0	100	100
1	L	231/317 (73%)	231 (100%)	0	100	100
1	M	231/317 (73%)	231 (100%)	0	100	100
1	N	231/317 (73%)	231 (100%)	0	100	100
1	O	231/317 (73%)	231 (100%)	0	100	100
1	P	231/317 (73%)	231 (100%)	0	100	100
1	Q	231/317 (73%)	231 (100%)	0	100	100
1	R	231/317 (73%)	231 (100%)	0	100	100
1	S	231/317 (73%)	231 (100%)	0	100	100
1	T	231/317 (73%)	231 (100%)	0	100	100
1	U	231/317 (73%)	231 (100%)	0	100	100
1	V	231/317 (73%)	231 (100%)	0	100	100
1	W	231/317 (73%)	231 (100%)	0	100	100
1	X	231/317 (73%)	231 (100%)	0	100	100
1	Y	231/317 (73%)	231 (100%)	0	100	100
1	Z	231/317 (73%)	231 (100%)	0	100	100
All	All	6930/9510 (73%)	6930 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
1	T	186	GLN
1	W	186	GLN
1	V	215	ASN
1	W	244	ASN
1	F	215	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 30 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-45453. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 328




Y Index: 189




Z Index: 191


6.3.2 Raw map



X Index: 320



Y Index: 191




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_45453_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 444 nm³; this corresponds to an approximate mass of 402 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.319 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.319\AA^{-1}

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.13	-	-
Author-provided FSC curve	3.13	3.22	3.14
Unmasked-calculated*	3.95	5.65	4.02

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.95 differs from the reported value 3.13 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-45453 and PDB model 9CCQ. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.62).































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.62) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8820	 0.5450
A	 0.8850	 0.5440
AA	 0.8820	 0.5420
AB	 0.8800	 0.5450
AC	 0.8800	 0.5460
AD	 0.8800	 0.5450
B	 0.8780	 0.5430
C	 0.8840	 0.5440
D	 0.8830	 0.5440
E	 0.8810	 0.5470
F	 0.8860	 0.5440
G	 0.8790	 0.5440
H	 0.8800	 0.5460
I	 0.8850	 0.5450
J	 0.8820	 0.5460
K	 0.8800	 0.5440
L	 0.8820	 0.5440
M	 0.8810	 0.5460
N	 0.8830	 0.5440
O	 0.8790	 0.5440
P	 0.8830	 0.5430
Q	 0.8800	 0.5440
R	 0.8830	 0.5440
S	 0.8820	 0.5450
T	 0.8800	 0.5460
U	 0.8880	 0.5440
V	 0.8790	 0.5440
W	 0.8770	 0.5450
X	 0.8870	 0.5450
Y	 0.8810	 0.5450
Z	 0.8800	 0.5430

