



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 01:27 AM UTC

PDB ID : 4CD3 / pdb_00004cd3
Title : RnNTPDase2 X4 variant in complex with PSB-071
Authors : Zebisch, M.; Schaefer, P.; Straeter, N.
Deposited on : 2013-10-29
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	8E9	A	1463[A]	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	8E9	A	1463[B]	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	421	3321	2113	577	614	17	4	6	0

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	6	MET	-	expression tag	UNP O35795
A	7	ALA	-	expression tag	UNP O35795
A	8	HIS	-	expression tag	UNP O35795
A	9	HIS	-	expression tag	UNP O35795
A	10	HIS	-	expression tag	UNP O35795
A	11	HIS	-	expression tag	UNP O35795
A	12	HIS	-	expression tag	UNP O35795
A	13	HIS	-	expression tag	UNP O35795
A	14	VAL	-	expression tag	UNP O35795
A	15	GLY	-	expression tag	UNP O35795
A	16	THR	-	expression tag	UNP O35795
A	17	GLY	-	expression tag	UNP O35795
A	18	SER	-	expression tag	UNP O35795
A	19	ASN	-	expression tag	UNP O35795
A	20	ASP	-	expression tag	UNP O35795
A	21	ASP	-	expression tag	UNP O35795
A	22	ASP	-	expression tag	UNP O35795
A	23	ASP	-	expression tag	UNP O35795
A	24	LYS	-	expression tag	UNP O35795
A	25	SER	-	expression tag	UNP O35795
A	26	PRO	-	expression tag	UNP O35795
A	27	ASP	-	expression tag	UNP O35795
A	127	LEU	PRO	variant	UNP O35795
A	128	LEU	PHE	variant	UNP O35795
A	153	GLU	GLU	engineered mutation	UNP O35795
A	426	SER	SER	engineered mutation	UNP O35795

- Molecule 2 is 1-AMINO-4-(3-METHYLPHENYL)AMINO-9,10-DIOXO-9,10-DIHYDROANTHRACENE-2-SULFONATE (CCD ID: 8E9) (formula: $C_{21}H_{16}N_2O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	S			
2	A	1	Total	29	21	2	5	1	0	0
2	A	1	Total	58	42	4	10	2	0	1

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	199	Total	O	0	1
			200	200		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	41.23Å 86.01Å 140.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.76 – 2.19 29.76 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.76-2.19) 99.3 (29.76-2.19)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.180 , 0.236 (Not available) , 0.226	Depositor DCC
R_{free} test set	1046 reflections (4.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtrriage
Anisotropy	0.187	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3614	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8E9, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.24	2/3416 (0.1%)	1.24	17/4641 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	322	SER	CA-C	-5.64	1.45	1.52
1	A	411	ARG	CD-NE	-5.57	1.38	1.46

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	388	VAL	CA-C-N	-8.33	111.21	120.45
1	A	388	VAL	C-N-CA	-8.33	111.21	120.45
1	A	115	THR	CA-C-N	-7.67	112.10	119.85
1	A	115	THR	C-N-CA	-7.67	112.10	119.85
1	A	297	ALA	N-CA-C	-7.16	105.08	113.88
1	A	411	ARG	NE-CZ-NH2	-7.11	112.80	119.20
1	A	326	SER	N-CA-C	-6.49	104.30	111.82
1	A	119	LEU	CA-C-N	-6.19	117.81	122.33
1	A	119	LEU	C-N-CA	-6.19	117.81	122.33
1	A	411	ARG	CG-CD-NE	-6.03	98.75	112.00
1	A	61	ASP	N-CA-C	5.99	118.57	111.33
1	A	409	LEU	N-CA-C	5.62	117.86	111.11
1	A	435	GLY	N-CA-C	-5.60	103.07	111.19
1	A	60	ALA	CA-C-N	5.30	127.64	120.38
1	A	60	ALA	C-N-CA	5.30	127.64	120.38
1	A	336	PRO	CA-C-N	-5.05	114.56	119.76
1	A	336	PRO	C-N-CA	-5.05	114.56	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3321	0	3253	53	1
2	A	87	0	48	27	0
3	A	6	0	8	0	0
4	A	200	0	0	6	0
All	All	3614	0	3309	64	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1463[A]:8E9:H2'	2:A:1463[A]:8E9:C3	1.59	1.27
2:A:1463[A]:8E9:H3	2:A:1463[A]:8E9:C2'	1.55	1.22
1:A:398:TYR:OH	2:A:1463[A]:8E9:H6	1.63	0.98
1:A:50:HIS:CE1	2:A:1462:8E9:H6	2.11	0.84
1:A:76:ASP:OD2	2:A:1463[A]:8E9:H4'	1.79	0.81
1:A:261:ARG:HG3	1:A:261:ARG:HH11	1.48	0.78
1:A:245:ARG:HH11	2:A:1463[B]:8E9:C5	1.95	0.78
1:A:245:ARG:HD3	2:A:1463[B]:8E9:H6	1.71	0.71
1:A:66:THR:HB	1:A:229:TYR:CZ	2.28	0.68
2:A:1463[A]:8E9:H2'	2:A:1463[A]:8E9:H3	0.73	0.67
1:A:318:PHE:HB2	1:A:411:ARG:HD3	1.78	0.66
1:A:388:VAL:HG23	1:A:388:VAL:O	1.96	0.64
2:A:1463[B]:8E9:H7'3	4:A:2024:HOH:O	1.98	0.63
1:A:367:LYS:HE2	1:A:371:GLU:OE2	1.99	0.63
1:A:76:ASP:OD2	2:A:1463[A]:8E9:C4'	2.47	0.62
1:A:144:THR:O	1:A:148:THR:HG23	2.00	0.62
1:A:245:ARG:HH11	2:A:1463[B]:8E9:H5	1.65	0.61
1:A:261:ARG:HG3	1:A:261:ARG:NH1	2.13	0.61
1:A:178:GLU:HA	4:A:2026:HOH:O	2.02	0.59
1:A:137:ALA:O	1:A:141:GLU:HG3	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:TYR:CZ	2:A:1463[A]:8E9:H6	2.38	0.57
1:A:388:VAL:O	1:A:388:VAL:CG2	2.52	0.57
1:A:289:ARG:HH11	1:A:289:ARG:HB3	1.71	0.55
1:A:350:TYR:OH	2:A:1463[B]:8E9:C2'	2.55	0.54
2:A:1462:8E9:H3	2:A:1462:8E9:C2'	2.38	0.54
1:A:61:ASP:OD1	1:A:61:ASP:N	2.31	0.53
1:A:245:ARG:NH1	2:A:1463[B]:8E9:C5	2.70	0.53
1:A:289:ARG:HH11	1:A:289:ARG:CB	2.23	0.52
2:A:1463[A]:8E9:H7'2	4:A:2024:HOH:O	2.10	0.51
1:A:316:ARG:HG2	1:A:316:ARG:HH11	1.76	0.50
1:A:248:ILE:HD12	1:A:317:LEU:HD13	1.94	0.49
1:A:66:THR:HB	1:A:229:TYR:OH	2.13	0.49
1:A:282:SER:O	1:A:286:MET:HG2	2.12	0.49
1:A:97:VAL:O	1:A:101:GLU:HG2	2.13	0.49
1:A:245:ARG:NH1	2:A:1463[B]:8E9:H5	2.28	0.48
1:A:58:TRP:CD1	1:A:63:GLU:CB	2.97	0.48
1:A:355:LEU:O	1:A:359:MET:HB2	2.14	0.48
2:A:1463[A]:8E9:C3	2:A:1463[A]:8E9:C2'	2.33	0.47
1:A:347:ALA:HB2	2:A:1463[A]:8E9:O9	2.15	0.46
1:A:316:ARG:NH2	4:A:2149:HOH:O	2.49	0.46
1:A:58:TRP:CD1	1:A:63:GLU:HB3	2.50	0.46
1:A:245:ARG:HD3	2:A:1463[B]:8E9:C6	2.44	0.45
2:A:1463[A]:8E9:OS3	2:A:1463[A]:8E9:N1	2.45	0.45
1:A:225:HIS:ND1	1:A:232:HIS:NE2	2.60	0.44
1:A:392:LYS:HG2	2:A:1462:8E9:OS2	2.17	0.44
1:A:210:THR:HA	1:A:236:TYR:O	2.18	0.44
1:A:126:ARG:HD3	1:A:160:LEU:O	2.18	0.43
1:A:352:VAL:HG13	1:A:363:VAL:HG21	2.00	0.43
1:A:373[A]:THR:HG21	1:A:403:MET:HA	2.01	0.43
1:A:449:PRO:HB2	1:A:451:ASP:O	2.19	0.43
1:A:289:ARG:CB	1:A:289:ARG:NH1	2.82	0.43
1:A:367:LYS:HD3	4:A:2170:HOH:O	2.19	0.43
1:A:50:HIS:NE2	2:A:1462:8E9:H6	2.33	0.42
1:A:451:ASP:HB2	4:A:2199:HOH:O	2.19	0.42
1:A:257:LEU:CD2	1:A:299:VAL:HG21	2.50	0.42
1:A:398:TYR:CE1	2:A:1463[A]:8E9:H6	2.55	0.41
2:A:1463[A]:8E9:O9	2:A:1463[A]:8E9:N1	2.40	0.41
1:A:441:MET:HE2	1:A:441:MET:HB3	1.98	0.41
2:A:1462:8E9:C2'	2:A:1462:8E9:C3	2.99	0.41
2:A:1463[B]:8E9:O16	2:A:1463[B]:8E9:N4	2.54	0.41
1:A:241:LEU:O	1:A:242:CYS:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ILE:HD13	1:A:248:ILE:HA	1.79	0.41
1:A:417:GLU:HA	1:A:417:GLU:OE1	2.21	0.41
1:A:397:ASP:O	1:A:401:VAL:HG23	2.20	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ARG:NH2	1:A:281:GLN:OE1[3_554]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	423/456 (93%)	408 (96%)	15 (4%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	357/382 (94%)	346 (97%)	11 (3%)	35 48

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	ASP
1	A	90	SER
1	A	191	ARG
1	A	258	GLN
1	A	261	ARG
1	A	298	ILE
1	A	388	VAL
1	A	399	CYS
1	A	428	LYS
1	A	441	MET
1	A	459	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN
1	A	222	ASN
1	A	231	GLN
1	A	273	GLN
1	A	385	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	8E9	A	1463[A]	-	32,32,32	2.21	7 (21%)	46,49,49	2.16	9 (19%)
2	8E9	A	1463[B]	-	32,32,32	2.28	8 (25%)	46,49,49	1.27	8 (17%)
2	8E9	A	1462	-	32,32,32	2.57	6 (18%)	46,49,49	1.68	8 (17%)
3	GOL	A	1464	-	5,5,5	1.38	1 (20%)	5,5,5	1.76	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8E9	A	1463[A]	-	-	0/10/26/26	0/4/4/4
2	8E9	A	1463[B]	-	-	2/10/26/26	0/4/4/4
2	8E9	A	1462	-	-	1/10/26/26	0/4/4/4
3	GOL	A	1464	-	-	2/4/4/4	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1463[A]	8E9	C2-S2	-7.74	1.57	1.77
2	A	1462	8E9	C1-C2	7.29	1.50	1.42
2	A	1463[B]	8E9	C2-S2	-6.34	1.61	1.77
2	A	1462	8E9	C13-C14	5.95	1.50	1.40
2	A	1462	8E9	C12-C1	5.64	1.49	1.42
2	A	1463[A]	8E9	C13-C14	5.17	1.49	1.40
2	A	1463[B]	8E9	C1-C2	5.17	1.47	1.42
2	A	1463[B]	8E9	C13-C14	4.80	1.48	1.40
2	A	1462	8E9	C11-C4	4.71	1.50	1.41
2	A	1462	8E9	C2-S2	-4.66	1.65	1.77
2	A	1463[B]	8E9	C12-C1	4.57	1.48	1.42
2	A	1463[A]	8E9	C11-C4	4.39	1.50	1.41
2	A	1463[A]	8E9	C12-C1	3.35	1.46	1.42
2	A	1463[B]	8E9	C11-C4	3.28	1.47	1.41
2	A	1463[B]	8E9	C12-C11	3.26	1.49	1.41
2	A	1462	8E9	C12-C11	3.26	1.49	1.41
2	A	1463[A]	8E9	C12-C11	3.14	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1463[B]	8E9	O16-C10	3.01	1.28	1.22
2	A	1463[A]	8E9	C1-C2	2.66	1.45	1.42
3	A	1464	GOL	O2-C2	2.41	1.50	1.43
2	A	1463[A]	8E9	O16-C10	2.25	1.26	1.22
2	A	1463[B]	8E9	C1'-N4	-2.07	1.36	1.40

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1463[A]	8E9	C1-C2-S2	-9.72	109.97	121.58
2	A	1463[A]	8E9	C1-C12-C9	-5.76	115.46	120.62
2	A	1462	8E9	OS1-S2-C2	4.57	115.01	106.12
2	A	1463[A]	8E9	C1'-N4-C4	-4.31	115.73	126.73
2	A	1462	8E9	C11-C12-C1	-4.22	117.58	119.88
2	A	1462	8E9	C11-C4-N4	-4.13	115.05	120.56
2	A	1462	8E9	O16-C10-C14	-3.23	116.33	120.99
2	A	1462	8E9	C3-C2-C1	-3.11	118.02	121.78
2	A	1462	8E9	C12-C1-N1	-3.11	118.37	122.59
2	A	1463[B]	8E9	C1-C12-C9	-2.93	118.00	120.62
2	A	1463[A]	8E9	C12-C11-C4	-2.79	117.66	119.74
2	A	1463[A]	8E9	C2-C1-N1	-2.62	119.99	122.64
2	A	1463[A]	8E9	C11-C12-C9	2.51	123.40	120.00
3	A	1464	GOL	C3-C2-C1	-2.48	102.69	111.80
2	A	1463[B]	8E9	C11-C4-N4	-2.41	117.35	120.56
2	A	1463[B]	8E9	C4'-C5'-C6'	2.38	123.30	120.24
3	A	1464	GOL	O2-C2-C1	2.32	118.78	109.18
2	A	1463[B]	8E9	OS3-S2-C2	2.31	111.85	106.52
2	A	1463[A]	8E9	C11-C12-C1	2.31	121.14	119.88
2	A	1462	8E9	OS1-S2-OS3	-2.24	101.16	111.55
2	A	1463[A]	8E9	C4-C11-C10	2.19	124.03	121.05
2	A	1463[B]	8E9	C12-C1-N1	-2.19	119.61	122.59
2	A	1463[B]	8E9	OS1-S2-C2	2.16	110.32	106.12
2	A	1463[B]	8E9	C1-C2-S2	-2.10	119.08	121.58
2	A	1462	8E9	C2-C1-N1	-2.09	120.52	122.64
2	A	1463[B]	8E9	C3-C2-C1	-2.09	119.25	121.78
2	A	1463[A]	8E9	O9-C9-C12	-2.07	117.99	121.44

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1464	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	1464	GOL	O2-C2-C3-O3
2	A	1463[B]	8E9	C11-C4-N4-C1'
2	A	1463[B]	8E9	C3-C4-N4-C1'
2	A	1462	8E9	C1-C2-S2-OS1


There are no ring outliers.


3 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1463[A]	8E9	13	0
2	A	1463[B]	8E9	9	0
2	A	1462	8E9	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/456 (92%)	-0.14	19 (4%) 38 35	12, 26, 56, 99	6 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	459	THR	6.6
1	A	455	LEU	4.5
1	A	458	GLY	4.3
1	A	66	THR	4.2
1	A	36	PRO	3.9
1	A	461	PHE	3.8
1	A	454	GLY	3.8
1	A	457	LYS	3.4
1	A	67	GLY	3.3
1	A	453	PRO	3.2
1	A	296	SER	3.1
1	A	460	HIS	2.9
1	A	297	ALA	2.7
1	A	62	LYS	2.7
1	A	456	ARG	2.6
1	A	61	ASP	2.4
1	A	60	ALA	2.3
1	A	430[A]	ALA	2.3
1	A	277	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	8E9	A	1463[A]	29/29	0.66	0.21	34,41,46,48	29
2	8E9	A	1463[B]	29/29	0.66	0.21	35,42,61,67	29
3	GOL	A	1464	6/6	0.87	0.13	32,34,42,50	0
2	8E9	A	1462	29/29	0.91	0.10	26,43,53,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [i](#)

There are no such residues in this entry.