



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:16 PM UTC

PDB ID : 4CDR / pdb_00004cdr
Title : Human O-GlcNAc transferase in complex with a bisubstrate inhibitor, Goblin1
Authors : Schimpl, M.; Gundogdu, M.; van Aalten, D.M.F.
Deposited on : 2013-11-05
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2361 (3.20-3.12)
Clashscore	190562	2486 (3.20-3.12)
Ramachandran outliers	187476	2405 (3.20-3.12)
Sidechain outliers	187428	2404 (3.20-3.12)
RSRZ outliers	180081	2361 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	723	 2% 84% 12% ..
1	B	723	 2% 85% 10% ..
1	C	723	 2% 85% 10% ..
1	D	723	 % 83% 12% ..
2	E	9	 44% 33% 22%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	9	 33% 33% 22% 11%
2	G	9	 44% 33% 22%
2	H	9	 44% 44% 11%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 22523 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTRANSFERASE 110 KDA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	698	5514	3499	964	1013	38	0	0	0
1	B	698	5514	3499	964	1013	38	0	0	0
1	C	698	5514	3499	964	1013	38	0	0	0
1	D	698	5514	3499	964	1013	38	0	0	0


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	GLY	-	expression tag	UNP O15294
A	310	PRO	-	expression tag	UNP O15294
A	311	GLY	-	expression tag	UNP O15294
A	312	SER	-	expression tag	UNP O15294
B	309	GLY	-	expression tag	UNP O15294
B	310	PRO	-	expression tag	UNP O15294
B	311	GLY	-	expression tag	UNP O15294
B	312	SER	-	expression tag	UNP O15294
C	309	GLY	-	expression tag	UNP O15294
C	310	PRO	-	expression tag	UNP O15294
C	311	GLY	-	expression tag	UNP O15294
C	312	SER	-	expression tag	UNP O15294
D	309	GLY	-	expression tag	UNP O15294
D	310	PRO	-	expression tag	UNP O15294
D	311	GLY	-	expression tag	UNP O15294
D	312	SER	-	expression tag	UNP O15294

- Molecule 2 is a protein called GOBLIN1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	9	Total	C	N	O	0	0	1
			53	34	8	11			
2	F	9	Total	C	N	O	0	0	1
			53	34	8	11			
2	G	9	Total	C	N	O	0	0	1
			53	34	8	11			
2	H	9	Total	C	N	O	0	0	1
			53	34	8	11			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	E	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	F	1	Total O S 5 4 1	0	0
3	H	1	Total O S 5 4 1	0	0

- Molecule 4 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	E	1	Total C N O P 25 9 2 12 2	0	0
4	F	1	Total C N O P 25 9 2 12 2	0	0
4	G	1	Total C N O P 25 9 2 12 2	0	0
4	H	1	Total C N O P 25 9 2 12 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTR ANSFERASE 110 KDA SUBUNIT




- Molecule 1: UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTR ANSFERASE 110 KDA SUBUNIT




● Molecule 1: UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTR ANSFERASE 110 KDA SUBUNIT




● Molecule 1: UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTR ANSFERASE 110 KDA SUBUNIT




● Molecule 2: GOBLIN1



● Molecule 2: GOBLIN1



● Molecule 2: GOBLIN1

Chain G:  44% 33% 22%

● Molecule 2: GOBLIN1

Chain H:  44% 44% 11%

4 Data and refinement statistics i

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	273.73Å 273.73Å 142.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 3.15 30.00 – 3.15	Depositor EDS
% Data completeness (in resolution range)	99.0 (30.00-3.15) 98.9 (30.00-3.15)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 3.18Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.197 , 0.213 0.192 , 0.209	Depositor DCC
R_{free} test set	3141 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	59.0	Xtrriage
Anisotropy	0.037	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 14.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	22523	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, SRZ, UDP, SO4, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	0/5641	0.93	3/7650 (0.0%)
1	B	0.76	0/5641	0.93	3/7650 (0.0%)
1	C	0.75	0/5641	0.94	2/7650 (0.0%)
1	D	0.72	0/5641	0.92	4/7650 (0.1%)
2	E	2.26	2/40 (5.0%)	2.81	3/55 (5.5%)
2	F	2.23	2/40 (5.0%)	2.63	3/55 (5.5%)
2	G	2.45	2/40 (5.0%)	2.46	3/55 (5.5%)
2	H	2.28	2/40 (5.0%)	2.15	3/55 (5.5%)
All	All	0.77	8/22724 (0.0%)	0.95	24/30820 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	4	PRO	CA-C	-9.82	1.40	1.52
2	H	4	PRO	CA-C	-9.34	1.40	1.52
2	E	4	PRO	CA-C	-9.20	1.40	1.52
2	F	4	PRO	CA-C	-8.64	1.42	1.52
2	G	8	ALA	C-O	6.99	1.37	1.23
2	E	8	ALA	C-O	6.91	1.37	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	8	ALA	C-O	6.42	1.36	1.23
2	F	8	ALA	C-O	6.28	1.36	1.23

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	3	THR	CA-C-N	10.47	130.55	119.76
2	E	3	THR	C-N-CA	10.47	130.55	119.76
2	F	5	VAL	N-CA-CB	-9.41	95.50	111.50
2	F	3	THR	CA-C-N	8.77	129.30	119.83
2	F	3	THR	C-N-CA	8.77	129.30	119.83
2	G	3	THR	CA-C-N	8.66	128.68	119.76
2	G	3	THR	C-N-CA	8.66	128.68	119.76
2	E	5	VAL	N-CA-CB	-7.98	97.93	111.50
2	H	5	VAL	N-CA-CB	-7.05	99.52	111.50
1	B	508	GLY	N-CA-C	-6.88	105.84	114.16
1	D	508	GLY	N-CA-C	-6.87	105.85	114.16
1	A	508	GLY	N-CA-C	-6.59	104.54	113.37
2	G	5	VAL	N-CA-CB	-6.58	100.32	111.50
1	C	508	GLY	N-CA-C	-6.28	106.56	114.16
2	H	3	THR	CA-C-N	6.25	126.01	119.76
2	H	3	THR	C-N-CA	6.25	126.01	119.76
1	C	507	HIS	N-CA-C	6.22	124.05	110.80
1	B	507	HIS	N-CA-C	5.89	123.35	110.80
1	D	419	ALA	N-CA-C	5.86	117.34	111.07
1	A	507	HIS	N-CA-C	5.81	123.18	110.80
1	D	996	LEU	N-CA-C	5.81	117.61	111.28
1	D	507	HIS	N-CA-C	5.41	122.33	110.80
1	B	992	ILE	CB-CA-C	-5.36	105.18	111.94
1	A	722	ASN	N-CA-C	5.28	116.64	110.41

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	506	SER	Peptide
1	B	506	SER	Peptide
1	C	506	SER	Peptide
1	D	506	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5514	0	5489	51	0
1	B	5514	0	5489	41	0
1	C	5514	0	5489	41	0
1	D	5514	0	5489	51	0
2	E	53	0	55	3	0
2	F	53	0	55	1	0
2	G	53	0	55	0	0
2	H	53	0	55	1	0
3	A	40	0	0	0	0
3	B	35	0	0	0	0
3	C	30	0	0	1	0
3	D	35	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	0	0
3	H	5	0	0	0	0
4	E	25	0	11	0	0
4	F	25	0	11	0	0
4	G	25	0	11	0	0
4	H	25	0	11	0	0
All	All	22523	0	22220	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:889:ARG:HG3	1:A:889:ARG:HH11	1.47	0.79
1:B:889:ARG:HH11	1:B:889:ARG:HG3	1.49	0.78
1:D:889:ARG:HH11	1:D:889:ARG:HG3	1.52	0.74
1:C:889:ARG:HH11	1:C:889:ARG:HG3	1.55	0.72
1:C:360:VAL:O	1:C:364:GLN:HG3	1.95	0.66
1:D:835:CYS:SG	1:D:911:CYS:HB2	2.36	0.66
1:A:644:ARG:HH11	1:A:644:ARG:HG2	1.61	0.65
1:D:644:ARG:CG	1:D:644:ARG:HH11	2.11	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:644:ARG:HH11	1:B:644:ARG:HG2	1.63	0.64
1:A:719:ILE:HG22	1:A:719:ILE:O	1.97	0.63
1:C:719:ILE:O	1:C:719:ILE:HG22	1.97	0.63
1:D:850:MET:HE1	1:D:915:PRO:HG2	1.81	0.63
1:D:644:ARG:HH11	1:D:644:ARG:HG2	1.63	0.62
1:A:644:ARG:HH11	1:A:644:ARG:CG	2.12	0.62
1:B:644:ARG:HH11	1:B:644:ARG:CG	2.14	0.60
1:D:719:ILE:HG22	1:D:719:ILE:O	2.01	0.60
1:A:884:GLY:O	1:B:1027:ILE:HD12	2.02	0.59
1:B:360:VAL:O	1:B:364:GLN:HG3	2.02	0.59
1:A:360:VAL:O	1:A:364:GLN:HG3	2.02	0.58
1:A:850:MET:HE1	1:A:915:PRO:HG2	1.85	0.58
1:A:889:ARG:HG3	1:A:889:ARG:NH1	2.14	0.58
1:B:719:ILE:HG22	1:B:719:ILE:O	2.02	0.58
1:B:889:ARG:HG3	1:B:889:ARG:NH1	2.18	0.58
1:C:678:VAL:O	1:C:681:GLN:HG3	2.04	0.58
1:A:507:HIS:ND1	1:A:507:HIS:O	2.37	0.58
1:A:507:HIS:HE2	1:A:681:GLN:CD	2.12	0.57
1:D:847:THR:HA	1:D:850:MET:HE3	1.86	0.57
1:D:360:VAL:O	1:D:364:GLN:HG3	2.06	0.56
1:B:850:MET:HE1	1:B:915:PRO:HG2	1.87	0.55
1:D:430:LYS:NZ	1:D:461:HIS:HD2	2.04	0.55
1:C:850:MET:HE1	1:C:915:PRO:HG2	1.88	0.55
1:B:726:LEU:HD22	1:B:819:VAL:HG22	1.88	0.55
1:C:430:LYS:NZ	1:C:461:HIS:HD2	2.05	0.54
1:D:867:ARG:HB3	1:D:870:ALA:HA	1.89	0.54
1:B:867:ARG:HB3	1:B:870:ALA:HA	1.89	0.54
1:A:364:GLN:HB3	1:A:527:VAL:HG11	1.89	0.54
1:C:778:GLU:OE2	1:C:782:ARG:HD3	2.08	0.54
1:C:644:ARG:CG	1:C:644:ARG:HH11	2.20	0.53
1:A:516:ARG:NH1	1:A:519:ASN:HD22	2.07	0.53
1:A:835:CYS:SG	1:A:911:CYS:HB2	2.49	0.53
1:C:724:ILE:HG23	1:C:821:THR:HG22	1.91	0.53
1:C:566:SER:HB2	1:C:697:ASP:OD1	2.09	0.52
1:C:364:GLN:HB3	1:C:527:VAL:HG11	1.91	0.52
1:C:889:ARG:HG3	1:C:889:ARG:NH1	2.23	0.52
1:C:434:ASN:HB2	1:C:437:GLU:CG	2.39	0.52
1:D:516:ARG:NH1	1:D:519:ASN:HD22	2.07	0.52
1:D:566:SER:HB2	1:D:697:ASP:OD1	2.10	0.52
1:B:516:ARG:NH1	1:B:519:ASN:HD22	2.08	0.52
1:C:726:LEU:HD22	1:C:819:VAL:HG22	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:835:CYS:SG	1:B:911:CYS:HB2	2.50	0.52
1:A:847:THR:HA	1:A:850:MET:HE3	1.91	0.51
1:B:644:ARG:CG	1:B:644:ARG:NH1	2.73	0.51
2:E:2:VAL:CG1	2:E:3:THR:HG22	2.40	0.51
1:A:644:ARG:CG	1:A:644:ARG:NH1	2.72	0.51
1:B:1028:LYS:O	1:B:1028:LYS:HG3	2.11	0.51
1:B:778:GLU:OE2	1:B:782:ARG:HD3	2.11	0.51
1:B:678:VAL:O	1:B:681:GLN:HG3	2.12	0.50
1:D:389:SER:OG	1:D:424:ASN:ND2	2.44	0.50
1:A:566:SER:HB2	1:A:697:ASP:OD1	2.12	0.50
1:B:430:LYS:NZ	1:B:461:HIS:HD2	2.09	0.50
1:A:546:LEU:HD21	1:A:625:ILE:HD12	1.93	0.50
1:B:364:GLN:HB3	1:B:527:VAL:HG11	1.94	0.50
1:D:678:VAL:O	1:D:681:GLN:HG3	2.12	0.50
1:D:828:PRO:HG2	1:D:831:ALA:HB3	1.93	0.50
1:A:434:ASN:HB2	1:A:437:GLU:CG	2.42	0.49
1:D:889:ARG:HG3	1:D:889:ARG:NH1	2.24	0.49
1:C:713:PHE:H	1:C:713:PHE:HD1	1.60	0.49
1:D:364:GLN:HB3	1:D:527:VAL:HG11	1.95	0.49
1:A:726:LEU:HD22	1:A:819:VAL:HG22	1.95	0.49
1:B:828:PRO:HG2	1:B:831:ALA:HB3	1.93	0.49
1:D:546:LEU:HD21	1:D:625:ILE:HD12	1.94	0.49
1:A:881:GLN:HB3	1:B:677:GLU:HG3	1.93	0.49
1:C:847:THR:HA	1:C:850:MET:HE3	1.93	0.49
1:D:644:ARG:CG	1:D:644:ARG:NH1	2.71	0.48
1:C:644:ARG:HH11	1:C:644:ARG:HG2	1.78	0.48
1:D:778:GLU:OE2	1:D:782:ARG:HD3	2.13	0.48
1:A:461:HIS:O	1:A:465:ILE:HG13	2.13	0.48
1:A:430:LYS:NZ	1:A:461:HIS:HD2	2.12	0.48
1:C:434:ASN:HB2	1:C:437:GLU:HG2	1.96	0.48
1:C:516:ARG:NH1	1:C:519:ASN:HD22	2.12	0.48
1:D:434:ASN:HB2	1:D:437:GLU:CG	2.44	0.48
1:B:713:PHE:H	1:B:713:PHE:HD1	1.61	0.48
1:C:561:SER:O	1:C:565:GLN:HB3	2.14	0.48
1:C:986:LYS:O	1:C:990:GLN:HG2	2.14	0.47
1:A:713:PHE:H	1:A:713:PHE:HD1	1.61	0.47
1:D:442:TYR:CZ	1:D:458:ASN:HB3	2.49	0.47
1:D:805:ASN:H	1:D:805:ASN:HD22	1.61	0.47
1:D:895:VAL:HG11	2:H:3:THR:HG21	1.96	0.47
1:B:847:THR:HA	1:B:850:MET:HE3	1.97	0.47
1:D:713:PHE:HD1	1:D:713:PHE:H	1.63	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:835:CYS:SG	1:C:911:CYS:HB2	2.54	0.47
1:C:546:LEU:HD21	1:C:625:ILE:HD12	1.95	0.47
1:A:678:VAL:O	1:A:681:GLN:HG3	2.14	0.46
1:A:859:PRO:HG2	1:B:1016:HIS:ND1	2.31	0.46
1:C:507:HIS:O	1:C:507:HIS:ND1	2.48	0.46
1:A:442:TYR:CZ	1:A:458:ASN:HB3	2.49	0.46
1:B:986:LYS:O	1:B:990:GLN:HG2	2.16	0.46
1:A:855:LEU:O	1:A:889:ARG:NH2	2.48	0.46
1:C:719:ILE:O	1:C:719:ILE:CG2	2.62	0.46
1:A:695:ILE:HG13	1:A:696:GLY:N	2.31	0.46
1:A:867:ARG:HB3	1:A:870:ALA:HA	1.98	0.46
1:D:434:ASN:HB2	1:D:437:GLU:HG2	1.98	0.46
1:D:986:LYS:O	1:D:990:GLN:HG2	2.16	0.45
1:C:867:ARG:HB3	1:C:870:ALA:HA	1.97	0.45
1:B:695:ILE:HG13	1:B:696:GLY:N	2.30	0.45
1:D:852:ALA:HA	1:D:885:LEU:HD11	1.98	0.45
1:A:507:HIS:NE2	1:A:681:GLN:HG2	2.31	0.45
1:B:434:ASN:HB2	1:B:437:GLU:CG	2.46	0.45
1:D:467:CYS:SG	1:D:876:ILE:HD11	2.56	0.45
1:D:805:ASN:H	1:D:805:ASN:ND2	2.15	0.45
1:D:994:SER:HB2	1:D:995:PRO:HD2	1.98	0.45
1:A:689:MET:HE2	1:A:1002:TYR:CE2	2.52	0.45
1:A:778:GLU:OE2	1:A:782:ARG:HD3	2.17	0.45
1:D:507:HIS:HE2	1:D:681:GLN:CD	2.24	0.45
1:A:434:ASN:HB2	1:A:437:GLU:HG2	1.98	0.45
1:D:408:TYR:CZ	1:D:424:ASN:HB3	2.52	0.44
1:A:952:CYS:SG	1:A:995:PRO:HG2	2.56	0.44
1:B:678:VAL:HB	1:B:681:GLN:HG3	1.98	0.44
1:D:855:LEU:HD23	1:D:861:SER:OG	2.17	0.44
1:D:325:ASN:O	1:D:329:GLU:HG2	2.18	0.44
1:A:719:ILE:O	1:A:719:ILE:CG2	2.63	0.44
1:C:374:TYR:O	1:C:378:ILE:HG12	2.18	0.44
1:D:704:HIS:O	1:D:727:ASN:HB3	2.17	0.44
1:C:644:ARG:CG	1:C:644:ARG:NH1	2.80	0.44
1:D:746:MET:HG3	1:D:763:ASN:HA	2.00	0.44
1:A:561:SER:O	1:A:565:GLN:HB3	2.17	0.44
1:B:507:HIS:O	1:B:507:HIS:ND1	2.51	0.44
1:B:655:TYR:HA	1:B:656:PRO:HD3	1.91	0.44
1:A:507:HIS:NE2	1:A:681:GLN:OE1	2.45	0.44
1:C:507:HIS:HE2	1:C:681:GLN:CD	2.26	0.43
1:D:885:LEU:HA	1:D:886:PRO:HD2	1.89	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:994:SER:HB2	1:A:995:PRO:HD2	2.00	0.43
1:A:986:LYS:O	1:A:990:GLN:HG2	2.18	0.43
1:B:426:ALA:HB2	1:B:441:SER:CB	2.48	0.43
1:C:952:CYS:SG	1:C:995:PRO:HG2	2.58	0.43
1:D:581:TYR:CE1	1:D:603:ILE:HD13	2.54	0.43
1:C:340:TYR:CZ	1:C:356:ASN:HB3	2.54	0.43
1:D:930:GLY:HA2	1:D:987:VAL:HG12	1.99	0.43
2:E:2:VAL:HG12	2:E:3:THR:HG22	2.00	0.43
1:B:546:LEU:HD21	1:B:625:ILE:HD12	2.00	0.43
1:C:442:TYR:CZ	1:C:458:ASN:HB3	2.54	0.43
1:B:704:HIS:O	1:B:727:ASN:HB3	2.18	0.42
1:C:695:ILE:HG13	1:C:696:GLY:N	2.34	0.42
1:D:695:ILE:HG13	1:D:696:GLY:N	2.34	0.42
2:E:2:VAL:HG13	2:E:3:THR:HG22	2.01	0.42
1:C:509:PHE:O	1:C:513:ILE:HG13	2.19	0.42
1:C:678:VAL:HB	1:C:681:GLN:HG3	2.00	0.42
1:A:374:TYR:O	1:A:378:ILE:HG12	2.18	0.42
1:A:408:TYR:CE1	1:A:424:ASN:HB3	2.55	0.42
1:B:507:HIS:HE2	1:B:681:GLN:CD	2.27	0.42
1:B:644:ARG:HH22	1:B:665:ASP:CG	2.27	0.42
1:B:461:HIS:O	1:B:465:ILE:HG13	2.19	0.42
1:B:729:ILE:HD13	1:B:729:ILE:HA	1.88	0.42
1:A:655:TYR:HA	1:A:656:PRO:HD3	1.93	0.42
1:D:596:MET:HG2	1:D:602:PHE:CD1	2.55	0.41
1:C:381:SER:O	1:C:384:PHE:HB2	2.21	0.41
1:C:855:LEU:O	1:C:889:ARG:NH2	2.50	0.41
1:D:430:LYS:NZ	1:D:461:HIS:CD2	2.85	0.41
2:F:5:VAL:HG12	2:F:7:THR:HG23	2.01	0.41
1:A:327:LYS:HD2	1:A:335:GLU:HG2	2.03	0.41
1:A:581:TYR:CE1	1:A:603:ILE:HD13	2.56	0.41
1:D:461:HIS:O	1:D:465:ILE:HG13	2.20	0.41
1:D:655:TYR:HA	1:D:656:PRO:HD3	1.87	0.41
1:A:408:TYR:CZ	1:A:424:ASN:HB3	2.55	0.41
1:A:507:HIS:NE2	1:A:681:GLN:CD	2.77	0.41
1:B:719:ILE:O	1:B:719:ILE:CG2	2.67	0.41
1:D:694:PHE:CZ	1:D:920:HIS:HB3	2.55	0.41
1:A:426:ALA:HB2	1:A:441:SER:CB	2.51	0.41
1:D:678:VAL:HB	1:D:681:GLN:HG3	2.03	0.41
1:D:855:LEU:O	1:D:889:ARG:NH2	2.52	0.41
1:D:952:CYS:SG	1:D:995:PRO:HG2	2.61	0.41
1:A:805:ASN:HD22	1:A:805:ASN:H	1.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:724:ILE:HG23	1:B:821:THR:HG22	2.03	0.41
1:B:852:ALA:HA	1:B:885:LEU:HD11	2.03	0.41
1:C:352:ALA:HB1	3:C:2029:SO4:O1	2.21	0.41
1:C:408:TYR:CZ	1:C:424:ASN:HB3	2.56	0.41
1:C:729:ILE:HD13	1:C:729:ILE:HA	1.89	0.41
1:D:724:ILE:HG23	1:D:821:THR:HG22	2.03	0.41
1:C:941:LEU:C	1:C:941:LEU:HD23	2.46	0.41
1:D:911:CYS:O	1:D:933:MET:HA	2.21	0.41
1:B:566:SER:HB2	1:B:697:ASP:OD1	2.21	0.40
1:A:457:CYS:SG	1:A:479:LEU:CD2	3.09	0.40
1:B:644:ARG:NH2	1:B:665:ASP:OD1	2.54	0.40
1:A:678:VAL:HB	1:A:681:GLN:HG3	2.04	0.40
1:A:729:ILE:HD13	1:A:729:ILE:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	692/723 (96%)	665 (96%)	27 (4%)	0	100	100
1	B	692/723 (96%)	665 (96%)	27 (4%)	0	100	100
1	C	692/723 (96%)	670 (97%)	22 (3%)	0	100	100
1	D	692/723 (96%)	665 (96%)	26 (4%)	1 (0%)	48	76
2	E	6/9 (67%)	5 (83%)	0	1 (17%)	0	0
2	F	6/9 (67%)	5 (83%)	0	1 (17%)	0	0
2	G	6/9 (67%)	5 (83%)	0	1 (17%)	0	0
2	H	6/9 (67%)	5 (83%)	0	1 (17%)	0	0
All	All	2792/2928 (95%)	2685 (96%)	102 (4%)	5 (0%)	43	71

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	2	VAL
2	H	2	VAL
2	E	2	VAL
1	D	506	SER
2	F	2	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	600/618 (97%)	569 (95%)	31 (5%)	21	49
1	B	600/618 (97%)	571 (95%)	29 (5%)	23	52
1	C	600/618 (97%)	568 (95%)	32 (5%)	20	49
1	D	600/618 (97%)	571 (95%)	29 (5%)	23	52
2	E	5/5 (100%)	3 (60%)	2 (40%)	0	0
2	F	5/5 (100%)	2 (40%)	3 (60%)	0	0
2	G	5/5 (100%)	3 (60%)	2 (40%)	0	0
2	H	5/5 (100%)	4 (80%)	1 (20%)	1	6
All	All	2420/2492 (97%)	2291 (95%)	129 (5%)	20	49

All (129) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	315	THR
1	A	326	ILE
1	A	333	ILE
1	A	372	MET
1	A	375	LYS
1	A	381	SER
1	A	401	VAL
1	A	434	ASN
1	A	437	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	481	SER
1	A	523	ASP
1	A	525	ILE
1	A	527	VAL
1	A	566	SER
1	A	572	ASN
1	A	620	GLN
1	A	630	ASN
1	A	634	LYS
1	A	644	ARG
1	A	671	GLN
1	A	680	GLU
1	A	713	PHE
1	A	771	THR
1	A	772	ILE
1	A	778	GLU
1	A	793	SER
1	A	846	SER
1	A	860	ASN
1	A	882	ASN
1	A	926	VAL
1	A	981	LYS
1	B	315	THR
1	B	326	ILE
1	B	333	ILE
1	B	372	MET
1	B	375	LYS
1	B	381	SER
1	B	401	VAL
1	B	434	ASN
1	B	437	GLU
1	B	481	SER
1	B	523	ASP
1	B	525	ILE
1	B	620	GLN
1	B	630	ASN
1	B	634	LYS
1	B	644	ARG
1	B	671	GLN
1	B	680	GLU
1	B	694	PHE
1	B	713	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	719	ILE
1	B	771	THR
1	B	772	ILE
1	B	778	GLU
1	B	793	SER
1	B	846	SER
1	B	860	ASN
1	B	926	VAL
1	B	981	LYS
1	C	315	THR
1	C	326	ILE
1	C	333	ILE
1	C	372	MET
1	C	375	LYS
1	C	381	SER
1	C	401	VAL
1	C	434	ASN
1	C	437	GLU
1	C	481	SER
1	C	523	ASP
1	C	525	ILE
1	C	527	VAL
1	C	566	SER
1	C	620	GLN
1	C	630	ASN
1	C	634	LYS
1	C	644	ARG
1	C	671	GLN
1	C	680	GLU
1	C	694	PHE
1	C	713	PHE
1	C	719	ILE
1	C	771	THR
1	C	772	ILE
1	C	778	GLU
1	C	793	SER
1	C	846	SER
1	C	860	ASN
1	C	926	VAL
1	C	981	LYS
1	C	991	ARG
1	D	315	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	326	ILE
1	D	333	ILE
1	D	372	MET
1	D	375	LYS
1	D	381	SER
1	D	401	VAL
1	D	434	ASN
1	D	437	GLU
1	D	481	SER
1	D	523	ASP
1	D	566	SER
1	D	620	GLN
1	D	630	ASN
1	D	634	LYS
1	D	644	ARG
1	D	671	GLN
1	D	680	GLU
1	D	694	PHE
1	D	713	PHE
1	D	719	ILE
1	D	771	THR
1	D	772	ILE
1	D	778	GLU
1	D	793	SER
1	D	846	SER
1	D	860	ASN
1	D	926	VAL
1	D	981	LYS
2	E	2	VAL
2	E	3	THR
2	F	2	VAL
2	F	3	THR
2	F	5	VAL
2	G	2	VAL
2	G	3	THR
2	H	3	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	413	GLN
1	A	424	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	434	ASN
1	A	461	HIS
1	A	784	GLN
1	A	805	ASN
1	A	824	GLN
1	A	839	GLN
1	A	1012	GLN
1	B	321	ASN
1	B	356	ASN
1	B	424	ASN
1	B	434	ASN
1	B	461	HIS
1	B	763	ASN
1	B	784	GLN
1	B	805	ASN
1	B	1012	GLN
1	C	399	GLN
1	C	424	ASN
1	C	434	ASN
1	C	461	HIS
1	C	784	GLN
1	C	805	ASN
1	C	1012	GLN
1	D	399	GLN
1	D	424	ASN
1	D	434	ASN
1	D	461	HIS
1	D	784	GLN
1	D	805	ASN
1	D	824	GLN
1	D	839	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SRZ	G	6	2,4	7,8,10	0.58	0	4,8,11	0.53	0
2	SRZ	F	6	2,4	7,8,10	0.58	0	4,8,11	0.37	0
2	SRZ	H	6	2,4	7,8,10	0.65	0	4,8,11	0.81	0
2	SRZ	E	6	2,4	7,8,10	0.42	0	4,8,11	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SRZ	G	6	2,4	-	1/5/7/10	-
2	SRZ	F	6	2,4	-	2/5/7/10	-
2	SRZ	H	6	2,4	-	2/5/7/10	-
2	SRZ	E	6	2,4	-	3/5/7/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	6	SRZ	N-CA-CB-OG
2	H	6	SRZ	C-CA-CB-OG
2	H	6	SRZ	N-CA-CB-OG
2	E	6	SRZ	OG-CD-CE-CZ
2	F	6	SRZ	OG-CD-CE-CZ
2	G	6	SRZ	OG-CD-CE-CZ
2	E	6	SRZ	CE-CD-OG-CB
2	F	6	SRZ	CE-CD-OG-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

35 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	2036	-	4,4,4	0.37	0	6,6,6	0.45	0
3	SO4	D	2032	-	4,4,4	0.29	0	6,6,6	0.12	0
4	UDP	H	1001	2	25,26,26	1.32	4 (16%)	38,40,40	1.79	6 (15%)
3	SO4	C	2032	-	4,4,4	0.24	0	6,6,6	0.14	0
3	SO4	H	1009	-	4,4,4	0.24	0	6,6,6	0.30	0
3	SO4	C	2033	-	4,4,4	0.25	0	6,6,6	0.17	0
3	SO4	B	2032	-	4,4,4	0.28	0	6,6,6	0.59	0
3	SO4	B	2029	-	4,4,4	0.18	0	6,6,6	0.47	0
3	SO4	D	2034	-	4,4,4	0.26	0	6,6,6	0.27	0
3	SO4	A	2033	-	4,4,4	0.27	0	6,6,6	0.28	0
3	SO4	A	2035	-	4,4,4	0.25	0	6,6,6	0.39	0
4	UDP	E	1001	2	25,26,26	1.23	2 (8%)	38,40,40	2.07	7 (18%)
3	SO4	A	2031	-	4,4,4	0.29	0	6,6,6	0.08	0
3	SO4	C	2029	-	4,4,4	0.22	0	6,6,6	0.32	0
3	SO4	B	2033	-	4,4,4	0.33	0	6,6,6	0.30	0
3	SO4	C	2030	-	4,4,4	0.19	0	6,6,6	0.37	0
3	SO4	D	2033	-	4,4,4	0.24	0	6,6,6	0.17	0
3	SO4	C	2034	-	4,4,4	0.26	0	6,6,6	0.16	0
3	SO4	D	2035	-	4,4,4	0.24	0	6,6,6	0.15	0
3	SO4	D	2031	-	4,4,4	0.23	0	6,6,6	0.15	0
3	SO4	E	1009	-	4,4,4	0.26	0	6,6,6	0.25	0
3	SO4	B	2035	-	4,4,4	0.27	0	6,6,6	0.22	0
3	SO4	B	2034	-	4,4,4	0.27	0	6,6,6	0.19	0
3	SO4	C	2031	-	4,4,4	0.25	0	6,6,6	0.38	0
4	UDP	G	1001	2	25,26,26	1.06	1 (4%)	38,40,40	1.78	9 (23%)
3	SO4	B	2031	-	4,4,4	0.24	0	6,6,6	0.22	0
3	SO4	D	2029	-	4,4,4	0.24	0	6,6,6	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	D	2030	-	4,4,4	0.27	0	6,6,6	0.38	0
3	SO4	A	2029	-	4,4,4	0.23	0	6,6,6	0.20	0
3	SO4	A	2032	-	4,4,4	0.29	0	6,6,6	0.15	0
4	UDP	F	1001	2	25,26,26	1.16	2 (8%)	38,40,40	1.81	9 (23%)
3	SO4	F	1009	-	4,4,4	0.23	0	6,6,6	0.13	0
3	SO4	B	2030	-	4,4,4	0.34	0	6,6,6	0.46	0
3	SO4	A	2034	-	4,4,4	0.21	0	6,6,6	0.68	0
3	SO4	A	2030	-	4,4,4	0.23	0	6,6,6	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	UDP	F	1001	2	-	4/16/32/32	0/2/2/2
4	UDP	G	1001	2	-	4/16/32/32	0/2/2/2
4	UDP	H	1001	2	-	4/16/32/32	0/2/2/2
4	UDP	E	1001	2	-	5/16/32/32	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	1001	UDP	C2-N1	-3.53	1.32	1.38
4	E	1001	UDP	PA-O3A	3.40	1.63	1.59
4	F	1001	UDP	C2-N1	-2.95	1.33	1.38
4	G	1001	UDP	C6-C5	2.21	1.40	1.35
4	H	1001	UDP	C2'-C1'	-2.19	1.46	1.53
4	H	1001	UDP	PB-O3B	2.19	1.62	1.54
4	F	1001	UDP	PB-O3B	2.11	1.62	1.54
4	E	1001	UDP	C6-C5	2.05	1.39	1.35
4	H	1001	UDP	C5-C4	-2.02	1.39	1.43

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1001	UDP	C4-N3-C2	-6.53	118.50	126.61
4	H	1001	UDP	N3-C2-N1	5.89	122.55	114.89
4	F	1001	UDP	C4-N3-C2	-5.38	119.94	126.61
4	H	1001	UDP	C4-N3-C2	-5.29	120.04	126.61
4	E	1001	UDP	N3-C2-N1	4.99	121.38	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1001	UDP	C5-C4-N3	4.92	121.70	114.80
4	G	1001	UDP	C4-N3-C2	-4.79	120.66	126.61
4	G	1001	UDP	N3-C2-N1	4.79	121.12	114.89
4	F	1001	UDP	N3-C2-N1	4.60	120.88	114.89
4	E	1001	UDP	O2B-PB-O3A	4.37	119.29	104.64
4	G	1001	UDP	C5-C4-N3	3.53	119.75	114.80
4	E	1001	UDP	O3B-PB-O3A	-3.20	93.90	104.64
4	F	1001	UDP	O4'-C1'-C2'	-3.08	100.01	106.62
4	F	1001	UDP	C5-C4-N3	3.05	119.07	114.80
4	F	1001	UDP	O2B-PB-O3A	2.99	114.68	104.64
4	F	1001	UDP	O4'-C1'-N1	-2.60	102.47	108.36
4	H	1001	UDP	C5-C4-N3	2.58	118.41	114.80
4	H	1001	UDP	O2-C2-N1	-2.58	119.44	122.80
4	G	1001	UDP	O4'-C1'-N1	-2.57	102.53	108.36
4	E	1001	UDP	O2-C2-N3	-2.53	116.83	121.49
4	G	1001	UDP	O2-C2-N3	-2.51	116.85	121.49
4	H	1001	UDP	O2B-PB-O1B	2.32	119.86	110.83
4	G	1001	UDP	O2B-PB-O1B	2.32	119.86	110.83
4	F	1001	UDP	O4-C4-C5	-2.24	121.30	125.16
4	F	1001	UDP	O3B-PB-O3A	-2.19	97.30	104.64
4	G	1001	UDP	O3B-PB-O3A	-2.17	97.35	104.64
4	H	1001	UDP	O2B-PB-O3A	2.15	111.84	104.64
4	E	1001	UDP	O4-C4-C5	-2.15	121.46	125.16
4	G	1001	UDP	C2'-C1'-N1	2.12	119.14	113.25
4	G	1001	UDP	O2B-PB-O3A	2.06	111.53	104.64
4	F	1001	UDP	O2A-PA-O1A	2.02	121.85	112.44

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	1001	UDP	O4'-C4'-C5'-O5'
4	E	1001	UDP	PA-O3A-PB-O2B
4	G	1001	UDP	C5'-O5'-PA-O1A
4	G	1001	UDP	C5'-O5'-PA-O3A
4	H	1001	UDP	C3'-C4'-C5'-O5'
4	H	1001	UDP	O4'-C4'-C5'-O5'
4	H	1001	UDP	C5'-O5'-PA-O1A
4	E	1001	UDP	C3'-C4'-C5'-O5'
4	F	1001	UDP	C3'-C4'-C5'-O5'
4	F	1001	UDP	O4'-C4'-C5'-O5'
4	G	1001	UDP	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	G	1001	UDP	O4'-C4'-C5'-O5'
4	E	1001	UDP	PA-O3A-PB-O1B
4	F	1001	UDP	PA-O3A-PB-O2B
4	E	1001	UDP	C5'-O5'-PA-O1A
4	F	1001	UDP	C5'-O5'-PA-O1A
4	H	1001	UDP	C5'-O5'-PA-O3A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	2029	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	698/723 (96%)	-0.18	16 (2%) 61 40	37, 52, 75, 114	0
1	B	698/723 (96%)	-0.21	13 (1%) 66 45	37, 52, 75, 114	0
1	C	698/723 (96%)	-0.23	11 (1%) 70 50	37, 52, 75, 114	0
1	D	698/723 (96%)	-0.26	7 (1%) 79 62	37, 52, 75, 114	0
2	E	6/9 (66%)	-0.21	0 100 100	42, 47, 58, 66	0
2	F	6/9 (66%)	-0.46	0 100 100	42, 45, 52, 59	0
2	G	6/9 (66%)	-0.26	0 100 100	41, 49, 54, 61	0
2	H	6/9 (66%)	-0.07	0 100 100	50, 58, 66, 70	0
All	All	2816/2928 (96%)	-0.22	47 (1%) 69 48	37, 52, 75, 114	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	714	LYS	5.0
1	B	312	SER	4.2
1	A	507	HIS	4.2
1	A	713	PHE	3.9
1	A	714	LYS	3.9
1	B	860	ASN	3.8
1	B	714	LYS	3.6
1	B	1028	LYS	3.5
1	B	762	LEU	3.4
1	C	762	LEU	3.4
1	C	714	LYS	3.4
1	A	490	ASN	3.3
1	C	881	GLN	3.2
1	B	881	GLN	3.1
1	B	677	GLU	3.1
1	A	680	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	860	ASN	3.0
1	B	318	ASP	2.9
1	D	762	LEU	2.9
1	B	713	PHE	2.8
1	D	713	PHE	2.8
1	C	334	GLU	2.7
1	C	888	ASN	2.7
1	D	1028	LYS	2.6
1	A	830	ASP	2.5
1	C	523	ASP	2.5
1	C	345	GLU	2.5
1	B	315	THR	2.5
1	B	1024	ASP	2.5
1	D	746	MET	2.5
1	A	762	LEU	2.5
1	D	882	ASN	2.5
1	C	830	ASP	2.5
1	B	368	GLN	2.3
1	B	314	PRO	2.3
1	A	312	SER	2.2
1	A	489	LYS	2.2
1	C	312	SER	2.2
1	A	859	PRO	2.2
1	A	860	ASN	2.2
1	A	888	ASN	2.2
1	A	538	ASP	2.1
1	A	368	GLN	2.1
1	A	313	CYS	2.1
1	C	507	HIS	2.1
1	C	317	ALA	2.0
1	A	334	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	SRZ	F	6	9/11	0.93	0.10	40,44,46,47	0
2	SRZ	E	6	9/11	0.96	0.07	43,45,46,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SRZ	G	6	9/11	0.96	0.07	45,47,48,49	0
2	SRZ	H	6	9/11	0.97	0.08	57,59,60,62	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	D	2032	5/5	0.55	0.19	145,145,145,145	0
3	SO4	D	2034	5/5	0.79	0.14	124,125,125,126	0
3	SO4	D	2031	5/5	0.81	0.17	119,119,120,120	0
3	SO4	D	2035	5/5	0.83	0.12	129,129,129,130	0
3	SO4	C	2032	5/5	0.84	0.12	111,111,111,112	0
3	SO4	A	2033	5/5	0.85	0.12	103,103,104,104	0
3	SO4	B	2031	5/5	0.88	0.14	107,107,107,108	0
3	SO4	A	2031	5/5	0.89	0.11	102,102,102,102	0
3	SO4	A	2034	5/5	0.90	0.09	81,81,82,84	0
3	SO4	B	2033	5/5	0.90	0.14	85,86,86,86	0
3	SO4	A	2035	5/5	0.90	0.15	79,79,80,81	0
3	SO4	C	2033	5/5	0.90	0.10	98,98,98,98	0
3	SO4	A	2032	5/5	0.91	0.14	85,85,86,86	0
3	SO4	A	2036	5/5	0.92	0.11	82,84,84,84	0
3	SO4	B	2034	5/5	0.92	0.14	96,97,97,97	0
3	SO4	B	2035	5/5	0.92	0.10	94,94,94,94	0
3	SO4	C	2034	5/5	0.93	0.09	102,103,104,104	0
3	SO4	D	2033	5/5	0.93	0.09	99,99,100,100	0
3	SO4	D	2030	5/5	0.93	0.13	78,78,78,79	0
3	SO4	B	2030	5/5	0.93	0.14	73,74,75,75	0
3	SO4	B	2032	5/5	0.94	0.10	65,67,67,68	0
3	SO4	A	2030	5/5	0.95	0.10	78,78,78,79	0
3	SO4	B	2029	5/5	0.95	0.10	64,66,67,67	0
3	SO4	C	2031	5/5	0.95	0.12	72,72,73,73	0
3	SO4	C	2029	5/5	0.96	0.12	66,66,67,68	0
3	SO4	C	2030	5/5	0.96	0.08	60,60,62,62	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	A	2029	5/5	0.97	0.10	65,66,67,67	0
3	SO4	F	1009	5/5	0.97	0.08	66,67,67,68	0
3	SO4	E	1009	5/5	0.98	0.09	59,59,60,61	0
3	SO4	D	2029	5/5	0.98	0.08	58,58,58,60	0
3	SO4	H	1009	5/5	0.98	0.05	76,76,77,77	0
4	UDP	E	1001	25/25	0.98	0.05	37,39,42,43	0
4	UDP	F	1001	25/25	0.98	0.05	33,37,42,42	0
4	UDP	H	1001	25/25	0.98	0.06	48,50,60,62	0
4	UDP	G	1001	25/25	0.99	0.05	34,37,41,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around UDP F 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UDP H 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.