



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 10:31 AM UTC

PDB ID : 7CE2 / pdb_00007ce2
Title : The Crystal structure of TeNT Hc complexed with neutralizing antibody
Authors : Wang, X.; Wang, Y.; Wu, C.; Yu, J.; Liao, H.
Deposited on : 2020-06-21
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	458	5% 85% 12% ••
2	Z	223	3% 89% 8% •
3	B	214	4% 90% 9% •

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7179 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tetanus toxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	0
			3619	2317	602	690	10			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	864	MET	-	initiating methionine	UNP Q9LA13
A	1316	HIS	-	expression tag	UNP Q9LA13
A	1317	HIS	-	expression tag	UNP Q9LA13
A	1318	HIS	-	expression tag	UNP Q9LA13
A	1319	HIS	-	expression tag	UNP Q9LA13
A	1320	HIS	-	expression tag	UNP Q9LA13
A	1321	HIS	-	expression tag	UNP Q9LA13

- Molecule 2 is a protein called neutralizing antibody heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Z	216	Total	C	N	O	S	0	0	0
			1635	1034	274	322	5			

- Molecule 3 is a protein called neutralizing antibody light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	B	212	Total	C	N	O	S	0	1	0
			1632	1017	278	332	5			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	159	Total	O	0	0
			159	159		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	Z	76	Total 76	O 76	0	0
4	B	58	Total 58	O 58	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tetanus toxin



- Molecule 2: neutralizing antibody heavy chain



- Molecule 3: neutralizing antibody light chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.69Å 136.99Å 137.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.07 – 2.01 38.07 – 2.01	Depositor EDS
% Data completeness (in resolution range)	99.9 (38.07-2.01) 99.9 (38.07-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.01Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.180 , 0.218 0.184 , 0.221	Depositor DCC
R_{free} test set	3700 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.585	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7179	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/3701	0.60	2/5024 (0.0%)
2	Z	0.31	0/1677	0.52	0/2289
3	B	0.30	0/1670	0.51	0/2266
All	All	0.33	0/7048	0.56	2/9579 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	940	ASP	N-CA-C	7.96	121.82	109.96
1	A	883	LYS	CB-CG-CD	-6.46	96.45	111.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	939	MET	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3619	0	3550	50	0
2	Z	1635	0	1603	12	0
3	B	1632	0	1583	16	0
4	A	159	0	0	2	0
4	B	58	0	0	1	0
4	Z	76	0	0	0	0
All	All	7179	0	6736	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:871:VAL:HG23	1:A:883:LYS:HE2	1.44	0.99
1:A:985:LEU:HD12	1:A:986:SER:N	1.77	0.99
1:A:985:LEU:CD1	1:A:986:SER:OG	2.14	0.95
1:A:1274:GLN:NE2	1:A:1278:ASP:O	2.01	0.94
2:Z:161:SER:H	2:Z:202:ASN:HD21	1.26	0.81
1:A:871:VAL:CG2	1:A:883:LYS:HE2	2.14	0.77
1:A:1002:TRP:HE1	1:A:1038:ASN:HD21	1.33	0.77
1:A:1184:ASN:C	1:A:1186:ILE:HD11	2.12	0.74
1:A:871:VAL:HG21	1:A:883:LYS:HZ3	1.52	0.73
1:A:880:ILE:HA	1:A:883:LYS:NZ	2.05	0.71
3:B:148:TRP:CD2	3:B:179:LEU:HD12	2.25	0.71
2:Z:86:THR:HG22	2:Z:88:ALA:H	1.57	0.69
3:B:190:LYS:HD3	3:B:191:VAL:N	2.09	0.67
1:A:985:LEU:HD13	1:A:986:SER:OG	1.95	0.67
1:A:985:LEU:HD12	1:A:986:SER:OG	1.94	0.67
1:A:869:CYS:HB3	1:A:883:LYS:O	1.95	0.66
3:B:191:VAL:HG22	3:B:210:ASN:OD1	1.95	0.65
3:B:190:LYS:HD3	3:B:191:VAL:H	1.61	0.64
2:Z:161:SER:H	2:Z:202:ASN:ND2	1.96	0.64
1:A:1171:SER:O	4:A:1401:HOH:O	2.14	0.64
1:A:944:ASN:ND2	1:A:1066:GLU:OE1	2.34	0.61
1:A:891:ILE:HD13	1:A:914:LEU:HD22	1.82	0.60
3:B:148:TRP:CE3	3:B:179:LEU:HD12	2.36	0.60
1:A:1183:ASN:O	1:A:1184:ASN:HB3	2.01	0.60
1:A:985:LEU:HD12	1:A:986:SER:CB	2.33	0.59
1:A:1002:TRP:NE1	1:A:1038:ASN:HD21	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:985:LEU:CD1	1:A:986:SER:CB	2.83	0.57
1:A:947:PHE:HA	1:A:1040:ARG:HG3	1.88	0.56
1:A:985:LEU:HD12	1:A:986:SER:CA	2.35	0.55
1:A:1097:ASN:OD1	1:A:1100:GLU:HG3	2.06	0.54
1:A:1176:ILE:HD11	1:A:1201:SER:HB2	1.87	0.54
1:A:880:ILE:HA	1:A:883:LYS:HZ3	1.72	0.53
1:A:871:VAL:HG21	1:A:883:LYS:NZ	2.24	0.52
1:A:944:ASN:O	1:A:948:ASN:HB2	2.09	0.52
1:A:1223:ARG:NH1	4:A:1406:HOH:O	2.39	0.51
1:A:967:GLU:HB3	1:A:1162:LEU:HD21	1.93	0.50
3:B:148:TRP:CG	3:B:179:LEU:HD12	2.45	0.50
2:Z:156:THR:OG1	2:Z:204:ASN:HB2	2.12	0.49
3:B:115:VAL:HG21	3:B:196:VAL:HG21	1.93	0.49
1:A:871:VAL:CG2	1:A:883:LYS:CE	2.87	0.49
3:B:124:GLN:NE2	4:B:305:HOH:O	2.45	0.49
3:B:151:ASP:OD1	3:B:190:LYS:NZ	2.35	0.49
1:A:982:LYS:HD2	1:A:1075:ASP:OD2	2.13	0.48
1:A:879:VAL:HG12	1:A:883:LYS:CE	2.43	0.48
2:Z:87:ALA:HA	2:Z:116:VAL:HG13	1.96	0.48
1:A:939:MET:HE2	1:A:940:ASP:HB2	1.95	0.47
1:A:1135:TYR:HB3	1:A:1138:LYS:HG3	1.96	0.47
2:Z:12:VAL:O	2:Z:116:VAL:HA	2.15	0.47
2:Z:110:GLN:H	2:Z:110:GLN:CD	2.21	0.47
3:B:185:ASP:O	3:B:188:LYS:HB2	2.14	0.47
3:B:125:LEU:O	3:B:183:LYS:HD3	2.15	0.46
1:A:870:TRP:CD2	1:A:871:VAL:N	2.84	0.46
2:Z:86:THR:O	2:Z:116:VAL:HG11	2.16	0.46
2:Z:11:LEU:HD13	2:Z:115:THR:HB	1.98	0.45
3:B:190:LYS:CD	3:B:191:VAL:HG23	2.47	0.45
3:B:197:THR:HG22	3:B:204:PRO:HB3	1.99	0.45
3:B:183:LYS:O	3:B:187:GLU:HG3	2.17	0.44
1:A:985:LEU:H	1:A:985:LEU:HG	1.47	0.44
1:A:870:TRP:CG	1:A:871:VAL:N	2.86	0.43
1:A:1021:ASP:HB2	1:A:1165:TYR:CZ	2.53	0.43
2:Z:99:LYS:HB3	2:Z:102:THR:OG1	2.19	0.43
2:Z:17:THR:HG22	2:Z:83:ARG:HA	2.01	0.43
3:B:134:CYS:HB2	3:B:148:TRP:CH2	2.54	0.43
1:A:879:VAL:HG12	1:A:883:LYS:HE3	2.01	0.43
1:A:981:LYS:O	1:A:987:ILE:O	2.37	0.42
1:A:985:LEU:HD12	1:A:985:LEU:C	2.40	0.42
1:A:904:SER:HA	1:A:938:ALA:HB2	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:946:MET:HE3	1:A:947:PHE:N	2.33	0.42
1:A:875:GLU:HG3	1:A:879:VAL:HB	2.01	0.42
1:A:1097:ASN:CG	1:A:1100:GLU:HG3	2.46	0.41
1:A:941:ILE:HD12	1:A:941:ILE:N	2.35	0.41
1:A:1170:TYR:CE1	1:A:1308:THR:HA	2.56	0.41
1:A:1023:PHE:CE2	1:A:1136:SER:HB2	2.55	0.41
1:A:890:ASP:HB2	1:A:899:ILE:HD13	2.03	0.40
1:A:1051:VAL:O	1:A:1053:MET:HG2	2.21	0.40
1:A:1145:ILE:HD11	1:A:1207:HIS:CG	2.57	0.40
2:Z:4:LEU:HD22	2:Z:24:VAL:HG22	2.03	0.40
3:B:146:VAL:HG22	3:B:196:VAL:HG12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/458 (96%)	421 (95%)	20 (4%)	1 (0%)	43	42
2	Z	212/223 (95%)	208 (98%)	4 (2%)	0	100	100
3	B	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
All	All	865/895 (97%)	834 (96%)	30 (4%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	872	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	404/416 (97%)	403 (100%)	1 (0%)	87	92
2	Z	189/195 (97%)	189 (100%)	0	100	100
3	B	185/186 (100%)	184 (100%)	1 (0%)	81	87
All	All	778/797 (98%)	776 (100%)	2 (0%)	86	91

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1019	LEU
3	B	123	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	924	HIS
1	A	998	ASN
1	A	1038	ASN
2	Z	39	GLN
2	Z	77	GLN
2	Z	202	ASN
3	B	39	GLN
3	B	124	GLN
3	B	137	ASN
3	B	147	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/458 (97%)	0.34	25 (5%) 30 29	31, 49, 91, 143	0
2	Z	216/223 (96%)	0.30	7 (3%) 50 49	34, 49, 72, 121	0
3	B	212/214 (99%)	0.39	8 (3%) 44 43	34, 56, 89, 95	1 (0%)
All	All	874/895 (97%)	0.34	40 (4%) 37 36	31, 51, 88, 143	1 (0%)

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	947	PHE	6.4
1	A	869	CYS	6.3
3	B	212	GLY	4.7
1	A	918	ILE	4.6
1	A	902	PHE	4.4
1	A	943	TYR	4.3
2	Z	133	SER	4.1
1	A	883	LYS	3.9
1	A	1232	PRO	3.8
3	B	194	CYS	3.7
1	A	985	LEU	3.6
2	Z	221	CYS	3.5
1	A	946	MET	3.5
1	A	1186	ILE	3.2
1	A	871	VAL	3.1
1	A	939	MET	3.0
1	A	870	TRP	3.0
2	Z	44	GLY	2.9
1	A	941	ILE	2.8
1	A	970	ASP	2.7
1	A	938	ALA	2.7
3	B	154	LEU	2.7
3	B	197	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Z	11	LEU	2.5
1	A	886	ILE	2.5
1	A	945	ASP	2.5
3	B	129	THR	2.4
1	A	944	ASN	2.3
1	A	988	GLY	2.3
1	A	1171	SER	2.2
1	A	987	ILE	2.2
2	Z	140	THR	2.2
3	B	4	MET	2.2
2	Z	86	THR	2.2
3	B	193	ALA	2.1
2	Z	132	SER	2.1
1	A	967	GLU	2.1
3	B	127	SER	2.1
1	A	1093	CYS	2.0
1	A	936	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.