



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:57 PM UTC

PDB ID : 8CEY / pdb_00008cey
Title : Structure of the mouse 8-oxoguanine DNA Glycosylase mOGG1 in complex with ligand TH11233.
Authors : Kosenina, S.; Scaletti, E.R.; Stenmark, P.
Deposited on : 2023-02-02
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	318	8% 90% 5% 5%
1	B	318	35% 80% 13% 7%
1	C	318	16% 83% 11% 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7452 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called N-glycosylase/DNA lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	303	Total	C	N	O	S	0	0	0
			2419	1544	435	429	11			
1	B	296	Total	C	N	O	S	0	1	0
			2380	1517	429	423	11			
1	C	300	Total	C	N	O	S	0	0	0
			2387	1527	426	423	11			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	GLY	-	expression tag	UNP O08760
A	9	SER	-	expression tag	UNP O08760
A	10	HIS	-	expression tag	UNP O08760
B	8	GLY	-	expression tag	UNP O08760
B	9	SER	-	expression tag	UNP O08760
B	10	HIS	-	expression tag	UNP O08760
C	8	GLY	-	expression tag	UNP O08760
C	9	SER	-	expression tag	UNP O08760
C	10	HIS	-	expression tag	UNP O08760

- Molecule 2 is {N}-(3,3-dimethylcyclobutyl)imidazo[5,1-b][1,3]thiazole-3-carboxamide (CCD ID: UEF) (formula: C₁₂H₁₅N₃OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			17	12	3	1	1		
2	B	1	Total	C	N	O	S	0	0
			17	12	3	1	1		
2	C	1	Total	C	N	O	S	0	0
			17	12	3	1	1		

- Molecule 3 is NICKEL (II) ION (CCD ID: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	116	Total	O	0	0
			116	116		
4	B	37	Total	O	0	0
			37	37		
4	C	61	Total	O	0	0
			61	61		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N-glycosylase/DNA lyase




- Molecule 1: N-glycosylase/DNA lyase



- Molecule 1: N-glycosylase/DNA lyase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.63Å 81.76Å 170.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.08 – 1.95 59.08 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.2 (59.08-1.95) 99.1 (59.08-1.95)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0352, REFMAC 5.8.0352	Depositor
R, R_{free}	0.244 , 0.282 0.243 , 0.280	Depositor DCC
R_{free} test set	4345 reflections (4.64%)	wwPDB-VP
Wilson B-factor (Å ²)	41.8	Xtriage
Anisotropy	0.295	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 30.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.010 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7452	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UEF, NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/2487	0.95	0/3385
1	B	0.61	1/2446 (0.0%)	1.00	3/3324 (0.1%)
1	C	0.64	0/2454	1.01	0/3339
All	All	0.62	1/7387 (0.0%)	0.99	3/10048 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	4
1	C	0	4
All	All	0	11

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	69	THR	C-O	5.85	1.31	1.23

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	69	THR	N-CA-C	-9.21	95.29	109.85
1	B	69	THR	CA-C-O	-7.06	113.20	121.46
1	B	149	ASN	CB-CA-C	-5.82	103.22	111.95

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	12	ARG	Sidechain
1	A	122	ARG	Sidechain
1	A	277	ARG	Sidechain
1	B	277	ARG	Sidechain
1	B	45[B]	PHE	Mainchain
1	B	79	ARG	Sidechain
1	B	87	ARG	Sidechain
1	C	12	ARG	Sidechain
1	C	122	ARG	Sidechain
1	C	204	ARG	Sidechain
1	C	277	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2419	0	2365	7	0
1	B	2380	0	2318	51	1
1	C	2387	0	2334	34	1
2	A	17	0	0	0	0
2	B	17	0	0	0	0
2	C	17	0	0	0	0
3	A	1	0	0	0	0
4	A	116	0	0	0	0
4	B	37	0	0	5	0
4	C	61	0	0	3	0
All	All	7452	0	7017	91	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:249:LYS:HE2	1:B:267:VAL:O	1.60	1.02
1:B:92:GLU:O	1:B:95:THR:OG1	1.82	0.96
1:B:249:LYS:HG2	1:B:267:VAL:O	1.69	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:151:ASN:HD22	1:C:154:ARG:HG3	1.34	0.93
1:C:268:ASP:O	1:C:271:VAL:HG12	1.72	0.89
1:B:90:LEU:HA	1:B:93:LEU:HD12	1.57	0.86
1:C:185:HIS:CE1	1:C:216:LEU:HD21	2.11	0.86
1:B:249:LYS:CE	1:B:268:ASP:HA	2.07	0.85
1:B:249:LYS:NZ	1:B:268:ASP:HA	1.92	0.84
1:C:185:HIS:CE1	1:C:216:LEU:CD2	2.61	0.83
1:B:14:ARG:NH2	1:B:85:VAL:HG13	1.94	0.83
1:B:90:LEU:HA	1:B:93:LEU:CD1	2.10	0.81
1:B:65:THR:HB	1:B:76:THR:OG1	1.81	0.80
1:B:249:LYS:HE2	1:B:268:ASP:HA	1.66	0.76
1:B:206:ARG:NH1	4:B:501:HOH:O	2.19	0.76
1:C:267:VAL:HG13	1:C:271:VAL:HG11	1.69	0.75
1:B:14:ARG:HH21	1:B:85:VAL:HG13	1.50	0.74
1:B:249:LYS:CE	1:B:267:VAL:O	2.36	0.74
1:B:90:LEU:HA	1:B:93:LEU:CG	2.18	0.73
1:B:90:LEU:CD1	1:B:93:LEU:HD12	2.19	0.72
1:C:151:ASN:ND2	1:C:154:ARG:HG3	2.03	0.72
1:C:12:ARG:HH11	1:C:12:ARG:HG2	1.57	0.70
1:B:89:THR:HG22	1:B:91:GLU:H	1.58	0.69
1:B:90:LEU:HD12	1:B:93:LEU:HB2	1.75	0.68
1:B:89:THR:O	1:B:93:LEU:HG	1.94	0.68
1:B:90:LEU:HD12	1:B:93:LEU:HD12	1.76	0.66
1:B:249:LYS:CG	1:B:267:VAL:O	2.44	0.66
1:C:267:VAL:HG13	1:C:271:VAL:CG1	2.26	0.65
1:B:90:LEU:HA	1:B:93:LEU:HG	1.78	0.64
1:C:185:HIS:ND1	1:C:216:LEU:HD11	2.12	0.64
1:C:12:ARG:HH11	1:C:12:ARG:CG	2.12	0.63
1:C:185:HIS:CE1	1:C:216:LEU:HD22	2.35	0.62
1:B:30:ARG:HG3	1:B:70:GLU:HA	1.83	0.61
1:B:77:VAL:HG12	1:B:88:PRO:HA	1.81	0.61
1:B:94:GLU:HG3	4:B:536:HOH:O	2.01	0.60
1:B:249:LYS:HZ1	1:B:268:ASP:HA	1.65	0.60
1:B:79:ARG:HB2	1:B:82:ASP:HB2	1.82	0.60
1:C:196:LEU:HB3	1:C:201:LEU:HD12	1.86	0.58
1:C:132:LEU:HD21	1:C:256:LEU:O	2.04	0.58
1:C:206:ARG:NH1	4:C:501:HOH:O	2.35	0.57
1:A:13:HIS:HE1	1:A:178:TYR:OH	1.88	0.55
1:C:185:HIS:NE2	1:C:216:LEU:HD21	2.20	0.55
1:B:249:LYS:HG3	4:B:516:HOH:O	2.08	0.53
1:C:35:LEU:H	1:C:68:GLN:HE22	1.57	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:PRO:HA	1:B:70:GLU:O	2.08	0.52
1:B:90:LEU:CA	1:B:93:LEU:HD12	2.34	0.52
1:C:206:ARG:NH2	4:C:501:HOH:O	2.42	0.52
1:B:249:LYS:CG	4:B:516:HOH:O	2.57	0.52
1:B:249:LYS:CD	1:B:267:VAL:O	2.58	0.52
1:B:82:ASP:C	1:B:84:GLN:N	2.68	0.51
1:C:267:VAL:HA	1:C:271:VAL:HG11	1.94	0.50
1:B:249:LYS:HE2	1:B:267:VAL:C	2.35	0.49
1:C:239:ALA:O	1:C:242:THR:HB	2.12	0.49
1:C:185:HIS:ND1	1:C:216:LEU:CD1	2.75	0.49
1:C:151:ASN:HD21	1:C:153:ALA:HB3	1.77	0.49
1:C:158:MET:HE2	1:C:200:GLY:O	2.13	0.48
1:A:100:PHE:O	1:A:131:ARG:HD3	2.13	0.48
1:C:132:LEU:HD21	1:C:256:LEU:HG	1.94	0.48
1:C:35:LEU:H	1:C:68:GLN:NE2	2.12	0.47
1:C:46:ARG:HD3	1:C:159:VAL:CG1	2.44	0.47
1:B:77:VAL:CG1	1:B:88:PRO:HA	2.45	0.46
1:B:90:LEU:HD12	1:B:93:LEU:CD1	2.45	0.46
1:B:90:LEU:HD13	1:B:93:LEU:HD12	1.99	0.45
1:B:100:PHE:O	1:B:131:ARG:HD3	2.17	0.45
1:B:282:HIS:CE1	1:C:276:HIS:NE2	2.85	0.45
1:B:90:LEU:O	1:B:93:LEU:N	2.47	0.45
1:C:46:ARG:HG3	1:C:139:GLU:OE1	2.17	0.45
1:B:75:CYS:HB3	1:B:96:LEU:HD22	1.99	0.45
1:B:91:GLU:HB3	4:B:535:HOH:O	2.17	0.45
1:B:82:ASP:O	1:B:84:GLN:N	2.50	0.45
1:C:15:THR:H	1:C:18:SER:HB2	1.81	0.45
1:B:64:TRP:HZ3	1:B:75:CYS:HB2	1.82	0.44
1:A:35:LEU:H	1:A:68:GLN:NE2	2.16	0.43
1:B:35:LEU:H	1:B:68:GLN:HE22	1.66	0.43
1:B:75:CYS:O	1:B:88:PRO:HB3	2.18	0.43
1:B:82:ASP:C	1:B:84:GLN:H	2.26	0.43
1:B:213:LYS:NZ	1:B:217:GLU:OE2	2.49	0.42
1:A:35:LEU:H	1:A:68:GLN:HE22	1.68	0.42
1:B:35:LEU:H	1:B:68:GLN:NE2	2.17	0.42
1:A:46:ARG:HG3	1:A:139:GLU:OE2	2.19	0.42
1:C:206:ARG:CZ	4:C:501:HOH:O	2.68	0.41
1:A:25:SER:HB3	1:A:74:TYR:CE1	2.56	0.41
1:B:75:CYS:O	1:B:76:THR:C	2.64	0.41
1:C:255:CYS:HA	1:C:259:LEU:HB2	2.03	0.41
1:B:87:ARG:HB3	1:B:88:PRO:HD2	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:160:GLU:O	1:C:164:GLN:HG3	2.21	0.40
1:C:46:ARG:HD3	1:C:159:VAL:HG12	2.03	0.40
1:C:185:HIS:HE1	1:C:216:LEU:HD22	1.82	0.40
1:A:113:TRP:HE3	1:A:120:PHE:CZ	2.39	0.40
1:B:216:LEU:HD23	1:B:221:GLY:HA2	2.03	0.40
1:C:75:CYS:SG	1:C:93:LEU:CD2	3.09	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:PHE:O	1:C:206:ARG:NH2[4_545]	1.91	0.29

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/318 (93%)	289 (97%)	8 (3%)	0	100	100
1	B	291/318 (92%)	280 (96%)	11 (4%)	0	100	100
1	C	292/318 (92%)	283 (97%)	9 (3%)	0	100	100
All	All	880/954 (92%)	852 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/266 (96%)	254 (100%)	1 (0%)	84	85
1	B	250/266 (94%)	247 (99%)	3 (1%)	63	61
1	C	251/266 (94%)	251 (100%)	0	100	100
All	All	756/798 (95%)	752 (100%)	4 (0%)	81	82

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	VAL
1	B	71	ASP
1	B	72	GLN
1	B	75	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	HIS
1	A	50	GLN
1	A	68	GLN
1	A	125	GLN
1	A	315	GLN
1	B	68	GLN
1	B	72	GLN
1	B	151	ASN
1	B	219	GLN
1	B	315	GLN
1	C	62	GLN
1	C	68	GLN
1	C	121	GLN
1	C	135	GLN
1	C	151	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	UEF	B	401	-	19,19,19	2.56	8 (42%)	16,29,29	2.09	4 (25%)
2	UEF	C	401	-	19,19,19	2.72	10 (52%)	16,29,29	2.47	6 (37%)
2	UEF	A	401	-	19,19,19	2.72	10 (52%)	16,29,29	2.77	7 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UEF	B	401	-	-	1/8/18/18	0/3/3/3
2	UEF	C	401	-	-	1/8/18/18	0/3/3/3
2	UEF	A	401	-	-	0/8/18/18	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	UEF	C08-N07	5.85	1.46	1.34
2	C	401	UEF	C13-N17	-5.45	1.31	1.39
2	C	401	UEF	C08-N07	5.31	1.45	1.34
2	B	401	UEF	C11-C10	5.28	1.44	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	UEF	C11-C10	5.10	1.44	1.35
2	A	401	UEF	C08-N07	5.03	1.44	1.34
2	A	401	UEF	C10-N17	4.83	1.46	1.40
2	C	401	UEF	C11-C10	4.37	1.43	1.35
2	B	401	UEF	C10-N17	3.70	1.45	1.40
2	B	401	UEF	C13-N17	-3.50	1.34	1.39
2	C	401	UEF	C13-S12	-3.38	1.65	1.71
2	C	401	UEF	C10-N17	3.31	1.44	1.40
2	A	401	UEF	C13-N17	-3.29	1.34	1.39
2	A	401	UEF	C14-C13	3.26	1.40	1.36
2	C	401	UEF	C14-N15	-2.77	1.32	1.37
2	A	401	UEF	C06-C02	-2.73	1.51	1.55
2	A	401	UEF	O09-C08	-2.71	1.18	1.23
2	C	401	UEF	O09-C08	-2.68	1.18	1.23
2	A	401	UEF	C04-C05	-2.66	1.51	1.54
2	C	401	UEF	C11-S12	-2.61	1.65	1.71
2	B	401	UEF	C14-C13	2.54	1.39	1.36
2	B	401	UEF	C06-C05	-2.46	1.52	1.54
2	A	401	UEF	C04-C02	-2.29	1.52	1.55
2	B	401	UEF	C06-C02	-2.23	1.52	1.55
2	C	401	UEF	C04-C05	-2.14	1.52	1.54
2	B	401	UEF	C04-C02	-2.13	1.52	1.55
2	C	401	UEF	C06-C05	-2.08	1.52	1.54
2	A	401	UEF	C14-N15	-2.06	1.34	1.37

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	UEF	C13-C14-N15	-7.92	107.62	114.31
2	C	401	UEF	C13-C14-N15	-7.20	108.22	114.31
2	B	401	UEF	C13-C14-N15	-4.59	110.43	114.31
2	A	401	UEF	C03-C02-C01	4.18	117.82	110.17
2	B	401	UEF	C11-C10-N17	-3.91	108.55	111.66
2	C	401	UEF	C11-C10-N17	-3.75	108.68	111.66
2	B	401	UEF	C03-C02-C01	3.42	116.42	110.17
2	A	401	UEF	C06-C05-N07	-2.70	111.48	117.39
2	A	401	UEF	C05-N07-C08	-2.62	118.72	123.09
2	C	401	UEF	C05-N07-C08	2.58	127.40	123.09
2	A	401	UEF	C14-N15-C16	2.55	108.57	105.24
2	C	401	UEF	C06-C05-C04	-2.52	86.92	88.51
2	A	401	UEF	C04-C05-N07	-2.34	112.28	117.39
2	C	401	UEF	C03-C02-C01	2.27	114.32	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	UEF	C06-C05-N07	-2.24	112.49	117.39
2	A	401	UEF	S12-C13-N17	-2.18	108.59	111.02
2	C	401	UEF	S12-C13-N17	-2.15	108.62	111.02

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	401	UEF	C04-C05-N07-C08
2	B	401	UEF	C06-C05-N07-C08

There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand UEF B 401



Ligand UEF C 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	303/318 (95%)	0.71	27 (8%) 15 17	31, 42, 70, 95	0
1	B	296/318 (93%)	1.85	110 (37%) 1 0	21, 60, 99, 134	1 (0%)
1	C	300/318 (94%)	1.11	52 (17%) 4 4	36, 52, 78, 104	0
All	All	899/954 (94%)	1.22	189 (21%) 2 2	21, 51, 88, 134	1 (0%)

All (189) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	74	TYR	10.0
1	B	90	LEU	9.5
1	B	75	CYS	7.1
1	B	76	THR	6.7
1	B	86	SER	6.7
1	C	323	LEU	6.3
1	B	88	PRO	6.1
1	B	123	VAL	5.9
1	B	93	LEU	5.5
1	B	28	CYS	5.5
1	C	90	LEU	5.5
1	B	85	VAL	5.4
1	B	285	THR	5.3
1	B	73	LEU	5.1
1	B	89	THR	5.1
1	B	77	VAL	4.7
1	A	90	LEU	4.7
1	B	10	HIS	4.5
1	C	85	VAL	4.5
1	B	87	ARG	4.4
1	B	64	TRP	4.3
1	B	321	ALA	4.3
1	B	323	LEU	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	96	LEU	4.2
1	B	53	ALA	4.1
1	B	97	HIS	4.1
1	C	185	HIS	4.0
1	B	291	PRO	4.0
1	B	294	LEU	3.9
1	B	52	PRO	3.9
1	B	54	HIS	3.8
1	C	271	VAL	3.8
1	B	91	GLU	3.7
1	C	151	ASN	3.7
1	C	321	ALA	3.7
1	B	66	LEU	3.6
1	B	83	SER	3.6
1	C	19	SER	3.6
1	B	109	LEU	3.6
1	B	106	LEU	3.6
1	C	123	VAL	3.6
1	B	82	ASP	3.6
1	B	35	LEU	3.6
1	B	249	LYS	3.5
1	B	69	THR	3.4
1	B	67	THR	3.4
1	B	95	THR	3.4
1	C	206	ARG	3.4
1	A	294	LEU	3.4
1	C	18	SER	3.3
1	B	220	GLY	3.3
1	B	124	ALA	3.3
1	B	195	HIS	3.2
1	A	274	ILE	3.2
1	B	319	PHE	3.2
1	C	319	PHE	3.2
1	B	92	GLU	3.2
1	B	60	ALA	3.1
1	B	107	ALA	3.1
1	A	323	LEU	3.1
1	C	132	LEU	3.1
1	C	146	CYS	3.1
1	B	190	PRO	3.1
1	B	78	TYR	3.1
1	A	83	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	94	GLU	3.1
1	A	16	LEU	3.0
1	A	272	TRP	3.0
1	A	11	MET	3.0
1	A	60	ALA	3.0
1	B	116	VAL	3.0
1	A	10	HIS	3.0
1	B	232	PRO	2.9
1	B	196	LEU	2.9
1	B	29	PRO	2.9
1	A	126	LYS	2.9
1	B	206	ARG	2.9
1	C	106	LEU	2.9
1	B	194	THR	2.9
1	B	55	TRP	2.9
1	B	11	MET	2.9
1	A	270	HIS	2.8
1	B	31	SER	2.8
1	B	33	LEU	2.8
1	B	102	LEU	2.8
1	A	320	SER	2.8
1	B	100	PHE	2.8
1	B	84	GLN	2.8
1	B	173	LEU	2.8
1	B	192	ALA	2.8
1	C	294	LEU	2.8
1	B	104	VAL	2.8
1	C	88	PRO	2.7
1	B	120	PHE	2.7
1	B	65	THR	2.7
1	B	318	LEU	2.7
1	C	248	ALA	2.7
1	B	269	VAL	2.7
1	A	322	ASP	2.6
1	C	69	THR	2.6
1	A	293	PRO	2.6
1	B	284	LYS	2.6
1	B	38	VAL	2.6
1	C	104	VAL	2.6
1	A	12	ARG	2.6
1	C	61	ASP	2.6
1	C	147	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	72	GLN	2.6
1	B	103	ASP	2.6
1	B	80	GLY	2.6
1	B	63	VAL	2.6
1	C	320	SER	2.6
1	B	270	HIS	2.5
1	B	14	ARG	2.5
1	B	127	PHE	2.5
1	C	247	GLY	2.5
1	C	114	ALA	2.5
1	A	292	SER	2.5
1	B	41	SER	2.5
1	C	148	SER	2.5
1	A	123	VAL	2.5
1	B	98	LYS	2.5
1	C	93	LEU	2.5
1	B	272	TRP	2.5
1	B	81	ASP	2.5
1	C	30	ARG	2.4
1	B	37	LEU	2.4
1	A	319	PHE	2.4
1	B	71	ASP	2.4
1	B	30	ARG	2.4
1	C	122	ARG	2.4
1	B	226	GLN	2.4
1	A	198	LYS	2.4
1	B	193	GLU	2.4
1	C	190	PRO	2.4
1	B	59	LEU	2.3
1	B	197	ARG	2.3
1	C	158	MET	2.3
1	B	230	VAL	2.3
1	C	246	VAL	2.3
1	C	272	TRP	2.3
1	B	68	GLN	2.3
1	B	293	PRO	2.3
1	B	79	ARG	2.3
1	A	271	VAL	2.3
1	B	322	ASP	2.3
1	C	242	THR	2.3
1	C	145	ILE	2.3
1	C	154	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	241	CYS	2.2
1	A	29	PRO	2.2
1	C	125	GLN	2.2
1	B	191	GLU	2.2
1	B	225	LEU	2.2
1	B	51	SER	2.2
1	B	113	TRP	2.2
1	B	134	ARG	2.2
1	C	71	ASP	2.2
1	C	28	CYS	2.2
1	A	59	LEU	2.2
1	B	162	LEU	2.2
1	C	22	LEU	2.2
1	C	96	LEU	2.2
1	B	99	TYR	2.1
1	B	50	GLN	2.1
1	B	61	ASP	2.1
1	B	198	LYS	2.1
1	A	321	ALA	2.1
1	C	127	PHE	2.1
1	B	313	TRP	2.1
1	C	116	VAL	2.1
1	B	48	LYS	2.1
1	C	52	PRO	2.1
1	A	273	GLN	2.1
1	B	223	ALA	2.1
1	C	107	ALA	2.1
1	C	74	TYR	2.1
1	B	105	SER	2.1
1	B	112	HIS	2.1
1	C	195	HIS	2.1
1	A	269	VAL	2.1
1	B	309	PRO	2.1
1	C	75	CYS	2.1
1	C	21	ALA	2.1
1	B	70	GLU	2.0
1	C	17	SER	2.0
1	B	130	VAL	2.0
1	A	127	PHE	2.0
1	C	20	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	UEF	C	401	17/17	0.91	0.14	54,61,75,81	0
2	UEF	B	401	17/17	0.96	0.09	44,48,54,56	0
2	UEF	A	401	17/17	0.96	0.09	37,42,51,53	0
3	NI	A	402	1/1	0.99	0.03	39,39,39,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UEF C 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UEF B 401:**


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UEF A 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.