



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:38 PM UTC

PDB ID : 2CF4 / pdb\_00002cf4  
Title : Pyrococcus horikoshii TET1 peptidase can assemble into a tetrahedron or a large octahedral shell  
Authors : Vellieux, F.M.D.; Schoehn, G.; Dura, M.A.; Roussel, A.; Franzetti, B.  
Deposited on : 2006-02-15  
Resolution : 3.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	2010 (3.10-3.06)
Clashscore	190562	2102 (3.10-3.06)
Ramachandran outliers	187476	1982 (3.10-3.06)
Sidechain outliers	187428	1981 (3.10-3.06)
RSRZ outliers	180081	2010 (3.10-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	332	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN PH0519.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	330	2588	1665	431	487	2	3	0	0	0


- Molecule 2 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Co	0	0
			2	2		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: PROTEIN PH0519



## 4 Data and refinement statistics i

Property	Value	Source
Space group	F 41 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	221.88Å 221.88Å 221.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.91 – 3.08 26.91 – 3.09	Depositor EDS
% Data completeness (in resolution range)	95.2 (26.91-3.08) 95.2 (26.91-3.09)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.256 , 0.332 0.243 , 0.314	Depositor DCC
$R_{free}$ test set	458 reflections (5.29%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	(Not available)	Xtrriage
Anisotropy	(Not available)	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 20.8	EDS
L-test for twinning <sup>1</sup>	$\langle  L  \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	2590	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *(Not available)*

<sup>1</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.79	0/2630	1.10	17/3542 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	193	GLU	N-CA-C	9.38	121.02	108.07
1	A	231	CYS	N-CA-C	9.04	124.14	109.40
1	A	233	SER	CA-C-N	-6.91	112.37	119.83
1	A	233	SER	C-N-CA	-6.91	112.37	119.83
1	A	196	VAL	N-CA-C	6.55	118.47	108.71
1	A	185	LYS	N-CA-C	-6.43	104.35	111.36
1	A	218	TYR	N-CA-C	6.34	121.88	112.94
1	A	34	PHE	N-CA-C	-6.04	99.95	109.50
1	A	236	THR	N-CA-C	-5.86	98.32	110.80
1	A	327	LEU	N-CA-C	-5.64	106.45	113.55
1	A	6	LYS	N-CA-C	-5.42	105.45	111.36
1	A	278	GLY	N-CA-C	5.37	121.08	110.83
1	A	227	ASP	N-CA-C	-5.29	101.60	109.96
1	A	187	LEU	CB-CA-C	-5.20	108.89	116.53
1	A	125	ILE	CA-C-N	5.16	125.06	119.85
1	A	125	ILE	C-N-CA	5.16	125.06	119.85

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	VAL	N-CA-C	-5.01	105.66	110.72

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	116	LEU	Peptide
1	A	149	LEU	Peptide
1	A	162	ASN	Peptide
1	A	234	PRO	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2588	0	2638	187	0
2	A	2	0	0	0	0
All	All	2590	0	2638	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:ARG:HB2	1:A:308:GLU:HA	1.23	1.10
1:A:10:PHE:HA	1:A:13:ILE:HD12	1.48	0.95
1:A:247:ILE:HB	1:A:277:ILE:HD12	1.52	0.91
1:A:65:ILE:HD12	1:A:86:ILE:HG12	1.53	0.89
1:A:264:VAL:HG13	1:A:327:LEU:HD21	1.56	0.88
1:A:4:ILE:HD11	1:A:314:LEU:HD11	1.54	0.87
1:A:16:ILE:HG21	1:A:66:GLY:HA3	1.59	0.84
1:A:169:ARG:HB2	1:A:308:GLU:CA	2.08	0.80
1:A:183:ALA:HB2	1:A:321:VAL:HG12	1.61	0.80
1:A:99:VAL:HG22	1:A:104:ILE:HD11	1.62	0.80

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:GLY:O	1:A:112:THR:HG23	1.82	0.79
1:A:48:GLU:HG2	1:A:195:LYS:HE2	1.66	0.78
1:A:169:ARG:CB	1:A:308:GLU:HA	2.13	0.76
1:A:137:GLU:H	1:A:141:GLU:HG2	1.53	0.73
1:A:88:ASP:OD1	1:A:127:TRP:HB3	1.90	0.71
1:A:231:CYS:SG	1:A:232:CYS:N	2.64	0.70
1:A:99:VAL:HG22	1:A:104:ILE:CD1	2.21	0.69
1:A:188:VAL:O	1:A:191:GLU:HG3	1.91	0.69
1:A:229:PHE:CZ	1:A:280:THR:HG23	2.27	0.69
1:A:10:PHE:HA	1:A:13:ILE:CD1	2.22	0.69
1:A:109:ILE:O	1:A:109:ILE:HG22	1.91	0.69
1:A:233:SER:O	1:A:236:THR:HB	1.93	0.68
1:A:312:LEU:C	1:A:312:LEU:HD12	2.18	0.67
1:A:180:LEU:HD11	1:A:226:ILE:HD11	1.77	0.67
1:A:191:GLU:O	1:A:193:GLU:HG3	1.98	0.64
1:A:262:ARG:HH11	1:A:262:ARG:HA	1.62	0.64
1:A:171:LEU:O	1:A:175:PHE:HD2	1.82	0.63
1:A:250:VAL:HG22	1:A:255:ILE:HG13	1.80	0.62
1:A:181:ILE:O	1:A:182:GLU:C	2.43	0.61
1:A:86:ILE:HG22	1:A:87:ASP:H	1.66	0.61
1:A:57:LEU:HD21	1:A:59:MSE:HG3	1.82	0.61
1:A:100:THR:HA	1:A:150:ASP:OD1	2.01	0.60
1:A:325:GLU:C	1:A:327:LEU:H	2.07	0.60
1:A:321:VAL:HA	1:A:324:ILE:HG12	1.84	0.60
1:A:40:ASP:OD1	1:A:46:ILE:HD11	2.00	0.60
1:A:167:SER:HA	1:A:310:GLU:O	2.02	0.60
1:A:110:GLY:O	1:A:111:ALA:C	2.45	0.60
1:A:292:ARG:O	1:A:293:SER:HB2	1.99	0.60
1:A:81:ARG:HG2	1:A:82:LYS:N	2.16	0.60
1:A:248:ARG:HB2	1:A:297:ALA:O	2.02	0.60
1:A:251:ASP:HA	1:A:280:THR:O	2.02	0.59
1:A:56:ILE:HB	1:A:196:VAL:HG12	1.84	0.59
1:A:312:LEU:HD12	1:A:312:LEU:O	2.01	0.59
1:A:31:ILE:O	1:A:32:LYS:C	2.45	0.59
1:A:203:GLN:NE2	1:A:209:LYS:HD2	2.17	0.59
1:A:315:ASN:O	1:A:318:GLU:HB2	2.03	0.59
1:A:214:LEU:O	1:A:216:ASN:N	2.36	0.58
1:A:16:ILE:HG21	1:A:66:GLY:CA	2.32	0.58
1:A:40:ASP:OD2	1:A:44:ASN:HB2	2.03	0.58
1:A:78:LEU:N	1:A:78:LEU:HD23	2.16	0.58
1:A:40:ASP:HB2	1:A:44:ASN:N	2.19	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:ASP:HB2	1:A:325:GLU:OE2	2.05	0.57
1:A:154:PHE:O	1:A:156:LYS:HG3	2.06	0.56
1:A:204:GLU:HG2	1:A:208:LEU:HD23	1.87	0.56
1:A:4:ILE:O	1:A:7:LEU:N	2.38	0.56
1:A:105:LEU:C	1:A:105:LEU:HD13	2.30	0.56
1:A:92:TYR:CE1	1:A:125:ILE:HD12	2.41	0.56
1:A:320:LEU:O	1:A:324:ILE:HG23	2.07	0.55
1:A:2:SER:O	1:A:6:LYS:HB2	2.06	0.55
1:A:65:ILE:HG12	1:A:169:ARG:NH2	2.22	0.55
1:A:3:MSE:SE	1:A:317:LEU:HD23	2.57	0.54
1:A:27:ILE:HG23	1:A:181:ILE:HD11	1.89	0.54
1:A:62:MSE:HG2	1:A:201:THR:O	2.07	0.54
1:A:174:ARG:HH11	1:A:174:ARG:HG3	1.73	0.54
1:A:38:LYS:HB3	1:A:38:LYS:NZ	2.23	0.53
1:A:192:LEU:C	1:A:193:GLU:HG2	2.33	0.53
1:A:67:LEU:HD23	1:A:80:PHE:CD1	2.44	0.53
1:A:174:ARG:O	1:A:175:PHE:C	2.52	0.53
1:A:225:ALA:HB3	1:A:297:ALA:HB2	1.90	0.53
1:A:21:GLU:O	1:A:23:ILE:N	2.41	0.53
1:A:34:PHE:CE1	1:A:185:LYS:HE2	2.44	0.52
1:A:57:LEU:HD21	1:A:59:MSE:SE	2.59	0.52
1:A:225:ALA:HB3	1:A:297:ALA:CB	2.39	0.52
1:A:166:VAL:O	1:A:311:THR:HA	2.09	0.52
1:A:31:ILE:O	1:A:33:ASP:N	2.42	0.52
1:A:183:ALA:HA	1:A:325:GLU:OE2	2.09	0.51
1:A:307:SER:O	1:A:310:GLU:HG3	2.11	0.51
1:A:55:ARG:O	1:A:221:GLN:O	2.29	0.51
1:A:126:PRO:HB2	1:A:128:TYR:CE1	2.45	0.51
1:A:93:GLY:HA2	1:A:110:GLY:O	2.11	0.50
1:A:169:ARG:NH1	1:A:310:GLU:OE2	2.44	0.50
1:A:48:GLU:O	1:A:49:LEU:HD23	2.11	0.50
1:A:69:ILE:HD12	1:A:69:ILE:N	2.27	0.50
1:A:57:LEU:HD21	1:A:59:MSE:CG	2.41	0.50
1:A:17:SER:HB3	1:A:203:GLN:HA	1.93	0.50
1:A:325:GLU:C	1:A:327:LEU:N	2.70	0.50
1:A:241:LEU:HD22	1:A:301:PRO:HG2	1.92	0.50
1:A:309:VAL:HG12	1:A:309:VAL:O	2.11	0.50
1:A:68:LEU:O	1:A:80:PHE:HA	2.12	0.49
1:A:77:LYS:C	1:A:78:LEU:HD23	2.37	0.49
1:A:86:ILE:HG22	1:A:87:ASP:N	2.25	0.49
1:A:147:LYS:N	1:A:147:LYS:HD2	2.27	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:PHE:C	1:A:291:ASP:N	2.69	0.49
1:A:34:PHE:HE1	1:A:185:LYS:HE2	1.77	0.49
1:A:121:ASP:OD1	1:A:125:ILE:HD11	2.13	0.49
1:A:203:GLN:HE21	1:A:209:LYS:HD2	1.75	0.49
1:A:69:ILE:HD13	1:A:150:ASP:O	2.13	0.48
1:A:164:LYS:O	1:A:314:LEU:HB2	2.12	0.48
1:A:227:ASP:O	1:A:299:SER:HB3	2.13	0.48
1:A:44:ASN:OD1	1:A:201:THR:HA	2.13	0.48
1:A:15:GLY:O	1:A:64:GLU:HG2	2.13	0.48
1:A:267:ILE:O	1:A:271:ASN:HB2	2.13	0.48
1:A:65:ILE:O	1:A:65:ILE:HG13	2.13	0.48
1:A:100:THR:CG2	1:A:146:VAL:HG22	2.44	0.47
1:A:67:LEU:HD12	1:A:67:LEU:N	2.30	0.47
1:A:108:VAL:C	1:A:110:GLY:H	2.22	0.47
1:A:187:LEU:O	1:A:189:ASP:N	2.47	0.47
1:A:318:GLU:O	1:A:321:VAL:HG23	2.14	0.47
1:A:175:PHE:CG	1:A:176:GLY:N	2.83	0.47
1:A:98:VAL:N	1:A:105:LEU:O	2.43	0.46
1:A:248:ARG:NH1	1:A:251:ASP:OD1	2.47	0.46
1:A:40:ASP:HB2	1:A:44:ASN:H	1.81	0.46
1:A:253:SER:HB3	1:A:283:GLY:HA3	1.97	0.46
1:A:309:VAL:O	1:A:309:VAL:CG1	2.63	0.46
1:A:21:GLU:O	1:A:22:ARG:C	2.58	0.46
1:A:256:TYR:O	1:A:257:SER:C	2.58	0.46
1:A:104:ILE:HA	1:A:104:ILE:HD13	1.75	0.45
1:A:252:ASN:HB2	1:A:282:GLY:H	1.81	0.45
1:A:312:LEU:C	1:A:312:LEU:CD1	2.89	0.45
1:A:325:GLU:O	1:A:327:LEU:N	2.50	0.45
1:A:227:ASP:O	1:A:299:SER:CB	2.64	0.45
1:A:236:THR:O	1:A:239:VAL:HG23	2.16	0.45
1:A:105:LEU:HD22	1:A:106:ASP:N	2.31	0.45
1:A:66:GLY:C	1:A:67:LEU:HD12	2.41	0.45
1:A:153:VAL:HG12	1:A:154:PHE:N	2.31	0.45
1:A:174:ARG:HD3	1:A:174:ARG:HA	1.64	0.45
1:A:214:LEU:C	1:A:216:ASN:N	2.73	0.45
1:A:224:PHE:HA	1:A:296:LEU:O	2.16	0.44
1:A:46:ILE:HG21	1:A:218:TYR:OH	2.17	0.44
1:A:109:ILE:O	1:A:110:GLY:C	2.57	0.44
1:A:235:LEU:O	1:A:235:LEU:HG	2.17	0.44
1:A:250:VAL:CG2	1:A:255:ILE:HG13	2.46	0.44
1:A:98:VAL:HB	1:A:105:LEU:HD12	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLU:HA	1:A:208:LEU:HA	1.99	0.44
1:A:236:THR:HG23	1:A:239:VAL:HB	2.00	0.44
1:A:245:PRO:HB3	1:A:320:LEU:HD13	2.00	0.44
1:A:263:LYS:O	1:A:267:ILE:HG13	2.18	0.44
1:A:305:LEU:HA	1:A:310:GLU:HG2	2.00	0.44
1:A:153:VAL:CG1	1:A:154:PHE:N	2.80	0.44
1:A:105:LEU:HD22	1:A:106:ASP:H	1.83	0.43
1:A:323:LEU:C	1:A:325:GLU:H	2.25	0.43
1:A:120:ARG:O	1:A:122:LYS:HG2	2.18	0.43
1:A:112:THR:O	1:A:113:PRO:C	2.59	0.43
1:A:273:ILE:HG22	1:A:274:GLU:N	2.34	0.43
1:A:60:ALA:O	1:A:200:PHE:HA	2.19	0.43
1:A:109:ILE:O	1:A:109:ILE:CG2	2.61	0.43
1:A:315:ASN:OD1	1:A:319:LYS:HE3	2.18	0.43
1:A:234:PRO:O	1:A:235:LEU:HB3	2.18	0.43
1:A:266:SER:O	1:A:267:ILE:C	2.61	0.43
1:A:226:ILE:HD13	1:A:226:ILE:N	2.34	0.43
1:A:315:ASN:O	1:A:318:GLU:N	2.52	0.43
1:A:315:ASN:O	1:A:316:ASP:C	2.58	0.42
1:A:109:ILE:HG12	1:A:132:ILE:HG12	2.02	0.42
1:A:264:VAL:O	1:A:265:TRP:C	2.62	0.42
1:A:24:ARG:HB2	1:A:45:LEU:HD13	2.02	0.42
1:A:61:HIS:NE2	1:A:173:ASP:HB2	2.34	0.42
1:A:178:VAL:O	1:A:179:ALA:C	2.62	0.42
1:A:225:ALA:HB2	1:A:286:ALA:H	1.84	0.42
1:A:302:ILE:HG21	1:A:305:LEU:HD23	2.02	0.42
1:A:327:LEU:O	1:A:331:LEU:HB2	2.20	0.42
1:A:61:HIS:HB3	1:A:201:THR:OG1	2.20	0.42
1:A:218:TYR:O	1:A:220:PRO:N	2.53	0.42
1:A:189:ASP:HA	1:A:191:GLU:OE2	2.20	0.41
1:A:266:SER:C	1:A:268:ALA:N	2.75	0.41
1:A:304:TYR:CB	1:A:309:VAL:HG12	2.50	0.41
1:A:105:LEU:HG	1:A:145:LEU:HD22	2.03	0.41
1:A:57:LEU:C	1:A:57:LEU:HD23	2.45	0.41
1:A:242:GLY:HA3	1:A:313:HIS:CD2	2.56	0.41
1:A:26:GLU:O	1:A:30:GLU:HG2	2.20	0.41
1:A:113:PRO:HA	1:A:114:PRO:HD3	1.87	0.41
1:A:158:PHE:CZ	1:A:166:VAL:HG11	2.56	0.41
1:A:108:VAL:C	1:A:110:GLY:N	2.78	0.41
1:A:313:HIS:HB3	1:A:316:ASP:OD2	2.21	0.41
1:A:315:ASN:HD21	1:A:319:LYS:HE3	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:GLY:HA3	1:A:23:ILE:HD11	2.01	0.41
1:A:34:PHE:O	1:A:35:ALA:O	2.39	0.41
1:A:153:VAL:CG1	1:A:156:LYS:HE2	2.51	0.41
1:A:218:TYR:O	1:A:220:PRO:HD3	2.21	0.41
1:A:246:VAL:HA	1:A:276:GLN:O	2.21	0.40
1:A:21:GLU:C	1:A:23:ILE:N	2.74	0.40
1:A:289:PHE:HB3	1:A:293:SER:HB3	2.03	0.40
1:A:108:VAL:O	1:A:108:VAL:HG13	2.21	0.40
1:A:153:VAL:HG11	1:A:156:LYS:HE2	2.04	0.40
1:A:274:GLU:O	1:A:275:ILE:C	2.64	0.40
1:A:318:GLU:OE2	1:A:318:GLU:HA	2.20	0.40
1:A:175:PHE:O	1:A:178:VAL:HB	2.21	0.40
1:A:226:ILE:HA	1:A:298:LEU:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	328/332 (99%)	251 (76%)	56 (17%)	21 (6%)	<b>1</b> <b>5</b>

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	32	LYS
1	A	35	ALA
1	A	114	PRO
1	A	232	CYS
1	A	236	THR
1	A	248	ARG
1	A	293	SER
1	A	326	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	40	ASP
1	A	122	LYS
1	A	188	VAL
1	A	235	LEU
1	A	111	ALA
1	A	215	ALA
1	A	127	TRP
1	A	184	ILE
1	A	219	TYR
1	A	222	TYR
1	A	121	ASP
1	A	309	VAL
1	A	109	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	277/274 (101%)	236 (85%)	41 (15%)	<b>3</b> <b>12</b>

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	MSE
1	A	7	LEU
1	A	21	GLU
1	A	30	GLU
1	A	38	LYS
1	A	45	LEU
1	A	48	GLU
1	A	62	MSE
1	A	75	GLU
1	A	78	LEU
1	A	79	ARG
1	A	94	ARG
1	A	97	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	102	LYS
1	A	104	ILE
1	A	105	LEU
1	A	116	LEU
1	A	121	ASP
1	A	123	SER
1	A	131	VAL
1	A	141	GLU
1	A	164	LYS
1	A	192	LEU
1	A	195	LYS
1	A	214	LEU
1	A	221	GLN
1	A	226	ILE
1	A	232	CYS
1	A	236	THR
1	A	241	LEU
1	A	255	ILE
1	A	262	ARG
1	A	266	SER
1	A	275	ILE
1	A	287	SER
1	A	293	SER
1	A	298	LEU
1	A	305	LEU
1	A	321	VAL
1	A	325	GLU
1	A	331	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	12	GLN
1	A	95	HIS
1	A	97	ASN
1	A	203	GLN
1	A	221	GLN
1	A	252	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/332 (98%)	-0.28	1 (0%) 90 80	40, 58, 81, 93	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	111	ALA	3.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CO	A	401	1/1	0.95	0.04	61,61,61,61	0
2	CO	A	402	1/1	0.99	0.04	61,61,61,61	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.