



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:54 AM UTC

PDB ID : 3CFO / pdb_00003cfo
Title : Triple Mutant APO structure
Authors : Wang, J.; Klimenko, D.; Wang, M.; Steitz, T.A.; Konigsberg, W.H.
Deposited on : 2008-03-04
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	909	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	906	7398	4747	1235	1383	33	0	0	0

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	561	ALA	LEU	engineered mutation	UNP Q38087
A	565	GLY	SER	engineered mutation	UNP Q38087
A	567	ALA	TYR	engineered mutation	UNP Q38087
A	904	HIS	-	expression tag	UNP Q38087
A	905	HIS	-	expression tag	UNP Q38087
A	906	HIS	-	expression tag	UNP Q38087
A	907	HIS	-	expression tag	UNP Q38087
A	908	HIS	-	expression tag	UNP Q38087
A	909	HIS	-	expression tag	UNP Q38087

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is GUANOSINE (CCD ID: GMP) (formula: $C_{10}H_{13}N_5O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 20 10 5 5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	257	Total O 257 257	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.31Å 116.42Å 198.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 50.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	87.0 (50.00-2.60) 86.9 (50.00-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.192 , 0.235 (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	48.7	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7695	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GMP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	1/7581 (0.0%)	0.81	1/10244 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	223	ILE	CA-CB	6.09	1.57	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	468	ASP	N-CA-C	5.73	118.63	111.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7398	0	7274	108	0
2	A	20	0	0	0	0
3	A	20	0	13	1	0
4	A	257	0	0	19	0
All	All	7695	0	7287	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:593:ALA:HA	1:A:670:MET:HE1	1.24	1.15
1:A:384:ARG:HH11	1:A:384:ARG:HG3	1.26	0.99
1:A:82:ALA:H	1:A:382:GLN:HE21	1.14	0.89
1:A:356:GLN:H	1:A:356:GLN:HE21	0.93	0.89
1:A:384:ARG:HD2	1:A:385:SER:H	1.40	0.84
1:A:25:ARG:HD3	1:A:27:ARG:HH12	1.44	0.83
1:A:593:ALA:HA	1:A:670:MET:CE	2.10	0.81
1:A:47:THR:HG21	1:A:57:CYS:O	1.80	0.80
1:A:356:GLN:H	1:A:356:GLN:NE2	1.77	0.76
1:A:82:ALA:H	1:A:382:GLN:NE2	1.84	0.76
1:A:285:GLN:OE1	4:A:1004:HOH:O	2.03	0.76
3:A:1000:GMP:O5'	4:A:1044:HOH:O	1.84	0.76
1:A:224:PRO:HA	1:A:263:ILE:HD13	1.68	0.75
1:A:254:GLU:HG3	1:A:259:SER:HB3	1.68	0.73
1:A:176:ASP:HA	1:A:319:ARG:HH21	1.53	0.73
1:A:303:LEU:HD13	1:A:326:ILE:HG13	1.71	0.71
1:A:440:HIS:HB2	4:A:1256:HOH:O	1.92	0.70
1:A:356:GLN:HE21	1:A:356:GLN:N	1.78	0.70
1:A:384:ARG:HD2	1:A:385:SER:N	2.09	0.68
1:A:82:ALA:N	1:A:382:GLN:HE21	1.90	0.68
1:A:471:VAL:HG11	1:A:570:LEU:HD11	1.77	0.67
1:A:330:ARG:HH11	1:A:333:GLN:HE22	1.44	0.65
1:A:878:LYS:HB3	1:A:879:PRO:HD3	1.78	0.65
1:A:212:ILE:CD1	1:A:345:LEU:HD21	2.27	0.63
1:A:547:ARG:HD3	4:A:1169:HOH:O	1.99	0.62
1:A:384:ARG:HG3	1:A:384:ARG:NH1	2.06	0.62
1:A:596:TRP:HB3	1:A:670:MET:HE2	1.81	0.61
1:A:384:ARG:HH11	1:A:384:ARG:CG	2.07	0.61
1:A:25:ARG:HB3	1:A:27:ARG:NH1	2.17	0.59
1:A:806:ARG:O	1:A:810:THR:HG23	2.02	0.59
1:A:486:LYS:HB2	4:A:1022:HOH:O	2.03	0.59
1:A:824:VAL:HA	4:A:1010:HOH:O	2.03	0.58
1:A:422:GLN:NE2	1:A:680:LEU:H	2.02	0.58
1:A:471:VAL:HB	1:A:472:PRO:HD3	1.86	0.58
1:A:645:ASN:HD22	1:A:719:ARG:HH11	1.50	0.58
1:A:227:TYR:OH	1:A:248:THR:HG21	2.05	0.57
1:A:170:LEU:HA	1:A:177:GLU:HG2	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:LYS:HE2	1:A:358:VAL:O	2.05	0.56
1:A:294:SER:HB2	1:A:301:GLY:HA2	1.87	0.56
1:A:874:LYS:HE2	4:A:1143:HOH:O	2.05	0.56
1:A:663:ILE:HG21	1:A:683:MET:HB3	1.88	0.55
1:A:274:ILE:O	1:A:278:LYS:HG3	2.06	0.54
1:A:116:GLU:HB3	1:A:320:TYR:OH	2.08	0.53
1:A:170:LEU:HD23	1:A:173:GLN:HE22	1.74	0.52
1:A:231:LYS:HG3	1:A:236:GLU:HA	1.92	0.52
1:A:240:LYS:HE2	1:A:248:THR:HG22	1.92	0.52
1:A:534:SER:HB2	4:A:1200:HOH:O	2.09	0.52
1:A:596:TRP:CB	1:A:670:MET:HE2	2.38	0.51
1:A:300:VAL:HG13	1:A:301:GLY:H	1.76	0.51
1:A:202:LEU:O	1:A:206:GLN:HG2	2.11	0.51
1:A:25:ARG:CD	1:A:27:ARG:HH12	2.21	0.50
1:A:893:LYS:HD2	4:A:1196:HOH:O	2.10	0.50
1:A:330:ARG:HA	1:A:333:GLN:HE21	1.76	0.50
1:A:199:MET:HA	1:A:199:MET:HE2	1.92	0.50
1:A:97:TYR:O	1:A:352:LYS:HE2	2.12	0.50
1:A:197:LEU:C	1:A:197:LEU:HD12	2.36	0.50
1:A:212:ILE:HD11	1:A:345:LEU:HD21	1.94	0.49
1:A:391:TYR:HB2	1:A:392:PRO:HD2	1.95	0.49
1:A:524:ASP:HA	1:A:527:LYS:HD3	1.95	0.49
1:A:303:LEU:HG	4:A:1150:HOH:O	2.13	0.49
1:A:312:LEU:HB3	1:A:320:TYR:HD1	1.77	0.48
1:A:6:LEU:HG	1:A:211:VAL:HG21	1.94	0.48
1:A:735:SER:O	1:A:782:VAL:HB	2.13	0.48
1:A:412:LEU:HD13	1:A:683:MET:HB2	1.95	0.48
1:A:105:HIS:HA	1:A:108:ILE:HD12	1.96	0.48
1:A:330:ARG:HD2	1:A:333:GLN:NE2	2.29	0.48
1:A:121:ASP:OD2	1:A:121:ASP:N	2.47	0.48
1:A:269:SER:OG	1:A:356:GLN:NE2	2.47	0.48
1:A:611:THR:O	4:A:1047:HOH:O	2.20	0.47
1:A:428:GLU:OE2	1:A:470:VAL:HG23	2.15	0.46
1:A:153:ASN:HA	1:A:158:ASN:ND2	2.31	0.46
1:A:163:SER:HB3	1:A:166:ILE:HD12	1.98	0.45
1:A:303:LEU:CD1	1:A:326:ILE:HG13	2.44	0.45
1:A:677:LYS:HE3	4:A:1018:HOH:O	2.16	0.45
1:A:428:GLU:OE2	1:A:469:GLY:HA2	2.16	0.45
1:A:828:GLU:HG2	1:A:829:LYS:N	2.32	0.44
1:A:556:GLN:CD	4:A:1022:HOH:O	2.60	0.44
1:A:300:VAL:HG13	4:A:1236:HOH:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:413:THR:O	1:A:414:SER:C	2.60	0.44
1:A:806:ARG:HD3	1:A:843:ASP:OD2	2.17	0.43
1:A:411:ASP:HB3	1:A:624:SER:HB3	1.99	0.43
1:A:888:LYS:HE2	4:A:1176:HOH:O	2.17	0.43
1:A:193:ASN:ND2	1:A:196:GLU:HG2	2.33	0.43
1:A:839:ASN:HB2	1:A:840:PRO:HD2	2.01	0.43
1:A:116:GLU:HB2	1:A:135:ALA:HB3	2.00	0.43
1:A:25:ARG:HB3	1:A:27:ARG:HH12	1.82	0.43
1:A:535:ALA:N	4:A:1200:HOH:O	2.52	0.43
1:A:596:TRP:CG	1:A:670:MET:HE2	2.54	0.43
1:A:165:GLU:H	1:A:165:GLU:CD	2.27	0.42
1:A:285:GLN:HG2	1:A:293:ILE:HD11	2.01	0.42
1:A:720:TYR:CE1	1:A:724:LYS:HE2	2.53	0.42
1:A:43:GLU:HB2	1:A:56:PRO:HG3	2.01	0.42
1:A:384:ARG:HD3	1:A:384:ARG:HA	1.85	0.42
1:A:498:ILE:O	1:A:501:GLU:HB2	2.19	0.42
1:A:848:TRP:HB2	1:A:849:PRO:CD	2.49	0.42
1:A:112:ASN:HB2	4:A:1012:HOH:O	2.20	0.41
1:A:412:LEU:HG	1:A:415:LEU:HD13	2.03	0.41
1:A:556:GLN:HE21	1:A:556:GLN:HB2	1.70	0.41
1:A:669:GLU:HG2	4:A:1205:HOH:O	2.20	0.41
1:A:785:ALA:HB1	1:A:788:ILE:HD11	2.03	0.41
1:A:25:ARG:HD3	1:A:27:ARG:NH1	2.24	0.41
1:A:459:ASN:HD22	1:A:459:ASN:H	1.69	0.40
1:A:241:ARG:HD3	4:A:1157:HOH:O	2.20	0.40
1:A:272:ASP:OD1	1:A:274:ILE:HG22	2.22	0.40
1:A:481:GLN:NE2	1:A:559:ARG:HH11	2.19	0.40
1:A:810:THR:HG21	1:A:843:ASP:HB3	2.03	0.40
1:A:55:LYS:HE3	1:A:55:LYS:HB3	1.96	0.40
1:A:221:PHE:C	1:A:224:PRO:HD2	2.47	0.40
1:A:472:PRO:O	1:A:475:ILE:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	904/909 (99%)	867 (96%)	31 (3%)	6 (1%)	18	38

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	GLU
1	A	46	ALA
1	A	300	VAL
1	A	622	THR
1	A	795	GLY
1	A	42	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	802/805 (100%)	748 (93%)	54 (7%)	15	33

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	LYS
1	A	6	LEU
1	A	47	THR
1	A	61	LEU
1	A	112	ASN
1	A	121	ASP
1	A	165	GLU
1	A	183	ILE
1	A	185	LYS
1	A	197	LEU
1	A	200	GLU
1	A	226	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	248	THR
1	A	254	GLU
1	A	263	ILE
1	A	276	LEU
1	A	293	ILE
1	A	303	LEU
1	A	309	ILE
1	A	312	LEU
1	A	314	GLU
1	A	332	LEU
1	A	356	GLN
1	A	363	LYS
1	A	373	LEU
1	A	384	ARG
1	A	405	LYS
1	A	412	LEU
1	A	446	VAL
1	A	453	VAL
1	A	459	ASN
1	A	466	ASP
1	A	509	SER
1	A	514	LEU
1	A	525	GLU
1	A	547	ARG
1	A	556	GLN
1	A	559	ARG
1	A	562	LEU
1	A	594	LEU
1	A	607	GLU
1	A	608	VAL
1	A	640	LYS
1	A	658	ARG
1	A	672	GLU
1	A	684	ASP
1	A	693	LEU
1	A	718	THR
1	A	739	LYS
1	A	819	ILE
1	A	835	LEU
1	A	871	LEU
1	A	880	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	A	70	GLN
1	A	105	HIS
1	A	128	GLN
1	A	131	HIS
1	A	153	ASN
1	A	158	ASN
1	A	173	GLN
1	A	232	ASN
1	A	316	ASN
1	A	333	GLN
1	A	342	ASN
1	A	356	GLN
1	A	382	GLN
1	A	422	GLN
1	A	459	ASN
1	A	481	GLN
1	A	485	HIS
1	A	546	GLN
1	A	556	GLN
1	A	645	ASN
1	A	676	ASN
1	A	787	ASN
1	A	812	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GMP	A	1000	-	22,22,22	0.90	1 (4%)	33,33,33	1.96	8 (24%)
2	SO4	A	910	-	4,4,4	0.25	0	6,6,6	0.14	0
2	SO4	A	911	-	4,4,4	0.23	0	6,6,6	0.22	0
2	SO4	A	913	-	4,4,4	0.28	0	6,6,6	0.25	0
2	SO4	A	912	-	4,4,4	0.24	0	6,6,6	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GMP	A	1000	-	-	2/6/22/22	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1000	GMP	C2-N3	2.69	1.39	1.33

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1000	GMP	C5-C4-N3	-5.55	119.56	128.39
3	A	1000	GMP	C2-N3-C4	4.89	120.73	112.30
3	A	1000	GMP	N9-C4-N3	3.81	133.58	125.95
3	A	1000	GMP	C2-N1-C6	-2.98	119.70	125.11
3	A	1000	GMP	C8-N7-C5	2.60	108.89	104.26
3	A	1000	GMP	C5-C6-N1	2.52	119.67	113.25
3	A	1000	GMP	N9-C8-N7	-2.42	108.90	113.40
3	A	1000	GMP	O6-C6-C5	-2.33	120.39	126.53

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1000	GMP	O4'-C4'-C5'-O5'
3	A	1000	GMP	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1000	GMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	906/909 (99%)	0.36	53 (5%) 29 23	40, 59, 91, 123	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	819	ILE	6.3
1	A	256	MET	5.1
1	A	327	ASP	4.7
1	A	1	MET	4.4
1	A	797	PRO	4.2
1	A	46	ALA	4.2
1	A	796	PHE	4.2
1	A	906	HIS	4.1
1	A	222	ASP	3.9
1	A	257	TYR	3.8
1	A	795	GLY	3.7
1	A	822	PRO	3.5
1	A	123	PHE	3.4
1	A	789	ALA	3.3
1	A	255	ASN	3.2
1	A	905	HIS	3.1
1	A	122	GLY	3.0
1	A	42	PRO	2.9
1	A	791	TYR	2.9
1	A	384	ARG	2.8
1	A	820	ASP	2.8
1	A	799	PRO	2.8
1	A	47	THR	2.8
1	A	43	GLU	2.7
1	A	45	GLN	2.7
1	A	784	SER	2.7
1	A	798	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	817	GLY	2.6
1	A	800	LYS	2.6
1	A	794	GLY	2.6
1	A	44	SER	2.6
1	A	838	GLY	2.4
1	A	801	CYS	2.4
1	A	642	ARG	2.3
1	A	857	LEU	2.3
1	A	904	HIS	2.3
1	A	818	ASN	2.3
1	A	823	GLN	2.3
1	A	102	LYS	2.3
1	A	821	ALA	2.2
1	A	504	HIS	2.2
1	A	251	LYS	2.2
1	A	260	ARG	2.2
1	A	576	ARG	2.2
1	A	385	SER	2.2
1	A	254	GLU	2.1
1	A	785	ALA	2.1
1	A	440	HIS	2.1
1	A	825	VAL	2.1
1	A	814	ALA	2.0
1	A	728	MET	2.0
1	A	803	PHE	2.0
1	A	897	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	912	5/5	0.83	0.14	99,99,99,100	0
3	GMP	A	1000	20/20	0.86	0.17	75,76,79,80	0
2	SO4	A	911	5/5	0.88	0.12	98,98,98,99	0
2	SO4	A	910	5/5	0.89	0.24	91,93,93,94	0
2	SO4	A	913	5/5	0.95	0.16	72,74,74,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.