



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 01:35 PM UTC

PDB ID : 4CFE / pdb_00004cfe
Title : Structure of full length human AMPK in complex with a small molecule activator, a benzimidazole derivative (991)
Authors : Xiao, B.; Sanders, M.J.; Carmena, D.; Bright, N.J.; Haire, L.F.; Underwood, E.; Patel, B.R.; Heath, R.B.; Walker, P.A.; Hallen, S.; Giordanetto, F.; Martin, S.R.; Carling, D.; Gamblin, S.J.
Deposited on : 2013-11-14
Resolution : 3.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	571	
1	C	571	
2	B	286	
2	D	286	
3	E	331	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	331	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment on the left labeled '74%', a yellow segment in the middle labeled '12%', and a grey segment on the right labeled '13%'. A small red square is at the beginning of the bar, and a small black dot is at the end of the grey segment. A '%' symbol is positioned above the start of the bar.</p>

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 14322 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE CATALYTIC SUB-UNIT ALPHA-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	426	3411	2191	593	604	1	22	3	0	0
1	C	404	3268	2101	568	576	1	22	7	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP P54646
A	-17	SER	-	expression tag	UNP P54646
A	-16	HIS	-	expression tag	UNP P54646
A	-15	HIS	-	expression tag	UNP P54646
A	-14	HIS	-	expression tag	UNP P54646
A	-13	HIS	-	expression tag	UNP P54646
A	-12	HIS	-	expression tag	UNP P54646
A	-11	HIS	-	expression tag	UNP P54646
A	-10	SER	-	expression tag	UNP P54646
A	-9	SER	-	expression tag	UNP P54646
A	-8	GLY	-	expression tag	UNP P54646
A	-7	LEU	-	expression tag	UNP P54646
A	-6	GLU	-	expression tag	UNP P54646
A	-5	VAL	-	expression tag	UNP P54646
A	-4	LEU	-	expression tag	UNP P54646
A	-3	PHE	-	expression tag	UNP P54646
A	-2	GLN	-	expression tag	UNP P54646
A	-1	GLY	-	expression tag	UNP P54646
A	0	PRO	-	expression tag	UNP P54646
C	-18	MET	-	expression tag	UNP P54646
C	-17	SER	-	expression tag	UNP P54646
C	-16	HIS	-	expression tag	UNP P54646
C	-15	HIS	-	expression tag	UNP P54646
C	-14	HIS	-	expression tag	UNP P54646

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP P54646
C	-12	HIS	-	expression tag	UNP P54646
C	-11	HIS	-	expression tag	UNP P54646
C	-10	SER	-	expression tag	UNP P54646
C	-9	SER	-	expression tag	UNP P54646
C	-8	GLY	-	expression tag	UNP P54646
C	-7	LEU	-	expression tag	UNP P54646
C	-6	GLU	-	expression tag	UNP P54646
C	-5	VAL	-	expression tag	UNP P54646
C	-4	LEU	-	expression tag	UNP P54646
C	-3	PHE	-	expression tag	UNP P54646
C	-2	GLN	-	expression tag	UNP P54646
C	-1	GLY	-	expression tag	UNP P54646
C	0	PRO	-	expression tag	UNP P54646

- Molecule 2 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT BETA-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
2	B	168	1336	863	224	243	1	5	0	0	0
2	D	167	1322	855	221	241	1	4	0	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	MET	-	expression tag	UNP Q9Y478
B	-14	GLY	-	expression tag	UNP Q9Y478
B	-13	LEU	-	expression tag	UNP Q9Y478
B	-12	ASN	-	expression tag	UNP Q9Y478
B	-11	ASP	-	expression tag	UNP Q9Y478
B	-10	ILE	-	expression tag	UNP Q9Y478
B	-9	PHE	-	expression tag	UNP Q9Y478
B	-8	GLU	-	expression tag	UNP Q9Y478
B	-7	ALA	-	expression tag	UNP Q9Y478
B	-6	GLN	-	expression tag	UNP Q9Y478
B	-5	LYS	-	expression tag	UNP Q9Y478
B	-4	ILE	-	expression tag	UNP Q9Y478
B	-3	GLU	-	expression tag	UNP Q9Y478
B	-2	TRP	-	expression tag	UNP Q9Y478
B	-1	HIS	-	expression tag	UNP Q9Y478

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLU	-	expression tag	UNP Q9Y478
D	-15	MET	-	expression tag	UNP Q9Y478
D	-14	GLY	-	expression tag	UNP Q9Y478
D	-13	LEU	-	expression tag	UNP Q9Y478
D	-12	ASN	-	expression tag	UNP Q9Y478
D	-11	ASP	-	expression tag	UNP Q9Y478
D	-10	ILE	-	expression tag	UNP Q9Y478
D	-9	PHE	-	expression tag	UNP Q9Y478
D	-8	GLU	-	expression tag	UNP Q9Y478
D	-7	ALA	-	expression tag	UNP Q9Y478
D	-6	GLN	-	expression tag	UNP Q9Y478
D	-5	LYS	-	expression tag	UNP Q9Y478
D	-4	ILE	-	expression tag	UNP Q9Y478
D	-3	GLU	-	expression tag	UNP Q9Y478
D	-2	TRP	-	expression tag	UNP Q9Y478
D	-1	HIS	-	expression tag	UNP Q9Y478
D	0	GLU	-	expression tag	UNP Q9Y478

- Molecule 3 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT GAMMA-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	294	2369	1541	393	428	7	8	0	0
3	F	288	2315	1504	385	419	7	15	0	0

- Molecule 4 is STAUROSPORINE (CCD ID: STU) (formula: C₂₈H₂₆N₄O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	35	28	4	3	0	0
4	C	1	35	28	4	3	0	0

- Molecule 5 is 5-[[6-chloranyl-5-(1-methylindol-5-yl)-1H-benzimidazol-2-yl]oxy]-2-methylbenzoic acid (CCD ID: 992) (formula: C₂₄H₁₈ClN₃O₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Cl	N	O		
5	A	1	31	24	1	3	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
5	C	1	31	24	1	3	3	0	0

- Molecule 6 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	E	1	23	10	5	7	1	0	0
6	E	1	23	10	5	7	1	0	0
6	E	1	23	10	5	7	1	0	0
6	F	1	23	10	5	7	1	0	0
6	F	1	23	10	5	7	1	0	0
6	F	1	23	10	5	7	1	0	0

- Molecule 7 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	13	Total 13 O 13	0	0
7	B	6	Total 6 O 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	6	Total O 6 6	0	0
7	D	1	Total O 1 1	0	0
7	E	2	Total O 2 2	0	0
7	F	3	Total O 3 3	0	0

● Molecule 3: 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT GAMMA-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.03Å 134.14Å 140.56Å 90.00° 92.42° 90.00°	Depositor
Resolution (Å)	19.91 – 3.02 19.91 – 3.02	Depositor EDS
% Data completeness (in resolution range)	92.0 (19.91-3.02) 91.6 (19.91-3.02)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 3.04Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.218 , 0.253 0.224 , 0.256	Depositor DCC
R_{free} test set	2550 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	97.0	Xtrriage
Anisotropy	0.303	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 72.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	14322	wwPDB-VP
Average B, all atoms (Å ²)	78.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 992, TPO, SEP, STU, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3478	0.69	2/4698 (0.0%)
1	C	0.27	0/3333	0.69	2/4497 (0.0%)
2	B	0.27	0/1361	0.74	1/1851 (0.1%)
2	D	0.30	0/1347	0.77	3/1834 (0.2%)
3	E	0.28	0/2418	0.69	1/3282 (0.0%)
3	F	0.28	0/2360	0.68	0/3202
All	All	0.28	0/14297	0.70	9/19364 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	191(A)	PRO	N-CA-CB	7.16	110.77	103.25
2	B	191(B)	PRO	N-CA-CB	6.78	110.37	103.25
2	D	193(A)	VAL	CA-C-N	6.32	133.08	121.70
2	D	193(A)	VAL	C-N-CA	6.32	133.08	121.70
1	C	277	PHE	CA-C-N	6.13	126.31	119.32
1	C	277	PHE	C-N-CA	6.13	126.31	119.32
1	A	277	PHE	CA-C-N	5.67	125.14	119.24
1	A	277	PHE	C-N-CA	5.67	125.14	119.24
3	E	273	PHE	CB-CA-C	-5.37	109.93	117.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3411	0	3398	43	0
1	C	3268	0	3277	38	0
2	B	1336	0	1323	16	0
2	D	1322	0	1301	17	0
3	E	2369	0	2444	24	0
3	F	2315	0	2398	18	0
4	A	35	0	26	2	0
4	C	35	0	26	1	0
5	A	31	0	17	2	0
5	C	31	0	17	2	0
6	E	69	0	36	2	0
6	F	69	0	36	0	0
7	A	13	0	0	0	0
7	B	6	0	0	0	0
7	C	6	0	0	1	0
7	D	1	0	0	0	0
7	E	2	0	0	0	0
7	F	3	0	0	0	0
All	All	14322	0	14299	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:430:TRP:HB3	1:C:440:VAL:HA	1.71	0.72
1:C:179:TYR:HA	1:C:202:VAL:HG11	1.77	0.67
1:C:158:PHE:O	1:C:160:LEU:N	2.28	0.66
1:C:423:MET:HB3	1:C:428:PHE:HB2	1.78	0.65
2:D:122:GLU:HG2	2:D:154:GLN:HG2	1.79	0.65
3:F:98:TYR:CG	3:F:108:GLU:HG3	2.31	0.65
1:A:423:MET:HB3	1:A:428:PHE:HB2	1.78	0.64
3:E:278:LYS:NZ	3:E:307:ASP:OD1	2.31	0.64
1:C:402:TRP:HB2	2:D:213:VAL:HG11	1.79	0.64
1:C:218:HIS:HD1	1:C:221:THR:HG1	1.47	0.63
1:A:63:ARG:HH21	1:A:163:MET:HG2	1.64	0.63
1:C:536:THR:OG1	3:F:162:ASN:ND2	2.32	0.62
1:A:179:TYR:HA	1:A:202:VAL:HG11	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1552:STU:H261	4:A:1552:STU:H16	1.82	0.61
3:E:98:TYR:CG	3:E:108:GLU:HG3	2.36	0.60
1:C:462:ASN:N	1:C:462:ASN:OD1	2.35	0.60
1:C:132:ARG:HH21	1:C:263:ARG:HH22	1.49	0.59
4:C:1552:STU:H261	4:C:1552:STU:H16	1.83	0.59
1:A:52:ILE:HD12	1:A:61:ILE:HG13	1.85	0.58
1:A:134:MET:HA	1:A:164:MET:HE2	1.85	0.58
2:B:206:LEU:HD12	2:B:207:PRO:HD2	1.87	0.57
1:C:79:LEU:HD13	1:C:93:MET:HE2	1.87	0.56
3:E:244:PHE:HB3	6:E:1327:AMP:H5'1	1.86	0.56
3:F:70:ARG:HH21	3:F:244:PHE:HB2	1.70	0.56
1:C:469:PHE:HB2	2:D:239:LEU:HB3	1.89	0.55
1:A:370:MET:HG3	3:E:68:GLY:HA2	1.89	0.54
2:D:221:ILE:H	2:D:221:ILE:HD13	1.72	0.54
3:F:209:THR:HG23	3:F:210:THR:HG23	1.89	0.54
2:B:108:SEP:OG	2:B:109:HIS:N	2.37	0.54
3:E:74:LEU:HD21	3:E:86:LEU:HB2	1.89	0.54
3:F:239:ASP:OD1	3:F:240:ILE:N	2.39	0.53
1:C:428:PHE:HE1	1:C:442:ARG:HD3	1.73	0.53
1:A:469:PHE:HB2	2:B:239:LEU:HB3	1.91	0.52
1:A:278:PRO:HA	1:A:283:TYR:CG	2.45	0.52
2:B:256:ARG:NH1	2:B:258:LYS:O	2.38	0.52
3:E:304:ASP:O	3:E:306:ASN:N	2.40	0.52
1:C:55:LEU:HB2	1:C:57:VAL:HG22	1.91	0.52
1:A:402:TRP:HB2	2:B:213:VAL:HG11	1.91	0.51
3:F:74:LEU:HD21	3:F:86:LEU:HB2	1.92	0.51
3:E:70:ARG:HH21	3:E:244:PHE:HB2	1.75	0.51
1:A:178:ASN:OD1	1:A:178:ASN:N	2.43	0.51
1:C:434:ASN:HB3	1:C:437:HIS:HB3	1.93	0.50
2:D:206:LEU:HD12	2:D:207:PRO:HD2	1.93	0.50
3:F:88:ILE:HG23	3:F:247:ILE:HG23	1.93	0.50
1:A:123:ILE:HG23	1:A:155:ILE:HD11	1.93	0.50
3:E:43:PRO:HG2	3:E:46:SER:HB3	1.92	0.50
3:F:77:SER:O	3:F:80:GLN:NE2	2.35	0.50
1:C:52:ILE:HD12	1:C:61:ILE:HG13	1.93	0.50
1:A:366:HIS:HB3	1:A:369:ARG:HG2	1.94	0.50
3:E:70:ARG:NH2	3:E:244:PHE:HB2	2.27	0.50
1:A:369:ARG:NH2	2:B:220:GLY:O	2.45	0.49
1:C:218:HIS:CD2	1:C:220:PRO:HD2	2.47	0.49
1:A:72:ARG:HH22	1:A:288:ILE:HB	1.77	0.49
1:A:26:THR:HG21	1:A:160:LEU:HG	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:98:TYR:CD1	3:E:108:GLU:HG3	2.48	0.49
1:C:247:HIS:CG	1:C:257:ALA:HB2	2.47	0.49
2:D:248:VAL:HA	2:D:269:PRO:HA	1.95	0.48
1:A:18:LEU:HB2	5:A:1553:992:H8	1.94	0.48
1:A:218:HIS:CD2	1:A:220:PRO:HD2	2.48	0.48
3:E:130:VAL:O	6:E:1326:AMP:N6	2.47	0.48
2:D:140:PRO:O	2:D:152:ILE:N	2.43	0.48
1:C:117:ARG:NH1	1:C:267:TRP:O	2.36	0.47
2:B:248:VAL:HA	2:B:269:PRO:HA	1.95	0.47
2:B:249:MET:HE3	2:B:270:ILE:HD13	1.95	0.47
1:A:443:LYS:NZ	1:A:448:GLY:O	2.47	0.47
1:C:32:ILE:HD11	1:C:41:LYS:HD3	1.96	0.47
3:E:298:HIS:HB3	3:E:299:ARG:NH2	2.30	0.47
2:B:264:THR:HG22	3:E:48:LEU:HD23	1.96	0.47
1:A:434:ASN:HB3	1:A:437:HIS:HB3	1.96	0.47
1:C:193:PRO:O	1:C:197:ILE:HG12	2.15	0.47
1:C:416:MET:HE3	1:C:457:LEU:HD22	1.98	0.47
1:C:35:HIS:CE1	1:C:37:LEU:HB2	2.50	0.46
1:C:18:LEU:CB	5:C:1553:992:H8	2.45	0.46
1:A:272:LEU:HD12	1:A:273:PRO:HD2	1.97	0.46
1:C:82:VAL:HG13	2:D:162:VAL:HG21	1.97	0.46
2:B:122:GLU:HG2	2:B:154:GLN:HG2	1.97	0.46
3:E:88:ILE:HG23	3:E:247:ILE:HG23	1.97	0.46
1:A:18:LEU:CB	5:A:1553:992:H8	2.46	0.46
1:C:132:ARG:NH2	1:C:263:ARG:HH22	2.12	0.46
1:A:430:TRP:HB3	1:A:440:VAL:HA	1.96	0.46
3:E:209:THR:HG23	3:E:210:THR:HG23	1.96	0.46
1:A:60:LYS:HG3	1:A:63:ARG:HH12	1.78	0.46
2:D:224:ASP:HB3	2:D:227:LEU:HG	1.98	0.46
2:D:92:TYR:HB2	2:D:128:PHE:HB3	1.97	0.45
3:F:298:HIS:HB3	3:F:299:ARG:NH2	2.31	0.45
1:C:439:ARG:NH1	7:C:2005:HOH:O	2.49	0.45
3:F:278:LYS:NZ	3:F:307:ASP:OD1	2.49	0.45
1:A:192:GLY:N	1:A:194:GLU:OE2	2.46	0.45
1:A:247:HIS:CG	1:A:257:ALA:HB2	2.52	0.45
2:B:108:SEP:P	2:B:109:HIS:H	2.40	0.45
2:D:108:SEP:OG	2:D:109:HIS:N	2.43	0.45
1:C:18:LEU:HB3	5:C:1553:992:H8	1.99	0.45
1:A:162:ASN:OD1	1:A:163:MET:N	2.48	0.44
1:A:101:LEU:O	1:A:105:ILE:HG13	2.17	0.44
1:A:205:TYR:OH	1:A:232:TYR:O	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:HIS:ND1	1:A:456:GLN:OE1	2.46	0.44
1:A:112:GLU:HG2	1:A:114:MET:H	1.83	0.44
1:C:419:VAL:O	1:C:423:MET:HG3	2.18	0.44
2:D:84:TRP:HB3	2:D:112:PHE:HB2	1.98	0.44
3:E:101:SER:OG	3:E:102:ALA:N	2.48	0.44
3:E:315:LEU:HD12	3:E:315:LEU:HA	1.86	0.43
1:C:277:PHE:HA	1:C:278:PRO:HD3	1.89	0.43
1:C:412:PRO:HG3	1:C:465:TYR:CZ	2.54	0.43
3:F:84:GLY:HA2	3:F:129:LEU:HD13	1.99	0.43
3:F:70:ARG:NH2	3:F:244:PHE:HB2	2.34	0.43
1:C:168:GLU:OE2	1:C:470:LYS:NZ	2.51	0.43
2:D:161:GLU:HB3	2:D:164:ASP:HB2	2.01	0.43
1:A:428:PHE:HE1	1:A:442:ARG:HD3	1.84	0.43
1:C:53:ARG:NH2	2:D:169:ASP:OD1	2.51	0.43
2:D:91:VAL:HG22	2:D:129:VAL:HG22	2.01	0.43
3:F:98:TYR:CD2	3:F:108:GLU:HG3	2.54	0.43
2:B:118:LEU:HA	2:B:119:PRO:HD3	1.85	0.42
1:C:134:MET:HA	1:C:164:MET:HE2	2.01	0.42
3:E:310:LYS:HD3	3:E:310:LYS:HA	1.85	0.42
1:A:48:ASN:O	1:A:52:ILE:HG12	2.20	0.42
1:C:143:GLU:OE1	1:C:143:GLU:N	2.45	0.42
3:F:186:PRO:HG2	3:F:189:MET:HG2	2.00	0.42
1:A:100:GLU:OE2	4:A:1552:STU:N4	2.52	0.42
3:F:43:PRO:HG2	3:F:46:SER:HB3	2.01	0.42
3:E:292:LEU:HD13	3:E:292:LEU:HA	1.93	0.42
1:A:31:LYS:HB3	1:A:31:LYS:HE2	1.81	0.42
2:B:91:VAL:HG13	2:B:129:VAL:HG22	2.01	0.42
2:B:143:THR:HG22	2:B:145:GLN:H	1.85	0.42
2:D:224:ASP:HA	2:D:225:PRO:HD3	1.94	0.42
3:E:94:ILE:HG21	3:E:109:LEU:HD13	2.02	0.42
1:A:66:GLN:HA	1:A:69:LYS:HE3	2.02	0.42
1:A:96:VAL:HG11	1:A:154:LYS:HG3	2.02	0.42
3:E:97:ARG:HD2	3:E:98:TYR:CZ	2.55	0.41
3:F:94:ILE:HG21	3:F:109:LEU:HD13	2.00	0.41
1:A:181:ALA:HB3	1:A:184:VAL:HG23	2.01	0.41
2:B:239:LEU:HD11	2:B:251:LEU:HB3	2.02	0.41
1:A:12:LYS:HG2	1:A:17:VAL:HG22	2.03	0.41
1:C:21:THR:HA	1:C:31:LYS:HB3	2.02	0.41
3:F:300:LEU:HB2	3:F:313:VAL:HG13	2.03	0.41
1:A:21:THR:HA	1:A:31:LYS:HB3	2.02	0.41
1:A:412:PRO:HG3	1:A:465:TYR:CZ	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:ALA:O	1:A:327:ILE:HG12	2.21	0.41
1:A:278:PRO:HA	1:A:283:TYR:CD2	2.56	0.41
2:B:84:TRP:HB3	2:B:112:PHE:HB2	2.03	0.41
3:F:138:LEU:HA	3:F:138:LEU:HD12	1.79	0.41
1:C:182:PRO:HD3	1:C:198:TRP:CE2	2.56	0.41
3:E:61:PHE:HE2	3:E:94:ILE:HD12	1.86	0.41
1:A:416:MET:HA	1:A:419:VAL:HG22	2.02	0.41
1:C:272:LEU:HD12	1:C:273:PRO:HD2	2.03	0.40
2:D:103:LEU:HD12	2:D:104:PRO:HD2	2.03	0.40
3:E:300:LEU:HB2	3:E:313:VAL:HG13	2.02	0.40
1:C:73:HIS:CG	1:C:74:PRO:HD2	2.56	0.40
3:E:225:VAL:O	3:E:243:LYS:HE3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/571 (73%)	394 (95%)	21 (5%)	0	100	100
1	C	393/571 (69%)	369 (94%)	23 (6%)	1 (0%)	36	68
2	B	161/286 (56%)	155 (96%)	5 (3%)	1 (1%)	21	54
2	D	160/286 (56%)	150 (94%)	8 (5%)	2 (1%)	9	36
3	E	290/331 (88%)	279 (96%)	7 (2%)	4 (1%)	9	34
3	F	282/331 (85%)	271 (96%)	10 (4%)	1 (0%)	30	63
All	All	1701/2376 (72%)	1618 (95%)	74 (4%)	9 (0%)	24	59

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	159	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	193(A)	VAL
2	B	191(B)	PRO
3	E	185	LYS
2	D	221	ILE
3	E	186	PRO
3	E	305	GLU
3	F	185	LYS
3	E	276	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/503 (73%)	351 (96%)	14 (4%)	29	62
1	C	355/503 (71%)	341 (96%)	14 (4%)	28	61
2	B	149/253 (59%)	144 (97%)	5 (3%)	32	64
2	D	146/253 (58%)	140 (96%)	6 (4%)	27	60
3	E	270/304 (89%)	258 (96%)	12 (4%)	25	58
3	F	265/304 (87%)	251 (95%)	14 (5%)	20	52
All	All	1550/2120 (73%)	1485 (96%)	65 (4%)	26	59

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	VAL
1	A	72	ARG
1	A	82	VAL
1	A	136	VAL
1	A	140	LEU
1	A	147	LEU
1	A	168	GLU
1	A	171	ARG
1	A	178	ASN
1	A	194	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	202	VAL
1	A	250	GLN
1	A	432	VAL
1	A	440	VAL
2	B	98	ASN
2	B	113	VAL
2	B	145	GLN
2	B	150	ASN
2	B	221	ILE
1	C	51	LYS
1	C	82	VAL
1	C	136	VAL
1	C	140	LEU
1	C	147	LEU
1	C	168	GLU
1	C	171	ARG
1	C	194	GLU
1	C	202	VAL
1	C	250	GLN
1	C	332	ARG
1	C	397	VAL
1	C	432	VAL
1	C	462	ASN
2	D	98	ASN
2	D	113	VAL
2	D	146	LEU
2	D	221	ILE
2	D	234	VAL
2	D	248	VAL
3	E	69	VAL
3	E	98	TYR
3	E	108	GLU
3	E	183	PHE
3	E	208	ARG
3	E	256	ASN
3	E	273	PHE
3	E	276	VAL
3	E	292	LEU
3	E	313	VAL
3	E	315	LEU
3	E	323	VAL
3	F	69	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	108	GLU
3	F	167	LEU
3	F	187	GLU
3	F	208	ARG
3	F	247	ILE
3	F	249	LEU
3	F	256	ASN
3	F	276	VAL
3	F	292	LEU
3	F	305	GLU
3	F	310	LYS
3	F	313	VAL
3	F	323	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	250	GLN
1	A	403	HIS
1	A	535	HIS
2	B	145	GLN
2	B	150	ASN
1	C	75	HIS
1	C	336	GLN
1	C	535	HIS
3	E	112	HIS
3	E	320	GLN
3	F	112	HIS
3	F	162	ASN
3	F	267	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	C	172	1	8,10,11	0.84	0	10,14,16	1.10	0
2	SEP	B	108	2	8,9,10	0.94	0	7,12,14	1.07	0
2	SEP	D	108	2	8,9,10	0.93	0	7,12,14	0.92	0
1	TPO	A	172	1	8,10,11	0.81	0	10,14,16	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	C	172	1	-	0/9/11/13	-
2	SEP	B	108	2	-	2/6/8/10	-
2	SEP	D	108	2	-	2/6/8/10	-
1	TPO	A	172	1	-	1/9/11/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	108	SEP	C-CA-CB-OG
2	D	108	SEP	C-CA-CB-OG
2	B	108	SEP	N-CA-CB-OG
2	D	108	SEP	N-CA-CB-OG
1	A	172	TPO	CB-OG1-P-O2P

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	108	SEP	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	108	SEP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	AMP	F	1326	-	25,25,25	1.41	4 (16%)	37,38,38	1.88	8 (21%)
6	AMP	E	1327	-	25,25,25	1.42	4 (16%)	37,38,38	1.85	7 (18%)
6	AMP	E	1328	-	25,25,25	1.41	4 (16%)	37,38,38	1.89	8 (21%)
5	992	A	1553	-	33,35,35	1.28	3 (9%)	50,52,52	1.55	6 (12%)
5	992	C	1553	-	33,35,35	1.28	3 (9%)	50,52,52	1.54	6 (12%)
6	AMP	F	1327	-	25,25,25	1.42	4 (16%)	37,38,38	1.88	8 (21%)
6	AMP	F	1328	-	25,25,25	1.41	4 (16%)	37,38,38	1.89	8 (21%)
4	STU	C	1552	-	39,42,42	0.75	2 (5%)	50,68,68	2.36	11 (22%)
4	STU	A	1552	-	39,42,42	0.74	2 (5%)	50,68,68	2.37	10 (20%)
6	AMP	E	1326	-	25,25,25	1.42	4 (16%)	37,38,38	1.87	8 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AMP	F	1326	-	-	0/10/26/26	0/3/3/3
6	AMP	E	1327	-	-	3/10/26/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AMP	E	1328	-	-	4/10/26/26	0/3/3/3
5	992	A	1553	-	-	4/10/12/12	0/5/5/5
5	992	C	1553	-	-	4/10/12/12	0/5/5/5
6	AMP	F	1327	-	-	1/10/26/26	0/3/3/3
6	AMP	F	1328	-	-	0/10/26/26	0/3/3/3
4	STU	C	1552	-	-	1/4/42/42	-
4	STU	A	1552	-	-	1/4/42/42	-
6	AMP	E	1326	-	-	2/10/26/26	0/3/3/3

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1553	992	C9-N7	-5.24	1.32	1.37
5	C	1553	992	C9-N7	-5.20	1.32	1.37
6	E	1326	AMP	C5-C4	4.77	1.47	1.39
6	E	1327	AMP	C5-C4	4.76	1.47	1.39
6	F	1328	AMP	C5-C4	4.75	1.47	1.39
6	F	1327	AMP	C5-C4	4.74	1.47	1.39
6	F	1326	AMP	C5-C4	4.74	1.47	1.39
6	E	1328	AMP	C5-C4	4.66	1.47	1.39
6	F	1327	AMP	C5-C6	2.75	1.48	1.41
6	E	1326	AMP	C5-C6	2.73	1.48	1.41
6	F	1328	AMP	C5-C6	2.72	1.48	1.41
6	E	1328	AMP	C5-C6	2.70	1.48	1.41
6	F	1326	AMP	C5-C6	2.70	1.48	1.41
6	E	1327	AMP	C5-C6	2.62	1.48	1.41
6	E	1327	AMP	C5-N7	-2.36	1.34	1.39
6	F	1326	AMP	C8-N7	2.36	1.36	1.31
6	F	1328	AMP	C8-N7	2.35	1.36	1.31
6	E	1328	AMP	C8-N7	2.35	1.36	1.31
6	F	1327	AMP	C8-N7	2.34	1.36	1.31
6	E	1326	AMP	C8-N7	2.32	1.36	1.31
6	E	1327	AMP	C8-N7	2.31	1.36	1.31
6	E	1328	AMP	C5-N7	-2.29	1.34	1.39
4	C	1552	STU	C19-N3	-2.27	1.35	1.39
6	F	1327	AMP	C5-N7	-2.25	1.35	1.39
5	C	1553	992	C12-C13	2.25	1.43	1.40
6	E	1326	AMP	C5-N7	-2.24	1.35	1.39
4	A	1552	STU	O4-C25	-2.22	1.39	1.43
6	F	1326	AMP	C5-N7	-2.21	1.35	1.39
6	F	1328	AMP	C5-N7	-2.20	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1552	STU	C19-N3	-2.15	1.35	1.39
5	A	1553	992	C12-C13	2.13	1.43	1.40
5	A	1553	992	C30-C29	2.11	1.43	1.40
5	C	1553	992	C30-C29	2.10	1.43	1.40
4	C	1552	STU	O4-C25	-2.00	1.40	1.43

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1552	STU	C9-C10-C7	-8.39	106.80	109.88
4	A	1552	STU	C9-C10-C7	-8.37	106.81	109.88
4	A	1552	STU	C28-N4-C23	-6.40	106.74	114.39
6	E	1327	AMP	C5-C4-N3	-5.86	118.65	126.72
6	F	1326	AMP	C5-C4-N3	-5.86	118.65	126.72
6	E	1328	AMP	C5-C4-N3	-5.84	118.67	126.72
6	E	1326	AMP	C5-C4-N3	-5.82	118.70	126.72
6	F	1327	AMP	C5-C4-N3	-5.79	118.75	126.72
4	C	1552	STU	C28-N4-C23	-5.79	107.47	114.39
6	F	1328	AMP	C5-C4-N3	-5.78	118.76	126.72
4	C	1552	STU	C9-N1-C8	-5.68	108.69	113.86
4	A	1552	STU	C9-N1-C8	-5.65	108.71	113.86
4	C	1552	STU	C9-C10-C11	4.82	132.39	128.73
4	A	1552	STU	C9-C10-C11	4.79	132.36	128.73
6	E	1327	AMP	N3-C4-N9	4.69	135.14	127.17
5	C	1553	992	C5-N7-C9	4.66	111.27	108.35
6	F	1327	AMP	N3-C4-N9	4.66	135.10	127.17
6	F	1326	AMP	N3-C4-N9	4.66	135.09	127.17
6	E	1328	AMP	N3-C4-N9	4.65	135.07	127.17
6	E	1326	AMP	N3-C4-N9	4.63	135.05	127.17
6	F	1328	AMP	N3-C4-N9	4.62	135.02	127.17
5	A	1553	992	C5-N7-C9	4.61	111.23	108.35
4	A	1552	STU	C10-C9-N1	4.31	105.95	101.75
4	C	1552	STU	C10-C9-N1	4.27	105.90	101.75
4	C	1552	STU	C7-C8-N1	4.25	110.43	106.38
4	A	1552	STU	C7-C8-N1	4.21	110.40	106.38
5	C	1553	992	C4-C5-N7	4.13	135.54	129.91
5	A	1553	992	C4-C5-N7	4.09	135.48	129.91
6	F	1326	AMP	C2-N3-C4	3.74	120.96	111.83
6	F	1328	AMP	C2-N3-C4	3.70	120.88	111.83
6	E	1326	AMP	C2-N3-C4	3.70	120.87	111.83
6	F	1327	AMP	C2-N3-C4	3.69	120.84	111.83
6	E	1328	AMP	C2-N3-C4	3.67	120.80	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	1327	AMP	C2-N3-C4	3.64	120.72	111.83
4	C	1552	STU	C27-O6-C22	-3.54	108.47	114.46
6	E	1328	AMP	C4-C5-N7	-3.46	106.63	110.58
4	A	1552	STU	C27-O6-C22	-3.44	108.64	114.46
6	E	1326	AMP	C4-C5-N7	-3.43	106.66	110.58
6	F	1328	AMP	C4-C5-N7	-3.41	106.68	110.58
6	F	1326	AMP	C4-C5-N7	-3.40	106.69	110.58
6	F	1327	AMP	C4-C5-N7	-3.36	106.74	110.58
6	F	1328	AMP	N3-C2-N1	-3.33	123.54	128.58
5	A	1553	992	C26-O25-C23	-3.32	111.47	118.13
6	F	1326	AMP	N3-C2-N1	-3.29	123.60	128.58
6	E	1326	AMP	N3-C2-N1	-3.24	123.68	128.58
6	F	1327	AMP	N3-C2-N1	-3.23	123.69	128.58
6	E	1327	AMP	C4-C5-N7	-3.23	106.89	110.58
6	E	1328	AMP	N3-C2-N1	-3.22	123.71	128.58
6	E	1327	AMP	N3-C2-N1	-3.14	123.83	128.58
4	C	1552	STU	C16-C17-C12	-3.09	117.98	121.59
5	C	1553	992	C26-O25-C23	-3.00	112.10	118.13
4	C	1552	STU	C13-C12-C17	2.99	122.70	119.24
4	A	1552	STU	C16-C17-C12	-2.97	118.11	121.59
5	A	1553	992	C11-C10-C7	-2.84	119.77	121.97
5	C	1553	992	C6-C5-N7	-2.76	105.54	107.92
4	A	1552	STU	C13-C12-C17	2.76	122.43	119.24
6	F	1327	AMP	C4-N9-C8	2.72	108.59	105.74
5	C	1553	992	C11-C10-C7	-2.70	119.88	121.97
6	F	1328	AMP	C4-N9-C8	2.69	108.56	105.74
6	E	1328	AMP	C4-N9-C8	2.68	108.55	105.74
5	A	1553	992	C6-C5-N7	-2.64	105.65	107.92
6	F	1326	AMP	C4-N9-C8	2.62	108.49	105.74
6	E	1326	AMP	C4-N9-C8	2.59	108.46	105.74
6	E	1328	AMP	C5-N7-C8	2.57	107.49	103.45
6	F	1328	AMP	C5-N7-C8	2.52	107.41	103.45
6	F	1327	AMP	C5-N7-C8	2.51	107.40	103.45
6	E	1326	AMP	C5-N7-C8	2.51	107.40	103.45
6	F	1326	AMP	C5-N7-C8	2.49	107.37	103.45
6	E	1327	AMP	C4-N9-C8	2.43	108.29	105.74
4	A	1552	STU	O5-C8-C7	-2.40	124.98	128.47
5	A	1553	992	C4-C5-C6	-2.36	118.88	121.78
6	E	1327	AMP	C5-N7-C8	2.35	107.14	103.45
4	C	1552	STU	O5-C8-C7	-2.34	125.08	128.47
5	C	1553	992	C4-C5-C6	-2.32	118.92	121.78
6	E	1326	AMP	C6-C5-N7	2.09	136.11	132.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	1326	AMP	C6-C5-N7	2.07	136.07	132.09
6	F	1328	AMP	C6-C5-N7	2.06	136.07	132.09
4	C	1552	STU	C19-N3-C20	2.03	110.58	107.90
6	F	1327	AMP	C6-C5-N7	2.02	135.99	132.09
6	E	1328	AMP	N9-C8-N7	-2.01	111.08	113.94

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	E	1327	AMP	C5'-O5'-P-O1P
6	E	1327	AMP	C5'-O5'-P-O2P
6	E	1327	AMP	C5'-O5'-P-O3P
6	E	1328	AMP	C5'-O5'-P-O2P
6	E	1328	AMP	C5'-O5'-P-O3P
6	E	1328	AMP	O4'-C4'-C5'-O5'
6	E	1328	AMP	C3'-C4'-C5'-O5'
6	E	1326	AMP	C5'-O5'-P-O1P
5	A	1553	992	O20-C18-C30-C31
5	C	1553	992	O20-C18-C30-C31
5	C	1553	992	O19-C18-C30-C31
5	A	1553	992	O19-C18-C30-C31
4	A	1552	STU	C24-C23-N4-C28
6	F	1327	AMP	C5'-O5'-P-O1P
5	C	1553	992	O20-C18-C30-C29
5	A	1553	992	O19-C18-C30-C29
5	A	1553	992	O20-C18-C30-C29
5	C	1553	992	O19-C18-C30-C29
4	C	1552	STU	C24-C23-N4-C28
6	E	1326	AMP	C5'-O5'-P-O2P



There are no ring outliers.



6 monomers are involved in 9 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	1327	AMP	1	0
5	A	1553	992	2	0
5	C	1553	992	2	0
4	C	1552	STU	1	0
4	A	1552	STU	2	0
6	E	1326	AMP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	425/571 (74%)	-0.29	6 (1%) 73 51	28, 77, 122, 161	1 (0%)
1	C	403/571 (70%)	-0.19	7 (1%) 69 46	37, 75, 134, 171	2 (0%)
2	B	167/286 (58%)	-0.28	0 100 100	50, 71, 122, 146	0
2	D	166/286 (58%)	-0.13	3 (1%) 67 44	41, 91, 149, 173	0
3	E	294/331 (88%)	-0.35	2 (0%) 84 66	36, 66, 117, 161	2 (0%)
3	F	288/331 (87%)	-0.43	4 (1%) 73 51	30, 63, 117, 160	3 (1%)
All	All	1743/2376 (73%)	-0.29	22 (1%) 75 53	28, 72, 130, 173	8 (0%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	275	GLY	4.3
2	D	241	ALA	3.8
1	C	461	ASP	3.2
3	E	184	PRO	3.1
3	F	184	PRO	3.0
1	C	282	SER	2.8
1	A	176	SER	2.6
3	F	308	VAL	2.5
3	F	306	ASN	2.5
1	A	321	ALA	2.4
1	C	332	ARG	2.4
3	F	183	PHE	2.3
1	C	464	SER	2.3
1	A	346	PRO	2.2
1	A	54	SER	2.2
2	D	194(A)	CYS	2.2
2	D	96	SER	2.2
1	C	59	GLY	2.1
1	C	430	TRP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	279	GLU	2.1
1	A	430	TRP	2.1
1	A	280	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SEP	D	108	10/11	0.91	0.10	80,88,111,113	0
2	SEP	B	108	10/11	0.93	0.09	73,84,88,92	0
1	TPO	C	172	11/12	0.97	0.05	55,62,67,68	0
1	TPO	A	172	11/12	0.97	0.05	68,70,72,73	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	AMP	E	1326	23/23	0.84	0.12	127,147,161,165	0
6	AMP	F	1326	23/23	0.89	0.13	120,134,147,151	0
5	992	A	1553	31/31	0.90	0.10	61,67,84,88	0
6	AMP	E	1327	23/23	0.94	0.08	49,57,71,79	0
6	AMP	F	1327	23/23	0.94	0.08	74,84,90,101	0
5	992	C	1553	31/31	0.95	0.08	73,75,80,82	0
4	STU	C	1552	35/35	0.96	0.06	36,43,51,52	0
6	AMP	E	1328	23/23	0.96	0.08	53,68,75,77	0
6	AMP	F	1328	23/23	0.96	0.07	57,62,67,69	0
4	STU	A	1552	35/35	0.97	0.07	37,44,48,87	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AMP F 1326:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 992 A 1553:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP E 1327:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AMP F 1327:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 992 C 1553:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around STU C 1552:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around AMP E 1328:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.