



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:43 PM UTC

PDB ID : 4CFO / pdb_00004cfo
Title : Structure of Lytic Transglycosylase MltC from Escherichia coli in complex with tetrasaccharide at 2.9 Å resolution.
Authors : Artola-Recolons, C.; Bernardo-Garcia, N.; Mobashery, S.; Hermoso, J.A.
Deposited on : 2013-11-19
Resolution : 2.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	60% 29% 6% .
1	B	341	58% 34% . .
2	C	4	25% 75%
2	D	4	100%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5331 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MLTC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total	C	N	O	S	0	0	0
			2577	1616	461	492	8			
1	B	327	Total	C	N	O	S	0	0	0
			2577	1616	461	492	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	expression tag	UNP C5A0N2
A	217	GLN	GLU	conflict	UNP C5A0N2
B	19	MET	-	expression tag	UNP C5A0N2
B	217	GLN	GLU	conflict	UNP C5A0N2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-methyl 2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranoside.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	4	Total	C	N	O	0	0	0
			68	39	6	23			
2	D	4	Total	C	N	O	0	0	0
			68	39	6	23			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	20	Total	O	0	0
			20	20		
3	B	21	Total	O	0	0
			21	21		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MLTC



• Molecule 1: MLTC



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-methyl 2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranoside

Chain C:  25% 75%

HW91
NAG2
NW63
NAG4

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-methyl 2-acetamido-3-O-[(2R)-1-amino-1-oxopropan-2-yl]-2-deoxy-beta-D-glucopyranoside

Chain D:  100%

HW91
NAG2
NW63
NAG4

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.21Å 112.81Å 61.57Å 90.00° 93.52° 90.00°	Depositor
Resolution (Å)	14.93 – 2.90 14.93 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.9 (14.93-2.90) 99.1 (14.93-2.90)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.192 , 0.269 0.199 , 0.277	Depositor DCC
R_{free} test set	741 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.262	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5331	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NM9, NAG, NM6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	1/2628 (0.0%)	1.06	6/3559 (0.2%)
1	B	0.79	2/2628 (0.1%)	1.01	6/3559 (0.2%)
All	All	0.85	3/5256 (0.1%)	1.04	12/7118 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	251	LYS	N-CA	-5.03	1.40	1.46
1	B	98	HIS	CG-ND1	-5.02	1.32	1.38
1	B	98	HIS	CD2-NE2	-5.02	1.32	1.37

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	248	SER	N-CA-C	-7.54	99.94	110.35
1	A	82	ASP	N-CA-C	7.10	120.42	111.69
1	A	169	GLY	N-CA-C	-6.41	105.67	114.64
1	B	94	GLU	CA-C-N	6.20	127.59	119.84
1	B	94	GLU	C-N-CA	6.20	127.59	119.84
1	B	349	VAL	CB-CA-C	-5.95	104.27	112.24
1	B	309	VAL	N-CA-C	-5.50	107.38	112.83
1	A	357	ARG	N-CA-C	5.48	118.77	111.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	143	GLN	CA-C-N	5.28	125.20	119.76
1	A	143	GLN	C-N-CA	5.28	125.20	119.76
1	B	112	ASP	CA-C-N	5.04	124.64	119.05
1	B	112	ASP	C-N-CA	5.04	124.64	119.05

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	229	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2577	0	2547	93	0
1	B	2577	0	2547	95	0
2	C	68	0	32	7	0
2	D	68	0	33	10	0
3	A	20	0	0	1	0
3	B	21	0	0	0	0
All	All	5331	0	5159	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:PRO:O	1:B:98:HIS:HB2	1.37	1.19
1:B:228:SER:HB3	2:D:1:NM9:H3B3	1.52	0.92
1:B:228:SER:CB	2:D:1:NM9:H3B3	2.05	0.86
1:A:51:ILE:O	1:A:171:ARG:NH2	2.08	0.85
1:B:95:PRO:O	1:B:98:HIS:CB	2.25	0.82
1:B:298:ALA:HB2	1:B:306:VAL:HG21	1.62	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:ALA:O	1:A:245:VAL:HG23	1.81	0.81
1:A:234:MET:HE3	1:A:267:ILE:HA	1.60	0.80
1:A:234:MET:CE	1:A:267:ILE:HA	2.12	0.79
1:A:109:MET:HB2	1:A:126:THR:HG23	1.64	0.78
1:B:148:GLU:O	1:B:152:SER:OG	2.02	0.77
1:B:214:MET:HE1	1:B:267:ILE:HD11	1.68	0.76
1:A:226:SER:OG	2:C:1:NM9:O7	2.03	0.75
1:A:347:TYR:O	1:A:351:THR:HB	1.86	0.75
1:B:72:TYR:CE1	1:B:121:ASP:HB3	2.22	0.74
1:B:291:ARG:O	1:B:295:VAL:HG23	1.88	0.74
1:A:125:ILE:HD12	1:A:125:ILE:O	1.88	0.73
1:B:107:LEU:HD22	1:B:137:VAL:HG11	1.70	0.73
1:B:213:ILE:HD12	1:B:274:LEU:HD11	1.71	0.71
1:B:96:ALA:HB1	1:B:159:LEU:HD21	1.72	0.70
1:A:196:VAL:HG22	1:A:214:MET:HE1	1.75	0.67
1:B:226:SER:OG	2:D:1:NM9:O7	2.12	0.67
1:B:273:TYR:OH	2:D:3:NM6:O6	2.09	0.67
1:B:351:THR:HA	1:B:354:LYS:HE2	1.77	0.67
1:B:90:ILE:HG13	1:B:171:ARG:HD3	1.76	0.67
1:B:95:PRO:HG3	1:B:174:TYR:CE2	2.29	0.67
1:B:90:ILE:CG1	1:B:171:ARG:HD3	2.26	0.66
1:B:96:ALA:O	1:B:97:ALA:HB3	1.95	0.66
1:B:228:SER:HB3	2:D:1:NM9:C3B	2.23	0.66
1:A:196:VAL:CG2	1:A:214:MET:HE1	2.25	0.66
1:B:197:ARG:HA	1:B:207:GLU:OE2	1.95	0.65
1:A:207:GLU:OE1	1:B:359:ARG:NH2	2.31	0.64
1:A:276:MET:HE2	1:A:281:TYR:CE2	2.33	0.64
1:B:200:SER:OG	1:B:205:VAL:O	2.15	0.63
1:A:58:VAL:O	1:A:68:TYR:OH	2.10	0.63
1:A:82:ASP:HB3	1:A:84:THR:HG23	1.79	0.63
1:B:105:LYS:HE3	1:B:125:ILE:HG21	1.82	0.62
1:B:37:PHE:CE1	1:B:229:ASP:HB3	2.34	0.62
1:B:237:VAL:HB	1:B:240:THR:HG22	1.83	0.61
1:B:108:LEU:HD11	1:B:148:GLU:HA	1.83	0.61
1:A:227:ARG:NE	1:A:227:ARG:HA	2.14	0.61
1:A:59:ILE:HG12	1:A:60:ALA:N	2.15	0.61
1:B:132:PHE:O	1:B:191:LYS:NZ	2.34	0.61
1:A:320:ILE:O	1:A:323:THR:HB	2.02	0.60
1:A:120:SER:OG	1:A:122:VAL:HG12	2.01	0.60
2:C:3:NM6:HAT3	2:C:4:NAG:H61	1.83	0.60
1:A:111:ASP:HB3	1:A:132:PHE:HB2	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:SER:CB	2:D:1:NM9:C3B	2.78	0.59
1:A:190:HIS:HB3	3:A:2013:HOH:O	2.03	0.58
2:C:3:NM6:HAT1	2:C:4:NAG:O5	2.04	0.58
1:B:87:ILE:O	1:B:175:SER:HA	2.04	0.57
1:A:248:SER:C	1:A:250:GLY:H	2.12	0.57
1:B:54:PHE:O	1:B:57:VAL:HG12	2.04	0.57
1:A:285:ILE:O	1:A:291:ARG:NH1	2.37	0.57
1:A:226:SER:HB3	1:A:230:ALA:H	1.69	0.57
1:A:300:ASN:OD1	1:A:342:SER:OG	2.15	0.56
1:B:96:ALA:C	1:B:98:HIS:H	2.13	0.56
1:B:95:PRO:O	1:B:98:HIS:N	2.40	0.55
2:C:3:NM6:C3B	2:C:4:NAG:H61	2.35	0.55
1:A:230:ALA:C	1:A:231:LEU:HD12	2.32	0.55
1:A:111:ASP:HB3	1:A:132:PHE:CD1	2.42	0.54
1:A:233:LEU:CD1	1:A:263:PRO:HB3	2.36	0.54
1:B:90:ILE:HD12	1:B:173:ILE:HG12	1.89	0.54
1:B:240:THR:HG23	1:B:241:ALA:N	2.23	0.54
1:B:188:ARG:NH1	1:B:219:SER:O	2.39	0.53
2:C:3:NM6:HAT1	2:C:4:NAG:C6	2.39	0.53
1:B:196:VAL:HG12	1:B:207:GLU:HG2	1.89	0.53
1:A:227:ARG:HA	1:A:227:ARG:CZ	2.38	0.53
1:A:248:SER:O	1:A:249:GLN:HB2	2.08	0.53
1:B:73:GLN:HA	1:B:90:ILE:HG22	1.91	0.53
1:A:233:LEU:HD11	1:A:263:PRO:HB3	1.91	0.52
1:A:36:GLY:O	1:A:39:ILE:HG22	2.09	0.52
1:B:285:ILE:HB	1:B:291:ARG:HG3	1.90	0.52
1:A:262:ASP:OD2	1:A:264:ALA:HB3	2.10	0.52
1:B:287:ASN:OD1	1:B:289:THR:N	2.41	0.52
1:A:217:GLN:NE2	1:A:345:TYR:HE2	2.07	0.52
1:B:134:TYR:CD1	1:B:146:ARG:HB3	2.45	0.52
1:A:237:VAL:CG2	1:A:240:THR:OG1	2.58	0.52
1:A:246:PHE:O	1:A:251:LYS:HB2	2.10	0.52
1:A:116:VAL:HG12	1:A:118:LEU:HD13	1.93	0.51
1:A:237:VAL:HG22	1:A:240:THR:OG1	2.10	0.51
1:B:226:SER:CB	2:D:1:NM9:O7	2.58	0.51
1:A:280:VAL:HG22	1:A:281:TYR:N	2.24	0.51
1:A:116:VAL:CG1	1:A:118:LEU:HD13	2.41	0.51
1:B:309:VAL:O	1:B:309:VAL:HG12	2.11	0.50
1:A:226:SER:HB2	1:A:230:ALA:HB3	1.94	0.50
1:B:83:GLY:HA2	1:B:180:MET:SD	2.52	0.50
1:A:298:ALA:HB2	1:A:306:VAL:HG21	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:ASN:HA	1:B:322:ASN:OD1	2.12	0.49
1:A:158:LEU:HD23	1:A:162:ARG:HG3	1.95	0.49
1:A:339:SER:HB3	1:A:342:SER:HB2	1.93	0.49
1:B:51:ILE:HD12	1:B:72:TYR:HB2	1.95	0.49
1:A:291:ARG:O	1:A:295:VAL:HG23	2.11	0.49
1:B:229:ASP:O	1:B:229:ASP:CG	2.55	0.49
1:A:248:SER:O	1:A:250:GLY:N	2.41	0.49
1:A:87:ILE:CD1	1:A:103:ILE:HA	2.42	0.49
1:B:109:MET:O	1:B:110:GLY:C	2.56	0.49
1:B:97:ALA:HA	1:B:100:ARG:HB3	1.95	0.49
1:A:125:ILE:O	1:A:125:ILE:CD1	2.60	0.48
1:A:208:SER:HB2	1:A:353:GLN:HG2	1.94	0.48
1:A:68:TYR:HA	1:A:74:THR:O	2.13	0.48
1:B:287:ASN:ND2	1:B:326:PRO:HG3	2.28	0.48
1:B:354:LYS:O	1:B:358:ARG:NH1	2.46	0.48
1:A:302:GLY:HA3	2:C:3:NM6:C7	2.43	0.48
1:B:90:ILE:HD12	1:B:173:ILE:CG1	2.43	0.48
1:B:240:THR:CG2	1:B:241:ALA:N	2.77	0.48
1:B:278:ASN:OD1	1:B:291:ARG:HD2	2.14	0.48
1:A:51:ILE:HG22	1:A:52:TRP:CD1	2.49	0.47
1:A:83:GLY:O	1:A:180:MET:HG3	2.14	0.47
1:A:79:ASN:O	1:A:83:GLY:HA2	2.13	0.47
1:B:236:VAL:HB	1:B:260:LEU:HD13	1.94	0.47
1:B:214:MET:HE3	1:B:233:LEU:HB3	1.96	0.47
1:A:267:ILE:O	1:A:268:ASP:C	2.55	0.47
1:A:242:GLY:HA3	1:A:255:PRO:HG2	1.97	0.47
1:A:71:GLN:O	1:A:72:TYR:HB2	2.15	0.47
1:A:87:ILE:HD12	1:A:103:ILE:CG1	2.46	0.46
1:A:282:LEU:HB3	1:A:285:ILE:HD12	1.96	0.46
1:A:71:GLN:HA	1:A:121:ASP:OD2	2.16	0.46
1:A:248:SER:C	1:A:250:GLY:N	2.73	0.46
1:B:93:THR:O	1:B:93:THR:HG23	2.15	0.46
1:B:79:ASN:ND2	1:B:82:ASP:HB2	2.30	0.46
1:B:242:GLY:CA	1:B:255:PRO:HG3	2.46	0.46
1:A:304:GLY:O	1:A:308:ARG:HB2	2.16	0.46
1:B:307:LEU:C	1:B:309:VAL:H	2.23	0.46
1:A:139:ASP:OD2	1:A:150:ARG:NH1	2.48	0.46
1:B:276:MET:O	1:B:280:VAL:HB	2.15	0.46
1:A:139:ASP:CB	1:A:141:THR:HB	2.46	0.46
1:B:213:ILE:CD1	1:B:274:LEU:HD21	2.45	0.46
1:B:313:ASP:HB3	1:B:316:GLN:HB2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:240:THR:CG2	1:B:241:ALA:H	2.28	0.45
1:B:353:GLN:O	1:B:357:ARG:N	2.41	0.45
2:D:3:NM6:C6	2:D:4:NAG:C1	2.94	0.45
1:B:96:ALA:O	1:B:97:ALA:CB	2.61	0.45
1:B:217:GLN:OE1	1:B:345:TYR:HE1	2.00	0.45
1:B:324:MET:HG3	1:B:329:VAL:HG23	1.98	0.45
1:A:290:SER:OG	1:A:326:PRO:HA	2.17	0.45
1:A:127:ILE:HD12	1:A:127:ILE:HA	1.86	0.44
1:A:291:ARG:HH11	1:A:291:ARG:HB2	1.83	0.44
2:C:3:NM6:C3B	2:C:4:NAG:C6	2.95	0.44
1:A:316:GLN:O	1:A:320:ILE:HD12	2.17	0.44
1:B:136:GLN:HB3	1:B:180:MET:HE2	1.99	0.44
1:B:74:THR:HG22	1:B:89:THR:OG1	2.17	0.44
1:B:226:SER:O	1:B:229:ASP:HA	2.17	0.44
1:A:99:LEU:O	1:A:100:ARG:C	2.60	0.44
1:A:210:ILE:O	1:A:214:MET:HB2	2.18	0.44
1:A:276:MET:HE2	1:A:281:TYR:HE2	1.82	0.44
1:A:230:ALA:HA	1:A:237:VAL:HG12	1.99	0.44
1:A:234:MET:HB2	1:A:266:ASN:OD1	2.18	0.43
1:A:217:GLN:NE2	1:A:345:TYR:CE2	2.86	0.43
1:B:197:ARG:HG2	1:B:207:GLU:OE2	2.19	0.43
1:A:143:GLN:HB2	1:A:150:ARG:HH12	1.83	0.43
1:B:218:SER:HB2	1:B:233:LEU:O	2.19	0.43
1:B:287:ASN:OD1	1:B:287:ASN:C	2.62	0.42
1:B:302:GLY:O	1:B:306:VAL:HG23	2.19	0.42
1:B:341:GLU:HA	1:B:344:ARG:HH21	1.84	0.42
1:A:133:LEU:HD22	1:A:180:MET:HE3	2.00	0.42
1:A:217:GLN:NE2	1:A:217:GLN:HA	2.34	0.42
1:A:309:VAL:O	1:A:309:VAL:HG12	2.19	0.42
1:B:237:VAL:CG1	1:B:240:THR:HG22	2.49	0.42
1:B:244:ASP:OD1	1:B:276:MET:HE1	2.19	0.42
1:A:133:LEU:HD22	1:A:180:MET:CE	2.49	0.42
1:B:41:MET:HE1	1:B:227:ARG:HG2	2.00	0.42
1:A:87:ILE:HD12	1:A:103:ILE:HG12	2.02	0.42
1:B:122:VAL:HG12	1:B:123:ASP:N	2.34	0.42
1:A:136:GLN:O	1:A:180:MET:HB3	2.20	0.42
1:B:237:VAL:CB	1:B:240:THR:HG22	2.48	0.42
1:A:41:MET:SD	1:A:227:ARG:NH2	2.93	0.42
1:A:87:ILE:HG22	1:A:99:LEU:CD2	2.49	0.42
1:B:217:GLN:OE1	1:B:345:TYR:CE1	2.73	0.42
1:A:200:SER:OG	1:A:205:VAL:O	2.29	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:THR:O	1:B:141:THR:HG22	2.19	0.42
1:B:241:ALA:HB1	1:B:273:TYR:CD1	2.55	0.41
1:B:318:ALA:O	1:B:322:ASN:OD1	2.37	0.41
1:B:192:TYR:HA	1:B:195:MET:HG3	2.02	0.41
1:A:357:ARG:O	1:B:359:ARG:N	2.39	0.41
1:B:67:LYS:O	1:B:75:ARG:HA	2.21	0.41
1:B:108:LEU:HD11	1:B:148:GLU:CA	2.50	0.41
1:B:226:SER:OG	2:D:1:NM9:C7	2.68	0.41
1:B:336:ARG:HG2	1:B:336:ARG:O	2.21	0.41
1:B:73:GLN:CA	1:B:90:ILE:HG22	2.50	0.41
1:A:59:ILE:CG1	1:A:60:ALA:N	2.84	0.41
1:A:44:PHE:CD1	1:A:119:TYR:O	2.74	0.40
1:A:347:TYR:CD1	1:A:347:TYR:C	2.99	0.40
1:B:299:TYR:CZ	2:D:2:NAG:H82	2.56	0.40
1:B:95:PRO:CB	1:B:174:TYR:CD2	3.04	0.40
1:A:125:ILE:O	1:A:125:ILE:CG1	2.70	0.40
1:A:139:ASP:HB3	1:A:141:THR:HB	2.03	0.40
1:A:262:ASP:O	1:A:263:PRO:C	2.63	0.40
1:A:85:ILE:HB	1:A:178:ILE:HB	2.02	0.40
1:A:259:PHE:CZ	1:A:265:SER:HB3	2.57	0.40
1:A:163:LEU:HG	1:A:164:LYS:N	2.37	0.40
1:B:244:ASP:O	1:B:247:ARG:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/341 (95%)	303 (93%)	22 (7%)	0	100	100
1	B	325/341 (95%)	288 (89%)	34 (10%)	3 (1%)	14	41
All	All	650/682 (95%)	591 (91%)	56 (9%)	3 (0%)	24	54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	93	THR
1	B	280	VAL
1	B	110	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/291 (96%)	249 (89%)	30 (11%)	6	21
1	B	279/291 (96%)	252 (90%)	27 (10%)	8	25
All	All	558/582 (96%)	501 (90%)	57 (10%)	7	23

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ASP
1	A	39	ILE
1	A	51	ILE
1	A	71	GLN
1	A	75	ARG
1	A	82	ASP
1	A	118	LEU
1	A	127	ILE
1	A	129	LYS
1	A	130	GLU
1	A	146	ARG
1	A	163	LEU
1	A	166	ARG
1	A	176	VAL
1	A	205	VAL
1	A	213	ILE
1	A	227	ARG
1	A	229	ASP
1	A	237	VAL
1	A	240	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	243	LYS
1	A	265	SER
1	A	276	MET
1	A	279	ASN
1	A	280	VAL
1	A	323	THR
1	A	331	GLN
1	A	344	ARG
1	A	351	THR
1	A	353	GLN
1	B	35	ASN
1	B	58	VAL
1	B	84	THR
1	B	88	GLU
1	B	123	ASP
1	B	125	ILE
1	B	152	SER
1	B	164	LYS
1	B	167	SER
1	B	170	LEU
1	B	171	ARG
1	B	177	THR
1	B	186	ASP
1	B	187	LYS
1	B	195	MET
1	B	198	GLN
1	B	229	ASP
1	B	238	GLN
1	B	240	THR
1	B	243	LYS
1	B	245	VAL
1	B	254	THR
1	B	258	SER
1	B	279	ASN
1	B	322	ASN
1	B	323	THR
1	B	358	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	239	HIS
1	A	316	GLN
1	B	50	ASN
1	B	136	GLN
1	B	235	GLN
1	B	279	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NM9	C	1	2	21,21,21	2.57	9 (42%)	25,29,29	3.70	16 (64%)
2	NAG	C	2	2	14,14,15	3.30	11 (78%)	17,19,21	3.16	9 (52%)
2	NM6	C	3	2	19,19,20	3.25	10 (52%)	23,26,28	3.22	8 (34%)
2	NAG	C	4	2	14,14,15	2.85	8 (57%)	17,19,21	2.78	8 (47%)
2	NM9	D	1	2	21,21,21	2.63	10 (47%)	25,29,29	4.35	15 (60%)
2	NAG	D	2	2	14,14,15	3.16	11 (78%)	17,19,21	3.01	8 (47%)
2	NM6	D	3	2	19,19,20	2.90	6 (31%)	23,26,28	3.68	10 (43%)
2	NAG	D	4	2	14,14,15	2.81	7 (50%)	17,19,21	3.12	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NM9	C	1	2	-	5/16/36/36	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	NM6	C	3	2	-	4/14/31/34	0/1/1/1
2	NAG	C	4	2	-	1/6/23/26	0/1/1/1
2	NM9	D	1	2	-	6/16/36/36	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NM6	D	3	2	-	4/14/31/34	0/1/1/1
2	NAG	D	4	2	-	0/6/23/26	0/1/1/1

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3	NM6	C3A-C3C	-8.47	1.30	1.52
2	C	3	NM6	C3A-C3C	-8.14	1.31	1.52
2	D	1	NM9	O3-C3A	-7.63	1.28	1.44
2	C	1	NM9	O3-C3A	-7.09	1.29	1.44
2	C	3	NM6	O5-C1	-5.46	1.34	1.43
2	D	2	NAG	O7-C7	-5.34	1.11	1.23
2	D	4	NAG	C2-N2	-5.26	1.37	1.46
2	C	2	NAG	C1-C2	-5.20	1.45	1.52
2	C	2	NAG	O7-C7	-5.10	1.11	1.23
2	C	4	NAG	C2-N2	-4.96	1.38	1.46
2	C	3	NM6	C2-N2	-4.91	1.38	1.46
2	C	3	NM6	O7-C7	-4.77	1.12	1.23
2	D	3	NM6	C2-N2	-4.72	1.38	1.46
2	D	4	NAG	O7-C7	-4.54	1.13	1.23
2	C	1	NM9	C2-N2	-4.54	1.38	1.45
2	C	2	NAG	O5-C1	-4.43	1.36	1.43
2	D	2	NAG	C1-C2	-4.42	1.46	1.52
2	D	1	NM9	C1-C2	-4.34	1.46	1.53
2	C	4	NAG	O7-C7	-4.33	1.13	1.23
2	D	2	NAG	O3-C3	-4.28	1.32	1.43
2	C	2	NAG	O3-C3	-4.13	1.32	1.43
2	D	2	NAG	O5-C1	-3.93	1.37	1.43
2	C	4	NAG	C1-C2	-3.88	1.47	1.52
2	D	3	NM6	O3-C3	-3.86	1.34	1.43
2	C	3	NM6	O3-C3	-3.81	1.34	1.43
2	D	3	NM6	O7-C7	-3.79	1.14	1.23
2	D	4	NAG	C1-C2	-3.69	1.47	1.52
2	C	1	NM9	C1-C2	-3.65	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	NM9	C2-N2	-3.62	1.40	1.45
2	C	2	NAG	C2-N2	-3.61	1.40	1.46
2	D	2	NAG	C6-C5	-3.59	1.39	1.51
2	C	2	NAG	C6-C5	-3.57	1.39	1.51
2	D	4	NAG	C4-C5	-3.56	1.45	1.53
2	C	2	NAG	C8-C7	-3.25	1.43	1.50
2	C	4	NAG	C4-C5	-3.24	1.46	1.53
2	C	1	NM9	O5-C5	-3.19	1.36	1.44
2	D	2	NAG	C4-C5	-3.18	1.46	1.53
2	C	4	NAG	O3-C3	-3.15	1.35	1.43
2	D	1	NM9	O5-C5	-3.11	1.36	1.44
2	C	2	NAG	C4-C5	-3.10	1.46	1.53
2	C	4	NAG	O4-C4	-3.09	1.35	1.43
2	D	2	NAG	C8-C7	-3.08	1.44	1.50
2	D	3	NM6	O5-C1	-3.08	1.38	1.43
2	C	1	NM9	O7-C7	-2.90	1.16	1.23
2	D	4	NAG	O3-C3	-2.81	1.36	1.43
2	D	2	NAG	C2-N2	-2.79	1.41	1.46
2	C	3	NM6	O5-C5	-2.67	1.38	1.43
2	D	1	NM9	O7-C7	-2.67	1.17	1.23
2	C	4	NAG	C4-C3	-2.61	1.45	1.52
2	C	3	NM6	C8-C7	-2.59	1.45	1.50
2	D	1	NM9	O1-C1B	-2.57	1.33	1.42
2	C	1	NM9	O1-C1B	-2.53	1.33	1.42
2	D	4	NAG	C4-C3	-2.50	1.45	1.52
2	C	1	NM9	C8-C7	-2.48	1.45	1.50
2	C	3	NM6	C3-C2	-2.47	1.49	1.52
2	C	1	NM9	O3-C3	-2.46	1.37	1.43
2	C	4	NAG	O5-C1	-2.44	1.39	1.43
2	C	3	NM6	C3C-N3A	2.34	1.38	1.32
2	C	1	NM9	OCA-C3E	-2.33	1.19	1.23
2	D	2	NAG	O5-C5	-2.32	1.38	1.43
2	D	1	NM9	OCA-C3E	-2.29	1.19	1.23
2	D	4	NAG	O4-C4	-2.29	1.37	1.43
2	C	2	NAG	O5-C5	-2.28	1.39	1.43
2	D	2	NAG	O6-C6	-2.26	1.32	1.42
2	D	1	NM9	O5-C1	-2.23	1.36	1.41
2	D	2	NAG	C7-N2	2.21	1.41	1.34
2	C	2	NAG	O6-C6	-2.20	1.33	1.42
2	C	2	NAG	C7-N2	2.08	1.41	1.34
2	C	3	NM6	C1-C2	-2.08	1.49	1.52
2	D	1	NM9	C8-C7	-2.06	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3	NM6	C4-C5	-2.04	1.48	1.53
2	D	1	NM9	C4-C3	2.00	1.57	1.52

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	NM6	O3B-C3C-C3A	14.10	129.09	118.93
2	C	3	NM6	C3A-C3C-N3A	12.05	124.52	117.31
2	C	1	NM9	O1-C1-C2	11.70	125.88	108.13
2	D	1	NM9	O1-C1-C2	10.45	123.99	108.13
2	D	1	NM9	OCA-C3E-C3A	9.11	125.49	118.93
2	D	1	NM9	C2-N2-C7	6.92	139.31	123.11
2	D	1	NM9	C3B-C3A-C3E	6.59	127.43	111.11
2	D	1	NM9	C3-C2-N2	6.54	121.33	110.91
2	D	2	NAG	O5-C5-C6	-6.18	95.63	107.66
2	D	4	NAG	C1-O5-C5	6.02	120.26	112.19
2	D	2	NAG	C1-O5-C5	5.77	119.92	112.19
2	C	2	NAG	C1-O5-C5	5.71	119.84	112.19
2	C	1	NM9	C2-N2-C7	5.58	136.16	123.11
2	C	3	NM6	C1-O5-C5	5.49	119.54	112.19
2	D	1	NM9	C3A-C3E-N3A	-5.47	114.03	117.31
2	C	1	NM9	C3B-C3A-C3E	5.38	124.45	111.11
2	C	2	NAG	O5-C5-C6	-5.22	97.51	107.66
2	C	4	NAG	O4-C4-C3	-5.09	98.38	110.38
2	C	2	NAG	O7-C7-C8	-5.06	113.05	122.05
2	D	1	NM9	O6-C6-C5	-4.91	94.60	111.33
2	C	4	NAG	C1-O5-C5	4.90	118.76	112.19
2	C	2	NAG	C8-C7-N2	4.81	124.10	116.12
2	D	4	NAG	C1-C2-N2	4.78	117.97	110.43
2	D	3	NM6	C3A-C3C-N3A	-4.72	114.48	117.31
2	D	4	NAG	O5-C5-C6	4.60	116.61	107.66
2	C	1	NM9	O5-C5-C6	-4.54	95.18	106.44
2	D	4	NAG	C8-C7-N2	4.38	123.39	116.12
2	C	2	NAG	O3-C3-C4	-4.30	100.24	110.38
2	D	3	NM6	C1-O5-C5	4.28	117.92	112.19
2	C	4	NAG	C8-C7-N2	4.25	123.17	116.12
2	D	4	NAG	O6-C6-C5	-4.14	97.22	111.33
2	C	2	NAG	O6-C6-C5	-4.12	97.30	111.33
2	D	2	NAG	O7-C7-C8	-4.12	114.73	122.05
2	C	1	NM9	O6-C6-C5	-4.07	97.49	111.33
2	D	2	NAG	O3-C3-C4	-4.03	100.87	110.38
2	C	1	NM9	OCA-C3E-C3A	4.01	121.83	118.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2	NAG	C8-C7-N2	3.97	122.70	116.12
2	D	4	NAG	O4-C4-C3	-3.97	101.02	110.38
2	D	1	NM9	O5-C5-C6	-3.86	96.88	106.44
2	D	3	NM6	O3B-C3C-N3A	-3.75	116.42	123.04
2	C	4	NAG	O5-C5-C6	3.70	114.86	107.66
2	C	1	NM9	C8-C7-N2	-3.68	110.02	116.12
2	C	4	NAG	C1-C2-N2	3.68	116.22	110.43
2	C	1	NM9	O5-C1-C2	-3.64	103.72	110.59
2	D	1	NM9	O7-C7-N2	3.60	128.35	121.98
2	C	3	NM6	O3B-C3C-N3A	-3.55	116.78	123.04
2	D	1	NM9	O5-C1-O1	-3.48	102.83	110.94
2	D	4	NAG	C6-C5-C4	-3.48	104.47	113.02
2	C	4	NAG	C6-C5-C4	-3.42	104.61	113.02
2	C	1	NM9	C3A-C3E-N3A	-3.12	115.44	117.31
2	D	3	NM6	C8-C7-N2	3.11	121.28	116.12
2	C	3	NM6	C8-C7-N2	3.07	121.20	116.12
2	D	2	NAG	C2-N2-C7	-3.06	118.81	122.90
2	C	4	NAG	O4-C4-C5	-3.05	101.81	109.32
2	D	2	NAG	O6-C6-C5	-3.01	101.10	111.33
2	C	3	NM6	C1-C2-N2	-2.98	105.74	110.43
2	D	3	NM6	O6-C6-C5	-2.95	101.30	111.33
2	C	1	NM9	O7-C7-N2	2.94	127.17	121.98
2	C	3	NM6	O5-C1-C2	-2.93	106.76	111.29
2	C	2	NAG	C2-N2-C7	-2.92	118.99	122.90
2	D	4	NAG	O4-C4-C5	-2.88	102.23	109.32
2	C	1	NM9	C3-C2-N2	2.88	115.50	110.91
2	D	2	NAG	C6-C5-C4	-2.86	106.00	113.02
2	D	3	NM6	O7-C7-C8	-2.83	117.01	122.05
2	D	3	NM6	C1-C2-N2	-2.82	105.99	110.43
2	D	1	NM9	O5-C1-C2	-2.80	105.30	110.59
2	D	1	NM9	C6-C5-C4	2.71	119.67	113.02
2	C	1	NM9	C1-C2-C3	-2.70	105.03	109.92
2	D	1	NM9	C1-C2-C3	-2.69	105.04	109.92
2	C	3	NM6	O3-C3-C2	-2.68	102.56	108.85
2	C	3	NM6	O7-C7-C8	-2.65	117.34	122.05
2	C	2	NAG	C6-C5-C4	-2.63	106.57	113.02
2	D	3	NM6	C3-C4-C5	-2.62	103.99	109.57
2	C	1	NM9	O3-C3A-C3B	2.59	114.75	107.54
2	C	1	NM9	C1B-O1-C1	2.58	117.18	113.26
2	D	1	NM9	O4-C4-C3	2.55	116.48	109.94
2	C	4	NAG	O7-C7-C8	-2.50	117.61	122.05
2	D	4	NAG	O7-C7-C8	-2.44	117.70	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	NM6	C3B-C3A-C3C	-2.43	105.08	111.11
2	C	1	NM9	C1-O5-C5	2.26	118.12	113.72
2	D	1	NM9	O3-C3-C4	2.22	112.87	107.23
2	C	1	NM9	C1-C2-N2	2.22	114.63	110.92
2	C	2	NAG	C4-C3-C2	2.10	114.10	111.02

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	NM9	C2-C1-O1-C1B
2	C	3	NM6	C3B-C3A-C3C-N3A
2	C	3	NM6	O3-C3A-C3C-N3A
2	C	3	NM6	O3-C3A-C3C-O3B
2	D	1	NM9	C2-C1-O1-C1B
2	D	3	NM6	O3-C3A-C3C-N3A
2	C	1	NM9	O5-C1-O1-C1B
2	D	3	NM6	O5-C5-C6-O6
2	D	3	NM6	C4-C5-C6-O6
2	D	3	NM6	O3-C3A-C3C-O3B
2	D	1	NM9	O5-C5-C6-O6
2	D	1	NM9	C4-C5-C6-O6
2	C	1	NM9	C3B-C3A-O3-C3
2	C	1	NM9	C1-C2-N2-C7
2	C	3	NM6	C3B-C3A-C3C-O3B
2	D	1	NM9	C3-C2-N2-C7
2	D	1	NM9	C1-C2-N2-C7
2	C	4	NAG	C4-C5-C6-O6
2	C	1	NM9	C3-C2-N2-C7
2	D	1	NM9	C3E-C3A-O3-C3

There are no ring outliers.

7 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	3	NM6	2	0
2	D	4	NAG	1	0
2	D	2	NAG	1	0
2	D	1	NM9	7	0
2	C	3	NM6	6	0
2	C	1	NM9	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	4	NAG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/341 (95%)	-0.35	3 (0%) 81 75	17, 28, 51, 93	0
1	B	327/341 (95%)	-0.16	0 100 100	18, 40, 68, 100	0
All	All	654/682 (95%)	-0.25	3 (0%) 87 83	17, 32, 65, 100	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	34	THR	2.5
1	A	140	ASN	2.1
1	A	229	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NM9	C	1	21/21	0.86	0.13	0,44,50,54	0
2	NM6	D	3	19/20	0.87	0.10	41,45,51,52	0
2	NM9	D	1	21/21	0.89	0.10	35,42,48,50	0
2	NM6	C	3	19/20	0.89	0.10	38,44,49,50	0
2	NAG	D	4	14/15	0.90	0.09	45,47,49,49	0
2	NAG	C	4	14/15	0.91	0.09	43,45,47,48	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	C	2	14/15	0.92	0.10	35,39,44,45	0
2	NAG	D	2	14/15	0.93	0.08	34,38,44,45	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.