



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 08:06 AM UTC

PDB ID : 8CFX / pdb_00008cfx
Title : Crystal structure of S-adenosyl-L-homocysteine hydrolase from *P. aeruginosa* in complex with F2X-Entry library fragment H06
Authors : Malecki, P.H.; Gawel, M.; Stepniewska, M.; Brzezinski, K.
Deposited on : 2023-02-03
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	94%
1	B	472	92%
1	C	472	%
1	D	472	94%
1	G	472	92%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	472	92% 6% •
1	I	472	91% 6% •
1	J	472	% 91% 6% ••

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 32060 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	462	Total	C	N	O	S	0	3	0
			3578	2255	619	681	23			
1	B	461	Total	C	N	O	S	0	3	0
			3571	2251	618	680	22			
1	C	462	Total	C	N	O	S	0	4	0
			3584	2259	619	683	23			
1	D	463	Total	C	N	O	S	0	5	0
			3597	2268	622	684	23			
1	G	461	Total	C	N	O	S	0	3	0
			3573	2252	618	680	23			
1	H	461	Total	C	N	O	S	0	1	0
			3560	2244	616	678	22			
1	I	461	Total	C	N	O	S	0	4	0
			3579	2256	618	682	23			
1	J	461	Total	C	N	O	S	0	3	0
			3573	2252	618	680	23			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685
G	-2	SER	-	expression tag	UNP Q9I685

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	ASN	-	expression tag	UNP Q9I685
G	0	ALA	-	expression tag	UNP Q9I685
H	-2	SER	-	expression tag	UNP Q9I685
H	-1	ASN	-	expression tag	UNP Q9I685
H	0	ALA	-	expression tag	UNP Q9I685
I	-2	SER	-	expression tag	UNP Q9I685
I	-1	ASN	-	expression tag	UNP Q9I685
I	0	ALA	-	expression tag	UNP Q9I685
J	-2	SER	-	expression tag	UNP Q9I685
J	-1	ASN	-	expression tag	UNP Q9I685
J	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	B	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	C	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	D	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	G	1	Total 44	C 21	N 7	O 14	P 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	I	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	J	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is ADENINE (CCD ID: ADE) (formula: $C_5H_5N_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			10	5	5		
3	B	1	Total	C	N	0	0
			10	5	5		
3	C	1	Total	C	N	0	0
			10	5	5		
3	D	1	Total	C	N	0	0
			10	5	5		
3	G	1	Total	C	N	0	0
			10	5	5		
3	H	1	Total	C	N	0	0
			10	5	5		
3	I	1	Total	C	N	0	0
			10	5	5		
3	J	1	Total	C	N	0	0
			10	5	5		

- Molecule 4 is ethyl (E)-3-(4-aminophenyl)prop-2-enoate (CCD ID: UID) (formula: $C_{11}H_{13}NO_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	11	1	2		
4	C	1	Total	C	N	O	0	0
			14	11	1	2		
4	D	1	Total	C	N	O	0	0
			14	11	1	2		
4	G	1	Total	C	N	O	0	0
			14	11	1	2		
4	I	1	Total	C	N	O	0	0
			14	11	1	2		
4	J	1	Total	C	N	O	0	0
			14	11	1	2		

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	K	0	0
			1	1		
5	B	1	Total	K	0	0
			1	1		
5	C	1	Total	K	0	0
			1	1		
5	D	1	Total	K	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0
5	I	1	Total K 1 1	0	0
5	J	1	Total K 1 1	0	0

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O P 5 4 1	0	0
6	A	1	Total O P 5 4 1	0	0
6	A	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	C	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		
6	H	1	Total	O	P	0	0
			5	4	1		
6	H	1	Total	O	P	0	0
			5	4	1		
6	I	1	Total	O	P	0	0
			5	4	1		
6	I	1	Total	O	P	0	0
			5	4	1		
6	I	1	Total	O	P	0	0
			5	4	1		
6	J	1	Total	O	P	0	0
			5	4	1		
6	J	1	Total	O	P	0	0
			5	4	1		
6	J	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	O	S	0	0
			4	2	1	1		
7	C	1	Total	C	O	S	0	0
			4	2	1	1		
7	D	1	Total	C	O	S	0	0
			4	2	1	1		
7	I	1	Total	C	O	S	0	0
			4	2	1	1		
7	I	1	Total	C	O	S	0	0
			4	2	1	1		
7	J	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	376	Total	O	0	4
			380	380		
8	B	325	Total	O	0	9
			334	334		
8	C	318	Total	O	0	1
			319	319		
8	D	345	Total	O	0	6
			351	351		
8	G	341	Total	O	0	8
			349	349		
8	H	322	Total	O	0	9
			331	331		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	I	366	Total 371	O 371	0	5
8	J	327	Total 332	O 332	0	5

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase

Chain A:  94%




- Molecule 1: Adenosylhomocysteinase

Chain B:  92% 5%




- Molecule 1: Adenosylhomocysteinase

Chain C:  91% 6%



- Molecule 1: Adenosylhomocysteinase

Chain D:  94%




- Molecule 1: Adenosylhomocysteinase

Chain G:  92% 6% •



- Molecule 1: Adenosylhomocysteinase

Chain H:  92% 6% •





- Molecule 1: Adenosylhomocysteinase

Chain I:  91% 6% •



- Molecule 1: Adenosylhomocysteinase

Chain J:  91% 6% ••



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	109.57Å 103.99Å 176.09Å 90.00° 99.58° 90.00°	Depositor
Resolution (Å)	35.94 – 1.98 35.94 – 1.98	Depositor EDS
% Data completeness (in resolution range)	99.5 (35.94-1.98) 99.6 (35.94-1.98)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 1.98Å)	Xtriage
Refinement program	PHENIX 1.19.2-4158	Depositor
R, R_{free}	0.168 , 0.203 0.168 , 0.203	Depositor DCC
R_{free} test set	1001 reflections (0.37%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	32060	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.44 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7345e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADE, PO4, NAD, DMS, K, UID

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.19	0/3644	0.39	0/4926
1	B	0.18	0/3640	0.37	0/4921
1	C	0.18	0/3653	0.37	0/4938
1	D	0.18	0/3664	0.38	0/4953
1	G	0.19	0/3639	0.39	0/4919
1	H	0.19	0/3623	0.40	0/4898
1	I	0.20	0/3648	0.39	0/4931
1	J	0.18	0/3639	0.39	0/4919
All	All	0.19	0/29150	0.38	0/39405

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3578	0	3584	12	0
1	B	3571	0	3579	12	0
1	C	3584	0	3590	16	0
1	D	3597	0	3605	9	0
1	G	3573	0	3579	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	3560	0	3565	14	0
1	I	3579	0	3585	16	0
1	J	3573	0	3579	17	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
2	G	44	0	26	0	0
2	H	44	0	26	0	0
2	I	44	0	26	2	0
2	J	44	0	26	0	0
3	A	10	0	4	0	0
3	B	10	0	4	0	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
3	G	10	0	4	0	0
3	H	10	0	4	0	0
3	I	10	0	4	0	0
3	J	10	0	4	0	0
4	A	14	0	0	1	0
4	C	14	0	0	1	0
4	D	14	0	0	1	0
4	G	14	0	0	1	0
4	I	14	0	0	1	0
4	J	14	0	0	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
6	A	15	0	0	1	0
6	B	15	0	0	0	0
6	C	10	0	0	0	0
6	D	20	0	0	0	0
6	G	25	0	0	0	0
6	H	10	0	0	0	0
6	I	15	0	0	0	0
6	J	20	0	0	0	0
7	C	8	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	4	0	6	0	0
7	I	8	0	12	0	0
7	J	4	0	6	0	0
8	A	380	0	0	1	0
8	B	334	0	0	2	0
8	C	319	0	0	1	0
8	D	351	0	0	1	0
8	G	349	0	0	1	0
8	H	331	0	0	1	0
8	I	371	0	0	4	0
8	J	332	0	0	1	0
All	All	32060	0	28942	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:57[A]:LEU:HB3	1:D:143:LEU:HD21	1.77	0.66
1:A:153:GLN:NE2	8:A:601:HOH:O	2.29	0.65
1:G:189:ASN:HA	1:G:194:LYS:HD2	1.79	0.64
1:D:400:HIS:HB2	4:D:504:UID:C09	2.30	0.62
1:I:126:LYS:NZ	8:I:601:HOH:O	2.32	0.62
1:C:424:PRO:HD2	1:C:427:LEU:HD12	1.83	0.60
1:G:410:PRO:HD2	1:G:413:GLU:HB2	1.84	0.59
1:D:39[A]:MET:HE1	1:D:42:ARG:CZ	2.34	0.57
1:B:189:ASN:HA	1:B:194:LYS:HD2	1.85	0.57
1:J:148:HIS:CG	1:J:175:MET:HE1	2.41	0.55
1:J:189:ASN:HA	1:J:194:LYS:HD2	1.87	0.55
1:C:189:ASN:HA	1:C:194:LYS:HD2	1.87	0.55
1:C:204:ARG:HA	1:C:239:SER:HB2	1.89	0.54
1:J:204:ARG:HA	1:J:239:SER:HB2	1.88	0.54
1:A:39[A]:MET:HE1	1:A:42:ARG:CZ	2.37	0.54
1:J:400:HIS:HB2	4:J:504:UID:C14	2.38	0.54
1:I:400:HIS:HB2	4:I:505:UID:C09	2.38	0.53
1:I:148:HIS:CD2	1:I:175:MET:HE1	2.44	0.52
1:I:343:LYS:NZ	8:I:602:HOH:O	2.37	0.52
1:B:160:GLY:HA3	1:B:401:LEU:HD13	1.91	0.51
1:H:189:ASN:HA	1:H:194:LYS:HD2	1.91	0.51
1:D:348:LYS:NZ	8:D:603:HOH:O	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:148:HIS:CG	1:I:175:MET:HE1	2.46	0.51
1:A:400:HIS:HB2	4:A:503:UID:C14	2.41	0.51
1:C:39[A]:MET:HE1	1:C:42:ARG:CZ	2.40	0.51
1:C:8:ALA:N	8:C:606:HOH:O	2.43	0.50
1:A:189:ASN:HA	1:A:194:LYS:HD2	1.93	0.50
1:I:149:LYS:NZ	8:I:604:HOH:O	2.44	0.50
1:J:118:TRP:O	1:J:122:GLN:HG2	2.11	0.50
1:I:373:LEU:HD23	2:I:501:NAD:N7N	2.27	0.50
1:H:204:ARG:HA	1:H:239:SER:HB2	1.93	0.50
1:J:148:HIS:CD2	1:J:175:MET:HE1	2.47	0.49
1:D:160:GLY:HA3	1:D:401:LEU:HD13	1.96	0.48
1:H:197:ASN:HA	1:H:201:TYR:HD2	1.79	0.48
1:G:39[A]:MET:HE1	1:G:42:ARG:CZ	2.43	0.48
1:D:204:ARG:HA	1:D:239:SER:HB2	1.94	0.48
1:H:148:HIS:CG	1:H:175:MET:HE1	2.48	0.48
1:B:204:ARG:NH1	8:B:604:HOH:O	2.45	0.48
1:J:283:ILE:HG13	1:J:307:ASN:HB3	1.96	0.47
1:J:182:LYS:HE3	1:J:182:LYS:HA	1.97	0.47
1:I:153:GLN:HB3	8:I:836:HOH:O	2.15	0.47
1:I:204:ARG:HA	1:I:239:SER:HB2	1.97	0.46
1:G:171:ARG:O	1:G:175:MET:HG3	2.14	0.46
1:A:148:HIS:CG	1:A:175:MET:HE1	2.51	0.45
1:A:232:VAL:HG12	1:A:297:THR:HB	1.98	0.45
1:H:43:ARG:NH2	8:H:602:HOH:O	2.49	0.45
1:B:454:ILE:HG13	1:B:456:VAL:HG22	1.98	0.45
1:G:43:ARG:NH2	8:G:607:HOH:O	2.47	0.45
1:B:42:ARG:O	1:B:46:ALA:HB2	2.17	0.45
1:C:290:LYS:HB3	1:C:290:LYS:HE3	1.64	0.45
1:G:323:HIS:HA	1:G:373:LEU:HD21	1.98	0.45
1:J:189:ASN:O	1:J:195:SER:HB3	2.16	0.45
1:J:62:MET:HB3	1:J:90:THR:HG23	1.98	0.45
1:G:204:ARG:HA	1:G:239:SER:HB2	1.99	0.45
1:H:134:ASN:HA	1:H:158:ILE:HA	1.99	0.45
1:J:121:GLU:OE1	1:J:151:TYR:OH	2.23	0.45
1:C:400:HIS:HB2	4:C:505:UID:C09	2.47	0.45
1:B:290:LYS:HB3	1:B:290:LYS:HE3	1.72	0.45
1:I:424:PRO:HD2	1:I:427:LEU:HD12	1.99	0.44
1:C:232:VAL:HG12	1:C:297:THR:HB	1.99	0.44
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.99	0.44
1:C:8:ALA:C	1:C:10:PHE:H	2.26	0.44
1:H:55:LYS:NZ	1:H:132:ASP:OD2	2.40	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:189:ASN:O	1:G:195:SER:HB3	2.17	0.44
1:B:204:ARG:HA	1:B:239:SER:HB2	2.00	0.44
1:C:55:LYS:HD2	1:C:132:ASP:O	2.18	0.44
1:H:451:ALA:HB1	1:H:456:VAL:O	2.18	0.44
1:G:118:TRP:O	1:G:122:GLN:HG2	2.19	0.43
1:A:323:HIS:HA	1:A:373:LEU:HD21	2.01	0.43
1:G:290:LYS:HB2	1:G:290:LYS:HE3	1.81	0.43
1:G:148:HIS:CG	1:G:175:MET:HE1	2.54	0.43
1:A:204:ARG:HA	1:A:239:SER:HB2	2.00	0.43
1:B:404:GLN:OE1	1:B:417:ARG:HG2	2.18	0.43
1:C:118:TRP:O	1:C:122:GLN:HG2	2.19	0.43
1:J:219:LEU:O	1:J:245:MET:HG2	2.19	0.43
1:J:413:GLU:OE2	1:J:417:ARG:NH1	2.52	0.42
1:G:45:TYR:OH	4:G:503:UID:N12	2.52	0.42
1:H:373:LEU:HG	1:H:376:LEU:HD12	2.01	0.42
1:C:322:GLY:HA3	1:C:327:GLU:OE2	2.19	0.42
1:I:197:ASN:HA	1:I:201:TYR:HD2	1.84	0.42
1:B:113:GLU:OE2	1:B:372:ARG:NH2	2.52	0.42
1:G:283:ILE:HG13	1:G:307:ASN:HB3	2.02	0.42
1:J:57:LEU:HB3	1:J:143:LEU:HD21	2.02	0.42
1:B:148:HIS:CG	1:B:175:MET:HE1	2.55	0.42
1:C:87:ILE:HG22	1:C:116:TYR:HB2	2.01	0.42
1:I:39[A]:MET:HE1	1:I:42:ARG:CZ	2.49	0.42
2:I:501:NAD:H6N	2:I:501:NAD:H2D	1.87	0.42
1:I:114:GLU:H	1:I:114:GLU:CD	2.28	0.41
1:A:148:HIS:CD2	1:A:175:MET:HE1	2.55	0.41
1:I:318:VAL:HG12	1:I:328:ILE:HD13	2.02	0.41
1:D:161:ILE:O	1:D:185:ALA:HA	2.21	0.41
1:H:42:ARG:O	1:H:46:ALA:HB2	2.21	0.41
1:H:118:TRP:O	1:H:122:GLN:HG2	2.20	0.41
1:A:314:LYS:HG3	6:A:505:PO4:O2	2.21	0.41
1:G:468:ARG:HB2	1:J:196:LYS:HE3	2.03	0.41
1:J:449:LYS:HD3	8:J:777:HOH:O	2.20	0.41
1:A:283:ILE:HG13	1:A:307:ASN:HB3	2.03	0.41
1:D:159:HIS:CE1	1:D:407:ALA:HB3	2.55	0.41
1:J:337:TRP:CD1	1:J:351:ARG:HA	2.56	0.41
1:H:219:LEU:O	1:H:245:MET:HG2	2.21	0.41
1:C:134:ASN:HA	1:C:158:ILE:HA	2.01	0.41
1:D:232:VAL:HG12	1:D:297:THR:HB	2.03	0.41
1:A:401:LEU:HD23	1:A:401:LEU:HA	1.95	0.40
1:B:197:ASN:HA	1:B:201:TYR:HD2	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:171:ARG:O	1:H:175:MET:HG3	2.20	0.40
1:I:219:LEU:O	1:I:245:MET:HG2	2.21	0.40
8:B:627:HOH:O	1:C:196:LYS:HD3	2.20	0.40
1:I:203:CYS:SG	1:I:232:VAL:HG13	2.62	0.40
1:B:155:LEU:HA	1:B:158:ILE:HD12	2.03	0.40
1:H:197:ASN:HA	1:H:201:TYR:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/472 (98%)	452 (98%)	11 (2%)	0	100	100
1	B	462/472 (98%)	453 (98%)	9 (2%)	0	100	100
1	C	464/472 (98%)	451 (97%)	12 (3%)	1 (0%)	43	35
1	D	466/472 (99%)	454 (97%)	12 (3%)	0	100	100
1	G	462/472 (98%)	452 (98%)	10 (2%)	0	100	100
1	H	460/472 (98%)	448 (97%)	12 (3%)	0	100	100
1	I	463/472 (98%)	452 (98%)	10 (2%)	1 (0%)	43	35
1	J	462/472 (98%)	450 (97%)	12 (3%)	0	100	100
All	All	3702/3776 (98%)	3612 (98%)	88 (2%)	2 (0%)	48	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	61	HIS
1	I	61	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/385 (99%)	378 (100%)	2 (0%)	81	79
1	B	380/385 (99%)	373 (98%)	7 (2%)	51	46
1	C	381/385 (99%)	375 (98%)	6 (2%)	55	50
1	D	382/385 (99%)	377 (99%)	5 (1%)	61	57
1	G	380/385 (99%)	375 (99%)	5 (1%)	61	57
1	H	378/385 (98%)	373 (99%)	5 (1%)	61	57
1	I	381/385 (99%)	375 (98%)	6 (2%)	55	50
1	J	380/385 (99%)	373 (98%)	7 (2%)	51	46
All	All	3042/3080 (99%)	2999 (99%)	43 (1%)	59	54

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	354	LYS
1	A	417	ARG
1	B	121	GLU
1	B	217	HIS
1	B	220	SER
1	B	290	LYS
1	B	354	LYS
1	B	400	HIS
1	B	417	ARG
1	C	196	LYS
1	C	217	HIS
1	C	290	LYS
1	C	335	LYS
1	C	373	LEU
1	C	421	GLU
1	D	57[A]	LEU
1	D	57[B]	LEU
1	D	174	ASP
1	D	182	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	373	LEU
1	G	149	LYS
1	G	166	THR
1	G	354	LYS
1	G	417	ARG
1	G	421	GLU
1	H	149	LYS
1	H	153	GLN
1	H	217	HIS
1	H	354	LYS
1	H	373	LEU
1	I	196	LYS
1	I	217	HIS
1	I	220	SER
1	I	335	LYS
1	I	421	GLU
1	I	459	GLU
1	J	57	LEU
1	J	117	GLU
1	J	174	ASP
1	J	182	LYS
1	J	217	HIS
1	J	373	LEU
1	J	449	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	GLN
1	A	197	ASN
1	B	49	GLN
1	B	122	GLN
1	C	122	GLN
1	C	336	ASN
1	D	48	GLN
1	D	336	ASN
1	D	378	ASN
1	D	404	GLN
1	G	197	ASN
1	H	153	GLN
1	H	273	ASN
1	H	345	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	336	ASN
1	J	170	HIS
1	J	404	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 62 ligands modelled in this entry, 8 are monoatomic - leaving 54 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PO4	J	506	-	4,4,4	0.96	0	6,6,6	0.55	0
7	DMS	D	503	-	3,3,3	0.69	0	3,3,3	0.57	0
4	UID	D	504	-	14,14,14	2.29	7 (50%)	17,17,17	1.36	2 (11%)
6	PO4	D	506	-	4,4,4	0.91	0	6,6,6	0.51	0
6	PO4	B	506	-	4,4,4	0.89	0	6,6,6	0.54	0
7	DMS	I	503	-	3,3,3	0.67	0	3,3,3	0.46	0
6	PO4	D	508	-	4,4,4	0.83	0	6,6,6	0.44	0
2	NAD	I	501	-	46,48,48	0.35	0	64,73,73	0.47	0
6	PO4	J	507	-	4,4,4	0.85	0	6,6,6	0.56	0
6	PO4	J	509	-	4,4,4	1.03	0	6,6,6	0.44	0
3	ADE	H	502	-	11,11,11	0.46	0	15,15,15	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PO4	G	506	-	4,4,4	0.94	0	6,6,6	0.53	0
4	UID	J	504	-	14,14,14	2.17	6 (42%)	17,17,17	1.25	2 (11%)
3	ADE	D	502	-	11,11,11	0.52	0	15,15,15	0.43	0
3	ADE	I	502	-	11,11,11	0.51	0	15,15,15	0.43	0
3	ADE	B	502	-	11,11,11	0.44	0	15,15,15	0.42	0
2	NAD	J	501	-	46,48,48	0.37	0	64,73,73	0.50	0
2	NAD	B	501	-	46,48,48	0.35	0	64,73,73	0.49	0
4	UID	I	505	-	14,14,14	2.34	7 (50%)	17,17,17	1.47	3 (17%)
6	PO4	G	509	-	4,4,4	0.94	0	6,6,6	0.64	0
3	ADE	J	502	-	11,11,11	0.47	0	15,15,15	0.41	0
4	UID	C	505	-	14,14,14	2.19	7 (50%)	17,17,17	1.47	2 (11%)
2	NAD	D	501	-	46,48,48	0.35	0	64,73,73	0.46	0
6	PO4	C	507	-	4,4,4	0.85	0	6,6,6	0.77	0
6	PO4	G	508	-	4,4,4	0.98	0	6,6,6	0.60	0
6	PO4	G	507	-	4,4,4	1.08	0	6,6,6	0.46	0
7	DMS	C	504	-	3,3,3	0.74	0	3,3,3	0.54	0
2	NAD	H	501	-	46,48,48	0.37	0	64,73,73	0.49	0
6	PO4	A	506	-	4,4,4	0.99	0	6,6,6	0.56	0
2	NAD	A	501	-	46,48,48	0.33	0	64,73,73	0.50	0
4	UID	G	503	-	14,14,14	2.12	7 (50%)	17,17,17	1.59	2 (11%)
6	PO4	H	504	-	4,4,4	1.02	0	6,6,6	0.43	0
6	PO4	I	508	-	4,4,4	0.85	0	6,6,6	0.58	0
6	PO4	D	507	-	4,4,4	0.99	0	6,6,6	0.46	0
6	PO4	I	507	-	4,4,4	0.91	0	6,6,6	0.57	0
6	PO4	I	509	-	4,4,4	1.00	0	6,6,6	0.50	0
2	NAD	C	501	-	46,48,48	0.37	0	64,73,73	0.50	0
7	DMS	I	504	-	3,3,3	0.70	0	3,3,3	0.60	0
6	PO4	H	505	-	4,4,4	0.95	0	6,6,6	0.27	0
2	NAD	G	501	-	46,48,48	0.37	0	64,73,73	0.47	0
6	PO4	D	509	-	4,4,4	0.98	0	6,6,6	0.37	0
6	PO4	B	504	-	4,4,4	0.88	0	6,6,6	0.53	0
7	DMS	C	503	-	3,3,3	0.67	0	3,3,3	0.52	0
6	PO4	B	505	-	4,4,4	0.97	0	6,6,6	0.56	0
7	DMS	J	503	-	3,3,3	0.69	0	3,3,3	0.70	0
3	ADE	A	502	-	11,11,11	0.53	0	15,15,15	0.42	0
3	ADE	G	502	-	11,11,11	0.57	0	15,15,15	0.43	0
3	ADE	C	502	-	11,11,11	0.48	0	15,15,15	0.41	0
4	UID	A	503	-	14,14,14	2.26	7 (50%)	17,17,17	1.52	2 (11%)
6	PO4	C	508	-	4,4,4	0.97	0	6,6,6	0.53	0
6	PO4	A	507	-	4,4,4	0.83	0	6,6,6	0.51	0
6	PO4	J	508	-	4,4,4	0.97	0	6,6,6	0.53	0
6	PO4	A	505	-	4,4,4	1.02	0	6,6,6	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PO4	G	505	-	4,4,4	0.85	0	6,6,6	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	UID	D	504	-	-	2/8/8/8	0/1/1/1
2	NAD	I	501	-	-	4/30/62/62	0/5/5/5
3	ADE	H	502	-	-	-	0/2/2/2
4	UID	J	504	-	-	0/8/8/8	0/1/1/1
3	ADE	D	502	-	-	-	0/2/2/2
3	ADE	B	502	-	-	-	0/2/2/2
2	NAD	J	501	-	-	4/30/62/62	0/5/5/5
4	UID	I	505	-	-	5/8/8/8	0/1/1/1
2	NAD	B	501	-	-	4/30/62/62	0/5/5/5
3	ADE	I	502	-	-	-	0/2/2/2
4	UID	C	505	-	-	0/8/8/8	0/1/1/1
3	ADE	J	502	-	-	-	0/2/2/2
2	NAD	D	501	-	-	5/30/62/62	0/5/5/5
2	NAD	H	501	-	-	4/30/62/62	0/5/5/5
2	NAD	A	501	-	-	4/30/62/62	0/5/5/5
4	UID	G	503	-	-	0/8/8/8	0/1/1/1
2	NAD	C	501	-	-	4/30/62/62	0/5/5/5
2	NAD	G	501	-	-	4/30/62/62	0/5/5/5
3	ADE	A	502	-	-	-	0/2/2/2
3	ADE	G	502	-	-	-	0/2/2/2
3	ADE	C	502	-	-	-	0/2/2/2
4	UID	A	503	-	-	3/8/8/8	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	505	UID	O03-C04	4.45	1.44	1.34
4	D	504	UID	O03-C04	4.38	1.44	1.34
4	A	503	UID	O03-C04	4.20	1.44	1.34
4	C	505	UID	O03-C04	4.08	1.43	1.34
4	J	504	UID	O03-C04	4.08	1.43	1.34
4	D	504	UID	C08-C07	3.98	1.58	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	503	UID	C08-C07	3.91	1.58	1.47
4	I	505	UID	C08-C07	3.90	1.58	1.47
4	G	503	UID	O03-C04	3.80	1.43	1.34
4	J	504	UID	C08-C07	3.75	1.58	1.47
4	C	505	UID	C08-C07	3.71	1.58	1.47
4	G	503	UID	C08-C07	3.54	1.57	1.47
4	A	503	UID	C11-N12	3.22	1.49	1.38
4	G	503	UID	C11-N12	3.21	1.49	1.38
4	D	504	UID	C11-N12	3.20	1.49	1.38
4	C	505	UID	C11-N12	3.20	1.49	1.38
4	I	505	UID	C11-N12	3.18	1.49	1.38
4	J	504	UID	C11-N12	3.10	1.49	1.38
4	I	505	UID	C06-C07	3.04	1.40	1.33
4	I	505	UID	C06-C04	2.95	1.54	1.48
4	D	504	UID	C06-C04	2.84	1.54	1.48
4	A	503	UID	C06-C07	2.84	1.40	1.33
4	J	504	UID	C06-C07	2.74	1.40	1.33
4	D	504	UID	C06-C07	2.69	1.39	1.33
4	A	503	UID	C06-C04	2.64	1.54	1.48
4	J	504	UID	C06-C04	2.58	1.53	1.48
4	G	503	UID	C06-C07	2.57	1.39	1.33
4	C	505	UID	C06-C07	2.56	1.39	1.33
4	C	505	UID	C06-C04	2.54	1.53	1.48
4	G	503	UID	C06-C04	2.53	1.53	1.48
4	D	504	UID	C14-C13	2.50	1.42	1.38
4	C	505	UID	O03-C02	-2.45	1.39	1.46
4	I	505	UID	C14-C13	2.44	1.42	1.38
4	G	503	UID	O03-C02	-2.40	1.39	1.46
4	J	504	UID	O03-C02	-2.35	1.39	1.46
4	C	505	UID	C14-C13	2.29	1.42	1.38
4	G	503	UID	C14-C13	2.21	1.42	1.38
4	A	503	UID	C14-C13	2.21	1.42	1.38
4	I	505	UID	O03-C02	-2.19	1.39	1.46
4	D	504	UID	O03-C02	-2.12	1.40	1.46
4	A	503	UID	O03-C02	-2.12	1.40	1.46

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	505	UID	C08-C07-C06	-4.43	117.24	126.92
4	G	503	UID	C08-C07-C06	-4.27	117.60	126.92
4	I	505	UID	O03-C04-C06	4.21	121.94	111.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	UID	C08-C07-C06	-3.76	118.70	126.92
4	D	504	UID	O03-C04-C06	3.67	120.60	111.55
4	A	503	UID	O03-C04-C06	3.59	120.41	111.55
4	G	503	UID	O03-C04-C06	2.95	118.84	111.55
4	I	505	UID	C08-C07-C06	-2.70	121.02	126.92
4	J	504	UID	C07-C06-C04	-2.63	114.77	122.28
4	D	504	UID	C08-C07-C06	-2.28	121.94	126.92
4	J	504	UID	O03-C04-C06	2.26	117.14	111.55
4	I	505	UID	O03-C04-O05	-2.16	118.41	122.96
4	C	505	UID	O03-C04-C06	2.07	116.66	111.55

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4D-C1D-N1N-C2N
2	C	501	NAD	O4D-C1D-N1N-C6N
2	C	501	NAD	C2D-C1D-N1N-C2N
2	C	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
2	G	501	NAD	O4D-C1D-N1N-C2N
2	G	501	NAD	O4D-C1D-N1N-C6N
2	G	501	NAD	C2D-C1D-N1N-C2N
2	G	501	NAD	C2D-C1D-N1N-C6N
2	H	501	NAD	O4D-C1D-N1N-C2N
2	H	501	NAD	O4D-C1D-N1N-C6N
2	H	501	NAD	C2D-C1D-N1N-C2N
2	H	501	NAD	C2D-C1D-N1N-C6N
2	I	501	NAD	O4D-C1D-N1N-C2N
2	I	501	NAD	O4D-C1D-N1N-C6N
2	I	501	NAD	C2D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	501	NAD	C2D-C1D-N1N-C6N
2	J	501	NAD	O4D-C1D-N1N-C2N
2	J	501	NAD	O4D-C1D-N1N-C6N
2	J	501	NAD	C2D-C1D-N1N-C2N
2	J	501	NAD	C2D-C1D-N1N-C6N
4	I	505	UID	C06-C04-O03-C02
4	I	505	UID	O05-C04-O03-C02
4	D	504	UID	C06-C04-O03-C02
4	I	505	UID	O03-C04-C06-C07
4	D	504	UID	O05-C04-O03-C02
4	A	503	UID	C06-C04-O03-C02
4	A	503	UID	O05-C04-O03-C02
4	I	505	UID	O05-C04-C06-C07
4	I	505	UID	C01-C02-O03-C04
4	A	503	UID	C01-C02-O03-C04
2	D	501	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.

8 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	504	UID	1	0
2	I	501	NAD	2	0
4	J	504	UID	1	0
4	I	505	UID	1	0
4	C	505	UID	1	0
4	G	503	UID	1	0
4	A	503	UID	1	0
6	A	505	PO4	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand UID D 504




Ligand NAD I 501










Ligand UID C 505





Ligand NAD D 501











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	462/472 (97%)	-0.45	2 (0%) 88 92	14, 30, 47, 97	3 (0%)
1	B	461/472 (97%)	-0.27	1 (0%) 91 94	14, 34, 53, 68	3 (0%)
1	C	462/472 (97%)	-0.17	3 (0%) 85 90	15, 37, 56, 94	4 (0%)
1	D	463/472 (98%)	-0.32	1 (0%) 91 94	12, 35, 54, 92	5 (1%)
1	G	461/472 (97%)	-0.41	2 (0%) 88 92	13, 31, 47, 72	3 (0%)
1	H	461/472 (97%)	-0.29	1 (0%) 91 94	13, 33, 56, 79	1 (0%)
1	I	461/472 (97%)	-0.35	0 100 100	13, 32, 46, 72	4 (0%)
1	J	461/472 (97%)	-0.25	3 (0%) 84 89	12, 34, 54, 85	3 (0%)
All	All	3692/3776 (97%)	-0.31	13 (0%) 88 92	12, 33, 53, 97	26 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	9	GLY	4.4
1	A	8	ALA	3.5
1	J	411	ALA	3.5
1	J	412	ALA	3.1
1	G	410	PRO	3.1
1	D	8	ALA	3.1
1	G	411	ALA	2.7
1	B	459	GLU	2.4
1	C	8	ALA	2.4
1	A	355	ASP	2.3
1	J	415	ALA	2.3
1	C	356	GLY	2.1
1	H	415	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UID	I	505	14/14	0.75	0.15	39,44,50,50	0
4	UID	C	505	14/14	0.76	0.15	39,48,54,60	0
4	UID	A	503	14/14	0.77	0.15	40,48,59,60	0
7	DMS	J	503	4/4	0.77	0.17	34,36,42,59	4
4	UID	J	504	14/14	0.78	0.14	46,50,52,53	0
4	UID	D	504	14/14	0.78	0.14	45,51,54,59	0
7	DMS	C	504	4/4	0.83	0.16	38,41,54,60	0
7	DMS	I	504	4/4	0.85	0.16	38,40,56,68	0
6	PO4	G	505	5/5	0.88	0.09	49,53,58,62	0
6	PO4	C	508	5/5	0.88	0.14	43,44,47,52	5
7	DMS	D	503	4/4	0.89	0.15	32,40,52,64	0
6	PO4	I	509	5/5	0.89	0.12	35,38,45,46	5
4	UID	G	503	14/14	0.89	0.10	38,45,57,59	0
6	PO4	B	506	5/5	0.90	0.11	35,36,36,45	0
6	PO4	J	506	5/5	0.90	0.12	39,40,43,44	5
6	PO4	J	509	5/5	0.91	0.10	38,39,43,44	5
6	PO4	C	507	5/5	0.92	0.13	32,39,43,46	0
6	PO4	G	507	5/5	0.92	0.12	36,37,41,44	5
6	PO4	B	505	5/5	0.92	0.11	35,35,41,41	5
6	PO4	I	508	5/5	0.93	0.10	30,36,39,43	0
6	PO4	A	505	5/5	0.93	0.11	40,41,45,47	5
7	DMS	C	503	4/4	0.94	0.11	50,56,59,61	0
6	PO4	D	507	5/5	0.94	0.09	39,41,43,46	5
6	PO4	H	504	5/5	0.94	0.11	34,38,41,41	5
6	PO4	J	508	5/5	0.94	0.07	35,36,40,48	0
6	PO4	D	506	5/5	0.94	0.10	45,46,49,51	0
6	PO4	G	509	5/5	0.95	0.08	32,32,34,47	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	PO4	D	508	5/5	0.95	0.09	41,43,49,50	0
3	ADE	J	502	10/10	0.95	0.06	33,34,34,34	0
6	PO4	A	507	5/5	0.95	0.09	28,32,39,43	0
6	PO4	H	505	5/5	0.96	0.08	33,37,38,48	0
3	ADE	D	502	10/10	0.96	0.05	29,31,31,33	0
3	ADE	I	502	10/10	0.96	0.06	26,28,29,29	0
3	ADE	C	502	10/10	0.96	0.06	30,33,36,38	0
6	PO4	J	507	5/5	0.96	0.12	36,41,45,48	0
6	PO4	D	509	5/5	0.96	0.07	37,39,39,46	0
6	PO4	A	506	5/5	0.97	0.10	31,38,40,40	0
2	NAD	C	501	44/44	0.97	0.06	26,32,36,36	0
6	PO4	B	504	5/5	0.97	0.07	39,40,43,47	0
3	ADE	G	502	10/10	0.97	0.05	25,28,30,31	0
6	PO4	G	506	5/5	0.97	0.09	38,40,47,47	0
3	ADE	H	502	10/10	0.97	0.05	29,31,32,33	0
6	PO4	G	508	5/5	0.97	0.06	33,36,38,39	0
2	NAD	H	501	44/44	0.97	0.05	22,27,31,32	0
3	ADE	A	502	10/10	0.97	0.05	22,25,26,29	0
2	NAD	B	501	44/44	0.97	0.05	24,28,31,32	0
6	PO4	I	507	5/5	0.97	0.09	34,37,39,39	0
2	NAD	A	501	44/44	0.98	0.05	21,26,30,31	0
2	NAD	I	501	44/44	0.98	0.05	21,27,30,33	0
2	NAD	J	501	44/44	0.98	0.05	23,28,31,33	0
2	NAD	D	501	44/44	0.98	0.05	21,26,31,32	0
7	DMS	I	503	4/4	0.98	0.09	39,46,48,50	0
3	ADE	B	502	10/10	0.98	0.04	28,30,32,33	0
2	NAD	G	501	44/44	0.98	0.04	23,26,29,30	0
5	K	G	504	1/1	0.99	0.03	26,26,26,26	0
5	K	I	506	1/1	0.99	0.02	26,26,26,26	0
5	K	J	505	1/1	0.99	0.03	27,27,27,27	0
5	K	C	506	1/1	0.99	0.06	28,28,28,28	0
5	K	D	505	1/1	0.99	0.03	28,28,28,28	0
5	K	A	504	1/1	1.00	0.04	23,23,23,23	0
5	K	H	503	1/1	1.00	0.03	28,28,28,28	0
5	K	B	503	1/1	1.00	0.03	28,28,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UID I 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around UID C 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UID A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UID J 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UID D 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UID G 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD B 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 501:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD I 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD J 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD G 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.