



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:05 AM UTC

PDB ID : 2CG3 / pdb_00002cg3
Title : Crystal structure of SdsA1, an alkylsulfatase from *Pseudomonas aeruginosa*.
Authors : Hagelueken, G.; Adams, T.M.; Wiehlmann, L.; Widow, U.; Kolmar, H.;
Tuemmler, B.; Heinz, D.W.; Schubert, W.-D.
Deposited on : 2006-02-27
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	658	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5372 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SDSA1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	628	Total	C	N	O	Se	0	33	1
			5213	3271	957	974	11			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	157	Total	O	0	0
			157	157		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SDSA1



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	86.10Å 86.10Å 364.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	74.54 – 2.60 74.54 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.4 (74.54-2.60) 97.4 (74.54-2.60)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.57 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.173 , 0.240 0.177 , 0.241	Depositor DCC
R_{free} test set	1314 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5372	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.49	27/5319 (0.5%)	1.36	40/7191 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	216[A]	MSE	C-N	23.82	1.63	1.33
1	A	216[B]	MSE	C-N	23.82	1.63	1.33
1	A	144	ALA	CA-CB	-7.93	1.40	1.53
1	A	153	VAL	CA-CB	7.64	1.62	1.54
1	A	182	VAL	CA-C	6.89	1.60	1.52
1	A	495	GLN	C-O	6.54	1.31	1.24
1	A	279	THR	CA-CB	6.49	1.64	1.53
1	A	392	PRO	CA-C	6.47	1.58	1.52
1	A	536	ALA	CA-CB	6.41	1.63	1.53
1	A	653	ALA	CA-CB	6.25	1.64	1.53
1	A	309	TYR	CA-C	6.08	1.59	1.52
1	A	457	ARG	CZ-NH1	6.07	1.41	1.32
1	A	212	GLY	C-O	-5.94	1.16	1.23
1	A	267	ASP	C-O	5.76	1.31	1.23
1	A	301	VAL	CA-CB	5.63	1.61	1.54
1	A	196	ALA	CA-CB	-5.46	1.46	1.53
1	A	472	VAL	CA-CB	5.42	1.62	1.54
1	A	128	ILE	CA-C	5.38	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	165	VAL	C-O	5.29	1.31	1.24
1	A	354	ILE	CA-CB	-5.26	1.48	1.54
1	A	138	ASP	CA-C	5.22	1.59	1.52
1	A	22	ALA	C-O	-5.21	1.19	1.24
1	A	517	ARG	C-O	-5.21	1.18	1.24
1	A	483	ARG	CG-CD	5.18	1.68	1.52
1	A	37	VAL	N-CA	-5.15	1.40	1.46
1	A	509	TYR	CA-CB	5.12	1.61	1.53
1	A	165	VAL	CA-C	5.02	1.58	1.52

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	216[A]	MSE	O-C-N	-10.36	109.53	122.27
1	A	216[B]	MSE	O-C-N	-10.36	109.53	122.27
1	A	619	VAL	N-CA-CB	9.69	121.60	110.65
1	A	178	VAL	N-CA-C	7.67	118.41	110.36
1	A	479	GLU	CA-C-N	7.50	127.14	119.56
1	A	479	GLU	C-N-CA	7.50	127.14	119.56
1	A	21	THR	CB-CA-C	-7.41	99.62	111.18
1	A	351	ASN	N-CA-C	6.24	118.08	111.28
1	A	431	ASP	CA-C-N	-6.18	111.91	120.25
1	A	431	ASP	C-N-CA	-6.18	111.91	120.25
1	A	86[A]	LYS	N-CA-C	6.17	117.48	109.64
1	A	86[B]	LYS	N-CA-C	6.17	117.48	109.64
1	A	147	ARG	N-CA-C	-6.03	104.03	111.33
1	A	21	THR	N-CA-C	5.98	119.81	111.56
1	A	645	PHE	N-CA-C	5.97	117.55	111.10
1	A	169	HIS	N-CA-C	5.95	117.59	108.42
1	A	385	VAL	N-CA-C	5.91	117.35	110.62
1	A	489	GLN	N-CA-C	-5.88	104.77	111.07
1	A	378	GLN	N-CA-C	-5.74	106.17	112.72
1	A	86[A]	LYS	CA-C-N	5.71	125.73	119.90
1	A	86[A]	LYS	C-N-CA	5.71	125.73	119.90
1	A	86[B]	LYS	CA-C-N	5.71	125.73	119.90
1	A	86[B]	LYS	C-N-CA	5.71	125.73	119.90
1	A	426	ASN	CA-C-N	-5.64	114.29	119.82
1	A	426	ASN	C-N-CA	-5.64	114.29	119.82
1	A	289	LEU	CA-C-N	5.52	125.04	119.19
1	A	289	LEU	C-N-CA	5.52	125.04	119.19
1	A	87	PRO	CB-CA-C	-5.46	104.62	111.56
1	A	60	PRO	CA-C-N	5.34	127.75	120.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	60	PRO	C-N-CA	5.34	127.75	120.54
1	A	59	ARG	CA-C-N	-5.32	114.31	119.78
1	A	59	ARG	C-N-CA	-5.32	114.31	119.78
1	A	229	LYS	N-CA-C	-5.27	102.05	109.96
1	A	134	TRP	CA-C-N	-5.26	116.30	122.93
1	A	134	TRP	C-N-CA	-5.26	116.30	122.93
1	A	198	ALA	CA-C-N	-5.25	111.18	121.53
1	A	198	ALA	C-N-CA	-5.25	111.18	121.53
1	A	230	GLY	CA-C-N	-5.16	114.51	119.87
1	A	230	GLY	C-N-CA	-5.16	114.51	119.87
1	A	619	VAL	CB-CA-C	-5.05	105.35	111.87

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	277	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5213	0	5089	89	0
2	A	2	0	0	0	0
3	A	157	0	0	9	0
All	All	5372	0	5089	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216[A]:MSE:C	1:A:217:ARG:N	1.77	1.43
1:A:216[B]:MSE:HG2	3:A:957:HOH:O	1.21	1.33

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66[B]:ARG:HG2	1:A:66[B]:ARG:HH11	1.18	1.02
1:A:310[A]:THR:HG21	1:A:312[A]:ARG:NH2	1.76	0.97
1:A:280[B]:GLU:H	1:A:280[B]:GLU:CD	1.73	0.95
1:A:215:MSE:HE1	3:A:832:HOH:O	1.69	0.92
1:A:310[A]:THR:HG21	1:A:312[A]:ARG:CZ	2.00	0.91
1:A:388:ARG:HD2	3:A:842:HOH:O	1.71	0.91
1:A:614:SER:OG	1:A:616:VAL:HG12	1.79	0.83
1:A:160[A]:ARG:HD2	3:A:802:HOH:O	1.81	0.80
1:A:222[B]:GLN:HE22	1:A:311:LEU:HD23	1.46	0.79
1:A:66[B]:ARG:HG2	1:A:66[B]:ARG:NH1	1.98	0.76
1:A:298:ALA:O	1:A:300:ASN:N	2.19	0.75
1:A:169:HIS:HE1	1:A:174:HIS:CE1	2.04	0.75
1:A:544[B]:PHE:HZ	1:A:565:LEU:CD2	2.00	0.74
1:A:544[B]:PHE:CZ	1:A:565:LEU:CD2	2.71	0.74
1:A:290:PRO:O	1:A:293[A]:LYS:HD3	1.88	0.73
1:A:222[A]:GLN:HE22	1:A:310[A]:THR:HG22	1.57	0.70
1:A:483:ARG:O	1:A:487[B]:GLU:HG2	1.94	0.68
1:A:129[B]:ARG:CZ	1:A:160[B]:ARG:HH22	2.08	0.67
1:A:222[B]:GLN:NE2	1:A:311:LEU:HB3	2.09	0.67
1:A:169:HIS:CE1	1:A:174:HIS:CE1	2.84	0.65
1:A:298:ALA:C	1:A:300:ASN:H	2.04	0.65
1:A:222[B]:GLN:OE1	1:A:311:LEU:HB2	1.98	0.64
1:A:30:THR:O	1:A:34:GLN:HG2	1.98	0.64
1:A:614:SER:OG	1:A:616:VAL:CG1	2.46	0.63
1:A:277:PRO:HD3	1:A:325:TYR:CD1	2.34	0.63
1:A:222[B]:GLN:NE2	1:A:311:LEU:HD23	2.14	0.62
1:A:332[B]:ARG:HG2	1:A:332[B]:ARG:HH11	1.65	0.62
1:A:222[B]:GLN:CD	1:A:311:LEU:HB3	2.25	0.61
1:A:540:THR:HG22	1:A:544[B]:PHE:CE2	2.36	0.61
1:A:274:GLN:HE21	1:A:328[B]:GLN:CD	2.09	0.60
1:A:544[B]:PHE:HZ	1:A:565:LEU:HD21	1.66	0.60
1:A:269:VAL:HG22	1:A:291:ARG:HH12	1.67	0.60
1:A:222[B]:GLN:CD	1:A:311:LEU:CB	2.75	0.59
1:A:66[B]:ARG:HH11	1:A:66[B]:ARG:CG	2.02	0.59
1:A:332[B]:ARG:HH11	1:A:332[B]:ARG:CG	2.16	0.59
1:A:198:ALA:O	1:A:282:PRO:O	2.23	0.56
1:A:216[A]:MSE:HG2	3:A:957:HOH:O	2.06	0.55
1:A:216[B]:MSE:CG	3:A:957:HOH:O	2.04	0.55
1:A:310[A]:THR:CG2	1:A:312[A]:ARG:NH2	2.62	0.55
1:A:502:ASN:HB3	1:A:505:TRP:HB2	1.88	0.54
1:A:222[A]:GLN:HE22	1:A:310[A]:THR:CG2	2.20	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:THR:N	1:A:487[A]:GLU:OE1	2.41	0.54
1:A:296:LEU:HG	1:A:341:PHE:CE1	2.43	0.53
1:A:84:ASP:OD1	1:A:86[B]:LYS:HG2	2.08	0.53
1:A:637:PHE:HA	1:A:640:LEU:HD22	1.91	0.52
1:A:523:ASP:O	1:A:524:GLN:HB3	2.10	0.51
1:A:452:LEU:C	1:A:452:LEU:HD23	2.37	0.50
1:A:222[A]:GLN:NE2	1:A:310[A]:THR:HG22	2.24	0.49
1:A:222[B]:GLN:CD	1:A:311:LEU:HB2	2.38	0.48
1:A:129[B]:ARG:NE	1:A:160[B]:ARG:HH22	2.12	0.48
1:A:453:LEU:O	1:A:457:ARG:HG3	2.14	0.48
1:A:348[A]:ARG:NH2	3:A:812:HOH:O	2.46	0.48
1:A:287:ILE:HB	1:A:296:LEU:HB3	1.96	0.47
1:A:241:LYS:HA	1:A:241:LYS:HE3	1.97	0.47
1:A:552[B]:ASP:HB3	1:A:639:MSE:O	2.14	0.46
1:A:326:ILE:HA	3:A:897:HOH:O	2.16	0.46
1:A:556:ALA:O	1:A:557:GLU:C	2.59	0.46
1:A:332[B]:ARG:NH2	3:A:803:HOH:O	2.09	0.45
1:A:617[B]:ARG:NE	1:A:621:GLU:OE2	2.49	0.45
1:A:168:SER:O	1:A:169:HIS:HB3	2.16	0.45
1:A:439:ALA:HB1	1:A:474:ARG:O	2.17	0.45
1:A:264:LEU:HA	1:A:264:LEU:HD23	1.73	0.45
1:A:495:GLN:O	1:A:499:GLN:HG3	2.17	0.45
1:A:141:THR:O	1:A:176:GLY:HA3	2.17	0.45
1:A:66[B]:ARG:NH1	1:A:70:GLY:O	2.44	0.44
1:A:306:HIS:ND1	1:A:307:ASN:N	2.65	0.44
1:A:23:PRO:HA	1:A:494:GLU:OE2	2.17	0.44
1:A:196:ALA:HB1	1:A:197:PRO:HD2	2.00	0.44
1:A:261:GLY:O	1:A:262[A]:GLU:HG3	2.18	0.44
1:A:426:ASN:OD1	1:A:426:ASN:C	2.62	0.43
1:A:544[A]:PHE:CD2	1:A:547:LEU:HD12	2.53	0.43
1:A:92:ASN:OD1	1:A:92:ASN:C	2.62	0.43
1:A:250:LEU:HD13	1:A:537:ALA:HB2	2.01	0.43
1:A:480:PRO:O	1:A:486:ARG:HD2	2.19	0.43
1:A:250:LEU:HD23	1:A:251:LEU:N	2.35	0.42
1:A:199:GLY:HA2	1:A:202:GLU:OE1	2.18	0.42
1:A:598:VAL:HG21	1:A:633:LEU:HD22	2.02	0.42
1:A:514:TYR:C	1:A:514:TYR:CD2	2.97	0.42
1:A:169:HIS:HB2	1:A:283:ALA:O	2.19	0.42
1:A:24:LYS:HB3	1:A:25:PRO:HD2	2.02	0.41
1:A:305:LEU:HD21	1:A:411:ASN:HD22	1.86	0.41
1:A:374:HIS:O	1:A:378:GLN:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:589:VAL:CG1	1:A:590:GLN:N	2.84	0.40
1:A:102:ASN:HB3	1:A:241:LYS:HD2	2.03	0.40
1:A:307:ASN:OD1	1:A:406:GLY:HA2	2.21	0.40
1:A:166:ILE:HG12	1:A:195:ILE:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	655/658 (100%)	626 (96%)	26 (4%)	3 (0%)	24	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	299	GLU
1	A	600	ILE
1	A	521	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	532/509 (104%)	507 (95%)	25 (5%)	23	48

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50[A]	GLU
1	A	50[B]	GLU
1	A	61	GLU
1	A	62[A]	ARG
1	A	62[B]	ARG
1	A	129[A]	ARG
1	A	129[B]	ARG
1	A	209	VAL
1	A	255[A]	ARG
1	A	255[B]	ARG
1	A	296	LEU
1	A	302	VAL
1	A	310[A]	THR
1	A	310[B]	THR
1	A	311	LEU
1	A	373	LEU
1	A	483	ARG
1	A	520	VAL
1	A	591	SER
1	A	599	SER
1	A	614	SER
1	A	619	VAL
1	A	624	LEU
1	A	625	LYS
1	A	640	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	96	GLN
1	A	185	GLN
1	A	274	GLN
1	A	286	ASN
1	A	378	GLN
1	A	573	ASN
1	A	580	ASN
1	A	635	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	216[A]:MSE	C	217:ARG	N	1.77
1	A	216[B]:MSE	C	217:ARG	N	1.63

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	618/658 (93%)	-0.39	14 (2%) 61 55	13, 33, 57, 89	32 (5%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	86[A]	LYS	4.7
1	A	315[A]	GLU	4.1
1	A	335[A]	ARG	4.0
1	A	280[A]	GLU	3.4
1	A	524	GLN	3.3
1	A	617[A]	ARG	3.3
1	A	654	ALA	3.1
1	A	278	GLY	3.0
1	A	277	PRO	2.8
1	A	312[A]	ARG	2.4
1	A	279	THR	2.4
1	A	619	VAL	2.1
1	A	620	PHE	2.1
1	A	276	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	A	702	1/1	0.88	0.13	55,55,55,55	1
2	ZN	A	701	1/1	0.99	0.03	46,46,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.