



Full wwPDB EM Validation Report ⓘ

Jun 20, 2026 – 10:46 pm BST

PDB ID : 8CGK / pdb_00008cgg
EMDB ID : EMD-16646
Title : Lincomycin and Avilamycin bound to the 50S subunit
Authors : Paternoga, H.; Crowe-McAuliffe, C.; Beckert, B.; Wilson, D.N.
Deposited on : 2023-02-05
Resolution : 1.64 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 1.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	414 (1.15 - 2.13)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	55	16% 91% 9%
2	1	46	98% .
3	2	65	95% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	38	
5	a	2904	
6	b	120	
7	c	273	
8	d	209	
9	e	201	
10	g	177	
11	h	149	
12	i	142	
13	j	123	
14	k	144	
15	l	136	
16	m	127	
17	o	115	
18	p	118	
19	q	103	
20	r	110	
21	s	100	
22	t	104	
23	u	94	
24	v	85	
25	w	78	
26	x	63	
27	y	59	
28	z	57	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	6UQ	a	3003	X	-	-	-

2 Entry composition

There are 35 unique types of molecules in this entry. The entry contains 88150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	0	50	Total	C	N	O	0	0
			413	267	75	71		

- Molecule 2 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	45	Total	C	N	O	S	0	0
			367	222	88	55	2		

- Molecule 3 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 4 is a protein called Large ribosomal subunit protein bL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 5 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	a	2699	Total	C	N	O	P	0	0
			57983	25871	10696	18717	2699		

- Molecule 6 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	b	39	Total	C	N	O	P	0	0
			840	373	153	275	39		

- Molecule 7 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	c	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	d	207	Total	C	N	O	S	0	0
			1552	972	286	291	3		

- Molecule 9 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	e	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	g	168	Total	C	N	O	S	0	0
			1255	791	228	234	2		

- Molecule 11 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	h	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 12 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	i	141	Total	C	N	O	S	0	0
			1121	709	211	198	3		

- Molecule 13 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	j	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 14 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 15 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	l	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
l	82	MS6	MET	modified residue	UNP P0ADY7

- Molecule 16 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	m	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 17 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 18 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	p	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 19 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 20 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	r	109	Total	C	N	O	S	0	0
			845	526	162	154	3		

- Molecule 21 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	s	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 22 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	t	93	Total	C	N	O	S	0	0
			717	452	135	130			

- Molecule 23 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	u	93	Total	C	N	O	S	0	0
			745	474	136	133	2		

- Molecule 24 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	v	75	Total	C	N	O	S	0	0
			569	353	113	102	1		

- Molecule 25 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	w	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 26 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	x	60	Total	C	N	O	S	0	0
			491	303	96	91	1		

- Molecule 27 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		


- Molecule 28 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	z	54	Total	C	N	O	S	0	0
			429	260	91	77	1		

- Molecule 29 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
29	3	1	Total	Zn	0
			1	1	

- Molecule 30 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			AltConf
30	a	1	Total	C	O	0
			4	2	2	

- Molecule 31 is LINCOMYCIN (CCD ID: 3QB) (formula: C₁₈H₃₄N₂O₆S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
31	a	1	Total	C	N	O	S	0
			27	18	2	6	1	

- Molecule 32 is (2R,3S,4R,6S)-4-hydroxy-6-{[(2R,3aR,4R,4'R,5'S,6S,6'R,7aR)-4'-hydroxy-6-{{[(2S,3R,4R,5S,6R)-3-hydroxy-2-{{[(2R,3S,4S,5S,6S)-4-hydroxy-6-({(2R,3aS,3a'R,6S,6'R,7R,7'R,7aR,7a'R)-7'-hydroxy-7'-[(1S)-1-hydroxyethyl]-6'-methyl-7-[(2-methylpropanoyl)oxy]octahydro-4H-2,4'-spirobi[[1,3]dioxolo[4,5-c]pyran]-6-yl}oxy)-5-methoxy-2-(methoxymethyl)tetrahydro-2H-pyran-3-yl}oxy}-5-methoxy-6-methyltetrahydro-2H-pyran-4-yl}oxy}-4,6',7a-trimethyloctahydro-4H-spiro[1,3-dioxolo[4,5-c]pyran-2,2'-pyran]-5'-yl}oxy}-2-methyltetrahydro-2H-pyran-3-yl 3,5-dichloro-4-hydroxy-2-methoxy-6-methylbenzoate (non-preferred name) (CCD ID: 6UQ) (formula: C₆₁H₉₀Cl₂O₃₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
32	a	1	Total	C	Cl	O	0
			95	61	2	32	

- Molecule 33 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
33	a	251	Total	Mg	0
			251	251	
33	b	3	Total	Mg	0
			3	3	
33	c	3	Total	Mg	0
			3	3	
33	d	1	Total	Mg	0
			1	1	
33	p	1	Total	Mg	0
			1	1	
33	z	1	Total	Mg	0
			1	1	

- Molecule 34 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
34	a	77	Total	K	0
			77	77	
34	c	3	Total	K	0
			3	3	
34	e	1	Total	K	0
			1	1	

- Molecule 35 is water.

Mol	Chain	Residues	Atoms		AltConf
35	0	6	Total	O	0
			6	6	
35	1	36	Total	O	0
			36	36	
35	2	31	Total	O	0
			31	31	
35	3	16	Total	O	0
			16	16	
35	a	6026	Total	O	0
			6026	6026	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
35	b	83	Total 83	O 83	0
35	c	133	Total 133	O 133	0
35	d	95	Total 95	O 95	0
35	e	63	Total 63	O 63	0
35	g	2	Total 2	O 2	0
35	h	1	Total 1	O 1	0
35	i	56	Total 56	O 56	0
35	j	32	Total 32	O 32	0
35	k	62	Total 62	O 62	0
35	l	56	Total 56	O 56	0
35	m	52	Total 52	O 52	0
35	o	30	Total 30	O 30	0
35	p	56	Total 56	O 56	0
35	q	32	Total 32	O 32	0
35	r	54	Total 54	O 54	0
35	s	27	Total 27	O 27	0
35	t	14	Total 14	O 14	0
35	u	19	Total 19	O 19	0
35	v	20	Total 20	O 20	0
35	w	27	Total 27	O 27	0
35	x	10	Total 10	O 10	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
35	y	20	Total 20	O 20	0
35	z	42	Total 42	O 42	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein bL33




- Molecule 2: Large ribosomal subunit protein bL34




- Molecule 3: Large ribosomal subunit protein bL35




- Molecule 4: Large ribosomal subunit protein bL36A




- Molecule 5: 23S rRNA









• Molecule 6: 5S rRNA




• Molecule 7: Large ribosomal subunit protein uL2




• Molecule 8: Large ribosomal subunit protein uL3




• Molecule 9: Large ribosomal subunit protein uL4




- Molecule 15: Large ribosomal subunit protein uL16



- Molecule 16: Large ribosomal subunit protein bL17




- Molecule 17: Large ribosomal subunit protein bL19




- Molecule 18: Large ribosomal subunit protein bL20




- Molecule 19: Large ribosomal subunit protein bL21




- Molecule 20: Large ribosomal subunit protein uL22




• Molecule 21: Large ribosomal subunit protein uL23




• Molecule 22: Large ribosomal subunit protein uL24




• Molecule 23: 50S ribosomal protein L25




• Molecule 24: Large ribosomal subunit protein bL27



• Molecule 25: Large ribosomal subunit protein bL28




• Molecule 26: Large ribosomal subunit protein uL29




• Molecule 27: Large ribosomal subunit protein uL30





- Molecule 28: Large ribosomal subunit protein bL32

Chain z:  91% • 5%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	419159	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	1000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.208	Depositor
Minimum map value	-0.078	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0164	Depositor
Map size ($\text{\AA}$)	544.8, 544.8, 544.8	wwPDB
Map dimensions	800, 800, 800	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.681, 0.681, 0.681	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 2MG, OMG, G7M, MG, 5MC, MS6, 5MU, PSU, 2MA, 3QB, ZN, 1MG, ACT, 6MZ, H2U, K, MEQ, OMU, 4D4, OMC, 6UQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.48	0/420	0.84	0/560
2	1	0.48	0/370	0.91	0/487
3	2	0.50	0/513	0.92	0/676
4	3	0.51	0/303	0.84	0/397
5	a	0.50	1/64435 (0.0%)	0.95	101/100513 (0.1%)
6	b	0.52	0/938	0.95	1/1460 (0.1%)
7	c	0.52	0/2121	0.86	1/2852 (0.0%)
8	d	0.48	0/1562	0.85	0/2102
9	e	0.48	0/1571	0.94	0/2113
10	g	0.53	0/1273	0.92	0/1725
11	h	0.53	0/306	0.92	0/413
12	i	0.50	0/1144	0.87	0/1541
13	j	0.49	0/955	0.89	0/1279
14	k	0.51	0/1062	0.87	0/1413
15	l	0.47	0/1073	0.87	0/1433
16	m	0.48	0/958	0.91	0/1281
17	o	0.49	0/929	0.83	0/1242
18	p	0.49	0/960	0.94	1/1278 (0.1%)
19	q	0.48	0/829	0.81	0/1107
20	r	0.49	0/852	0.88	0/1142
21	s	0.47	0/744	0.89	0/994
22	t	0.48	0/721	0.85	0/956
23	u	0.49	0/758	0.92	0/1015
24	v	0.51	0/576	0.83	0/762
25	w	0.49	0/635	0.91	0/848
26	x	0.46	0/492	1.02	0/655
27	y	0.48	0/453	0.89	0/605
28	z	0.50	0/435	0.89	0/581
All	All	0.50	1/87388 (0.0%)	0.94	104/131430 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	2	0	1
4	3	0	1
5	a	0	1
17	o	0	1
18	p	0	1
21	s	0	1
25	w	0	1
All	All	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	a	2069	G7M	O3'-P	5.18	1.61	1.56

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	a	2429	G	O3'-P-O5'	-14.17	82.75	104.00
5	a	1971	U	O3'-P-O5'	-10.20	88.70	104.00
5	a	1905	C	O3'-P-O5'	-9.35	89.98	104.00
5	a	2546	U	O3'-P-O5'	-9.32	90.03	104.00
5	a	1643	G	O3'-P-O5'	-8.97	90.55	104.00
5	a	2026	U	O3'-P-O5'	-8.93	90.61	104.00
5	a	204	A	O3'-P-O5'	-8.70	90.95	104.00
5	a	2050	C	O3'-P-O5'	-8.52	91.22	104.00
5	a	1373	A	O3'-P-O5'	-8.31	91.53	104.00
5	a	1186	G	O3'-P-O5'	-8.12	91.83	104.00
5	a	781	A	O3'-P-O5'	-7.64	92.54	104.00
5	a	1974	C	O3'-P-O5'	-7.33	93.00	104.00
5	a	2278	A	O3'-P-O5'	-7.30	93.04	104.00
5	a	2519	U	O3'-P-O5'	-7.20	93.19	104.00
5	a	2501	C	O3'-P-O5'	-7.17	93.25	104.00
5	a	737	C	O3'-P-O5'	-7.15	93.28	104.00
5	a	2715	C	O3'-P-O5'	-7.06	93.42	104.00
5	a	2356	U	O3'-P-O5'	-7.05	93.43	104.00
5	a	701	G	O3'-P-O5'	-6.92	93.63	104.00
5	a	1565	C	O3'-P-O5'	-6.76	93.86	104.00
5	a	528	A	O3'-P-O5'	-6.49	94.26	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	a	1959	G	O3'-P-O5'	-6.46	94.31	104.00
5	a	310	A	O3'-P-O5'	-6.33	94.51	104.00
5	a	1131	G	O3'-P-O5'	-6.30	94.55	104.00
5	a	2879	A	O3'-P-O5'	-6.26	94.61	104.00
5	a	478	A	O3'-P-O5'	-6.20	94.71	104.00
5	a	1857	G	O3'-P-O5'	-6.16	94.75	104.00
5	a	621	A	O3'-P-O5'	-6.16	94.76	104.00
5	a	763	G	O3'-P-O5'	-6.14	94.79	104.00
5	a	512	G	O4'-C1'-N9	6.14	117.41	108.20
5	a	542	C	O3'-P-O5'	-6.13	94.80	104.00
5	a	1606	C	C2'-C3'-O3'	-6.12	104.53	113.70
5	a	1379	U	C2'-C3'-O3'	-6.10	104.55	113.70
5	a	1638	C	O3'-P-O5'	-6.03	94.95	104.00
5	a	1408	G	O3'-P-O5'	-6.00	95.01	104.00
5	a	1246	A	O3'-P-O5'	-5.94	95.09	104.00
5	a	1810	A	O3'-P-O5'	-5.94	95.09	104.00
5	a	12	U	N1-C1'-C2'	5.88	120.81	112.00
5	a	60	G	O3'-P-O5'	-5.87	95.19	104.00
5	a	2717	C	O3'-P-O5'	-5.86	95.20	104.00
5	a	1496	A	O3'-P-O5'	-5.81	95.28	104.00
5	a	2820	A	C4'-C3'-O3'	-5.77	104.34	113.00
5	a	1436	G	O3'-P-O5'	-5.75	95.38	104.00
5	a	1757	A	C4'-C3'-O3'	-5.74	104.39	113.00
5	a	2382	G	O3'-P-O5'	-5.73	95.40	104.00
5	a	652	U	O3'-P-O5'	-5.72	95.43	104.00
5	a	385	C	O3'-P-O5'	-5.71	95.43	104.00
5	a	555	G	O3'-P-O5'	-5.64	95.54	104.00
5	a	952	G	O3'-P-O5'	-5.62	95.57	104.00
5	a	2197	U	O3'-P-O5'	-5.60	95.60	104.00
5	a	1254	A	C4'-C3'-O3'	-5.59	104.62	113.00
5	a	2890	G	O3'-P-O5'	-5.59	95.62	104.00
5	a	73	A	O3'-P-O5'	-5.55	95.67	104.00
5	a	1650	A	O3'-P-O5'	-5.54	95.69	104.00
5	a	2547	A	C4'-C3'-O3'	-5.54	104.69	113.00
5	a	1866	A	O3'-P-O5'	-5.49	95.76	104.00
5	a	1452	G	O3'-P-O5'	-5.47	95.80	104.00
5	a	1359	A	O3'-P-O5'	-5.46	95.81	104.00
5	a	543	G	O3'-P-O5'	-5.46	95.82	104.00
5	a	2568	U	O3'-P-O5'	-5.46	95.81	104.00
5	a	1902	C	O3'-P-O5'	-5.44	95.83	104.00
5	a	2477	U	O3'-P-O5'	-5.42	95.87	104.00
5	a	2060	A	O3'-P-O5'	-5.41	95.89	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	a	2469	A	O3'-P-O5'	-5.41	95.89	104.00
5	a	1328	A	O3'-P-O5'	-5.40	95.90	104.00
5	a	400	G	O3'-P-O5'	-5.40	95.90	104.00
5	a	972	A	O3'-P-O5'	-5.36	95.96	104.00
5	a	827	U	C2'-C3'-O3'	-5.35	105.68	113.70
5	a	22	C	O3'-P-O5'	-5.32	96.02	104.00
5	a	761	A	O3'-P-O5'	-5.32	96.02	104.00
5	a	2848	G	O3'-P-O5'	-5.32	96.02	104.00
5	a	1121	C	O3'-P-O5'	-5.29	96.07	104.00
5	a	748	G	C1'-O4'-C4'	-5.26	104.64	109.90
5	a	1606	C	O3'-P-O5'	-5.26	96.11	104.00
5	a	1109	C	C1'-C2'-O2'	-5.25	103.92	111.80
5	a	1394	U	O3'-P-O5'	-5.25	96.12	104.00
5	a	2062	A	O3'-P-O5'	-5.23	96.15	104.00
7	c	37	ASN	CB-CA-C	5.23	118.65	111.23
18	p	91	ASP	CA-CB-CG	5.22	117.83	112.60
5	a	62	U	O3'-P-O5'	-5.22	96.18	104.00
6	b	89	U	O3'-P-O5'	-5.21	96.18	104.00
5	a	2493	U	O3'-P-O5'	-5.21	96.19	104.00
5	a	1847	A	O3'-P-O5'	-5.19	96.22	104.00
5	a	2022	U	O3'-P-O5'	-5.17	96.24	104.00
5	a	2655	G	O3'-P-O5'	-5.17	96.25	104.00
5	a	1966	A	O3'-P-O5'	-5.16	96.25	104.00
5	a	221	A	O3'-P-O5'	-5.15	96.28	104.00
5	a	2573	C	O3'-P-O5'	-5.13	96.31	104.00
5	a	1969	A	O3'-P-O5'	-5.12	96.31	104.00
5	a	9	G	O3'-P-O5'	-5.07	96.40	104.00
5	a	334	C	O3'-P-O5'	-5.06	96.41	104.00
5	a	227	A	O3'-P-O5'	-5.06	96.41	104.00
5	a	1375	U	O3'-P-O5'	-5.06	96.41	104.00
5	a	2756	U	C4'-C3'-O3'	5.06	116.99	109.40
5	a	187	G	O3'-P-O5'	-5.05	96.42	104.00
5	a	906	U	O3'-P-O5'	-5.04	96.44	104.00
5	a	667	U	O3'-P-O5'	-5.04	96.44	104.00
5	a	54	G	O3'-P-O5'	-5.03	96.45	104.00
5	a	2614	A	O3'-P-O5'	-5.03	96.46	104.00
5	a	1305	C	O3'-P-O5'	-5.03	96.46	104.00
5	a	2633	G	O3'-P-O5'	-5.01	96.48	104.00
5	a	1378	A	O3'-P-O5'	-5.01	96.48	104.00
5	a	622	G	C4'-C3'-O3'	-5.01	105.48	113.00
5	a	2817	U	O3'-P-O5'	-5.00	96.49	104.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	2	13	ARG	Sidechain
4	3	36	ARG	Sidechain
5	a	512	G	Sidechain
17	o	88	ARG	Sidechain
18	p	51	ARG	Sidechain
21	s	69	ARG	Sidechain
25	w	16	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	413	0	448	0	0
2	1	367	0	405	0	0
3	2	504	0	572	1	0
4	3	302	0	340	1	0
5	a	57983	0	29161	31	0
6	b	840	0	423	0	0
7	c	2082	0	2153	3	0
8	d	1552	0	1601	1	0
9	e	1552	0	1619	2	0
10	g	1255	0	1296	2	0
11	h	303	0	327	0	0
12	i	1121	0	1150	1	0
13	j	946	0	1023	4	0
14	k	1053	0	1129	2	0
15	l	1075	0	1145	1	0
16	m	945	0	989	0	0
17	o	917	0	962	0	0
18	p	947	0	1019	2	0
19	q	816	0	839	2	0
20	r	845	0	909	2	0
21	s	738	0	807	4	0
22	t	717	0	766	0	0
23	u	745	0	768	0	0
24	v	569	0	581	1	0
25	w	625	0	652	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	x	491	0	523	1	0
27	y	449	0	488	1	0
28	z	429	0	440	2	0
29	3	1	0	0	0	0
30	a	4	0	3	0	0
31	a	27	0	34	0	0
32	a	95	0	0	1	0
33	a	251	0	0	0	0
33	b	3	0	0	0	0
33	c	3	0	0	0	0
33	d	1	0	0	0	0
33	p	1	0	0	0	0
33	z	1	0	0	0	0
34	a	77	0	0	0	0
34	c	3	0	0	0	0
34	e	1	0	0	0	0
35	0	6	0	0	0	0
35	1	36	0	0	0	0
35	2	31	0	0	0	0
35	3	16	0	0	0	0
35	a	6026	0	0	0	0
35	b	83	0	0	0	0
35	c	133	0	0	0	0
35	d	95	0	0	0	0
35	e	63	0	0	0	0
35	g	2	0	0	0	0
35	h	1	0	0	0	0
35	i	56	0	0	0	0
35	j	32	0	0	0	0
35	k	62	0	0	0	0
35	l	56	0	0	0	0
35	m	52	0	0	0	0
35	o	30	0	0	0	0
35	p	56	0	0	0	0
35	q	32	0	0	0	0
35	r	54	0	0	0	0
35	s	27	0	0	0	0
35	t	14	0	0	0	0
35	u	19	0	0	0	0
35	v	20	0	0	0	0
35	w	27	0	0	0	0
35	x	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	y	20	0	0	0	0
35	z	42	0	0	0	0
All	All	88150	0	52572	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:a:568:U:H1'	5:a:2030:6MZ:H9C1	1.71	0.70
32:a:3003:6UQ:CLAG	32:a:3003:6UQ:CDE	2.86	0.61
7:c:29:PRO:HG2	7:c:34:LEU:HD11	1.81	0.60
10:g:24:ILE:HD11	10:g:43:VAL:HG11	1.85	0.58
21:s:67:VAL:HG12	21:s:74:ILE:HD11	1.90	0.54
5:a:1434:A:H2'	5:a:1435:G:C8	2.46	0.51
3:2:54:ASP:HB3	14:k:57:LEU:HD22	1.93	0.50
13:j:58:LEU:HD11	13:j:86:LEU:HD13	1.95	0.48
5:a:2020:A:H5'	28:z:9:THR:CG2	2.43	0.48
5:a:811:U:H2'	14:k:21:ARG:HA	1.95	0.48
20:r:4:ILE:HG22	20:r:106:VAL:HG22	1.94	0.48
4:3:16:ILE:HD13	4:3:25:VAL:HG22	1.96	0.47
5:a:534:U:O2'	18:p:49:ASP:OD2	2.31	0.47
13:j:63:VAL:HG12	13:j:107:LEU:HD11	1.96	0.47
19:q:6:GLN:HG3	19:q:39:LEU:HD11	1.96	0.46
19:q:14:VAL:HG11	19:q:20:VAL:HG21	1.97	0.46
21:s:67:VAL:CG1	21:s:74:ILE:HD11	2.46	0.46
7:c:5:LYS:HD2	7:c:17:VAL:HG22	1.98	0.46
9:e:153:LEU:HD21	9:e:158:PHE:HB2	1.97	0.46
5:a:493:G:H2'	5:a:494:G:O4'	2.15	0.46
5:a:84:A:N1	5:a:98:G:O2'	2.44	0.46
8:d:156:PHE:CE1	12:i:81:ILE:HD13	2.50	0.46
5:a:580:U:O3'	18:p:31:VAL:HG13	2.18	0.44
5:a:1182:G:H2'	5:a:1183:U:O4'	2.18	0.44
5:a:2273:A:H2'	5:a:2274:A:C8	2.53	0.44
5:a:1028:A:N6	5:a:1125:G:H2'	2.33	0.44
5:a:1020:A:N1	5:a:1141:U:O2'	2.42	0.43
5:a:2327:A:H2'	5:a:2328:A:C8	2.53	0.43
5:a:2552:OMU:HM23	5:a:2554:U:C6	2.52	0.43
20:r:20:VAL:HG11	20:r:44:ALA:HA	2.01	0.43
24:v:37:ILE:HG21	24:v:80:ILE:HG21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:a:1939:5MU:OP1	5:a:2604:PSU:O2'	2.32	0.42
5:a:729:G:C6	7:c:207:LYS:HB2	2.55	0.42
5:a:2038:G:H2'	5:a:2039:U:O4'	2.19	0.42
9:e:48:THR:HG23	9:e:88:ARG:HH12	1.84	0.42
15:l:66:ARG:NH1	15:l:104:GLU:OE2	2.52	0.42
5:a:1721:G:N2	5:a:1738:G:O2'	2.52	0.42
5:a:644:A:H2'	5:a:645:C:O4'	2.19	0.42
21:s:2:ILE:HD13	21:s:42:GLU:HA	2.02	0.41
5:a:645:C:H2'	5:a:647:G:C8	2.55	0.41
5:a:2684:U:H4'	13:j:76:VAL:CG2	2.50	0.41
21:s:69:ARG:NH1	21:s:74:ILE:HD13	2.34	0.41
26:x:9:LYS:O	26:x:60:LYS:NZ	2.53	0.41
10:g:24:ILE:CD1	10:g:43:VAL:HG11	2.49	0.41
5:a:586:A:N1	5:a:809:G:O2'	2.49	0.41
5:a:930:G:H1'	27:y:25:LEU:HD11	2.03	0.41
5:a:1853:A:N1	5:a:2087:G:H1'	2.36	0.41
5:a:2193:G:H2'	5:a:2194:U:O4'	2.20	0.41
5:a:2547:A:H2'	5:a:2548:U:C6	2.56	0.41
5:a:1434:A:H2'	5:a:1435:G:H8	1.86	0.41
5:a:1932:A:H2'	5:a:1933:G:O4'	2.21	0.40
5:a:723:C:H2'	5:a:724:U:O4'	2.21	0.40
5:a:1664:A:N3	13:j:67:LYS:NZ	2.69	0.40
5:a:2615:U:C2	28:z:4:GLN:HA	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	48/55 (87%)	48 (100%)	0	0	100	100
2	1	43/46 (94%)	43 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	2	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
4	3	36/38 (95%)	36 (100%)	0	0	100	100
7	c	269/273 (98%)	261 (97%)	8 (3%)	0	100	100
8	d	204/209 (98%)	198 (97%)	6 (3%)	0	100	100
9	e	199/201 (99%)	194 (98%)	5 (2%)	0	100	100
10	g	164/177 (93%)	158 (96%)	6 (4%)	0	100	100
11	h	39/149 (26%)	37 (95%)	2 (5%)	0	100	100
12	i	139/142 (98%)	139 (100%)	0	0	100	100
13	j	121/123 (98%)	118 (98%)	3 (2%)	0	100	100
14	k	142/144 (99%)	139 (98%)	3 (2%)	0	100	100
15	l	132/136 (97%)	129 (98%)	3 (2%)	0	100	100
16	m	116/127 (91%)	112 (97%)	4 (3%)	0	100	100
17	o	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
18	p	115/118 (98%)	114 (99%)	1 (1%)	0	100	100
19	q	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
20	r	107/110 (97%)	106 (99%)	1 (1%)	0	100	100
21	s	91/100 (91%)	89 (98%)	2 (2%)	0	100	100
22	t	89/104 (86%)	87 (98%)	2 (2%)	0	100	100
23	u	91/94 (97%)	88 (97%)	3 (3%)	0	100	100
24	v	73/85 (86%)	71 (97%)	2 (3%)	0	100	100
25	w	75/78 (96%)	75 (100%)	0	0	100	100
26	x	58/63 (92%)	58 (100%)	0	0	100	100
27	y	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
28	z	52/57 (91%)	51 (98%)	1 (2%)	0	100	100
All	All	2734/2971 (92%)	2674 (98%)	60 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	46/49 (94%)	46 (100%)	0	100	100
2	1	37/38 (97%)	37 (100%)	0	100	100
3	2	51/52 (98%)	51 (100%)	0	100	100
4	3	34/34 (100%)	33 (97%)	1 (3%)	37	11
7	c	216/218 (99%)	215 (100%)	1 (0%)	81	71
8	d	162/163 (99%)	161 (99%)	1 (1%)	78	66
9	e	165/165 (100%)	165 (100%)	0	100	100
10	g	130/138 (94%)	130 (100%)	0	100	100
11	h	32/114 (28%)	32 (100%)	0	100	100
12	i	115/116 (99%)	114 (99%)	1 (1%)	70	54
13	j	104/104 (100%)	103 (99%)	1 (1%)	68	49
14	k	103/103 (100%)	103 (100%)	0	100	100
15	l	107/107 (100%)	107 (100%)	0	100	100
16	m	98/103 (95%)	98 (100%)	0	100	100
17	o	99/100 (99%)	99 (100%)	0	100	100
18	p	89/90 (99%)	89 (100%)	0	100	100
19	q	84/84 (100%)	84 (100%)	0	100	100
20	r	92/93 (99%)	92 (100%)	0	100	100
21	s	80/84 (95%)	80 (100%)	0	100	100
22	t	76/85 (89%)	76 (100%)	0	100	100
23	u	77/78 (99%)	77 (100%)	0	100	100
24	v	56/63 (89%)	56 (100%)	0	100	100
25	w	67/68 (98%)	67 (100%)	0	100	100
26	x	54/55 (98%)	53 (98%)	1 (2%)	50	23
27	y	48/49 (98%)	48 (100%)	0	100	100
28	z	46/48 (96%)	46 (100%)	0	100	100
All	All	2268/2401 (94%)	2262 (100%)	6 (0%)	84	79

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	3	36	ARG
7	c	37	ASN
8	d	32	ASN
12	i	9	GLU
13	j	58	LEU
26	x	6	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
7	c	25	HIS
7	c	60	GLN
7	c	134	ASN
7	c	153	GLN
8	d	49	GLN
10	g	30	ASN
10	g	73	ASN
11	h	20	ASN
12	i	86	GLN
16	m	18	GLN
17	o	52	ASN
17	o	115	ASN
18	p	52	GLN
18	p	59	GLN
18	p	81	ASN
19	q	6	GLN
19	q	12	HIS
20	r	9	HIS
26	x	15	ASN
26	x	27	ASN
26	x	39	GLN
26	x	45	GLN
28	z	6	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
5	a	2692/2904 (92%)	306 (11%)	0
6	b	37/120 (30%)	4 (10%)	0
All	All	2729/3024 (90%)	310 (11%)	0

All (310) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	a	10	A
5	a	34	U
5	a	45	G
5	a	71	A
5	a	74	A
5	a	75	G
5	a	92	U
5	a	101	A
5	a	118	A
5	a	119	A
5	a	120	U
5	a	125	A
5	a	126	A
5	a	139	U
5	a	140	C
5	a	142	A
5	a	158	U
5	a	165	A
5	a	181	A
5	a	196	A
5	a	199	A
5	a	200	U
5	a	215	G
5	a	216	A
5	a	221	A
5	a	222	A
5	a	248	G
5	a	272	A
5	a	276	U
5	a	277	G
5	a	278	A
5	a	279	A
5	a	281	C
5	a	285	G
5	a	287	G
5	a	289	G
5	a	291	G
5	a	310	A
5	a	311	A
5	a	330	A
5	a	353	C
5	a	354	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	355	U
5	a	361	G
5	a	362	A
5	a	365	U
5	a	367	G
5	a	380	G
5	a	386	G
5	a	403	U
5	a	411	G
5	a	412	A
5	a	451	U
5	a	456	C
5	a	481	G
5	a	491	G
5	a	503	A
5	a	504	A
5	a	505	A
5	a	509	C
5	a	530	G
5	a	531	C
5	a	532	A
5	a	533	G
5	a	544	C
5	a	545	U
5	a	547	A
5	a	548	G
5	a	549	G
5	a	563	A
5	a	573	U
5	a	574	A
5	a	575	A
5	a	586	A
5	a	603	A
5	a	614	A
5	a	615	U
5	a	627	A
5	a	637	A
5	a	645	C
5	a	646	U
5	a	647	G
5	a	653	U
5	a	654	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	655	A
5	a	686	U
5	a	717	C
5	a	720	U
5	a	730	A
5	a	747	5MU
5	a	764	A
5	a	765	C
5	a	775	G
5	a	776	G
5	a	777	G
5	a	782	A
5	a	784	G
5	a	785	G
5	a	805	G
5	a	812	C
5	a	827	U
5	a	828	U
5	a	845	A
5	a	846	U
5	a	858	G
5	a	859	G
5	a	910	A
5	a	914	G
5	a	915	C
5	a	931	U
5	a	934	U
5	a	946	C
5	a	961	C
5	a	974	G
5	a	983	A
5	a	984	A
5	a	985	C
5	a	996	A
5	a	1005	C
5	a	1012	U
5	a	1013	C
5	a	1022	G
5	a	1026	G
5	a	1033	U
5	a	1041	G
5	a	1045	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	1046	A
5	a	1047	G
5	a	1052	C
5	a	1108	U
5	a	1109	C
5	a	1110	G
5	a	1111	A
5	a	1112	G
5	a	1116	G
5	a	1128	G
5	a	1129	A
5	a	1132	U
5	a	1133	A
5	a	1135	C
5	a	1141	U
5	a	1142	A
5	a	1143	A
5	a	1169	A
5	a	1170	C
5	a	1171	G
5	a	1179	G
5	a	1181	U
5	a	1253	A
5	a	1256	G
5	a	1271	G
5	a	1272	A
5	a	1273	U
5	a	1300	G
5	a	1301	A
5	a	1352	U
5	a	1365	A
5	a	1379	U
5	a	1383	A
5	a	1409	U
5	a	1411	U
5	a	1416	G
5	a	1428	C
5	a	1452	G
5	a	1453	A
5	a	1459	G
5	a	1460	U
5	a	1482	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	1490	A
5	a	1493	C
5	a	1508	A
5	a	1509	A
5	a	1510	G
5	a	1515	A
5	a	1529	G
5	a	1534	U
5	a	1535	A
5	a	1536	C
5	a	1537	G
5	a	1569	A
5	a	1578	U
5	a	1584	U
5	a	1585	C
5	a	1586	A
5	a	1608	A
5	a	1609	A
5	a	1647	U
5	a	1648	U
5	a	1649	G
5	a	1674	G
5	a	1715	G
5	a	1729	U
5	a	1730	C
5	a	1731	G
5	a	1732	C
5	a	1737	G
5	a	1738	G
5	a	1739	A
5	a	1744	A
5	a	1764	C
5	a	1773	A
5	a	1782	U
5	a	1800	C
5	a	1801	A
5	a	1807	G
5	a	1808	A
5	a	1809	A
5	a	1816	C
5	a	1829	A
5	a	1847	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	1848	A
5	a	1858	A
5	a	1862	G
5	a	1869	G
5	a	1870	C
5	a	1871	A
5	a	1872	A
5	a	1873	G
5	a	1906	G
5	a	1929	G
5	a	1930	G
5	a	1937	A
5	a	1938	A
5	a	1955	U
5	a	1967	C
5	a	1970	A
5	a	1971	U
5	a	1972	G
5	a	1991	U
5	a	1993	U
5	a	2023	C
5	a	2031	A
5	a	2033	A
5	a	2043	C
5	a	2055	C
5	a	2056	G
5	a	2060	A
5	a	2061	G
5	a	2062	A
5	a	2069	G7M
5	a	2095	A
5	a	2096	C
5	a	2193	G
5	a	2194	U
5	a	2198	A
5	a	2204	G
5	a	2211	A
5	a	2225	A
5	a	2238	G
5	a	2239	G
5	a	2268	A
5	a	2283	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	2287	A
5	a	2288	A
5	a	2322	A
5	a	2325	G
5	a	2331	G
5	a	2333	A
5	a	2335	A
5	a	2347	C
5	a	2366	A
5	a	2372	U
5	a	2383	G
5	a	2385	C
5	a	2396	G
5	a	2402	U
5	a	2406	A
5	a	2425	A
5	a	2429	G
5	a	2430	A
5	a	2431	U
5	a	2435	A
5	a	2441	U
5	a	2448	A
5	a	2470	G
5	a	2491	U
5	a	2502	G
5	a	2505	G
5	a	2518	A
5	a	2529	G
5	a	2547	A
5	a	2554	U
5	a	2566	A
5	a	2567	G
5	a	2573	C
5	a	2602	A
5	a	2609	U
5	a	2613	U
5	a	2629	U
5	a	2656	U
5	a	2663	G
5	a	2689	U
5	a	2690	U
5	a	2714	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	a	2726	A
5	a	2744	G
5	a	2748	A
5	a	2757	A
5	a	2765	A
5	a	2778	A
5	a	2798	U
5	a	2803	G
5	a	2820	A
5	a	2821	A
5	a	2883	A
5	a	2884	U
6	b	12	C
6	b	13	G
6	b	89	U
6	b	90	C

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PSU	a	2580	34,5	18,21,22	1.06	1 (5%)	22,30,33	0.73	0
5	6MZ	a	1618	5	22,25,26	0.59	1 (4%)	30,36,39	0.60	0
5	PSU	a	2457	5	18,21,22	0.99	1 (5%)	22,30,33	0.68	0
5	H2U	a	2449	5	18,21,22	0.57	0	21,30,33	0.70	0
5	2MA	a	2503	33,34,5	22,25,26	0.92	2 (9%)	33,37,40	1.18	4 (12%)
5	G7M	a	2069	5	23,26,27	0.67	1 (4%)	35,39,42	0.71	0
5	PSU	a	2504	34,5	18,21,22	0.93	1 (5%)	22,30,33	0.73	0
5	OMC	a	2498	33,5	19,22,23	0.29	0	26,31,34	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PSU	a	2604	5	18,21,22	0.96	1 (5%)	22,30,33	0.75	1 (4%)
5	2MG	a	2445	5	23,26,27	0.44	0	32,38,41	0.52	0
5	OMU	a	2552	5	19,22,23	0.25	0	26,31,34	0.44	0
5	5MU	a	1939	34,5	19,22,23	0.35	0	28,32,35	0.47	0
5	6MZ	a	2030	5	22,25,26	0.48	0	30,36,39	0.67	0
5	OMG	a	2251	34,5	23,26,27	0.35	0	33,38,41	0.47	0
5	2MG	a	1835	5	23,26,27	0.41	0	32,38,41	0.46	0
5	5MU	a	747	5	19,22,23	0.31	0	28,32,35	0.47	0
5	5MC	a	1962	5	18,22,23	0.36	0	26,32,35	0.69	0
5	PSU	a	2605	5	18,21,22	0.95	1 (5%)	22,30,33	0.89	1 (4%)
5	1MG	a	745	5	22,26,27	0.58	0	33,39,42	0.52	0
5	PSU	a	746	33,5	18,21,22	0.99	1 (5%)	22,30,33	0.66	0
15	4D4	l	81	15	9,11,12	0.45	0	8,13,15	1.06	1 (12%)
5	PSU	a	955	5	18,21,22	0.90	1 (5%)	22,30,33	0.65	0
15	MS6	l	82	15	5,7,8	0.24	0	2,7,9	0.12	0
8	MEQ	d	150	8	8,9,10	0.47	0	5,10,12	1.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PSU	a	2580	34,5	-	0/7/25/26	0/2/2/2
5	6MZ	a	1618	5	-	0/9/27/28	0/3/3/3
5	PSU	a	2457	5	-	0/7/25/26	0/2/2/2
5	H2U	a	2449	5	-	0/7/38/39	0/2/2/2
5	2MA	a	2503	33,34,5	-	1/7/25/26	0/3/3/3
5	G7M	a	2069	5	-	2/7/25/26	0/3/3/3
5	PSU	a	2504	34,5	-	0/7/25/26	0/2/2/2
5	OMC	a	2498	33,5	-	0/9/27/28	0/2/2/2
5	PSU	a	2604	5	-	0/7/25/26	0/2/2/2
5	2MG	a	2445	5	-	0/9/27/28	0/3/3/3
5	OMU	a	2552	5	-	1/9/27/28	0/2/2/2
5	5MU	a	1939	34,5	-	0/7/25/26	0/2/2/2
5	6MZ	a	2030	5	-	2/9/27/28	0/3/3/3
5	OMG	a	2251	34,5	-	0/9/27/28	0/3/3/3
5	2MG	a	1835	5	-	0/9/27/28	0/3/3/3
5	5MU	a	747	5	-	0/7/25/26	0/2/2/2
5	5MC	a	1962	5	-	0/7/25/26	0/2/2/2
5	PSU	a	2605	5	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1MG	a	745	5	-	0/7/25/26	0/3/3/3
5	PSU	a	746	33,5	-	1/7/25/26	0/2/2/2
15	4D4	l	81	15	-	0/11/12/14	-
5	PSU	a	955	5	-	0/7/25/26	0/2/2/2
15	MS6	l	82	15	-	1/4/6/8	-
8	MEQ	d	150	8	-	2/8/9/11	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	a	2580	PSU	C6-C5	4.23	1.40	1.35
5	a	2457	PSU	C6-C5	4.05	1.40	1.35
5	a	746	PSU	C6-C5	3.84	1.39	1.35
5	a	2604	PSU	C6-C5	3.77	1.39	1.35
5	a	2504	PSU	C6-C5	3.73	1.39	1.35
5	a	2605	PSU	C6-C5	3.72	1.39	1.35
5	a	955	PSU	C6-C5	3.56	1.39	1.35
5	a	2069	G7M	C8-N7	2.48	1.37	1.33
5	a	1618	6MZ	C6-N6	2.31	1.36	1.34
5	a	2503	2MA	C2-N1	2.19	1.37	1.34
5	a	2503	2MA	C6-N6	-2.10	1.28	1.34

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	a	2503	2MA	CM2-C2-N1	3.60	122.77	117.15
5	a	2503	2MA	C2-N1-C6	2.80	122.44	118.08
5	a	2503	2MA	N3-C2-N1	-2.47	121.18	125.72
5	a	2503	2MA	C5-C4-N3	-2.44	124.45	127.19
5	a	2604	PSU	C2'-C3'-C4'	-2.30	98.17	102.64
5	a	2605	PSU	C2'-C3'-C4'	-2.02	98.72	102.64
15	l	81	4D4	CB-CA-C	2.02	115.00	111.77

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	d	150	MEQ	NE2-CD-CG-CB
8	d	150	MEQ	OE1-CD-CG-CB
5	a	2030	6MZ	O4'-C4'-C5'-O5'
5	a	2069	G7M	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	l	82	MS6	CB-CG-SD-CE
5	a	2030	6MZ	C3'-C4'-C5'-O5'
5	a	2503	2MA	O4'-C4'-C5'-O5'
5	a	746	PSU	O4'-C1'-C5-C6
5	a	2069	G7M	O4'-C4'-C5'-O5'
5	a	2552	OMU	C3'-C2'-O2'-CM2

There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	a	2604	PSU	1	0
5	a	2552	OMU	1	0
5	a	1939	5MU	1	0
5	a	2030	6MZ	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 345 ligands modelled in this entry, 342 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
31	3QB	a	3002	-	25,28,28	0.29	0	29,40,40	0.85	3 (10%)
32	6UQ	a	3003	-	100,105,105	1.13	5 (5%)	132,164,164	1.43	17 (12%)
30	ACT	a	3001	-	3,3,3	0.96	0	3,3,3	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	3QB	a	3002	-	-	1/21/53/53	0/2/2/2
32	6UQ	a	3003	-	2/2/35/35	11/47/211/211	0/11/11/11

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	3003	6UQ	ODC-CDA	-8.32	1.21	1.43
32	a	3003	6UQ	OCP-CCJ	3.17	1.44	1.40
32	a	3003	6UQ	OAY-CAX	3.14	1.45	1.41
32	a	3003	6UQ	CAD-CAC	2.77	1.44	1.40
32	a	3003	6UQ	OCG-CCB	2.02	1.46	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	a	3003	6UQ	CAX-OAY-CAZ	6.71	118.28	112.16
32	a	3003	6UQ	ODC-CDA-CDB	4.41	119.25	109.02
32	a	3003	6UQ	OBE-CBD-CBI	3.80	116.74	108.57
32	a	3003	6UQ	OBBCBC-CBD	-3.79	97.29	101.85
32	a	3003	6UQ	OCK-CCE-CCF	3.67	117.31	110.45
32	a	3003	6UQ	ODD-CAE-CAF	3.45	125.17	120.05
32	a	3003	6UQ	OCI-CCD-CCC	3.21	118.93	109.71
32	a	3003	6UQ	CDE-ODD-CAE	3.21	123.57	114.78
32	a	3003	6UQ	CBC-CBF-CBG	-3.18	109.55	115.07
32	a	3003	6UQ	OAS-CAU-CAZ	2.41	113.07	106.79
32	a	3003	6UQ	OCS-CCM-CCL	-2.35	99.10	105.36
32	a	3003	6UQ	CAE-CAF-CLAG	2.35	122.74	118.90
32	a	3003	6UQ	CCJ-CCL-CCM	-2.19	107.25	113.85
32	a	3003	6UQ	CAW-CAV-CAU	-2.18	106.87	110.40
32	a	3003	6UQ	OCK-CCE-CCD	-2.16	99.89	103.49
32	a	3003	6UQ	OCQ-CCL-CCM	-2.15	99.64	105.36
31	a	3002	3QB	C15-N2-C14	2.14	115.35	112.45
31	a	3002	3QB	C14-N2-C11	2.12	108.06	104.84
32	a	3003	6UQ	OBE-CAX-OBBC	2.11	107.59	104.67
31	a	3002	3QB	O5-C4-C3	2.03	110.72	107.87

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
32	a	3003	6UQ	CDA
32	a	3003	6UQ	CCN

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
32	a	3003	6UQ	CCM-CCN-CDA-ODC
32	a	3003	6UQ	OCT-CCN-CDA-ODC
32	a	3003	6UQ	CCO-CCN-CDA-ODC
32	a	3003	6UQ	CAF-CAE-ODD-CDE
32	a	3003	6UQ	CAC-CAD-CAJ-OAK
32	a	3003	6UQ	CAE-CAD-CAJ-OAL
32	a	3003	6UQ	CAD-CAE-ODD-CDE
32	a	3003	6UQ	CAE-CAD-CAJ-OAK
32	a	3003	6UQ	CAN-CAM-OAL-CAJ
32	a	3003	6UQ	CAC-CAD-CAJ-OAL
32	a	3003	6UQ	CAR-CAM-OAL-CAJ
31	a	3002	3QB	C8-C7-N1-C10

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	a	3003	6UQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16646. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 400




Y Index: 400




Z Index: 400


6.2.2 Raw map



X Index: 400



Y Index: 400




Z Index: 400


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 403




Y Index: 391




Z Index: 467


6.3.2 Raw map



X Index: 403



Y Index: 348




Z Index: 453


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0164. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 202 nm^3 ; this corresponds to an approximate mass of 183 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.610 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.610 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	1.64	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	1.96	2.54	2.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 1.96 differs from the reported value 1.64 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-16646 and PDB model 8CGK. Per-residue inclusion information can be found in section [3](#) on page [14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0164 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0164).

9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0164) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8380	 0.7990
0	 0.7310	 0.7800
1	 0.9740	 0.8780
2	 0.9570	 0.8670
3	 0.8800	 0.8240
a	 0.8500	 0.7980
b	 0.8230	 0.7590
c	 0.9050	 0.8470
d	 0.8990	 0.8420
e	 0.7530	 0.7830
g	 0.3430	 0.6350
h	 0.4600	 0.6520
i	 0.9000	 0.8430
j	 0.8440	 0.8130
k	 0.8520	 0.8280
l	 0.8650	 0.8260
m	 0.9700	 0.8720
o	 0.8140	 0.8000
p	 0.9430	 0.8710
q	 0.8040	 0.7980
r	 0.8830	 0.8380
s	 0.7480	 0.7720
t	 0.7670	 0.7840
u	 0.6710	 0.7400
v	 0.6830	 0.7160
w	 0.8070	 0.8130
x	 0.5720	 0.7230
y	 0.8440	 0.8110
z	 0.8700	 0.8310

