



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:33 PM UTC

PDB ID : 8CGP / pdb_00008cgp
Title : Insulin regulated aminopeptidase (IRAP) in complex with an allosteric aryl sulfonamide inhibitor
Authors : Mpakali, A.; Stratikos, E.; Giastas, P.
Deposited on : 2023-02-06
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4951 (2.64-2.60)
Clashscore	190562	5303 (2.64-2.60)
Ramachandran outliers	187476	5217 (2.64-2.60)
Sidechain outliers	187428	5217 (2.64-2.60)
RSRZ outliers	180081	4950 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	873	82% 16% .
1	B	873	79% 19% .
2	C	6	50% 50%
3	D	2	100%
3	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	 50% 50%
3	G	2	 100%
3	J	2	 50% 50%
3	K	2	 50% 50%
3	R	2	 50% 50%
3	S	2	 50% 50%
3	U	2	 50% 50%
4	H	5	 20% 80%
5	I	5	 100%
6	L	3	 67% 33%
6	N	3	 33% 67%
6	O	3	 100%
6	Q	3	 33% 67%
6	T	3	 33% 67%
7	M	6	 50% 50%
8	P	6	 33% 67%

2 Entry composition [i](#)

There are 15 unique types of molecules in this entry. The entry contains 15164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Leucyl-cystinyl aminopeptidase, pregnancy serum form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	857	Total	C	N	O	S	0	4	0
			6972	4513	1140	1292	27			
1	B	859	Total	C	N	O	S	0	7	0
			7003	4538	1143	1294	28			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1026	ARG	-	expression tag	UNP Q9UIQ6
A	1027	THR	-	expression tag	UNP Q9UIQ6
B	1026	ARG	-	expression tag	UNP Q9UIQ6
B	1027	THR	-	expression tag	UNP Q9UIQ6

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	R	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	S	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	U	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	H	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	L	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	N	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	O	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	Q	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	T	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	M	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	P	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 10 is D-MALATE (CCD ID: MLT) (formula: $C_4H_6O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			9	4	5		
10	B	1	Total	C	O	0	0
			9	4	5		

- Molecule 11 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	1	Total	Zn	0	0
			1	1		
11	B	1	Total	Zn	0	0
			1	1		

- Molecule 12 is 4-bromanyl-5-chloranyl- {N}-[3-(1 {H}-1,2,3,4-tetrazol-5-yl)phenyl]thiop hene-2-sulfonamide (CCD ID: UKG) (formula: C₁₁H₇BrClN₅O₂S₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
12	A	1	Total	Br	C	Cl	N	O	S	0	0
			22	1	11	1	5	2	2		
12	B	1	Total	Br	C	Cl	N	O	S	0	0
			22	1	11	1	5	2	2		

- Molecule 13 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			7	4	3		
13	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 14 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	A	1	Total	C	O	0	0
			4	2	2		
14	A	1	Total	C	O	0	0
			4	2	2		
14	A	1	Total	C	O	0	0
			4	2	2		
14	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 15 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	125	Total	O	0	0
			125	125		
15	B	87	Total	O	0	0
			87	87		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucyl-cystinyl aminopeptidase, pregnancy serum form



- Molecule 1: Leucyl-cystinyl aminopeptidase, pregnancy serum form.





- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%




- Molecule 4: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  20% 80%



- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain P: 

MAN1
MAN2
BMA3
MAN4
MAN5
MAN6

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.44Å 119.07Å 141.64Å 90.00° 102.77° 90.00°	Depositor
Resolution (Å)	45.79 – 2.62 45.79 – 2.62	Depositor EDS
% Data completeness (in resolution range)	89.0 (45.79-2.62) 90.1 (45.79-2.62)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660, PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.170 , 0.231 0.170 , 0.231	Depositor DCC
R_{free} test set	3233 reflections (4.42%)	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.020 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15164	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PEG, MLT, BMA, EDO, ZN, UKG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/7153	0.60	0/9695
1	B	0.41	0/7197	0.60	0/9759
All	All	0.41	0/14350	0.60	0/19454

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6972	0	6872	111	0
1	B	7003	0	6890	111	1
2	C	72	0	61	0	0
3	D	28	0	25	1	0
3	E	28	0	25	1	0
3	F	28	0	25	0	0
3	G	28	0	25	0	0
3	J	28	0	25	0	0
3	K	28	0	25	0	0
3	R	28	0	25	0	0
3	S	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	U	28	0	25	0	0
4	H	61	0	52	0	0
5	I	61	0	52	0	0
6	L	39	0	34	1	0
6	N	39	0	34	1	0
6	O	39	0	34	0	0
6	Q	39	0	34	0	0
6	T	39	0	34	0	0
7	M	72	0	61	0	0
8	P	72	0	61	0	0
9	A	42	0	39	0	0
9	B	56	0	52	0	0
10	A	9	0	4	2	0
10	B	9	0	4	1	0
11	A	1	0	0	0	0
11	B	1	0	0	0	0
12	A	22	0	0	1	0
12	B	22	0	0	0	0
13	A	7	0	10	0	0
13	B	7	0	10	0	0
14	A	12	0	18	0	0
14	B	4	0	6	0	0
15	A	125	0	0	0	0
15	B	87	0	0	0	0
All	All	15164	0	14587	221	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (221) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:914:LEU:HD11	1:A:951:LYS:HD2	1.17	1.10
1:A:951:LYS:HE2	1:A:955:LYS:HG3	1.48	0.94
1:A:591:ASP:O	1:A:595:GLU:OE2	1.93	0.86
1:A:914:LEU:CD1	1:A:951:LYS:HD2	2.04	0.83
1:A:809:THR:HG23	1:A:811:GLU:H	1.42	0.82
1:A:904:ARG:NH1	1:B:901:GLU:OE2	2.13	0.80
1:A:526:SER:OG	1:A:1002:GLU:HG2	1.82	0.80
1:B:526:SER:HB2	1:B:1002:GLU:HG3	1.63	0.79
1:A:847:MET:HE1	1:A:872:LYS:HG2	1.66	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:591:ASP:C	1:A:595:GLU:OE2	2.28	0.76
1:A:914:LEU:HD11	1:A:951:LYS:CD	2.09	0.74
1:A:951:LYS:HD3	1:A:951:LYS:C	2.12	0.73
1:B:329:SER:O	1:B:416:LYS:NZ	2.17	0.72
1:B:658:TYR:CZ	1:B:670:SER:HB3	2.25	0.71
1:B:220:THR:HG22	1:B:231:GLN:HE21	1.54	0.71
1:B:621:VAL:HG21	1:B:692:VAL:HG21	1.73	0.69
1:A:813:THR:H	1:A:816:MET:HE3	1.56	0.69
1:B:870:THR:HG23	1:B:873:GLY:H	1.57	0.69
1:A:951:LYS:HD3	1:A:951:LYS:O	1.93	0.69
1:B:339:LEU:HD11	1:B:345:GLN:HB2	1.73	0.68
1:B:278:SER:OG	1:B:287:LYS:O	2.11	0.67
1:B:220:THR:CG2	1:B:231:GLN:NE2	2.59	0.66
1:B:957:PRO:HG2	1:B:960:SER:HB3	1.78	0.66
1:B:600:THR:HB	1:B:601:LEU:HD23	1.78	0.66
1:A:951:LYS:CE	1:A:955:LYS:HG3	2.26	0.64
1:A:813:THR:OG1	1:A:816:MET:HG3	1.98	0.64
1:A:657:SER:HB2	1:A:694:ILE:HD12	1.80	0.64
1:B:220:THR:HG22	1:B:231:GLN:NE2	2.13	0.64
1:B:569:GLN:O	1:B:573:VAL:HG23	1.98	0.63
1:A:747:LYS:HZ3	1:A:1024:TRP:CD1	2.17	0.63
1:A:807:THR:OG1	1:A:809:THR:HG22	1.99	0.63
1:B:1008[A]:GLN:OE1	1:B:1012:GLN:NE2	2.27	0.63
1:A:780:GLU:OE2	1:B:904:ARG:NH2	2.33	0.62
1:A:951:LYS:HE2	1:A:955:LYS:CG	2.25	0.61
1:A:951:LYS:CE	1:A:955:LYS:HE2	2.30	0.61
1:B:376:THR:HG21	1:B:412:TYR:HD2	1.65	0.60
1:B:526:SER:HB2	1:B:1002:GLU:CG	2.32	0.60
1:B:843:PHE:HB2	1:B:863:VAL:HG13	1.84	0.60
1:A:167:ARG:HD3	1:A:479:TRP:CH2	2.37	0.59
1:A:876:PHE:CZ	1:A:880:LYS:NZ	2.65	0.58
1:A:880:LYS:HA	1:A:883:SER:HB3	1.85	0.58
1:B:333:LYS:HD2	1:B:346:ASP:CG	2.29	0.58
1:B:416:LYS:HE3	1:B:418:ASP:OD2	2.03	0.57
1:A:995:PHE:O	1:A:1001:GLN:NE2	2.37	0.57
1:A:794[B]:ARG:NH1	1:A:1024:TRP:O	2.38	0.57
1:A:504:GLU:H	1:A:504:GLU:CD	2.13	0.56
1:A:492:PHE:HZ	1:A:560:LYS:HD3	1.71	0.56
1:A:318:LYS:HG2	1:A:347:GLU:HG3	1.87	0.56
1:A:811:GLU:O	1:A:820:ARG:NH2	2.39	0.55
1:B:992:GLU:OE2	1:B:996:ARG:NH1	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:432:ASN:HB2	1:B:435:LEU:O	2.06	0.55
1:B:613:GLN:OE1	1:B:650:TYR:HB2	2.06	0.54
1:A:929:ARG:HD2	1:A:965:ASN:OD1	2.07	0.54
1:A:538:GLU:CD	1:A:538:GLU:H	2.15	0.54
1:B:319:ILE:HD11	1:B:361:PHE:HB2	1.90	0.54
1:A:936:PRO:HA	1:B:903:VAL:HG21	1.89	0.53
1:B:550:PHE:O	1:B:554:SER:HB2	2.07	0.53
1:A:216:ILE:HD12	1:A:234:ILE:CD1	2.39	0.53
1:A:219:VAL:HG11	1:A:245:ILE:HD12	1.89	0.53
1:A:362:ILE:HD13	1:A:422:ILE:HD11	1.89	0.53
1:A:452:MET:O	1:A:452:MET:HG3	2.08	0.53
1:B:194:VAL:HG11	1:B:304:PRO:HD2	1.89	0.53
1:A:427:ALA:HB1	10:A:1104:MLT:C1	2.39	0.53
1:A:807:THR:O	1:A:820:ARG:HD3	2.09	0.53
1:B:563:LEU:O	1:B:567:VAL:HB	2.09	0.53
1:A:430:MET:HB3	1:A:437:THR:HG22	1.92	0.52
1:A:405:GLN:HG2	1:A:411:GLN:HA	1.92	0.52
1:B:438:PHE:HD2	1:B:442:THR:HG22	1.74	0.52
1:A:777:ASN:O	1:A:781:LYS:HG2	2.10	0.51
1:B:593:PHE:HB3	1:B:603:VAL:HG21	1.92	0.51
1:A:175:LEU:HB2	1:A:197:SER:OG	2.11	0.51
1:B:626:LYS:HG2	1:B:686:GLU:HG3	1.91	0.51
1:B:1014:MET:HG3	1:B:1018:LEU:HD22	1.91	0.51
1:A:960:SER:O	1:A:964:GLN:HG3	2.10	0.51
1:B:173:VAL:HG13	1:B:201:LEU:CD1	2.40	0.51
1:B:929[A]:ARG:HE	1:B:965:ASN:ND2	2.08	0.51
1:A:455:ARG:O	1:A:459:THR:HG22	2.11	0.51
1:B:579:HIS:CG	1:B:584:ILE:HD12	2.45	0.51
1:A:478:LYS:HG3	1:A:583:SER:HB3	1.91	0.50
1:A:219:VAL:HG13	1:A:261:ILE:HG13	1.93	0.50
1:A:634:ARG:HG2	1:A:636:PHE:HD2	1.76	0.50
1:B:921:THR:HG21	1:B:955:LYS:HD3	1.93	0.50
1:B:630:ILE:HG21	1:B:656:LEU:HD11	1.94	0.50
1:B:400:LEU:HD23	1:B:501:ILE:HD11	1.94	0.50
1:A:904:ARG:NH2	1:B:780:GLU:OE2	2.43	0.50
1:B:405:GLN:HG2	1:B:411:GLN:HA	1.94	0.50
1:B:184:ASN:HB3	1:B:187:SER:HB2	1.94	0.50
1:B:526:SER:CB	1:B:1002:GLU:HG3	2.38	0.50
1:B:1020:SER:HB2	1:B:1024[B]:TRP:CZ2	2.47	0.50
1:A:564:SER:HB3	1:A:567:VAL:H	1.77	0.49
1:A:295:GLU:HG3	1:A:357:TYR:CD1	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:LEU:HD22	1:B:390:VAL:HG23	1.95	0.49
1:B:494:GLU:O	1:B:498:LEU:HG	2.13	0.49
1:A:216:ILE:HD12	1:A:234:ILE:HD13	1.95	0.49
1:A:723:LEU:O	1:A:728:ARG:NH1	2.46	0.49
1:A:776:TYR:CD1	1:A:788:ALA:HB1	2.47	0.49
1:A:551:LYS:O	1:A:555:LEU:HD13	2.12	0.49
1:A:175:LEU:HD13	6:L:1:NAG:H62	1.95	0.48
1:B:283:SER:HB2	1:B:285:GLU:HG3	1.96	0.48
1:B:483:LEU:O	1:B:483:LEU:HG	2.13	0.48
1:A:425:PHE:CZ	1:A:437:THR:HG23	2.49	0.48
6:N:2:NAG:H5	6:N:3:BMA:O2	2.13	0.48
1:B:413:PRO:HG2	1:B:414:LEU:CD1	2.43	0.48
1:A:847:MET:HE3	1:A:876:PHE:HB2	1.96	0.47
1:B:784:TYR:CE2	1:B:1018:LEU:HD21	2.49	0.47
1:A:621:VAL:HG22	1:A:630:ILE:CD1	2.44	0.47
1:A:750:PHE:HB3	1:A:794[A]:ARG:HH22	1.80	0.47
1:B:628:LEU:HD12	1:B:628:LEU:HA	1.71	0.47
1:B:813:THR:O	1:B:817:ARG:HG3	2.14	0.47
1:B:628:LEU:HB3	1:B:681:ILE:HB	1.96	0.47
1:A:526:SER:OG	1:A:1002:GLU:CG	2.59	0.46
1:B:318:LYS:HE3	1:B:347:GLU:HB2	1.97	0.46
1:B:515:ARG:O	1:B:519:MET:HG3	2.14	0.46
3:D:1:NAG:H62	3:D:2:NAG:C1	2.45	0.46
1:B:597:THR:HG21	1:B:601:LEU:HD21	1.98	0.46
1:B:477:MET:SD	1:B:486:ASN:ND2	2.88	0.46
1:A:495:TYR:CD1	1:A:511:PHE:HB2	2.50	0.46
1:B:558:MET:HG2	1:B:655:PRO:HG2	1.97	0.46
1:A:567:VAL:HG13	1:A:596:VAL:HG12	1.97	0.46
1:B:800:GLN:O	1:B:804:GLN:HG3	2.13	0.46
1:B:1024[A]:TRP:CE3	1:B:1025:LEU:HG	2.50	0.46
1:A:476:THR:O	1:A:583:SER:HA	2.16	0.46
1:B:160:LEU:HD23	1:B:161:PHE:O	2.15	0.45
1:A:575:TYR:OH	1:A:584:ILE:HD13	2.16	0.45
1:B:298:ALA:O	1:B:301:SER:OG	2.28	0.45
1:B:376:THR:HG22	1:B:414:LEU:O	2.16	0.45
1:A:426:GLU:O	1:A:439:ARG:NH1	2.48	0.45
1:A:735:ILE:HG12	1:A:749:ALA:HA	1.97	0.45
1:B:416:LYS:HE3	1:B:418:ASP:CG	2.42	0.45
1:A:542:GLU:O	1:A:542:GLU:HG3	2.17	0.45
1:B:161:PHE:CG	1:B:237:TYR:HB2	2.52	0.45
1:B:1018:LEU:HD12	1:B:1018:LEU:HA	1.76	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:590:TRP:CZ3	1:A:607:MET:HG3	2.52	0.45
1:A:626:LYS:HZ1	1:A:684:THR:C	2.25	0.45
1:B:280:THR:HG22	1:B:284:ASN:HA	1.99	0.45
1:B:286:LYS:NZ	1:B:288:TYR:OH	2.37	0.45
1:B:495:TYR:CD1	1:B:511:PHE:HB2	2.52	0.45
1:A:921:THR:HG21	1:A:955:LYS:HD2	1.97	0.44
1:B:427:ALA:O	1:B:439:ARG:HD2	2.17	0.44
1:A:813:THR:H	1:A:816:MET:CE	2.28	0.44
1:A:857:THR:HA	1:A:860:MET:HE2	1.99	0.44
1:A:549:TYR:OH	10:A:1104:MLT:H31	2.18	0.44
1:A:747:LYS:HB2	1:A:1024:TRP:CZ2	2.53	0.44
1:A:331:MET:HE3	1:A:331:MET:HB3	1.77	0.44
1:A:593:PHE:O	1:A:597:THR:HG23	2.18	0.44
1:B:995:PHE:O	1:B:1001:GLN:NE2	2.46	0.44
1:B:440:GLU:HB3	1:B:444:LEU:HD12	1.98	0.44
1:A:591:ASP:O	1:A:595:GLU:CD	2.60	0.43
1:A:626:LYS:HZ3	1:A:626:LYS:HG2	1.59	0.43
1:B:489:PHE:HE2	1:B:589:LEU:CD1	2.31	0.43
1:B:617:PRO:HG2	1:B:700:TYR:HB3	2.01	0.43
1:A:593:PHE:HB3	1:A:603:VAL:HG21	2.00	0.43
1:A:876:PHE:CE1	1:A:880:LYS:NZ	2.85	0.43
1:B:519:MET:HG2	1:B:699:TYR:CE1	2.54	0.43
1:B:776:TYR:CD2	1:B:788:ALA:HB1	2.54	0.43
1:A:321:ARG:NH1	1:A:325:TYR:O	2.52	0.43
1:B:413:PRO:HG2	1:B:414:LEU:HD12	2.01	0.43
1:B:618:LEU:HB2	1:B:635:PHE:HD1	1.83	0.43
1:A:691:LYS:HE2	1:A:731:LEU:HG	2.00	0.43
1:A:1016:LYS:HE3	1:A:1016:LYS:HB3	1.74	0.43
1:B:880:LYS:O	1:B:884:ILE:HG23	2.19	0.42
1:A:843:PHE:HB2	1:A:863:VAL:HG13	2.00	0.42
1:B:354:MET:HB3	1:B:433:TRP:CZ3	2.53	0.42
1:B:639:MET:HE3	1:B:1008[B]:GLN:HB3	2.01	0.42
3:E:1:NAG:H61	3:E:2:NAG:N2	2.34	0.42
1:B:931:VAL:HG12	1:B:941:ALA:HB2	2.02	0.42
1:A:946:LYS:NZ	1:A:982:GLU:OE2	2.53	0.42
1:B:387:ILE:O	1:B:390:VAL:HG22	2.20	0.42
1:B:689:TRP:HB3	1:B:711:ALA:HB1	2.02	0.42
1:A:874:TRP:CE2	1:A:897:LEU:HD22	2.55	0.42
1:A:429:ALA:HA	1:A:437:THR:O	2.20	0.42
1:A:544:PHE:HB3	12:A:1106:UKG:BR18	2.75	0.42
1:A:567:VAL:HG13	1:A:596:VAL:CG1	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:925:SER:O	1:A:929:ARG:HG3	2.19	0.42
1:B:660:THR:O	1:B:667:LYS:HA	2.20	0.42
1:A:183:PRO:HA	1:A:190:PHE:CB	2.50	0.42
1:B:397:THR:HG23	1:B:466:LEU:HD11	2.02	0.42
1:B:489:PHE:HE2	1:B:589:LEU:HD11	1.84	0.42
1:B:489:PHE:CE2	1:B:589:LEU:HD11	2.55	0.42
1:B:559:LEU:HD23	1:B:559:LEU:HA	1.80	0.42
1:B:763:ALA:HB3	1:B:764:PRO:HD3	2.01	0.42
1:A:210:HIS:HB2	1:A:305:CYS:O	2.20	0.41
1:A:855:LEU:HD12	1:A:855:LEU:HA	1.89	0.41
1:B:571:ALA:HB2	1:B:596:VAL:HG21	2.02	0.41
1:B:793:THR:HG22	1:B:797:LYS:HE2	2.02	0.41
1:A:352:VAL:O	1:A:354:MET:HG2	2.20	0.41
1:B:442:THR:CG2	1:B:461:ILE:HG21	2.51	0.41
1:B:436:LEU:HD21	1:B:466:LEU:HD23	2.02	0.41
1:A:210:HIS:O	1:A:304:PRO:HA	2.21	0.41
1:B:209:LEU:HD12	1:B:209:LEU:HA	1.96	0.41
1:B:929[B]:ARG:HE	1:B:965:ASN:ND2	2.19	0.41
1:A:165:GLN:HE21	1:A:165:GLN:HB2	1.71	0.41
1:A:796:PHE:HB2	1:A:832:LEU:HD13	2.03	0.41
1:B:287:LYS:HA	1:B:287:LYS:HD2	1.78	0.41
1:B:876:PHE:CZ	1:B:880:LYS:HE2	2.56	0.41
1:B:894:LEU:HD21	1:B:923:LYS:HB3	2.02	0.41
1:A:604:LYS:HE3	1:A:604:LYS:HB2	1.58	0.41
1:A:789:SER:HA	1:A:792:VAL:HG22	2.02	0.41
1:B:159:LYS:HG2	1:B:160:LEU:H	1.85	0.41
1:B:220:THR:CG2	1:B:231:GLN:HE22	2.31	0.41
1:B:351:SER:OG	1:B:352:VAL:O	2.38	0.41
1:B:427:ALA:HB1	10:B:1105:MLT:C1	2.51	0.41
1:B:584:ILE:CG1	1:B:588:ASP:HB2	2.51	0.41
1:A:884:ILE:HD12	1:A:889:GLU:OE1	2.20	0.41
1:B:251:LEU:HD12	1:B:257:TYR:CG	2.56	0.41
1:B:612:LEU:HD23	1:B:612:LEU:HA	1.89	0.41
1:A:190:PHE:HD2	1:A:267:ILE:HG13	1.86	0.40
1:A:435:LEU:HD12	1:A:435:LEU:HA	1.93	0.40
1:A:951:LYS:CE	1:A:955:LYS:CG	2.92	0.40
1:B:658:TYR:CE2	1:B:670:SER:HB3	2.56	0.40
1:B:695:ASN:HB3	1:B:726:LYS:HE3	2.04	0.40
1:B:1023:TRP:O	1:B:1026:ARG:HG3	2.21	0.40
1:A:755:TYR:OH	1:A:759:GLU:OE1	2.37	0.40
1:A:769:LEU:HA	1:A:769:LEU:HD23	1.85	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:821:SER:O	1:A:825:GLU:HB2	2.21	0.40
1:B:331:MET:HG3	1:B:351:SER:HA	2.02	0.40
1:A:621:VAL:HG22	1:A:630:ILE:HD12	2.03	0.40
1:A:761:HIS:O	1:A:764:PRO:HD2	2.21	0.40
1:A:617:PRO:HG2	1:A:700:TYR:HB3	2.04	0.40
1:A:895:GLU:HB2	1:A:926:PHE:HZ	1.86	0.40
1:B:747:LYS:HB2	1:B:1024[B]:TRP:CZ2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:GLU:OE2	1:B:666:SER:OG[2_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	855/873 (98%)	822 (96%)	33 (4%)	0	100	100
1	B	860/873 (98%)	830 (96%)	29 (3%)	1 (0%)	48	69
All	All	1715/1746 (98%)	1652 (96%)	62 (4%)	1 (0%)	48	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	598	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	764/782 (98%)	764 (100%)	0	100	100
1	B	767/782 (98%)	767 (100%)	0	100	100
All	All	1531/1564 (98%)	1531 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	165	GLN
1	A	202	GLN
1	A	715	GLN
1	A	805	GLN
1	B	206	ASN
1	B	231	GLN
1	B	242	GLN
1	B	293	GLN
1	B	469	GLN
1	B	486	ASN
1	B	734	ASN
1	B	761	HIS
1	B	801	ASN
1	B	806	GLN
1	B	915	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

61 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.33	0	17,19,21	0.63	0
2	NAG	C	2	2	14,14,15	0.36	0	17,19,21	0.70	0
2	BMA	C	3	2	11,11,12	0.91	0	15,15,17	0.64	0
2	MAN	C	4	2	11,11,12	0.78	0	15,15,17	1.43	2 (13%)
2	MAN	C	5	2	11,11,12	1.40	3 (27%)	15,15,17	1.10	0
2	MAN	C	6	2	11,11,12	1.23	2 (18%)	15,15,17	1.65	2 (13%)
3	NAG	D	1	3,1	14,14,15	1.07	1 (7%)	17,19,21	1.00	0
3	NAG	D	2	3	14,14,15	0.39	0	17,19,21	1.05	1 (5%)
3	NAG	E	1	3,1	14,14,15	0.52	0	17,19,21	0.62	0
3	NAG	E	2	3	14,14,15	0.58	0	17,19,21	0.42	0
3	NAG	F	1	3,1	14,14,15	1.15	1 (7%)	17,19,21	1.01	1 (5%)
3	NAG	F	2	3	14,14,15	0.43	0	17,19,21	0.63	0
3	NAG	G	1	3,1	14,14,15	0.80	1 (7%)	17,19,21	0.93	0
3	NAG	G	2	3	14,14,15	0.41	0	17,19,21	0.70	1 (5%)
4	NAG	H	1	4,1	14,14,15	0.85	2 (14%)	17,19,21	0.75	0
4	NAG	H	2	4	14,14,15	0.45	0	17,19,21	0.53	0
4	BMA	H	3	4	11,11,12	0.82	1 (9%)	15,15,17	0.97	0
4	MAN	H	4	4	11,11,12	1.30	1 (9%)	15,15,17	1.17	2 (13%)
4	MAN	H	5	4	11,11,12	1.82	3 (27%)	15,15,17	1.26	1 (6%)
5	NAG	I	1	5,1	14,14,15	0.63	1 (7%)	17,19,21	0.61	0
5	NAG	I	2	5	14,14,15	0.66	1 (7%)	17,19,21	0.43	0
5	BMA	I	3	5	11,11,12	1.05	1 (9%)	15,15,17	1.14	0
5	MAN	I	4	5	11,11,12	1.64	2 (18%)	15,15,17	1.39	2 (13%)
5	MAN	I	5	5	11,11,12	1.66	3 (27%)	15,15,17	1.31	2 (13%)
3	NAG	J	1	3,1	14,14,15	0.23	0	17,19,21	0.45	0
3	NAG	J	2	3	14,14,15	0.50	0	17,19,21	0.82	1 (5%)
3	NAG	K	1	3,1	14,14,15	0.56	0	17,19,21	0.50	0
3	NAG	K	2	3	14,14,15	1.27	1 (7%)	17,19,21	0.94	1 (5%)
6	NAG	L	1	6,1	14,14,15	1.28	1 (7%)	17,19,21	1.06	1 (5%)
6	NAG	L	2	6	14,14,15	0.57	0	17,19,21	1.45	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	BMA	L	3	6	11,11,12	1.66	5 (45%)	15,15,17	0.78	0
7	NAG	M	1	7,1	14,14,15	0.42	0	17,19,21	0.65	0
7	NAG	M	2	7	14,14,15	0.25	0	17,19,21	0.58	0
7	BMA	M	3	7	11,11,12	0.70	0	15,15,17	0.88	0
7	MAN	M	4	7	11,11,12	0.96	0	15,15,17	1.32	2 (13%)
7	MAN	M	5	7	11,11,12	1.68	2 (18%)	15,15,17	1.46	2 (13%)
7	MAN	M	6	7	11,11,12	1.53	3 (27%)	15,15,17	1.41	3 (20%)
6	NAG	N	1	6,1	14,14,15	0.96	1 (7%)	17,19,21	0.60	0
6	NAG	N	2	6	14,14,15	0.91	1 (7%)	17,19,21	0.84	0
6	BMA	N	3	6	11,11,12	2.78	3 (27%)	15,15,17	1.85	4 (26%)
6	NAG	O	1	6,1	14,14,15	0.68	1 (7%)	17,19,21	1.28	2 (11%)
6	NAG	O	2	6	14,14,15	0.20	0	17,19,21	0.77	1 (5%)
6	BMA	O	3	6	11,11,12	1.09	1 (9%)	15,15,17	0.79	0
8	NAG	P	1	8,1	14,14,15	0.53	0	17,19,21	0.63	0
8	NAG	P	2	8	14,14,15	0.29	0	17,19,21	0.57	0
8	BMA	P	3	8	11,11,12	0.78	0	15,15,17	1.38	1 (6%)
8	MAN	P	4	8	11,11,12	0.83	0	15,15,17	1.41	2 (13%)
8	MAN	P	5	8	11,11,12	1.21	1 (9%)	15,15,17	1.67	1 (6%)
8	MAN	P	6	8	11,11,12	1.30	2 (18%)	15,15,17	0.92	0
6	NAG	Q	1	6,1	14,14,15	0.57	0	17,19,21	0.59	0
6	NAG	Q	2	6	14,14,15	0.66	1 (7%)	17,19,21	0.65	0
6	BMA	Q	3	6	11,11,12	1.69	5 (45%)	15,15,17	0.90	0
3	NAG	R	1	3,1	14,14,15	0.35	0	17,19,21	0.53	0
3	NAG	R	2	3	14,14,15	0.87	1 (7%)	17,19,21	0.98	1 (5%)
3	NAG	S	1	3,1	14,14,15	0.53	0	17,19,21	0.74	1 (5%)
3	NAG	S	2	3	14,14,15	0.52	0	17,19,21	0.54	0
6	NAG	T	1	6,1	14,14,15	0.63	0	17,19,21	1.12	2 (11%)
6	NAG	T	2	6	14,14,15	0.25	0	17,19,21	0.81	0
6	BMA	T	3	6	11,11,12	0.81	0	15,15,17	1.00	2 (13%)
3	NAG	U	1	3,1	14,14,15	0.54	0	17,19,21	1.44	4 (23%)
3	NAG	U	2	3	14,14,15	0.42	0	17,19,21	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	MAN	C	5	2	-	2/2/19/22	0/1/1/1
2	MAN	C	6	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	NAG	E	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	1/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	2/2/19/22	0/1/1/1
4	MAN	H	4	4	-	2/2/19/22	0/1/1/1
4	MAN	H	5	4	-	0/2/19/22	0/1/1/1
5	NAG	I	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	I	2	5	-	2/6/23/26	0/1/1/1
5	BMA	I	3	5	-	2/2/19/22	0/1/1/1
5	MAN	I	4	5	-	2/2/19/22	0/1/1/1
5	MAN	I	5	5	-	0/2/19/22	0/1/1/1
3	NAG	J	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	4/6/23/26	0/1/1/1
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
6	NAG	L	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	L	2	6	-	1/6/23/26	0/1/1/1
6	BMA	L	3	6	-	2/2/19/22	0/1/1/1
7	NAG	M	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	M	2	7	-	2/6/23/26	0/1/1/1
7	BMA	M	3	7	-	0/2/19/22	0/1/1/1
7	MAN	M	4	7	-	2/2/19/22	0/1/1/1
7	MAN	M	5	7	-	0/2/19/22	0/1/1/1
7	MAN	M	6	7	-	0/2/19/22	0/1/1/1
6	NAG	N	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	NAG	O	1	6,1	-	4/6/23/26	0/1/1/1
6	NAG	O	2	6	-	0/6/23/26	0/1/1/1
6	BMA	O	3	6	-	0/2/19/22	0/1/1/1
8	NAG	P	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	P	2	8	-	2/6/23/26	0/1/1/1
8	BMA	P	3	8	-	0/2/19/22	0/1/1/1
8	MAN	P	4	8	-	2/2/19/22	0/1/1/1
8	MAN	P	5	8	-	2/2/19/22	1/1/1/1
8	MAN	P	6	8	-	2/2/19/22	0/1/1/1
6	NAG	Q	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	1/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	1/2/19/22	0/1/1/1
3	NAG	R	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	3/6/23/26	0/1/1/1
3	NAG	S	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
6	NAG	T	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	T	2	6	-	4/6/23/26	0/1/1/1
6	BMA	T	3	6	-	0/2/19/22	0/1/1/1
3	NAG	U	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	N	3	BMA	C1-C2	6.60	1.68	1.52
6	N	3	BMA	C2-C3	5.04	1.60	1.52
6	L	1	NAG	O5-C1	-4.56	1.36	1.43
3	K	2	NAG	O5-C1	-4.09	1.36	1.43
3	F	1	NAG	O5-C1	-4.02	1.36	1.43
3	D	1	NAG	O5-C1	-3.85	1.37	1.43
5	I	4	MAN	C1-C2	3.82	1.61	1.52
7	M	5	MAN	C4-C3	3.75	1.62	1.52
5	I	5	MAN	C2-C3	3.52	1.57	1.52
6	N	1	NAG	O5-C1	-3.42	1.37	1.43
4	H	5	MAN	C2-C3	3.30	1.57	1.52
7	M	6	MAN	O5-C5	3.21	1.49	1.43
4	H	5	MAN	O5-C5	3.14	1.49	1.43
6	N	2	NAG	C1-C2	3.00	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	4	MAN	O5-C5	3.00	1.49	1.43
6	Q	3	BMA	C4-C3	2.98	1.60	1.52
6	N	3	BMA	C4-C3	2.93	1.59	1.52
3	R	2	NAG	C1-C2	2.84	1.56	1.52
6	L	3	BMA	C2-C3	2.71	1.56	1.52
7	M	5	MAN	C4-C5	2.67	1.58	1.53
7	M	6	MAN	C4-C3	2.65	1.59	1.52
2	C	6	MAN	C1-C2	2.60	1.58	1.52
5	I	5	MAN	C1-C2	2.56	1.58	1.52
6	Q	3	BMA	C4-C5	2.50	1.58	1.53
3	G	1	NAG	O5-C1	-2.41	1.39	1.43
6	O	1	NAG	C1-C2	2.34	1.55	1.52
5	I	3	BMA	C4-C3	2.34	1.58	1.52
5	I	4	MAN	C2-C3	2.32	1.56	1.52
2	C	5	MAN	C4-C5	2.29	1.57	1.53
4	H	3	BMA	C1-C2	2.29	1.57	1.52
8	P	6	MAN	C2-C3	2.24	1.55	1.52
6	O	3	BMA	O5-C5	2.23	1.47	1.43
2	C	5	MAN	C4-C3	2.22	1.58	1.52
6	L	3	BMA	O5-C5	2.21	1.47	1.43
8	P	6	MAN	O5-C5	2.20	1.47	1.43
6	L	3	BMA	C1-C2	2.19	1.57	1.52
6	Q	3	BMA	O5-C1	2.19	1.47	1.43
4	H	5	MAN	C4-C5	2.18	1.57	1.53
6	Q	3	BMA	C1-C2	2.18	1.57	1.52
5	I	5	MAN	C4-C3	2.17	1.58	1.52
7	M	6	MAN	C4-C5	2.17	1.57	1.53
4	H	1	NAG	O5-C1	-2.14	1.40	1.43
2	C	6	MAN	O5-C5	2.13	1.47	1.43
6	Q	3	BMA	O5-C5	2.11	1.47	1.43
6	L	3	BMA	C4-C3	2.10	1.57	1.52
8	P	5	MAN	C1-C2	2.09	1.57	1.52
2	C	5	MAN	O5-C5	2.08	1.47	1.43
6	Q	2	NAG	O5-C1	2.07	1.47	1.43
4	H	1	NAG	C1-C2	-2.06	1.49	1.52
5	I	1	NAG	C1-C2	2.04	1.55	1.52
5	I	2	NAG	C1-C2	2.04	1.55	1.52
6	L	3	BMA	C4-C5	2.01	1.57	1.53

All (47) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	P	5	MAN	C1-O5-C5	5.27	119.25	112.19
6	L	2	NAG	C2-N2-C7	4.74	129.25	122.90
2	C	6	MAN	C1-O5-C5	4.31	117.96	112.19
5	I	4	MAN	C1-O5-C5	3.98	117.52	112.19
8	P	4	MAN	C1-O5-C5	3.77	117.23	112.19
4	H	5	MAN	C1-O5-C5	3.76	117.22	112.19
2	C	4	MAN	C1-O5-C5	3.63	117.05	112.19
6	O	1	NAG	C1-O5-C5	3.62	117.03	112.19
8	P	3	BMA	C1-O5-C5	3.59	117.00	112.19
3	U	1	NAG	C1-O5-C5	3.39	116.73	112.19
6	N	3	BMA	C2-C3-C4	3.37	116.79	110.86
6	N	3	BMA	O2-C2-C1	3.35	116.89	109.22
6	N	3	BMA	C1-C2-C3	3.33	114.49	109.64
7	M	5	MAN	O2-C2-C3	-3.12	103.68	110.15
3	U	1	NAG	C2-N2-C7	3.11	127.06	122.90
6	O	1	NAG	O4-C4-C3	2.99	117.43	110.38
6	T	1	NAG	C2-N2-C7	2.94	126.84	122.90
3	D	2	NAG	C1-O5-C5	-2.90	108.30	112.19
2	C	6	MAN	O2-C2-C3	-2.89	104.16	110.15
7	M	5	MAN	C1-O5-C5	2.88	116.05	112.19
7	M	4	MAN	C1-O5-C5	2.85	116.01	112.19
5	I	5	MAN	C2-C3-C4	2.78	115.76	110.86
3	R	2	NAG	C1-O5-C5	2.76	115.89	112.19
4	H	4	MAN	C1-O5-C5	2.74	115.86	112.19
7	M	6	MAN	O2-C2-C3	-2.69	104.58	110.15
7	M	6	MAN	C1-O5-C5	2.66	115.75	112.19
3	F	1	NAG	C4-C3-C2	2.62	114.86	111.02
3	J	2	NAG	C1-O5-C5	2.61	115.68	112.19
7	M	6	MAN	C3-C4-C5	2.59	114.93	110.23
3	K	2	NAG	C4-C3-C2	2.49	114.67	111.02
4	H	4	MAN	O2-C2-C3	-2.44	105.09	110.15
6	T	3	BMA	C1-O5-C5	2.39	115.39	112.19
6	O	2	NAG	C1-O5-C5	2.37	115.37	112.19
8	P	4	MAN	C2-C3-C4	2.36	115.02	110.86
6	L	1	NAG	C1-C2-N2	2.35	114.14	110.43
3	U	1	NAG	O5-C5-C6	-2.32	103.15	107.66
5	I	4	MAN	C1-C2-C3	2.32	113.02	109.64
6	T	1	NAG	C1-C2-N2	2.27	114.01	110.43
6	L	2	NAG	C1-O5-C5	2.25	115.21	112.19
2	C	4	MAN	O2-C2-C3	-2.24	105.50	110.15
3	G	2	NAG	C1-O5-C5	2.15	115.07	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	4	MAN	O3-C3-C2	2.14	114.42	110.05
5	I	5	MAN	C1-C2-C3	2.13	112.75	109.64
3	U	1	NAG	O4-C4-C5	-2.05	104.28	109.32
6	N	3	BMA	O2-C2-C3	-2.05	105.92	110.15
6	T	3	BMA	O2-C2-C3	-2.03	105.95	110.15
3	S	1	NAG	C1-O5-C5	2.00	114.87	112.19

There are no chirality outliers.

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	L	1	NAG	C1-C2-N2-C7
6	L	2	NAG	C3-C2-N2-C7
6	T	1	NAG	C1-C2-N2-C7
4	H	4	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
6	L	3	BMA	O5-C5-C6-O6
3	U	2	NAG	O5-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
5	I	3	BMA	O5-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
8	P	4	MAN	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
4	H	4	MAN	C4-C5-C6-O6
6	N	1	NAG	O5-C5-C6-O6
6	T	2	NAG	O5-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
4	H	1	NAG	O5-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
2	C	6	MAN	O5-C5-C6-O6
6	L	3	BMA	C4-C5-C6-O6
5	I	2	NAG	O5-C5-C6-O6
5	I	3	BMA	C4-C5-C6-O6
5	I	2	NAG	C4-C5-C6-O6
3	S	2	NAG	O5-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
3	S	2	NAG	C4-C5-C6-O6
3	J	2	NAG	C8-C7-N2-C2
3	J	2	NAG	O7-C7-N2-C2
6	N	2	NAG	C8-C7-N2-C2
6	N	2	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	O	1	NAG	C8-C7-N2-C2
6	O	1	NAG	O7-C7-N2-C2
6	N	1	NAG	C4-C5-C6-O6
8	P	5	MAN	O5-C5-C6-O6
2	C	5	MAN	O5-C5-C6-O6
5	I	4	MAN	C4-C5-C6-O6
8	P	4	MAN	C4-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
7	M	1	NAG	C4-C5-C6-O6
5	I	4	MAN	O5-C5-C6-O6
8	P	6	MAN	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
2	C	6	MAN	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
8	P	2	NAG	O5-C5-C6-O6
8	P	2	NAG	C4-C5-C6-O6
6	T	2	NAG	C4-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
7	M	1	NAG	O5-C5-C6-O6
4	H	3	BMA	C4-C5-C6-O6
4	H	3	BMA	O5-C5-C6-O6
6	O	1	NAG	C4-C5-C6-O6
3	R	2	NAG	C3-C2-N2-C7
7	M	4	MAN	C4-C5-C6-O6
7	M	2	NAG	O5-C5-C6-O6
6	O	1	NAG	O5-C5-C6-O6
7	M	2	NAG	C4-C5-C6-O6
6	Q	3	BMA	C4-C5-C6-O6
6	T	2	NAG	C1-C2-N2-C7
3	G	2	NAG	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	S	1	NAG	C3-C2-N2-C7
3	U	1	NAG	C3-C2-N2-C7
7	M	4	MAN	O5-C5-C6-O6
3	U	1	NAG	C1-C2-N2-C7
6	Q	2	NAG	C1-C2-N2-C7
8	P	5	MAN	C4-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
6	L	1	NAG	C3-C2-N2-C7
6	T	2	NAG	C3-C2-N2-C7
8	P	6	MAN	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	5	MAN	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	P	5	MAN	C1-C2-C3-C4-C5-O5


7 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	2	NAG	1	0
3	D	2	NAG	1	0
6	L	1	NAG	1	0
3	E	1	NAG	1	0
6	N	2	NAG	1	0
6	N	3	BMA	1	0
3	D	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





























Oligosaccharide Chain H




Bond lengths





Bond angles







Torsions





Rings











5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 2 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	A	1103	1	14,14,15	0.36	0	17,19,21	0.42	0
13	PEG	A	1107	-	6,6,6	0.50	0	5,5,5	0.53	0
9	NAG	A	1102	1	14,14,15	0.34	0	17,19,21	0.75	1 (5%)
14	EDO	A	1109	-	3,3,3	0.44	0	2,2,2	0.39	0
9	NAG	B	1103	1	14,14,15	0.64	0	17,19,21	0.77	0
14	EDO	A	1110	-	3,3,3	0.47	0	2,2,2	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	B	1102	1	14,14,15	0.65	1 (7%)	17,19,21	0.69	0
12	UKG	A	1106	-	23,24,24	2.97	10 (43%)	29,35,35	2.86	8 (27%)
12	UKG	B	1107	-	23,24,24	3.01	10 (43%)	29,35,35	2.89	9 (31%)
10	MLT	A	1104	11	8,8,8	1.01	0	10,10,10	1.72	3 (30%)
14	EDO	B	1108	-	3,3,3	0.42	0	2,2,2	0.62	0
9	NAG	B	1101	1	14,14,15	0.52	0	17,19,21	0.61	0
10	MLT	B	1105	11	8,8,8	1.00	0	10,10,10	1.86	4 (40%)
13	PEG	B	1109	-	6,6,6	0.54	0	5,5,5	0.59	0
14	EDO	A	1108	-	3,3,3	0.44	0	2,2,2	0.45	0
9	NAG	A	1101	1	14,14,15	0.42	0	17,19,21	0.44	0
9	NAG	B	1104	1	14,14,15	1.24	2 (14%)	17,19,21	1.10	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	A	1103	1	-	0/6/23/26	0/1/1/1
13	PEG	A	1107	-	-	1/4/4/4	-
9	NAG	A	1102	1	-	0/6/23/26	0/1/1/1
14	EDO	A	1109	-	-	1/1/1/1	-
9	NAG	B	1103	1	-	3/6/23/26	0/1/1/1
14	EDO	A	1110	-	-	1/1/1/1	-
9	NAG	B	1102	1	-	4/6/23/26	0/1/1/1
12	UKG	A	1106	-	-	7/15/15/15	0/3/3/3
12	UKG	B	1107	-	-	2/15/15/15	0/3/3/3
10	MLT	A	1104	11	-	2/8/8/8	-
14	EDO	B	1108	-	-	1/1/1/1	-
9	NAG	B	1101	1	-	0/6/23/26	0/1/1/1
10	MLT	B	1105	11	-	2/8/8/8	-
13	PEG	B	1109	-	-	3/4/4/4	-
14	EDO	A	1108	-	-	1/1/1/1	-
9	NAG	A	1101	1	-	0/6/23/26	0/1/1/1
9	NAG	B	1104	1	-	4/6/23/26	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	A	1106	UKG	S02-N03	6.47	1.73	1.62
12	B	1107	UKG	S02-N03	6.09	1.72	1.62
12	A	1106	UKG	C19-S21	-6.04	1.62	1.72
12	B	1107	UKG	C19-S21	-5.91	1.62	1.72
12	A	1106	UKG	C15-S02	5.83	1.83	1.74
12	B	1107	UKG	C15-S02	5.79	1.83	1.74
12	A	1106	UKG	C15-S21	-4.93	1.63	1.71
12	B	1107	UKG	C15-S21	-4.91	1.63	1.71
12	B	1107	UKG	C19-CL20	4.73	1.80	1.71
12	B	1107	UKG	C16-C17	3.96	1.52	1.40
12	A	1106	UKG	C16-C17	3.95	1.52	1.40
12	A	1106	UKG	C19-CL20	3.50	1.77	1.71
12	A	1106	UKG	O22-S02	3.10	1.48	1.43
9	B	1104	NAG	C1-C2	3.06	1.56	1.52
12	B	1107	UKG	C06-C07	2.91	1.52	1.47
9	B	1104	NAG	O5-C1	-2.85	1.38	1.43
12	B	1107	UKG	O22-S02	2.82	1.47	1.43
12	B	1107	UKG	O01-S02	2.82	1.47	1.43
12	A	1106	UKG	O01-S02	2.68	1.47	1.43
12	A	1106	UKG	BR18-C17	2.49	1.94	1.88
12	A	1106	UKG	C06-C07	2.26	1.51	1.47
9	B	1102	NAG	O5-C1	2.14	1.47	1.43
12	B	1107	UKG	BR18-C17	2.12	1.93	1.88

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	A	1106	UKG	O22-S02-O01	-10.38	100.79	119.82
12	B	1107	UKG	O22-S02-O01	-9.99	101.50	119.82
12	A	1106	UKG	S21-C15-S02	6.85	129.36	120.43
12	B	1107	UKG	S21-C15-S02	6.17	128.46	120.43
12	B	1107	UKG	O01-S02-C15	5.14	113.40	107.21
12	B	1107	UKG	C19-S21-C15	5.09	102.50	92.51
12	B	1107	UKG	CL20-C19-S21	4.49	126.13	117.83
12	A	1106	UKG	C19-S21-C15	4.17	100.69	92.51
12	A	1106	UKG	O01-S02-C15	3.95	111.96	107.21
12	A	1106	UKG	CL20-C19-S21	3.59	124.47	117.83
9	B	1104	NAG	C4-C3-C2	3.36	115.94	111.02
10	B	1105	MLT	O2-C1-C2	3.35	119.82	112.74
10	A	1104	MLT	O2-C1-C2	2.97	119.02	112.74
12	A	1106	UKG	O01-S02-N03	2.63	111.78	107.35
9	A	1102	NAG	C1-O5-C5	2.60	115.68	112.19
10	B	1105	MLT	O5-C4-C3	2.51	121.81	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B	1107	UKG	O22-S02-N03	2.47	111.50	107.35
10	A	1104	MLT	O2-C1-O1	-2.41	118.61	124.08
12	A	1106	UKG	N11-N10-N09	-2.38	107.66	110.50
12	A	1106	UKG	O22-S02-N03	2.33	111.27	107.35
10	B	1105	MLT	O2-C1-O1	-2.30	118.86	124.08
12	B	1107	UKG	N11-N10-N09	-2.21	107.86	110.50
10	B	1105	MLT	O5-C4-O4	-2.11	117.91	123.33
12	B	1107	UKG	O01-S02-N03	2.10	110.88	107.35
10	A	1104	MLT	O5-C4-C3	2.04	120.36	114.00
12	B	1107	UKG	O22-S02-C15	2.01	109.64	107.21

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	A	1106	UKG	C04-N03-S02-C15
12	A	1106	UKG	C04-N03-S02-O01
12	B	1107	UKG	C04-N03-S02-C15
12	B	1107	UKG	C04-N03-S02-O01
9	B	1104	NAG	O5-C5-C6-O6
9	B	1102	NAG	C4-C5-C6-O6
9	B	1103	NAG	C4-C5-C6-O6
9	B	1104	NAG	C4-C5-C6-O6
9	B	1102	NAG	O5-C5-C6-O6
9	B	1103	NAG	O5-C5-C6-O6
9	B	1102	NAG	C8-C7-N2-C2
9	B	1102	NAG	O7-C7-N2-C2
9	B	1104	NAG	C8-C7-N2-C2
9	B	1104	NAG	O7-C7-N2-C2
14	A	1109	EDO	O1-C1-C2-O2
13	A	1107	PEG	O2-C3-C4-O4
13	B	1109	PEG	O2-C3-C4-O4
10	B	1105	MLT	O1-C1-C2-O3
12	A	1106	UKG	C05-C06-C07-N08
12	A	1106	UKG	C12-C06-C07-N08
14	A	1110	EDO	O1-C1-C2-O2
12	A	1106	UKG	C05-C06-C07-N11
13	B	1109	PEG	C4-C3-O2-C2
12	A	1106	UKG	C12-C06-C07-N11
10	A	1104	MLT	C1-C2-C3-C4
13	B	1109	PEG	C1-C2-O2-C3
12	A	1106	UKG	C04-N03-S02-O22

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
10	B	1105	MLT	O2-C1-C2-O3
9	B	1103	NAG	C3-C2-N2-C7
14	B	1108	EDO	O1-C1-C2-O2
10	A	1104	MLT	C2-C3-C4-O5
14	A	1108	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	A	1106	UKG	1	0
10	A	1104	MLT	2	0
10	B	1105	MLT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	857/873 (98%)	-0.54	7 (0%) 82 80	17, 37, 64, 104	4 (0%)
1	B	859/873 (98%)	-0.33	9 (1%) 79 76	18, 42, 75, 119	7 (0%)
All	All	1716/1746 (98%)	-0.43	16 (0%) 81 78	17, 40, 71, 119	11 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1027	THR	4.2
1	A	638	ASN	4.0
1	B	223	SER	3.1
1	A	223	SER	3.1
1	A	228	GLN	2.7
1	A	227	SER	2.7
1	B	226	SER	2.6
1	B	227	SER	2.5
1	A	601	LEU	2.3
1	B	222	MET	2.3
1	B	160	LEU	2.3
1	B	1024[A]	TRP	2.3
1	B	648	THR	2.2
1	B	751	ASP	2.1
1	A	637	LEU	2.1
1	B	320	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	T	2	14/15	0.42	0.15	90,120,124,127	0
6	BMA	T	3	11/12	0.45	0.13	112,122,127,128	0
3	NAG	J	2	14/15	0.47	0.15	91,113,118,118	0
6	BMA	Q	3	11/12	0.48	0.15	95,122,127,127	0
6	BMA	N	3	11/12	0.49	0.14	89,117,123,126	0
3	NAG	K	2	14/15	0.49	0.15	91,103,110,112	0
6	BMA	O	3	11/12	0.50	0.12	118,129,139,140	0
3	NAG	R	2	14/15	0.54	0.14	115,131,139,141	0
6	NAG	L	2	14/15	0.59	0.16	96,116,120,121	0
3	NAG	E	2	14/15	0.60	0.14	93,104,111,111	0
3	NAG	S	2	14/15	0.60	0.15	94,108,113,116	0
6	NAG	O	2	14/15	0.61	0.15	103,128,144,146	0
8	BMA	P	3	11/12	0.61	0.13	107,115,118,120	0
5	MAN	I	5	11/12	0.62	0.16	102,111,118,119	0
3	NAG	U	1	14/15	0.63	0.13	71,90,101,106	0
6	NAG	N	2	14/15	0.63	0.16	118,125,129,133	0
7	MAN	M	6	11/12	0.63	0.15	91,97,100,104	0
3	NAG	F	2	14/15	0.63	0.14	102,122,125,126	0
5	MAN	I	4	11/12	0.64	0.13	86,98,109,110	0
4	MAN	H	5	11/12	0.65	0.13	85,101,114,115	0
6	BMA	L	3	11/12	0.66	0.12	91,101,111,113	0
3	NAG	U	2	14/15	0.68	0.14	108,115,121,123	0
2	MAN	C	6	11/12	0.69	0.18	102,112,125,125	0
4	MAN	H	4	11/12	0.70	0.12	92,111,118,123	0
8	MAN	P	4	11/12	0.70	0.12	101,114,121,128	0
3	NAG	F	1	14/15	0.71	0.12	87,97,111,124	0
8	MAN	P	5	11/12	0.71	0.12	89,96,108,110	0
5	BMA	I	3	11/12	0.72	0.12	107,117,126,126	0
6	NAG	O	1	14/15	0.74	0.11	73,91,108,122	0
8	MAN	P	6	11/12	0.75	0.13	100,120,126,128	0
3	NAG	J	1	14/15	0.76	0.12	63,93,99,105	0
2	MAN	C	5	11/12	0.77	0.18	87,104,111,115	0
3	NAG	R	1	14/15	0.77	0.12	87,102,115,127	0
3	NAG	D	2	14/15	0.78	0.14	83,98,106,108	0
3	NAG	K	1	14/15	0.79	0.15	84,99,107,112	0
6	NAG	T	1	14/15	0.79	0.13	80,95,100,116	0
5	NAG	I	1	14/15	0.79	0.12	64,84,95,100	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	S	1	14/15	0.81	0.13	73,86,100,109	0
6	NAG	L	1	14/15	0.81	0.11	61,73,88,108	0
5	NAG	I	2	14/15	0.81	0.12	75,99,109,124	0
7	NAG	M	2	14/15	0.82	0.11	61,76,84,93	0
2	NAG	C	2	14/15	0.82	0.11	58,69,80,83	0
2	MAN	C	4	11/12	0.83	0.12	67,82,92,100	0
3	NAG	G	1	14/15	0.83	0.13	74,80,94,96	0
7	BMA	M	3	11/12	0.83	0.09	77,80,95,105	0
4	BMA	H	3	11/12	0.83	0.11	66,91,96,105	0
7	MAN	M	4	11/12	0.84	0.16	105,109,115,119	0
6	NAG	N	1	14/15	0.84	0.11	63,77,91,106	0
2	BMA	C	3	11/12	0.84	0.09	69,75,81,83	0
3	NAG	G	2	14/15	0.85	0.11	70,86,95,96	0
4	NAG	H	1	14/15	0.85	0.10	40,68,78,80	0
7	MAN	M	5	11/12	0.85	0.20	34,76,92,94	0
3	NAG	E	1	14/15	0.85	0.10	65,77,90,93	0
7	NAG	M	1	14/15	0.86	0.11	42,63,68,74	0
4	NAG	H	2	14/15	0.87	0.10	81,92,95,95	0
6	NAG	Q	2	14/15	0.87	0.10	66,97,105,114	0
3	NAG	D	1	14/15	0.88	0.08	32,67,86,98	0
6	NAG	Q	1	14/15	0.89	0.09	29,65,76,87	0
2	NAG	C	1	14/15	0.89	0.09	30,49,68,73	0
8	NAG	P	2	14/15	0.90	0.10	72,85,95,106	0
8	NAG	P	1	14/15	0.95	0.07	39,52,63,80	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain G:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	NAG	B	1101	14/15	0.52	0.20	108,114,122,123	0
9	NAG	B	1103	14/15	0.59	0.17	83,100,109,111	0
9	NAG	A	1101	14/15	0.67	0.15	85,98,103,106	0
9	NAG	B	1104	14/15	0.74	0.16	99,118,125,128	0
9	NAG	B	1102	14/15	0.77	0.13	85,93,101,101	0
9	NAG	A	1103	14/15	0.82	0.10	92,107,114,114	0
9	NAG	A	1102	14/15	0.84	0.10	47,81,92,96	0
13	PEG	A	1107	7/7	0.85	0.18	61,73,78,79	0
12	UKG	A	1106	22/22	0.88	0.18	58,88,173,258	0
12	UKG	B	1107	22/22	0.89	0.14	67,95,140,159	0
14	EDO	A	1109	4/4	0.90	0.19	47,57,59,65	0
10	MLT	A	1104	9/9	0.91	0.11	42,59,75,77	0
13	PEG	B	1109	7/7	0.91	0.15	55,56,67,68	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	MLT	B	1105	9/9	0.91	0.11	57,68,78,80	0
14	EDO	A	1110	4/4	0.93	0.11	37,40,47,50	0
14	EDO	A	1108	4/4	0.94	0.10	42,45,50,59	0
14	EDO	B	1108	4/4	0.95	0.08	41,42,44,46	0
11	ZN	A	1105	1/1	1.00	0.02	31,31,31,31	0
11	ZN	B	1106	1/1	1.00	0.04	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UKG A 1106:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UKG B 1107:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.