



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:58 AM UTC

PDB ID : 1CHO / pdb_00001cho
Title : CRYSTAL AND MOLECULAR STRUCTURES OF THE COMPLEX OF
ALPHA-*CHYMOTRYPSIN WITH ITS INHIBITOR TURKEY OVOMU-
COID THIRD DOMAIN AT 1.8 ANGSTROMS RESOLUTION
Authors : Fujinaga, M.; Sielecki, A.R.; Read, R.J.; Ardel, W.; Laskowskijunior, M.;
James, M.N.G.
Deposited on : 1988-03-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	13	
2	F	131	
3	G	97	
4	I	56	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2371 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-CHYMOTRYPSIN A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	10	Total	C	N	O	S	0	0	0
			68	45	11	11	1			

- Molecule 2 is a protein called ALPHA-CHYMOTRYPSIN A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	131	Total	C	N	O	S	0	0	0
			980	618	162	196	4			

- Molecule 3 is a protein called ALPHA-CHYMOTRYPSIN A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	97	Total	C	N	O	S	0	0	0
			702	436	123	136	7			

- Molecule 4 is a protein called TURKEY OVOMUCOID THIRD DOMAIN (OMTKY3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	I	53	Total	C	N	O	S	0	0	0
			400	246	67	81	6			

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	8	Total	O	0	0
			8	8		
5	F	101	Total	O	0	0
			101	101		
5	G	68	Total	O	0	0
			68	68		
5	I	44	Total	O	0	0
			44	44		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.



• Molecule 1: ALPHA-CHYMOTRYPSIN A

Chain E: 



• Molecule 2: ALPHA-CHYMOTRYPSIN A

Chain F: 




• Molecule 3: ALPHA-CHYMOTRYPSIN A

Chain G: 



• Molecule 4: TURKEY OVOMUCOID THIRD DOMAIN (OMTKY3)

Chain I: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.92Å 54.52Å 57.18Å 90.00° 103.90° 90.00°	Depositor
Resolution (Å)	8.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.168 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2371	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	1.16	0/69	2.16	4/95 (4.2%)
2	F	1.30	2/1000 (0.2%)	2.30	45/1361 (3.3%)
3	G	1.39	2/715 (0.3%)	2.22	38/973 (3.9%)
4	I	1.25	0/408	2.44	27/551 (4.9%)
All	All	1.31	4/2192 (0.2%)	2.30	114/2980 (3.8%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	43	GLY	N-CA	6.77	1.51	1.44
2	F	140	GLY	N-CA	5.54	1.51	1.45
3	G	216	GLY	N-CA	5.42	1.51	1.44
3	G	180	MET	C-N	-5.15	1.26	1.33

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	48	ASN	CA-CB-CG	24.18	136.78	112.60
2	F	128	ASP	CA-CB-CG	-14.32	98.28	112.60
4	I	21	ARG	CD-NE-CZ	12.14	141.39	124.40
2	F	77	SER	CA-C-N	10.21	138.69	122.36
2	F	77	SER	C-N-CA	10.21	138.69	122.36
4	I	36	ASN	OD1-CG-ND2	-10.19	112.41	122.60
4	I	21	ARG	NE-CZ-NH2	10.15	128.33	119.20
4	I	36	ASN	CA-CB-CG	10.04	122.64	112.60
3	G	160	LEU	N-CA-CB	-9.29	101.34	111.10
2	F	137	VAL	O-C-N	9.04	132.67	123.00
3	G	245	ASN	CA-CB-CG	-8.61	103.99	112.60
3	G	167	ASN	OD1-CG-ND2	8.26	130.86	122.60
2	F	32	SER	CA-C-O	-8.02	111.64	120.38
2	F	76	SER	CA-C-O	8.01	127.86	119.05
3	G	195	SER	O-C-N	7.99	132.72	122.97
4	I	21	ARG	O-C-N	7.74	127.75	121.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	183	ALA	CA-C-O	-7.61	112.47	120.99
3	G	212	ILE	CA-C-O	-7.49	112.54	120.48
3	G	216	GLY	O-C-N	7.47	132.83	123.56
1	E	9	VAL	O-C-N	7.21	129.71	122.71
3	G	190	SER	N-CA-C	-7.16	100.41	110.50
4	I	48	LEU	O-C-N	7.02	131.22	123.22
2	F	76	SER	CA-C-N	7.01	134.93	121.54
2	F	76	SER	C-N-CA	7.01	134.93	121.54
4	I	53	PHE	CA-CB-CG	-6.91	106.89	113.80
4	I	34	LYS	CA-C-O	-6.91	112.03	119.97
3	G	230	ARG	O-C-N	6.80	131.68	122.57
4	I	34	LYS	N-CA-CB	6.75	120.73	110.28
3	G	186	SER	CA-C-O	-6.71	112.03	119.95
2	F	60	VAL	O-C-N	6.71	129.92	122.61
3	G	160	LEU	CB-CA-C	6.69	119.06	110.22
2	F	77	SER	CA-C-O	6.68	130.06	120.51
3	G	195	SER	CA-C-O	-6.62	113.87	121.15
2	F	19	GLY	N-CA-C	-6.59	103.18	112.60
4	I	21	ARG	NE-CZ-NH1	-6.57	114.93	121.50
2	F	145	ARG	CA-C-O	6.50	127.65	120.31
4	I	24	CYS	CA-C-O	-6.48	113.42	120.36
4	I	18	LEU	N-CA-C	6.44	120.76	112.26
2	F	66	VAL	N-CA-CB	-6.41	103.71	111.21
1	E	3	VAL	CA-C-O	-6.31	116.59	120.88
2	F	139	THR	O-C-N	6.29	131.32	123.15
4	I	15	ALA	CA-C-O	-6.22	113.50	120.66
2	F	137	VAL	CA-C-O	-6.18	114.11	121.28
3	G	216	GLY	CA-C-O	-6.18	115.57	121.38
2	F	128	ASP	O-C-N	6.17	130.15	122.86
3	G	164	SER	N-CA-C	-6.15	102.25	110.55
4	I	16	CYS	O-C-N	6.10	130.74	123.24
3	G	198	PRO	N-CA-C	6.04	121.77	111.68
4	I	13	LYS	O-C-N	6.04	127.18	121.38
2	F	113	SER	CA-C-O	-6.03	114.33	120.84
2	F	23	VAL	O-C-N	6.03	127.97	121.10
4	I	17	THR	N-CA-C	-6.03	102.58	110.53
2	F	100	ASN	O-C-N	5.99	129.77	123.06
2	F	30	GLN	OE1-CD-NE2	-5.94	116.66	122.60
3	G	151	THR	O-C-N	5.94	126.85	120.85
4	I	23	LEU	CA-C-O	-5.92	113.85	120.66
3	G	194	ASP	CA-C-N	5.89	129.21	120.90
3	G	194	ASP	C-N-CA	5.89	129.21	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	154	ARG	CB-CA-C	5.88	119.36	109.48
2	F	88	VAL	CB-CA-C	5.88	119.58	110.83
3	G	150	ASN	N-CA-C	-5.88	104.26	113.02
2	F	97	LEU	CB-CA-C	5.87	121.30	110.56
2	F	105	LEU	CA-C-O	-5.84	114.52	120.71
3	G	199	LEU	N-CA-CB	5.81	119.67	110.84
4	I	16	CYS	CA-C-O	-5.75	114.39	121.11
2	F	118	VAL	CA-C-O	-5.59	114.71	120.25
2	F	34	GLN	CB-CG-CD	5.59	122.10	112.60
2	F	94	TYR	CA-C-O	-5.59	114.87	120.96
3	G	167	ASN	CA-CB-CG	-5.59	107.01	112.60
2	F	100	ASN	CA-C-O	-5.58	114.67	121.36
4	I	6	VAL	CB-CA-C	5.55	118.90	111.19
2	F	35	ASP	CA-CB-CG	5.49	118.08	112.60
4	I	45	ASN	CA-CB-CG	5.49	118.09	112.60
3	G	164	SER	CA-C-O	-5.48	115.34	121.81
3	G	230	ARG	CD-NE-CZ	-5.47	116.74	124.40
3	G	201	CYS	CA-C-O	-5.47	114.93	121.11
2	F	76	SER	N-CA-C	-5.46	106.62	113.72
3	G	235	VAL	CA-C-O	-5.46	114.57	120.47
2	F	53	VAL	CB-CA-C	5.43	119.07	110.81
2	F	48	ASN	N-CA-CB	5.43	121.04	111.49
2	F	135	THR	CA-CB-OG1	-5.42	101.47	109.60
4	I	49	THR	O-C-N	5.41	130.36	123.11
3	G	164	SER	O-C-N	5.41	129.01	122.85
3	G	186	SER	O-C-N	5.40	128.90	122.26
3	G	150	ASN	O-C-N	5.39	129.00	122.20
3	G	181	ILE	CA-C-O	-5.38	114.84	120.76
2	F	66	VAL	CA-C-O	-5.36	114.75	120.59
2	F	145	ARG	CD-NE-CZ	5.35	131.89	124.40
4	I	36	ASN	CB-CG-OD1	5.34	131.48	120.80
3	G	204	ASN	CA-C-O	-5.34	112.87	120.51
1	E	7	GLN	CB-CA-C	5.33	117.10	109.26
4	I	15	ALA	N-CA-CB	-5.30	101.40	111.00
4	I	51	SER	N-CA-C	-5.28	105.11	112.45
3	G	213	VAL	CA-CB-CG1	5.24	119.31	110.40
2	F	30	GLN	CA-C-O	-5.23	114.51	120.58
3	G	151	THR	CA-CB-OG1	-5.23	101.76	109.60
1	E	2	GLY	N-CA-C	5.22	122.81	115.30
2	F	44	GLY	CA-C-O	-5.18	116.57	121.60
3	G	231	VAL	CB-CA-C	5.18	118.61	111.97
2	F	125	SER	CA-C-O	-5.18	115.17	121.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	202	LYS	CB-CG-CD	5.18	123.21	111.30
2	F	46	LEU	CA-C-O	-5.17	114.80	120.69
3	G	226	GLY	N-CA-C	-5.17	104.81	113.02
3	G	235	VAL	CB-CA-C	5.15	120.60	112.26
2	F	40	HIS	CA-C-O	-5.14	115.54	121.19
2	F	127	SER	CB-CA-C	-5.13	99.27	109.99
2	F	134	THR	CA-CB-OG1	-5.12	101.92	109.60
2	F	121	VAL	N-CA-C	-5.09	101.09	108.97
3	G	224	THR	O-C-N	5.06	126.41	121.66
4	I	48	LEU	CB-CA-C	5.06	118.09	109.80
4	I	52	HIS	CA-C-O	-5.05	115.61	121.26
2	F	79	LYS	N-CA-C	5.02	117.37	109.39
2	F	87	LYS	CB-CG-CD	5.02	122.85	111.30
4	I	34	LYS	O-C-N	5.02	128.44	122.27

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	68	0	76	5	0
2	F	980	0	951	28	0
3	G	702	0	698	29	0
4	I	400	0	372	11	0
5	E	8	0	0	0	0
5	F	101	0	0	5	0
5	G	68	0	0	3	0
5	I	44	0	0	3	0
All	All	2371	0	2097	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:154:ARG:HG3	3:G:154:ARG:HH21	1.08	1.15
1:E:10:LEU:HD23	3:G:157:GLN:NE2	1.78	0.99
4:I:44:SER:HB2	4:I:47:THR:HG22	1.48	0.93
3:G:149:ALA:HB3	3:G:151:THR:HG23	1.52	0.90
3:G:154:ARG:HG3	3:G:154:ARG:NH2	1.80	0.89
3:G:149:ALA:CB	3:G:151:THR:CG2	2.54	0.86
3:G:149:ALA:HB1	3:G:151:THR:HG22	1.57	0.83
2:F:84:LYS:HD2	5:F:148:HOH:O	1.79	0.83
2:F:145:ARG:HE	2:F:146:TYR:H	1.35	0.75
4:I:44:SER:HB2	4:I:47:THR:CG2	2.17	0.75
3:G:165:ASN:O	3:G:169:LYS:HG3	1.87	0.74
4:I:44:SER:CB	4:I:47:THR:HG22	2.19	0.73
3:G:149:ALA:HB3	3:G:151:THR:CG2	2.14	0.72
3:G:172:TRP:HB2	3:G:176:ILE:HD11	1.76	0.67
2:F:145:ARG:HE	2:F:145:ARG:HA	1.61	0.66
1:E:10:LEU:HD23	3:G:157:GLN:CD	2.20	0.65
2:F:63:SER:OG	5:F:176:HOH:O	2.17	0.58
3:G:149:ALA:CB	3:G:151:THR:HG22	2.20	0.58
1:E:10:LEU:CD2	3:G:157:GLN:CD	2.78	0.56
3:G:154:ARG:HH21	3:G:154:ARG:CG	2.00	0.56
2:F:16:ILE:O	2:F:144:THR:HA	2.06	0.55
4:I:23:LEU:HD12	4:I:23:LEU:N	2.21	0.55
2:F:143:LEU:HA	3:G:150:ASN:O	2.07	0.55
4:I:10:GLU:HA	5:I:88:HOH:O	2.07	0.55
4:I:44:SER:O	4:I:47:THR:HG22	2.08	0.54
2:F:83:LEU:HD13	2:F:108:LEU:HD13	1.88	0.54
3:G:149:ALA:HB1	3:G:151:THR:CG2	2.23	0.54
4:I:32:GLY:H	4:I:36:ASN:HD22	1.53	0.54
3:G:172:TRP:CB	3:G:176:ILE:HD11	2.38	0.53
3:G:165:ASN:ND2	5:G:254:HOH:O	2.38	0.52
2:F:36:LYS:O	2:F:36:LYS:HD3	2.11	0.50
4:I:28:ASN:ND2	5:I:85:HOH:O	2.43	0.50
2:F:128:ASP:CB	5:F:168:HOH:O	2.59	0.50
2:F:145:ARG:HA	2:F:145:ARG:NE	2.25	0.50
2:F:33:LEU:CD2	2:F:66:VAL:HG22	2.42	0.50
2:F:145:ARG:NE	2:F:146:TYR:H	2.07	0.49
2:F:24:PRO:HG3	2:F:71:PHE:CE2	2.47	0.49
3:G:150:ASN:N	3:G:150:ASN:OD1	2.45	0.49
3:G:170:LYS:HA	3:G:170:LYS:HE3	1.95	0.48
3:G:232:THR:HG23	5:G:249:HOH:O	2.13	0.48
2:F:29:TRP:CG	2:F:121:VAL:HB	2.49	0.47
2:F:128:ASP:CG	5:F:168:HOH:O	2.57	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:4:PRO:HB2	1:E:6:ILE:O	2.15	0.47
4:I:34:LYS:HD2	5:I:64:HOH:O	2.16	0.46
1:E:7:GLN:HA	1:E:8:PRO:HD3	1.73	0.46
2:F:136:CYS:O	3:G:159:SER:HA	2.16	0.46
4:I:53:PHE:N	4:I:53:PHE:CD2	2.82	0.46
2:F:72:ASP:HB2	3:G:154:ARG:HG2	1.99	0.45
2:F:36:LYS:HD3	2:F:36:LYS:HA	1.41	0.45
4:I:22:PRO:C	4:I:23:LEU:HD12	2.43	0.44
2:F:99:ILE:HG22	2:F:99:ILE:O	2.19	0.43
3:G:203:LYS:O	3:G:204:ASN:HB2	2.17	0.43
2:F:72:ASP:C	2:F:72:ASP:OD2	2.61	0.43
3:G:170:LYS:HD2	5:G:299:HOH:O	2.19	0.43
2:F:87:LYS:HG2	2:F:89:PHE:CE1	2.54	0.42
2:F:53:VAL:HG21	2:F:103:ILE:HD11	2.01	0.42
2:F:93:LYS:HB3	2:F:101:ASN:ND2	2.35	0.42
2:F:17:VAL:O	2:F:18:ASN:HB2	2.19	0.42
3:G:192:MET:HE2	3:G:192:MET:HB2	1.89	0.42
3:G:231:VAL:O	3:G:232:THR:C	2.63	0.41
2:F:33:LEU:HD13	2:F:60:VAL:HG21	2.02	0.41
2:F:76:SER:O	2:F:77:SER:HB2	2.19	0.41
2:F:143:LEU:HD12	3:G:192:MET:HE2	2.03	0.41
5:F:149:HOH:O	3:G:197:GLY:HA3	2.20	0.40
2:F:115:SER:HB2	2:F:116:GLN:H	1.64	0.40
3:G:230:ARG:HH21	3:G:230:ARG:HD3	1.66	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	E	8/13 (62%)	8 (100%)	0	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	129/131 (98%)	124 (96%)	3 (2%)	2 (2%)	7	2
3	G	95/97 (98%)	93 (98%)	2 (2%)	0	100	100
4	I	51/56 (91%)	49 (96%)	2 (4%)	0	100	100
All	All	283/297 (95%)	274 (97%)	7 (2%)	2 (1%)	18	8

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	77	SER
2	F	99	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	8/10 (80%)	7 (88%)	1 (12%)	4	1
2	F	109/109 (100%)	97 (89%)	12 (11%)	6	1
3	G	77/77 (100%)	65 (84%)	12 (16%)	2	0
4	I	47/48 (98%)	41 (87%)	6 (13%)	4	1
All	All	241/244 (99%)	210 (87%)	31 (13%)	4	1

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	7	GLN
2	F	36	LYS
2	F	48	ASN
2	F	49	GLU
2	F	65	VAL
2	F	76	SER
2	F	77	SER
2	F	78	GLU
2	F	84	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	97	LEU
2	F	104	THR
2	F	125	SER
2	F	128	ASP
3	G	150	ASN
3	G	151	THR
3	G	154	ARG
3	G	159	SER
3	G	165	ASN
3	G	170	LYS
3	G	195	SER
3	G	203	LYS
3	G	217	SER
3	G	223	SER
3	G	224	THR
3	G	240	GLN
4	I	5	SER
4	I	7	ASP
4	I	9	SER
4	I	10	GLU
4	I	21	ARG
4	I	34	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	F	18	ASN
2	F	48	ASN
3	G	204	ASN
4	I	28	ASN
4	I	36	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.