



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:08 AM UTC

PDB ID : 5CHC / pdb_00005chc
Title : Crystal structure of the perchlorate reductase PcrAB - substrate analog SeO3 bound - from Azospira suillum PS
Authors : Tsai, C.-L.; Tainer, J.A.
Deposited on : 2015-07-10
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	899	
1	C	899	
1	E	899	
2	B	333	
2	D	333	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	333	% 86%12% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EDO	A	1010	-	-	X	-
7	EDO	B	408	-	-	X	-
7	EDO	B	410	-	-	X	-
8	BSY	A	1013	-	-	X	-
8	BSY	C	1009	-	-	X	-
8	BSY	E	1008	-	-	X	-

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 30958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DMSO reductase family type II enzyme, molybdopterin subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	895	Total	C	N	O	S	0	1	0
			7171	4579	1243	1311	38			
1	C	892	Total	C	N	O	S	0	0	0
			7148	4563	1240	1307	38			
1	E	892	Total	C	N	O	S	0	2	0
			7163	4575	1240	1310	38			

- Molecule 2 is a protein called DMSO reductase family type II enzyme, iron-sulfur subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			
2	D	328	Total	C	N	O	S	0	0	0
			2556	1622	446	464	24			
2	F	328	Total	C	N	O	S	0	0	0
			2556	1622	446	464	24			

- Molecule 3 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	E	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is MOLYBDENUM ATOM (CCD ID: MO) (formula: Mo).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mo 1 1	0	0
4	C	1	Total Mo 1 1	0	0
4	E	1	Total Mo 1 1	0	0

- Molecule 5 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (CCD ID: MGD) (formula: $C_{20}H_{26}N_{10}O_{13}P_2S_2$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	C	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	E	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		

- Molecule 6 is PHOSPHORIC ACID 4-(2-AMINO-4-OXO-3,4,5,6,-TETRAHYDRO-PTE RIDIN-6-YL)-2-HYDROXY-3,4-DIMERCAPTO-BUT-3-EN-YL ESTER GUANYLATE ESTER (CCD ID: MD1) (formula: $C_{20}H_{26}N_{10}O_{13}P_2S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	A	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
6	C	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
6	E	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	A	1	Total 4	C 2	O 2	0	0
7	B	1	Total 4	C 2	O 2	0	0
7	B	1	Total 4	C 2	O 2	0	0
7	B	1	Total 4	C 2	O 2	0	0
7	B	1	Total 4	C 2	O 2	0	0
7	B	1	Total 4	C 2	O 2	0	0
7	C	1	Total 4	C 2	O 2	0	0
7	C	1	Total 4	C 2	O 2	0	0
7	C	1	Total 4	C 2	O 2	0	0
7	C	1	Total 4	C 2	O 2	0	0
7	D	1	Total 4	C 2	O 2	0	0
7	E	1	Total 4	C 2	O 2	0	0
7	E	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	F	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is BISELENITE ION (CCD ID: BSY) (formula: HO_3Se).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	Se	0	0
			4	3	1		
8	C	1	Total	O	Se	0	0
			4	3	1		
8	E	1	Total	O	Se	0	0
			4	3	1		

- Molecule 9 is SULFITE ION (CCD ID: SO3) (formula: O_3S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	S	0	0
			4	3	1		
9	C	1	Total	O	S	0	0
			4	3	1		
9	E	1	Total	O	S	0	0
			4	3	1		

- Molecule 10 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	2	Total	Na	0	0
			2	2		
10	B	1	Total	Na	0	0
			1	1		
10	C	2	Total	Na	0	0
			2	2		
10	E	3	Total	Na	0	0
			3	3		

- Molecule 11 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	1	Total	Zn	0	0
			1	1		
11	C	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	E	1	Total	Zn	0	0
			1	1		

- Molecule 12 is FE3-S4 CLUSTER (CCD ID: F3S) (formula: Fe_3S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	Fe	S	0	0
			7	3	4		
12	D	1	Total	Fe	S	0	0
			7	3	4		
12	F	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 13 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	E	1	Total	C	O	0	0
			6	3	3		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	367	Total	O	0	0
			367	367		
14	B	140	Total	O	0	0
			140	140		
14	C	252	Total	O	0	0
			252	252		
14	D	57	Total	O	0	0
			57	57		
14	E	321	Total	O	0	0
			321	321		
14	F	124	Total	O	0	0
			124	124		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit




- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit





- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit








- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit




- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit



- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	133.93Å 176.02Å 193.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.52 – 2.38 48.52 – 2.38	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.52-2.38) 100.0 (48.52-2.38)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.37Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.170 , 0.227 0.175 , 0.230	Depositor DCC
R_{free} test set	9141 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	32.9	Xtriage
Anisotropy	0.373	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	30958	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MO, MGD, NA, BSY, F3S, EDO, GOL, SO3, SF4, MD1, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.62	1/7383 (0.0%)	0.89	5/10019 (0.0%)
1	C	0.61	2/7357 (0.0%)	0.89	7/9984 (0.1%)
1	E	0.62	1/7379 (0.0%)	0.88	6/10014 (0.1%)
2	B	0.67	0/2632	0.90	5/3567 (0.1%)
2	D	0.54	0/2624	0.91	5/3557 (0.1%)
2	F	0.62	0/2624	0.92	2/3557 (0.1%)
All	All	0.62	4/29999 (0.0%)	0.89	30/40698 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	209	ILE	CA-CB	6.91	1.57	1.54
1	C	881	GLN	C-O	-6.45	1.16	1.23
1	E	881	GLN	C-O	-5.15	1.17	1.23
1	A	881	GLN	C-O	-5.12	1.17	1.24

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	201	PHE	CA-C-N	-7.30	112.28	119.87
2	D	201	PHE	C-N-CA	-7.30	112.28	119.87
1	C	366	ASP	N-CA-C	6.91	118.47	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	HIS	CA-C-N	6.80	127.25	120.52
1	A	244	HIS	C-N-CA	6.80	127.25	120.52
2	D	184	LYS	CA-C-N	-6.48	111.51	120.25
2	D	184	LYS	C-N-CA	-6.48	111.51	120.25
2	B	330	SER	CA-C-N	6.43	127.35	120.47
2	B	330	SER	C-N-CA	6.43	127.35	120.47
2	F	100	LYS	CA-C-N	-6.38	114.21	120.52
2	F	100	LYS	C-N-CA	-6.38	114.21	120.52
1	C	762	SER	CA-C-N	6.36	126.32	120.21
1	C	762	SER	C-N-CA	6.36	126.32	120.21
1	E	311	THR	N-CA-C	-5.92	106.69	114.04
2	B	100	LYS	CA-C-N	-5.90	114.48	120.85
2	B	100	LYS	C-N-CA	-5.90	114.48	120.85
1	A	358	GLY	N-CA-C	5.88	118.03	112.04
1	C	857	ASN	CA-C-N	5.50	125.85	119.47
1	C	857	ASN	C-N-CA	5.50	125.85	119.47
1	A	61	ALA	CA-C-N	-5.47	114.95	120.31
1	A	61	ALA	C-N-CA	-5.47	114.95	120.31
1	E	346	TYR	N-CA-C	5.40	117.86	111.33
2	B	38	GLY	N-CA-C	5.38	118.74	112.23
1	E	209	ILE	CB-CA-C	-5.29	108.67	113.70
2	D	161	GLY	N-CA-C	-5.20	108.09	115.43
1	E	555	TRP	CA-C-N	-5.17	114.50	119.87
1	E	555	TRP	C-N-CA	-5.17	114.50	119.87
1	E	706	VAL	N-CA-C	5.07	113.65	107.61
1	C	462	LYS	CA-C-N	5.01	126.10	119.84
1	C	462	LYS	C-N-CA	5.01	126.10	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	325	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7171	0	6990	74	0
1	C	7148	0	6960	79	0
1	E	7163	0	6975	80	0
2	B	2564	0	2534	34	0
2	D	2556	0	2526	41	0
2	F	2556	0	2525	25	0
3	A	8	0	0	0	0
3	B	24	0	0	0	0
3	C	8	0	0	0	0
3	D	24	0	0	1	0
3	E	8	0	0	0	0
3	F	24	0	0	0	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
5	A	47	0	21	1	0
5	C	47	0	20	2	0
5	E	47	0	20	1	0
6	A	47	0	22	0	0
6	C	47	0	22	0	0
6	E	47	0	22	3	0
7	A	40	0	60	7	0
7	B	20	0	30	17	0
7	C	16	0	24	1	0
7	D	4	0	6	1	0
7	E	8	0	12	1	0
7	F	8	0	12	0	0
8	A	4	0	0	2	0
8	C	4	0	0	3	0
8	E	4	0	0	2	0
9	A	4	0	0	0	0
9	C	4	0	0	0	0
9	E	4	0	0	0	0
10	A	2	0	0	0	0
10	B	1	0	0	0	0
10	C	2	0	0	0	0
10	E	3	0	0	0	0
11	A	1	0	0	0	0
11	C	1	0	0	0	0
11	E	1	0	0	0	0
12	B	7	0	0	0	0
12	D	7	0	0	0	0
12	F	7	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	E	6	0	8	0	0
14	A	367	0	0	5	0
14	B	140	0	0	0	0
14	C	252	0	0	5	0
14	D	57	0	0	1	0
14	E	321	0	0	4	0
14	F	124	0	0	2	0
All	All	30958	0	28789	321	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (321) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:881:GLN:HE22	1:A:882:ARG:HE	1.22	0.86
1:E:697:ASN:HD21	7:E:1005:EDO:H11	1.42	0.83
2:F:240:TYR:OH	2:F:314:ASP:OD2	1.96	0.82
1:C:366:ASP:HB2	1:C:368:LYS:H	1.44	0.80
1:C:289:PHE:O	14:C:1101:HOH:O	2.01	0.78
2:D:140:CYS:SG	2:D:252:THR:HG23	2.26	0.75
2:B:216:CYS:HB3	7:B:408:EDO:H22	1.69	0.74
2:B:232:SER:H	7:B:407:EDO:H11	1.52	0.74
1:C:881:GLN:HE22	1:C:882:ARG:HE	1.36	0.73
1:A:231:ASP:OD1	1:A:830:ARG:NH2	2.22	0.72
1:C:19:ARG:NH1	14:C:1102:HOH:O	2.22	0.72
1:C:860:ASN:HD22	1:C:878:ALA:H	1.38	0.72
1:C:16:ASN:OD1	14:C:1102:HOH:O	2.08	0.71
1:C:226:VAL:HG22	1:C:241:LYS:HG2	1.72	0.70
2:F:69:LYS:HD2	2:F:74:GLN:HG3	1.73	0.69
2:B:106:PRO:HD2	7:B:409:EDO:H21	1.74	0.69
1:E:358:GLY:H	1:E:377:GLU:HG3	1.58	0.69
2:D:156:LYS:NZ	2:D:161:GLY:O	2.27	0.68
1:C:195:LYS:NZ	14:C:1106:HOH:O	2.28	0.66
1:C:683:THR:HG23	1:C:686:MET:HE3	1.78	0.66
2:B:5:MET:HG3	2:B:6:LYS:N	2.11	0.66
7:C:1007:EDO:H11	2:F:103:ARG:HH22	1.62	0.65
1:C:327:LYS:NZ	1:C:328:LYS:O	2.29	0.64
1:E:255:MET:HE3	1:E:383:LEU:HD21	1.79	0.64
1:A:310:LYS:NZ	14:A:1109:HOH:O	2.31	0.64
2:B:103:ARG:HH21	7:B:409:EDO:H22	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:797:LYS:HB3	1:E:798:PRO:HD3	1.78	0.64
1:E:152:ARG:HH22	1:E:658:MET:HE3	1.63	0.63
1:A:111:GLU:OE1	14:A:1101:HOH:O	2.16	0.62
1:E:380:LYS:O	1:E:384:MET:HG2	1.99	0.62
1:C:302:ASP:HB3	1:C:321:TRP:HB3	1.80	0.62
1:C:459:GLY:HA3	8:C:1009:BSY:SE	2.50	0.62
2:B:103:ARG:NH2	7:B:409:EDO:H22	2.15	0.61
2:B:5:MET:HG3	2:B:6:LYS:H	1.66	0.61
2:D:174:GLN:O	2:D:178:GLN:HG3	2.02	0.60
1:A:48:ASP:OD2	14:A:1102:HOH:O	2.16	0.59
2:D:140:CYS:HB3	2:D:252:THR:O	2.02	0.59
1:E:33:LEU:HD13	1:E:143:SER:HB3	1.84	0.59
1:C:187:GLU:HG3	1:C:708:TYR:HB3	1.85	0.59
1:C:366:ASP:CB	1:C:368:LYS:H	2.14	0.59
1:E:227:SER:HB2	1:E:239:VAL:HG11	1.84	0.59
1:E:326:GLU:HG3	1:E:327:LYS:H	1.66	0.59
2:D:73:LEU:HD21	2:D:148:ALA:HB2	1.85	0.58
2:B:5:MET:CG	2:B:6:LYS:H	2.17	0.58
1:E:860:ASN:HD22	1:E:878:ALA:H	1.49	0.58
1:C:464:ALA:HB3	1:C:694:PHE:CE1	2.37	0.58
1:E:791:MET:HG2	1:E:831:VAL:HG12	1.85	0.57
1:E:243:ILE:HG23	1:E:398:VAL:HG11	1.87	0.57
1:E:683:THR:HG23	1:E:686:MET:HE3	1.87	0.57
1:E:259:HIS:ND1	1:E:383:LEU:O	2.30	0.57
1:C:515:ILE:HD13	1:C:522:ASN:HB2	1.87	0.56
1:C:366:ASP:N	1:C:367:GLY:HA2	2.21	0.56
1:E:11[A]:TYR:OH	2:F:169:LYS:HE3	2.06	0.56
1:C:54:GLU:HG2	1:C:585:TYR:OH	2.06	0.55
2:F:267:ILE:HB	2:F:275:SER:HB3	1.86	0.55
1:C:221:ASN:HB2	2:D:320:ILE:HD11	1.87	0.55
1:C:28:THR:HG21	1:C:605:ALA:HA	1.88	0.55
2:B:219:ARG:HA	7:B:408:EDO:H11	1.87	0.54
1:E:278:LEU:HB3	1:E:376:PHE:HB2	1.90	0.54
1:A:272:LEU:HD21	1:A:443:LEU:HA	1.90	0.54
1:C:666:GLU:OE1	1:C:688:ARG:NH2	2.39	0.54
2:D:192:ASN:ND2	14:D:503:HOH:O	2.41	0.54
2:B:32:LYS:HA	7:B:410:EDO:H12	1.89	0.54
2:D:187:PHE:CZ	2:D:192:ASN:HA	2.43	0.54
1:A:105:TRP:CH2	7:A:1010:EDO:H22	2.43	0.54
1:E:269:ALA:O	1:E:273:LYS:HG3	2.08	0.54
1:A:104:LYS:H	7:A:1010:EDO:H11	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:219:ARG:HG2	7:B:408:EDO:H11	1.90	0.54
2:D:69:LYS:HD2	2:D:70:ASN:N	2.22	0.53
1:E:515:ILE:HD13	1:E:522:ASN:HB2	1.90	0.53
2:D:146:LEU:HG	2:D:154:ILE:O	2.08	0.53
2:D:44:MET:HE1	2:D:188:ASN:HB2	1.90	0.53
1:E:226:VAL:HG22	1:E:241:LYS:HB3	1.89	0.53
2:F:145:CYS:SG	2:F:146:LEU:N	2.81	0.53
1:A:255:MET:HE3	1:A:383:LEU:HD21	1.91	0.53
2:F:15:VAL:HG23	2:F:233:VAL:HG12	1.91	0.53
2:D:15:VAL:HG23	2:D:233:VAL:HG12	1.91	0.53
1:C:311:THR:HG22	1:C:313:LYS:HB2	1.91	0.53
1:C:508:GLU:HG3	1:E:897:ILE:HG22	1.91	0.53
2:D:141:THR:HG23	2:D:255:ASN:HD21	1.73	0.53
1:A:289:PHE:HB2	1:A:291:ARG:NH1	2.23	0.52
1:A:366:ASP:OD1	1:A:368:LYS:HG2	2.10	0.52
2:B:216:CYS:CB	7:B:408:EDO:H22	2.38	0.52
2:B:32:LYS:CA	7:B:410:EDO:H12	2.38	0.52
2:B:145:CYS:SG	2:B:146:LEU:N	2.82	0.52
1:C:255:MET:HE3	1:C:383:LEU:HD11	1.89	0.52
1:E:881:GLN:HE22	1:E:882:ARG:HE	1.56	0.52
1:A:485:GLN:CD	1:A:877:PRO:HD2	2.35	0.52
1:A:103:GLY:H	7:A:1010:EDO:H12	1.74	0.52
1:A:871:ARG:HB3	1:A:874:TYR:HB3	1.92	0.52
2:B:266:ARG:HD2	2:B:277:ASP:O	2.11	0.51
2:F:305:GLU:HA	2:F:308:MET:HE3	1.91	0.51
2:D:41:GLN:NE2	2:D:195:ASN:OD1	2.43	0.51
1:A:624:LYS:HE3	1:A:653:TRP:CD1	2.45	0.51
2:B:240:TYR:OH	2:B:314:ASP:OD2	2.28	0.51
1:C:85:TYR:HE1	1:C:609:MET:HE1	1.75	0.51
1:E:195:LYS:HG2	1:E:415:PRO:HD2	1.93	0.51
1:A:170:ASP:O	1:A:458:ILE:HD13	2.10	0.51
2:D:235:LYS:HA	2:D:239:GLN:HB3	1.93	0.51
2:B:28:THR:O	7:B:410:EDO:O2	2.27	0.51
2:B:303:GLU:HG3	2:B:315:LEU:HD23	1.93	0.51
1:C:290:LEU:O	14:C:1103:HOH:O	2.19	0.51
1:A:459:GLY:HA3	8:A:1013:BSY:O2	2.11	0.51
1:C:462:LYS:HB3	1:C:594:SER:HB3	1.92	0.51
2:F:64:LYS:O	2:F:64:LYS:HG2	2.11	0.51
1:E:638:PHE:CZ	1:E:647:ARG:HD2	2.46	0.51
2:B:328:MET:HE1	7:B:408:EDO:H21	1.93	0.50
1:E:461:TRP:O	1:E:463:PRO:HD3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:638:PHE:CZ	1:A:647:ARG:HD2	2.47	0.50
2:D:137:CYS:HB3	2:D:197:CYS:SG	2.52	0.50
1:E:306:PHE:CD2	1:E:354:PRO:HB3	2.46	0.50
1:E:731:TYR:CE2	1:E:733:ASP:HB3	2.46	0.50
1:C:13:GLY:HA2	1:C:16:ASN:ND2	2.27	0.50
2:D:135:ARG:NH2	2:D:182:TYR:O	2.45	0.50
2:F:269:MET:HE3	2:F:275:SER:HB2	1.93	0.50
1:C:210:PRO:HA	2:D:217:VAL:CG1	2.41	0.49
1:E:280:TYR:O	1:E:374:PRO:HA	2.12	0.49
1:E:311:THR:O	1:E:313:LYS:HD3	2.13	0.49
1:A:740:MET:HB2	1:A:742:VAL:HG22	1.95	0.49
1:E:287:LYS:O	1:E:731:TYR:OH	2.23	0.49
1:E:289:PHE:HB2	1:E:291:ARG:NH1	2.28	0.49
1:C:31:ALA:HB3	1:C:602:THR:HB	1.94	0.49
1:E:40:CYS:SG	1:E:72:ARG:HB3	2.52	0.49
1:E:231:ASP:OD1	1:E:830:ARG:NH2	2.46	0.49
1:A:856:ILE:HG23	1:A:877:PRO:HB3	1.95	0.49
1:C:860:ASN:HB3	1:C:877:PRO:HA	1.94	0.49
2:B:45:TYR:HA	7:B:410:EDO:H11	1.93	0.48
1:C:519:GLN:HB3	1:C:863:GLY:HA3	1.95	0.48
2:B:5:MET:CG	2:B:6:LYS:N	2.71	0.48
1:A:170:ASP:HB3	1:A:458:ILE:CD1	2.42	0.48
2:B:94:GLY:HA2	2:B:98:GLU:HB2	1.94	0.48
2:F:305:GLU:HG3	2:F:308:MET:HE3	1.96	0.48
1:A:154:ALA:HB1	1:A:159:ALA:HB3	1.95	0.48
1:E:327:LYS:O	1:E:341:ALA:HB1	2.14	0.48
1:A:416:SER:O	1:A:452:GLY:HA2	2.13	0.48
1:C:791:MET:HG2	1:C:831:VAL:HG12	1.94	0.48
1:E:593:THR:HG23	1:E:595:GLU:H	1.78	0.48
1:A:50:VAL:HB	1:A:52:MET:HE2	1.94	0.48
2:F:305:GLU:HA	2:F:308:MET:HB2	1.96	0.48
1:A:283:ARG:HB3	1:A:285:ASP:OD1	2.14	0.47
1:E:462:LYS:HB3	1:E:594:SER:HB3	1.95	0.47
2:F:244:LEU:HD11	2:F:296:VAL:HG21	1.95	0.47
1:A:398:VAL:HG13	7:A:1005:EDO:H12	1.96	0.47
1:A:39:ALA:HA	1:A:591:ASN:OD1	2.15	0.47
1:E:459:GLY:HA3	8:E:1008:BSY:O2	2.14	0.47
1:A:318:LYS:HD3	14:A:1310:HOH:O	2.14	0.47
1:C:40:CYS:SG	1:C:72:ARG:HB3	2.54	0.47
1:A:836:CYS:HB2	14:A:1327:HOH:O	2.15	0.47
2:D:10:ARG:HD2	2:D:227:ASP:OD2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:31:ALA:HB3	1:E:602:THR:HB	1.97	0.47
1:C:700:SER:OG	1:C:712:GLN:HB2	2.15	0.47
1:A:40:CYS:SG	1:A:72:ARG:HB3	2.55	0.47
1:C:195:LYS:HD3	1:C:195:LYS:HA	1.72	0.47
2:D:328:MET:HG3	2:D:329:ILE:O	2.15	0.47
1:A:155:HIS:CD2	1:A:475:PRO:HD2	2.50	0.47
2:D:266:ARG:N	2:D:266:ARG:HD2	2.30	0.47
2:D:297:LEU:HA	2:D:300:LEU:HD12	1.96	0.47
1:E:270:HIS:CD2	1:E:349:LEU:HD23	2.50	0.47
2:B:31:CYS:SG	7:B:410:EDO:H21	2.55	0.46
1:C:68:GLU:OE1	1:C:70:ASN:ND2	2.44	0.46
1:C:464:ALA:HB3	1:C:694:PHE:CZ	2.50	0.46
1:C:703:LYS:HB2	1:C:706:VAL:HB	1.97	0.46
2:F:69:LYS:HD2	2:F:74:GLN:CG	2.44	0.46
1:C:683:THR:OG1	1:C:686:MET:HG3	2.14	0.46
1:A:5:ILE:HG13	1:A:7:GLY:H	1.80	0.46
1:A:601:MET:CE	1:A:603:GLU:HB3	2.46	0.46
1:E:860:ASN:HB3	1:E:877:PRO:HA	1.97	0.46
1:A:751:ILE:HG22	1:A:753:ALA:H	1.80	0.46
2:F:44:MET:HE1	2:F:188:ASN:HB2	1.97	0.46
7:A:1012:EDO:H12	2:B:125:TYR:H	1.81	0.46
2:B:48:ASN:ND2	2:B:50:GLU:HG2	2.31	0.46
2:D:68:TYR:OH	2:D:147:GLU:OE2	2.30	0.46
2:D:159:GLN:H	2:D:159:GLN:CD	2.20	0.46
1:A:683:THR:OG1	1:A:686:MET:HG3	2.16	0.46
1:C:311:THR:O	1:C:313:LYS:HG3	2.15	0.46
1:A:462:LYS:HB3	1:A:594:SER:HB3	1.98	0.46
1:C:813:HIS:CE1	1:C:853:PRO:HB3	2.52	0.45
1:A:76:LYS:HD3	1:A:76:LYS:N	2.32	0.45
1:A:162:HIS:HB3	1:A:486:THR:OG1	2.17	0.45
1:A:302:ASP:HB3	1:A:321:TRP:HB3	1.98	0.45
1:C:53:ARG:NH2	2:D:215:GLN:OE1	2.50	0.45
1:C:327:LYS:HD2	1:C:327:LYS:HA	1.67	0.45
1:E:41:PRO:HA	14:E:1110:HOH:O	2.16	0.45
1:A:170:ASP:HB2	8:A:1013:BSY:O3	2.17	0.45
1:A:609:MET:HB2	1:A:609:MET:HE3	1.85	0.45
1:E:408:ARG:O	1:E:412:THR:HB	2.15	0.45
1:E:483:PHE:CD2	1:E:872:PRO:HG3	2.51	0.45
2:B:47:ARG:H	7:B:410:EDO:H22	1.81	0.45
2:D:108:PRO:HG2	7:D:405:EDO:H12	1.99	0.45
1:A:380:LYS:O	1:A:384:MET:HG2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:144:PRO:HB2	1:C:672:ILE:HD13	1.99	0.45
1:C:871:ARG:HB3	1:C:874:TYR:HB3	1.99	0.45
1:E:313:LYS:HB3	1:E:314:PRO:HD2	1.99	0.45
1:E:388:THR:OG1	1:E:391:LYS:HG3	2.17	0.45
5:E:1003:MGD:H2'	5:E:1003:MGD:H8	1.62	0.45
2:F:282:LEU:O	2:F:286:GLU:HG3	2.17	0.45
1:A:104:LYS:N	7:A:1010:EDO:H11	2.32	0.45
2:F:191:THR:O	2:F:193:LYS:HG3	2.17	0.45
5:C:1003:MGD:H2'	5:C:1003:MGD:H8	1.68	0.45
1:E:39:ALA:HA	1:E:591:ASN:OD1	2.17	0.45
2:F:181:PRO:HB2	2:F:250:PHE:CD2	2.52	0.45
2:D:145:CYS:O	2:D:154:ILE:HD12	2.16	0.45
1:E:399:THR:HG23	14:E:1243:HOH:O	2.16	0.45
1:A:399:THR:O	1:A:403:ILE:HG13	2.16	0.45
1:C:826:GLU:OE2	1:C:830:ARG:HD3	2.16	0.45
1:A:441:THR:CG2	1:A:447:GLU:HG2	2.47	0.44
1:E:200:TRP:CD2	1:E:437:MET:HE2	2.52	0.44
1:A:227:SER:HB2	1:A:239:VAL:HG11	1.99	0.44
1:A:700:SER:OG	1:A:712:GLN:HB2	2.17	0.44
1:A:898:SER:O	1:E:512:ARG:NH1	2.46	0.44
1:C:625:ARG:HA	1:C:625:ARG:HD3	1.70	0.44
2:F:159:GLN:H	2:F:159:GLN:HG3	1.41	0.44
1:A:768:SER:O	5:A:1003:MGD:N18	2.46	0.44
1:E:231:ASP:HB3	1:E:830:ARG:HH21	1.82	0.44
1:A:84:MET:HE2	1:A:609:MET:HE1	2.00	0.44
1:A:278:LEU:HB3	1:A:376:PHE:HB2	2.00	0.44
1:E:144:PRO:HB2	1:E:672:ILE:HD13	1.99	0.44
2:F:32:LYS:HE3	14:F:611:HOH:O	2.17	0.44
1:A:495:GLU:HG2	1:C:896:PRO:HB3	1.98	0.44
1:C:700:SER:HB2	1:C:708:TYR:CE1	2.53	0.44
2:D:58:PRO:HB3	2:D:84:TYR:CD1	2.52	0.43
1:A:96:ARG:HB2	7:A:1010:EDO:H21	2.01	0.43
1:A:144:PRO:HD2	1:A:590:LEU:O	2.18	0.43
1:A:831:VAL:HG11	1:A:888:VAL:HG21	2.00	0.43
1:E:37:THR:HB	1:E:595:GLU:OE1	2.18	0.43
1:A:328:LYS:HD3	1:A:328:LYS:N	2.33	0.43
2:B:231:SER:HB2	7:B:407:EDO:H22	1.99	0.43
1:E:306:PHE:CZ	1:E:315:VAL:HB	2.53	0.43
1:C:337:ARG:HG3	1:C:339:THR:HG23	1.99	0.43
1:A:229:SER:HA	1:A:230:PRO:HD3	1.91	0.43
1:A:435:ARG:CZ	1:A:732:LEU:HD12	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:815:LYS:HE2	1:A:815:LYS:HB3	1.70	0.43
2:D:162:ILE:HG22	2:D:164:VAL:HG23	1.99	0.43
1:E:416:SER:O	1:E:452:GLY:HA2	2.18	0.43
1:E:627:GLU:HG2	1:E:649:LEU:O	2.19	0.43
1:C:18:HIS:CD2	2:D:198:ILE:HG21	2.53	0.43
1:C:75:ASN:HB3	2:D:24:CYS:O	2.18	0.43
1:C:111:GLU:HG3	1:C:625:ARG:NH2	2.34	0.43
1:C:307:TRP:CZ3	1:C:314:PRO:HD3	2.54	0.43
1:E:318:LYS:HE3	1:E:346:TYR:CZ	2.53	0.43
1:E:458:ILE:HD13	1:E:459:GLY:H	1.84	0.43
2:F:46:TRP:CE3	2:F:197:CYS:HA	2.53	0.43
1:C:539:ASN:ND2	1:C:569:ASP:HB2	2.34	0.43
1:E:259:HIS:CE1	1:E:384:MET:HA	2.54	0.43
1:E:270:HIS:NE2	1:E:349:LEU:HD23	2.33	0.43
1:A:76:LYS:HD3	1:A:76:LYS:H	1.83	0.43
1:C:47:LYS:HB3	1:C:52:MET:HE3	2.01	0.43
1:E:167:TRP:O	1:E:545:LYS:NZ	2.51	0.42
1:E:262:ILE:HD12	1:E:383:LEU:HD12	2.01	0.42
1:E:435:ARG:HH21	1:E:745:PRO:HD3	1.83	0.42
2:D:40:GLY:N	2:D:190:LEU:HD12	2.34	0.42
1:A:82:ASP:OD1	2:B:33:LYS:NZ	2.41	0.42
1:A:624:LYS:HE3	1:A:653:TRP:NE1	2.34	0.42
1:A:170:ASP:HB3	1:A:458:ILE:HD12	2.01	0.42
1:C:39:ALA:HA	1:C:591:ASN:OD1	2.19	0.42
2:D:322:ARG:O	2:D:323:ARG:NH1	2.48	0.42
1:E:394:LYS:HD2	1:E:394:LYS:HA	1.70	0.42
1:E:459:GLY:HA3	8:E:1008:BSY:SE	2.69	0.42
1:C:115:ASP:OD1	1:C:625:ARG:HD2	2.19	0.42
1:C:234:SER:O	1:C:237:ILE:HG12	2.18	0.42
1:E:685:GLN:NE2	1:E:689:GLU:OE2	2.44	0.42
2:D:35:TRP:HB3	2:D:46:TRP:CZ3	2.55	0.42
2:D:181:PRO:HB2	2:D:250:PHE:CD2	2.54	0.42
1:E:499:GLU:O	1:E:753:ALA:HB1	2.19	0.42
2:B:209:ALA:HB2	2:B:329:ILE:O	2.20	0.42
1:C:76:LYS:HB2	1:C:76:LYS:HE2	1.88	0.42
1:E:501:ILE:HG22	14:E:1276:HOH:O	2.19	0.42
6:E:1004:MD1:H7	6:E:1004:MD1:H11	2.02	0.42
1:A:697:ASN:HB3	1:A:708:TYR:CE1	2.55	0.42
1:C:11:TYR:O	1:C:15:GLU:HG3	2.19	0.42
1:C:168:TYR:HD2	8:C:1009:BSY:O1	2.03	0.42
1:E:860:ASN:CB	1:E:877:PRO:HA	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:VAL:HB	1:A:52:MET:CE	2.50	0.42
1:C:40:CYS:HA	1:C:41:PRO:HD3	1.86	0.42
1:A:144:PRO:HB2	1:A:672:ILE:HD13	2.02	0.41
1:C:22:TRP:HZ2	2:D:333:THR:HG21	1.85	0.41
1:E:464:ALA:HB3	1:E:694:PHE:CZ	2.54	0.41
1:A:152:ARG:NH1	1:A:475:PRO:HG3	2.35	0.41
2:B:219:ARG:HA	7:B:408:EDO:C1	2.49	0.41
1:E:770:HIS:CG	6:E:1004:MD1:H102	2.56	0.41
1:C:207:THR:HA	5:C:1003:MGD:N20	2.35	0.41
1:E:408:ARG:NH1	14:E:1109:HOH:O	2.35	0.41
1:E:817:ILE:HG13	1:E:845:THR:HG22	2.03	0.41
1:A:304:PHE:O	1:A:317:PRO:HD2	2.20	0.41
2:B:201:PHE:CG	2:B:202:PRO:HD3	2.56	0.41
1:C:37:THR:HB	1:C:595:GLU:CD	2.46	0.41
1:C:637:LYS:HA	1:C:647:ARG:O	2.21	0.41
1:C:793:PRO:O	1:C:797:LYS:HG2	2.21	0.41
1:A:114:LEU:HD22	1:A:622:LEU:HD13	2.02	0.41
2:B:140:CYS:HB3	2:B:252:THR:O	2.21	0.41
1:E:824:ASN:HB2	2:F:128:ASN:ND2	2.35	0.41
2:F:140:CYS:O	2:F:143:PRO:HD3	2.21	0.41
1:C:536:TYR:O	1:C:537:ARG:HB2	2.21	0.41
1:E:464:ALA:HB3	1:E:694:PHE:CE1	2.56	0.41
1:C:69:TYR:OH	1:C:187:GLU:HB3	2.20	0.41
1:C:459:GLY:HA3	8:C:1009:BSY:O2	2.21	0.41
2:F:166:HIS:HE1	2:F:168:ASP:HB2	1.86	0.41
1:C:221:ASN:HB2	2:D:320:ILE:CD1	2.49	0.41
2:D:260:PRO:HB2	2:D:297:LEU:HD21	2.03	0.41
1:E:648:ASP:OD1	1:E:650:SER:OG	2.35	0.41
1:A:362:MET:HE2	1:A:362:MET:HB3	1.93	0.41
1:A:586:GLU:OE2	1:A:609:MET:HE3	2.21	0.41
2:B:125:TYR:HA	2:B:126:PRO:HA	1.88	0.41
1:C:264:GLU:OE2	1:C:408:ARG:NH2	2.31	0.41
1:A:79:CYS:SG	1:A:779:MET:HE3	2.61	0.40
2:B:184:LYS:HA	2:B:184:LYS:HD3	1.95	0.40
1:C:46:SER:O	1:C:47:LYS:HB2	2.21	0.40
2:D:255:ASN:HA	2:D:257:PHE:CE1	2.56	0.40
1:E:139:VAL:HA	1:E:140:PRO:HD2	1.89	0.40
1:A:896:PRO:HB3	1:E:495:GLU:HG2	2.03	0.40
1:C:309:ALA:O	1:C:310:LYS:HB2	2.21	0.40
1:C:15:GLU:OE1	2:D:157:ARG:NH1	2.55	0.40
2:D:47:ARG:HB2	3:D:404:SF4:S4	2.62	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:308:ASN:HD22	1:E:315:VAL:HG21	1.85	0.40
1:E:483:PHE:CG	1:E:872:PRO:HG3	2.56	0.40
2:F:255:ASN:ND2	14:F:512:HOH:O	2.53	0.40
1:A:493:HIS:CE1	1:A:530:PRO:HD3	2.57	0.40
1:C:139:VAL:HB	1:C:142:VAL:HG23	2.02	0.40
1:C:468:GLY:H	1:C:676:ALA:HB2	1.86	0.40
1:E:770:HIS:CE1	6:E:1004:MD1:S12	3.14	0.40
1:E:772:THR:O	1:E:773:PHE:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	894/899 (99%)	861 (96%)	30 (3%)	3 (0%)	36	48
1	C	890/899 (99%)	841 (94%)	44 (5%)	5 (1%)	21	30
1	E	892/899 (99%)	845 (95%)	43 (5%)	4 (0%)	30	40
2	B	327/333 (98%)	314 (96%)	12 (4%)	1 (0%)	36	48
2	D	326/333 (98%)	303 (93%)	23 (7%)	0	100	100
2	F	326/333 (98%)	308 (94%)	18 (6%)	0	100	100
All	All	3655/3696 (99%)	3472 (95%)	170 (5%)	13 (0%)	30	40

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	458	ILE
2	B	6	LYS
1	C	310	LYS
1	C	311	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	47	LYS
1	C	458	ILE
1	A	463	PRO
1	E	326	GLU
1	E	458	ILE
1	A	326	GLU
1	E	728	GLN
1	C	463	PRO
1	E	463	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	767/768 (100%)	758 (99%)	9 (1%)	63	79
1	C	764/768 (100%)	753 (99%)	11 (1%)	59	77
1	E	766/768 (100%)	750 (98%)	16 (2%)	47	67
2	B	278/281 (99%)	274 (99%)	4 (1%)	59	77
2	D	277/281 (99%)	272 (98%)	5 (2%)	51	71
2	F	277/281 (99%)	271 (98%)	6 (2%)	45	65
All	All	3129/3147 (99%)	3078 (98%)	51 (2%)	55	74

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	GLU
1	A	89	ARG
1	A	205	THR
1	A	326	GLU
1	A	359	LYS
1	A	458	ILE
1	A	465	PHE
1	A	607	LYS
1	A	881	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	6	LYS
2	B	50	GLU
2	B	192	ASN
2	B	333	THR
1	C	173	THR
1	C	327	LYS
1	C	328	LYS
1	C	351	ASP
1	C	357	GLU
1	C	359	LYS
1	C	458	ILE
1	C	507	THR
1	C	566	ILE
1	C	620	LEU
1	C	881	GLN
2	D	6	LYS
2	D	75	LYS
2	D	160	ASP
2	D	171	LYS
2	D	301	GLN
1	E	54	GLU
1	E	282	VAL
1	E	296	VAL
1	E	311	THR
1	E	313	LYS
1	E	359	LYS
1	E	398	VAL
1	E	412	THR
1	E	441	THR
1	E	458	ILE
1	E	523	MET
1	E	545	LYS
1	E	620	LEU
1	E	797	LYS
1	E	860	ASN
1	E	881	GLN
2	F	6	LYS
2	F	69	LYS
2	F	142	LYS
2	F	159	GLN
2	F	160	ASP
2	F	241	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	639	ASN
1	A	881	GLN
2	B	192	ASN
2	B	255	ASN
1	C	128	HIS
1	C	259	HIS
1	C	761	ASN
1	C	860	ASN
1	C	881	GLN
2	D	74	GLN
2	D	128	ASN
2	D	166	HIS
2	D	206	GLN
2	D	239	GLN
2	D	301	GLN
1	E	308	ASN
1	E	881	GLN
2	F	62	GLN
2	F	151	ASN
2	F	167	GLN
2	F	215	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 66 ligands modelled in this entry, 14 are monoatomic - leaving 52 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SF4	F	402	2	0,12,12	-	-	-		
12	F3S	F	401	2	0,9,9	-	-	-		
8	BSY	A	1013	-	1,3,3	1.08	0	0,3,3	-	-
5	MGD	C	1003	4	47,52,52	5.12	24 (51%)	58,81,81	2.91	23 (39%)
3	SF4	E	1001	1	0,12,12	-	-	-		
3	SF4	D	403	2	0,12,12	-	-	-		
7	EDO	A	1018	-	3,3,3	0.52	0	2,2,2	0.56	0
7	EDO	B	408	-	3,3,3	0.63	0	2,2,2	0.58	0
7	EDO	E	1007	-	3,3,3	0.43	0	2,2,2	0.85	0
6	MD1	E	1004	4	47,51,51	2.68	13 (27%)	56,78,78	1.78	15 (26%)
6	MD1	A	1004	4	47,51,51	2.87	14 (29%)	56,78,78	1.57	11 (19%)
7	EDO	A	1011	-	3,3,3	0.49	0	2,2,2	0.45	0
7	EDO	E	1005	-	3,3,3	0.68	0	2,2,2	0.36	0
7	EDO	F	405	-	3,3,3	0.47	0	2,2,2	0.34	0
7	EDO	C	1007	-	3,3,3	0.50	0	2,2,2	1.22	0
7	EDO	C	1006	-	3,3,3	0.62	0	2,2,2	0.14	0
8	BSY	E	1008	-	1,3,3	0.82	0	0,3,3	-	-
9	SO3	E	1009	11	1,3,3	0.77	0	0,3,3	-	-
3	SF4	A	1001	1	0,12,12	-	-	-		
3	SF4	B	402	2	0,12,12	-	-	-		
12	F3S	B	401	2	0,9,9	-	-	-		
7	EDO	A	1007	-	3,3,3	0.42	0	2,2,2	0.74	0
7	EDO	B	407	-	3,3,3	0.80	0	2,2,2	0.10	0
7	EDO	F	406	-	3,3,3	0.82	0	2,2,2	0.20	0
5	MGD	A	1003	4	47,52,52	5.24	25 (53%)	58,81,81	3.09	24 (41%)
9	SO3	C	1010	11	1,3,3	0.56	0	0,3,3	-	-
6	MD1	C	1004	4	47,51,51	2.76	11 (23%)	56,78,78	1.88	14 (25%)
7	EDO	A	1006	-	3,3,3	0.47	0	2,2,2	0.50	0
7	EDO	D	405	-	3,3,3	0.47	0	2,2,2	0.23	0
7	EDO	A	1019	-	3,3,3	0.70	0	2,2,2	0.22	0
7	EDO	A	1008	-	3,3,3	0.61	0	2,2,2	0.42	0
7	EDO	B	410	-	3,3,3	0.35	0	2,2,2	0.36	0
13	GOL	E	1006	-	5,5,5	0.58	0	5,5,5	0.85	0
3	SF4	D	404	2	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	B	405	-	3,3,3	0.38	0	2,2,2	0.38	0
9	SO3	A	1014	11	1,3,3	0.81	0	0,3,3	-	-
7	EDO	A	1012	-	3,3,3	0.66	0	2,2,2	0.37	0
3	SF4	D	402	2	0,12,12	-	-	-		
12	F3S	D	401	2	0,9,9	-	-	-		
3	SF4	F	404	2	0,12,12	-	-	-		
5	MGD	E	1003	4	47,52,52	5.15	24 (51%)	58,81,81	2.60	22 (37%)
7	EDO	B	409	-	3,3,3	0.97	0	2,2,2	0.71	0
7	EDO	C	1005	-	3,3,3	0.74	0	2,2,2	0.29	0
7	EDO	C	1008	-	3,3,3	0.47	0	2,2,2	0.46	0
3	SF4	B	403	2	0,12,12	-	-	-		
8	BSY	C	1009	-	1,3,3	1.12	0	0,3,3	-	-
3	SF4	B	404	2	0,12,12	-	-	-		
7	EDO	A	1005	-	3,3,3	0.59	0	2,2,2	0.11	0
7	EDO	A	1010	-	3,3,3	1.14	0	2,2,2	1.04	0
3	SF4	C	1001	1	0,12,12	-	-	-		
3	SF4	F	403	2	0,12,12	-	-	-		
7	EDO	A	1009	-	3,3,3	0.61	0	2,2,2	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	F	402	2	-	-	0/6/5/5
12	F3S	F	401	2	-	-	0/3/3/3
5	MGD	C	1003	4	-	3/22/66/66	0/6/6/6
3	SF4	E	1001	1	-	-	0/6/5/5
3	SF4	D	403	2	-	-	0/6/5/5
7	EDO	A	1018	-	-	0/1/1/1	-
7	EDO	B	408	-	-	0/1/1/1	-
7	EDO	E	1007	-	-	1/1/1/1	-
6	MD1	E	1004	4	-	1/22/59/59	0/5/5/5
6	MD1	A	1004	4	-	4/22/59/59	0/5/5/5
7	EDO	A	1011	-	-	0/1/1/1	-
7	EDO	E	1005	-	-	0/1/1/1	-
7	EDO	F	405	-	-	0/1/1/1	-
7	EDO	C	1007	-	-	1/1/1/1	-
7	EDO	C	1006	-	-	0/1/1/1	-
3	SF4	A	1001	1	-	-	0/6/5/5
3	SF4	B	402	2	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	F3S	B	401	2	-	-	0/3/3/3
7	EDO	A	1007	-	-	0/1/1/1	-
7	EDO	B	407	-	-	0/1/1/1	-
7	EDO	F	406	-	-	1/1/1/1	-
5	MGD	A	1003	4	-	9/22/66/66	0/6/6/6
6	MD1	C	1004	4	-	3/22/59/59	0/5/5/5
7	EDO	A	1006	-	-	0/1/1/1	-
7	EDO	D	405	-	-	0/1/1/1	-
7	EDO	A	1019	-	-	0/1/1/1	-
7	EDO	A	1008	-	-	1/1/1/1	-
7	EDO	B	410	-	-	0/1/1/1	-
13	GOL	E	1006	-	-	4/4/4/4	-
3	SF4	D	404	2	-	-	0/6/5/5
7	EDO	B	405	-	-	0/1/1/1	-
7	EDO	A	1012	-	-	0/1/1/1	-
3	SF4	D	402	2	-	-	0/6/5/5
12	F3S	D	401	2	-	-	0/3/3/3
5	MGD	E	1003	4	-	3/22/66/66	0/6/6/6
3	SF4	F	404	2	-	-	0/6/5/5
7	EDO	B	409	-	-	0/1/1/1	-
7	EDO	C	1005	-	-	0/1/1/1	-
7	EDO	C	1008	-	-	0/1/1/1	-
3	SF4	B	403	2	-	-	0/6/5/5
3	SF4	B	404	2	-	-	0/6/5/5
7	EDO	A	1005	-	-	0/1/1/1	-
7	EDO	A	1010	-	-	1/1/1/1	-
3	SF4	C	1001	1	-	-	0/6/5/5
3	SF4	F	403	2	-	-	0/6/5/5
7	EDO	A	1009	-	-	0/1/1/1	-

All (111) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	1003	MGD	C23-C14	-19.99	1.37	1.53
5	A	1003	MGD	C23-C14	-19.22	1.38	1.53
5	C	1003	MGD	C23-C14	-19.21	1.38	1.53
5	A	1003	MGD	C16-C21	15.19	1.64	1.38
5	E	1003	MGD	C16-C21	14.80	1.63	1.38
5	C	1003	MGD	C16-C21	13.84	1.62	1.38
6	A	1004	MD1	C7-N8	11.82	1.43	1.28
6	C	1004	MD1	C7-N8	10.63	1.41	1.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	1003	MGD	C2'-C3'	-10.22	1.25	1.53
5	A	1003	MGD	C2'-C3'	-9.91	1.26	1.53
5	E	1003	MGD	C2'-C3'	-9.82	1.26	1.53
6	E	1004	MD1	C7-N8	9.48	1.40	1.28
5	C	1003	MGD	O11-C11	8.89	1.60	1.43
6	C	1004	MD1	O4'-C1'	8.42	1.61	1.42
5	A	1003	MGD	O11-C11	8.33	1.59	1.43
6	A	1004	MD1	O4'-C1'	8.23	1.61	1.42
6	E	1004	MD1	O4'-C1'	8.11	1.60	1.42
5	A	1003	MGD	C14-N15	7.88	1.55	1.46
5	E	1003	MGD	C19-N18	7.83	1.56	1.37
5	E	1003	MGD	O11-C11	7.78	1.58	1.43
5	C	1003	MGD	C19-N18	7.60	1.56	1.37
5	A	1003	MGD	O4'-C4'	-7.20	1.29	1.45
5	A	1003	MGD	C21-N22	7.18	1.43	1.35
5	C	1003	MGD	O4'-C4'	-7.16	1.29	1.45
5	C	1003	MGD	C14-N15	7.16	1.54	1.46
5	A	1003	MGD	C19-N18	7.08	1.54	1.37
5	C	1003	MGD	C21-N22	6.75	1.42	1.35
5	E	1003	MGD	C19-N20	6.73	1.49	1.33
5	A	1003	MGD	C19-N20	6.66	1.49	1.33
5	E	1003	MGD	O4'-C4'	-6.46	1.30	1.45
5	E	1003	MGD	C14-N15	6.22	1.53	1.46
5	C	1003	MGD	C19-N20	6.15	1.48	1.33
6	E	1004	MD1	C2'-C1'	-6.12	1.34	1.53
5	E	1003	MGD	C23-N22	6.07	1.55	1.45
6	C	1004	MD1	C2'-C1'	-6.04	1.34	1.53
6	A	1004	MD1	C2'-C1'	-5.82	1.35	1.53
5	A	1003	MGD	C3'-C4'	5.75	1.67	1.53
5	E	1003	MGD	C21-N22	5.64	1.41	1.35
5	E	1003	MGD	C3'-C4'	5.53	1.67	1.53
5	C	1003	MGD	C3'-C4'	5.53	1.67	1.53
5	C	1003	MGD	C23-N22	5.35	1.54	1.45
6	E	1004	MD1	O4'-C4'	-5.16	1.33	1.45
6	C	1004	MD1	O4'-C4'	-5.14	1.33	1.45
5	A	1003	MGD	C23-N22	5.06	1.53	1.45
6	A	1004	MD1	O4'-C4'	-5.02	1.33	1.45
6	E	1004	MD1	C2-N2	4.99	1.45	1.34
6	C	1004	MD1	C2-N2	4.87	1.45	1.34
5	C	1003	MGD	C4-N3	4.75	1.45	1.34
5	C	1003	MGD	C2-N3	4.68	1.44	1.33
5	E	1003	MGD	C4-N3	4.61	1.44	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	1003	MGD	C1'-N9	-4.50	1.34	1.47
5	A	1003	MGD	C17-N18	4.49	1.47	1.38
5	E	1003	MGD	C2-N3	4.49	1.44	1.33
5	C	1003	MGD	C19-N19	4.43	1.44	1.34
5	A	1003	MGD	C1'-N9	-4.36	1.35	1.47
5	A	1003	MGD	C4-N3	4.25	1.44	1.34
5	A	1003	MGD	C2-N3	4.25	1.43	1.33
5	A	1003	MGD	C19-N19	4.15	1.43	1.34
5	A	1003	MGD	O4'-C1'	4.13	1.51	1.42
6	A	1004	MD1	C16-N15	4.12	1.47	1.37
5	E	1003	MGD	C19-N19	4.07	1.43	1.34
6	A	1004	MD1	C2-N2	4.07	1.43	1.34
5	C	1003	MGD	C1'-N9	-4.01	1.36	1.47
5	E	1003	MGD	C17-N18	3.96	1.46	1.38
5	E	1003	MGD	O4'-C1'	3.91	1.51	1.42
6	C	1004	MD1	C16-N15	3.85	1.46	1.37
5	C	1003	MGD	C17-N18	3.85	1.46	1.38
5	A	1003	MGD	O2'-C2'	3.78	1.52	1.43
6	E	1004	MD1	C16-N15	3.58	1.46	1.37
5	C	1003	MGD	O2'-C2'	3.54	1.51	1.43
5	E	1003	MGD	C2-N2	3.54	1.42	1.34
5	E	1003	MGD	O2'-C2'	3.53	1.51	1.43
5	A	1003	MGD	C16-N15	3.50	1.46	1.37
5	C	1003	MGD	O4'-C1'	3.50	1.50	1.42
5	A	1003	MGD	C2-N2	3.46	1.42	1.34
5	C	1003	MGD	C2-N2	3.33	1.42	1.34
5	A	1003	MGD	C10-C11	3.15	1.56	1.51
6	A	1004	MD1	C17-N16	3.07	1.41	1.34
6	A	1004	MD1	PB-O3B	-3.07	1.56	1.59
6	A	1004	MD1	PA-O3B	3.00	1.62	1.59
6	C	1004	MD1	C17-N16	2.94	1.41	1.34
5	C	1003	MGD	C16-N15	2.87	1.44	1.37
6	A	1004	MD1	C14-C7	2.81	1.57	1.50
5	A	1003	MGD	C8-N7	2.78	1.40	1.32
6	E	1004	MD1	C17-N16	2.77	1.40	1.34
6	E	1004	MD1	PA-O3B	2.68	1.62	1.59
5	E	1003	MGD	C16-N15	2.62	1.44	1.37
5	C	1003	MGD	O11-C23	-2.52	1.40	1.43
6	E	1004	MD1	PB-O3B	-2.52	1.56	1.59
6	E	1004	MD1	C14-N15	-2.51	1.42	1.46
6	A	1004	MD1	C14-N15	-2.43	1.42	1.46
6	C	1004	MD1	O3'-C3'	-2.42	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	1004	MD1	C12-C13	2.34	1.41	1.34
6	C	1004	MD1	C12-C13	2.34	1.41	1.34
6	A	1004	MD1	C12-C13	2.31	1.41	1.34
6	A	1004	MD1	O3'-C3'	-2.29	1.37	1.43
6	A	1004	MD1	C17-N18	2.27	1.38	1.33
5	E	1003	MGD	C8-N7	2.25	1.38	1.32
5	E	1003	MGD	C5-C6	2.23	1.52	1.44
6	E	1004	MD1	C14-C7	2.23	1.56	1.50
5	E	1003	MGD	C2-N1	2.20	1.43	1.37
5	C	1003	MGD	C8-N7	2.20	1.38	1.32
5	A	1003	MGD	O11-C23	-2.19	1.40	1.43
5	A	1003	MGD	O3'-C3'	2.15	1.48	1.43
5	E	1003	MGD	C21-N20	2.13	1.39	1.36
6	C	1004	MD1	C14-N15	-2.09	1.42	1.46
5	C	1003	MGD	C5-C6	2.09	1.52	1.44
6	E	1004	MD1	C8-N7	2.08	1.38	1.32
5	A	1003	MGD	C5-C6	2.07	1.52	1.44
5	C	1003	MGD	C21-N20	2.03	1.39	1.36
6	C	1004	MD1	C14-C7	2.01	1.55	1.50

All (109) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1003	MGD	O11-C23-N22	-14.22	95.70	108.61
5	C	1003	MGD	O11-C23-N22	-12.09	97.63	108.61
5	E	1003	MGD	O11-C23-N22	-8.66	100.75	108.61
5	E	1003	MGD	C1'-N9-C8	-8.13	103.64	126.73
5	C	1003	MGD	C1'-N9-C8	-7.85	104.42	126.73
5	C	1003	MGD	C1'-N9-C4	7.81	149.55	126.49
5	E	1003	MGD	C1'-N9-C4	7.80	149.52	126.49
5	A	1003	MGD	C23-C14-N15	7.22	114.96	107.87
5	A	1003	MGD	C1'-N9-C8	-6.67	107.78	126.73
5	A	1003	MGD	C1'-N9-C4	6.56	145.88	126.49
6	C	1004	MD1	C5-C4-N3	-5.35	119.88	128.39
6	C	1004	MD1	C2-N3-C4	5.11	121.10	112.30
5	C	1003	MGD	C23-C14-N15	4.94	112.72	107.87
6	E	1004	MD1	C5-C4-N3	-4.90	120.59	128.39
6	E	1004	MD1	C2-N3-C4	4.75	120.48	112.30
6	A	1004	MD1	C5-C4-N3	-4.40	121.38	128.39
5	A	1003	MGD	C19-N20-C21	4.39	121.11	113.36
6	A	1004	MD1	C17-N18-C20	4.32	120.19	114.20
6	C	1004	MD1	C17-N18-C20	4.32	120.18	114.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1003	MGD	C23-C14-N15	4.22	112.02	107.87
5	A	1003	MGD	C2-N3-C4	4.21	119.55	112.30
6	C	1004	MD1	O14-C15-C16	-4.13	117.31	127.26
6	A	1004	MD1	C2-N3-C4	4.00	119.18	112.30
5	C	1003	MGD	C2-N3-C4	3.94	119.09	112.30
5	E	1003	MGD	C2-N3-C4	3.94	119.09	112.30
5	C	1003	MGD	O11-C23-C14	3.85	111.53	108.96
5	C	1003	MGD	C19-N20-C21	3.76	120.00	113.36
5	A	1003	MGD	C17-C16-N15	3.73	126.44	116.27
6	E	1004	MD1	C17-N18-C20	3.66	119.27	114.20
6	E	1004	MD1	O14-C15-C16	-3.64	118.48	127.26
5	A	1003	MGD	N2-C2-N1	3.64	124.43	116.76
5	A	1003	MGD	C6-C5-N7	3.59	136.82	130.29
5	E	1003	MGD	O17-C17-C16	-3.50	118.81	127.26
5	E	1003	MGD	C19-N20-C21	3.46	119.46	113.36
5	A	1003	MGD	C2'-C1'-N9	3.46	122.87	113.25
6	C	1004	MD1	C17-N17-C15	-3.45	118.86	125.11
5	C	1003	MGD	C17-C16-N15	3.39	125.50	116.27
5	E	1003	MGD	C5-C4-N3	-3.30	123.14	128.39
5	C	1003	MGD	C4'-O4'-C1'	-3.29	102.21	109.47
5	C	1003	MGD	O17-C17-C16	-3.29	119.34	127.26
5	A	1003	MGD	C5-C4-N9	3.26	111.50	105.66
5	C	1003	MGD	C5-C4-N3	-3.26	123.21	128.39
5	E	1003	MGD	N2-C2-N1	3.25	123.61	116.76
5	E	1003	MGD	C2'-C1'-N9	3.10	121.87	113.25
5	C	1003	MGD	C2'-C1'-N9	3.08	121.82	113.25
6	C	1004	MD1	N9-C8-N7	-3.07	107.70	113.40
6	C	1004	MD1	C2-N1-C6	-3.07	119.54	125.11
5	E	1003	MGD	N9-C8-N7	-3.06	107.72	113.40
5	A	1003	MGD	N9-C8-N7	-3.00	107.83	113.40
6	E	1004	MD1	C17-N17-C15	-3.00	119.68	125.11
5	A	1003	MGD	O17-C17-C16	-2.96	120.11	127.26
6	E	1004	MD1	C5-C6-N1	2.96	120.78	113.25
5	C	1003	MGD	N19-C19-N18	2.91	122.89	116.76
5	A	1003	MGD	N1-C2-N3	-2.90	118.01	123.32
5	C	1003	MGD	O4'-C1'-C2'	-2.89	100.44	106.62
6	A	1004	MD1	N9-C8-N7	-2.84	108.13	113.40
5	A	1003	MGD	C16-C17-N18	2.84	119.93	112.13
6	A	1004	MD1	O14-C15-C16	-2.80	120.52	127.26
5	A	1003	MGD	N19-C19-N18	2.79	122.65	116.76
5	A	1003	MGD	C2'-C3'-C4'	2.77	107.95	102.61
5	E	1003	MGD	C5-C4-N9	2.76	110.59	105.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1004	MD1	C16-C15-N17	2.75	119.69	112.13
6	E	1004	MD1	C2-N1-C6	-2.73	120.16	125.11
5	C	1003	MGD	C5-C4-N9	2.72	110.53	105.66
6	E	1004	MD1	N9-C8-N7	-2.70	108.40	113.40
6	C	1004	MD1	C5-C6-N1	2.65	120.01	113.25
5	E	1003	MGD	C17-C16-N15	2.65	123.50	116.27
5	A	1003	MGD	O3'-C3'-C4'	-2.65	103.48	111.08
5	A	1003	MGD	O3A-C10-C11	2.62	115.06	108.58
5	C	1003	MGD	C6-C5-N7	2.52	134.87	130.29
5	E	1003	MGD	C6-C5-N7	2.52	134.87	130.29
6	C	1004	MD1	C8-N7-C5	2.51	108.74	104.26
5	E	1003	MGD	C16-C17-N18	2.50	119.00	112.13
5	E	1003	MGD	C4-C5-N7	-2.49	106.72	110.67
6	A	1004	MD1	C17-N17-C15	-2.49	120.59	125.11
5	C	1003	MGD	N2-C2-N1	2.48	122.00	116.76
6	C	1004	MD1	N9-C4-N3	2.48	130.91	125.95
6	E	1004	MD1	N9-C4-N3	2.47	130.89	125.95
6	C	1004	MD1	O6-C6-C5	-2.45	120.06	126.53
5	C	1003	MGD	N9-C8-N7	-2.45	108.86	113.40
6	E	1004	MD1	N16-C17-N17	2.44	121.91	116.76
6	C	1004	MD1	N16-C17-N17	2.42	121.88	116.76
6	A	1004	MD1	C2-N1-C6	-2.39	120.77	125.11
6	E	1004	MD1	O6-C6-C5	-2.38	120.25	126.53
5	E	1003	MGD	C2'-C3'-C4'	2.38	107.20	102.61
5	C	1003	MGD	N18-C19-N20	-2.37	118.99	123.32
5	C	1003	MGD	C16-C17-N18	2.35	118.59	112.13
6	A	1004	MD1	C16-C15-N17	2.35	118.59	112.13
5	A	1003	MGD	C5-C4-N3	-2.32	124.70	128.39
5	E	1003	MGD	C19-N18-C17	-2.32	120.91	125.11
5	A	1003	MGD	C5-C6-N1	2.30	119.11	113.25
5	A	1003	MGD	C19-N18-C17	-2.29	120.97	125.11
6	E	1004	MD1	N2-C2-N3	2.23	124.02	119.67
5	C	1003	MGD	C5-C6-N1	2.22	118.90	113.25
6	A	1004	MD1	O6-C6-C5	-2.19	120.74	126.53
6	E	1004	MD1	C16-C15-N17	2.17	118.10	112.13
5	E	1003	MGD	C8-N7-C5	2.17	108.12	104.26
5	C	1003	MGD	N1-C2-N3	-2.16	119.36	123.32
6	E	1004	MD1	N1-C2-N3	-2.16	119.37	123.32
6	C	1004	MD1	C4-C5-N7	-2.16	107.25	110.67
5	A	1003	MGD	C4-C5-N7	-2.16	107.25	110.67
5	C	1003	MGD	O4'-C1'-N9	2.16	113.25	108.36
6	A	1004	MD1	N9-C4-N3	2.15	130.26	125.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1004	MD1	C5-C6-N1	2.14	118.70	113.25
5	E	1003	MGD	C2-N1-C6	-2.12	121.27	125.11
5	E	1003	MGD	C5-C6-N1	2.03	118.43	113.25
5	A	1003	MGD	N18-C19-N20	-2.03	119.60	123.32
6	E	1004	MD1	O4'-C1'-N9	-2.01	103.81	108.36
5	E	1003	MGD	C4'-O4'-C1'	-2.00	105.05	109.47

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1003	MGD	C5'-O5'-PB-O1B
5	A	1003	MGD	C5'-O5'-PB-O3B
6	E	1004	MD1	PB-O3B-PA-O5'
13	E	1006	GOL	O1-C1-C2-C3
13	E	1006	GOL	C1-C2-C3-O3
13	E	1006	GOL	O2-C2-C3-O3
7	A	1008	EDO	O1-C1-C2-O2
13	E	1006	GOL	O1-C1-C2-O2
6	A	1004	MD1	O4'-C4'-C5'-O5'
6	A	1004	MD1	C3'-C4'-C5'-O5'
7	C	1007	EDO	O1-C1-C2-O2
7	F	406	EDO	O1-C1-C2-O2
5	E	1003	MGD	O3A-C10-C11-O11
5	A	1003	MGD	PB-O3B-PA-O3A
5	A	1003	MGD	O4'-C4'-C5'-O5'
5	C	1003	MGD	C5'-O5'-PB-O1B
5	E	1003	MGD	C5'-O5'-PB-O1B
6	A	1004	MD1	C10-O3A-PB-O2B
6	C	1004	MD1	O4'-C4'-C5'-O5'
7	A	1010	EDO	O1-C1-C2-O2
5	A	1003	MGD	C3'-C4'-C5'-O5'
6	C	1004	MD1	C3'-C4'-C5'-O5'
7	E	1007	EDO	O1-C1-C2-O2
5	A	1003	MGD	PA-O3B-PB-O1B
5	A	1003	MGD	PA-O3B-PB-O2B
5	C	1003	MGD	PA-O3B-PB-O2B
5	E	1003	MGD	PA-O3B-PB-O2B
6	A	1004	MD1	PA-O3B-PB-O1B
6	C	1004	MD1	PA-O3B-PB-O1B
5	A	1003	MGD	C2'-C1'-N9-C8
5	C	1003	MGD	C11-C10-O3A-PA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	1003	MGD	C11-C10-O3A-PA


There are no ring outliers.



18 monomers are involved in 42 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1013	BSY	2	0
5	C	1003	MGD	2	0
7	B	408	EDO	6	0
6	E	1004	MD1	3	0
7	E	1005	EDO	1	0
7	C	1007	EDO	1	0
8	E	1008	BSY	2	0
7	B	407	EDO	2	0
5	A	1003	MGD	1	0
7	D	405	EDO	1	0
7	B	410	EDO	6	0
3	D	404	SF4	1	0
7	A	1012	EDO	1	0
5	E	1003	MGD	1	0
7	B	409	EDO	3	0
8	C	1009	BSY	3	0
7	A	1005	EDO	1	0
7	A	1010	EDO	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand MGD C 1003






Ligand MGD A 1003







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	895/899 (99%)	-0.29	4 (0%) 88 88	17, 32, 51, 66	1 (0%)
1	C	892/899 (99%)	-0.11	5 (0%) 85 85	21, 37, 58, 96	0
1	E	892/899 (99%)	-0.10	27 (3%) 52 52	17, 33, 61, 77	2 (0%)
2	B	329/333 (98%)	-0.50	2 (0%) 85 85	20, 27, 41, 88	0
2	D	328/333 (98%)	0.72	18 (5%) 30 30	26, 52, 70, 92	0
2	F	328/333 (98%)	-0.08	4 (1%) 76 76	22, 35, 53, 65	0
All	All	3664/3696 (99%)	-0.11	60 (1%) 70 69	17, 34, 60, 96	3 (0%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	9	PHE	6.0
1	C	8	ALA	4.6
1	C	351	ASP	4.2
2	B	5	MET	3.7
1	A	5	ILE	3.5
2	B	6	LYS	3.4
1	E	358	GLY	3.4
1	E	369	THR	3.3
1	E	11[A]	TYR	3.2
1	E	363	GLN	3.2
1	C	11	TYR	3.2
1	C	899	PHE	3.1
1	E	370	VAL	3.0
1	E	362	MET	2.8
2	D	145	CYS	2.7
2	D	146	LEU	2.7
1	E	361	ASN	2.7
1	E	355	ALA	2.6
2	D	7	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	286	THR	2.6
1	E	312	GLY	2.6
1	E	360	PHE	2.6
1	E	307	TRP	2.6
2	D	37	THR	2.6
2	D	199	GLY	2.6
2	D	226	VAL	2.6
1	E	309	ALA	2.5
1	A	899	PHE	2.5
1	E	310	LYS	2.5
2	D	154	ILE	2.5
2	D	71	GLY	2.5
1	E	311	THR	2.5
2	D	73	LEU	2.4
1	E	359	LYS	2.4
1	E	354	PRO	2.4
2	F	294	ARG	2.4
2	D	252	THR	2.4
2	F	6	LYS	2.4
1	E	293	ALA	2.3
2	D	137	CYS	2.3
1	E	267	TYR	2.2
2	D	69	LYS	2.2
2	F	241	LYS	2.2
2	D	242	VAL	2.2
2	D	246	LEU	2.2
1	A	326	GLU	2.2
1	E	327	LYS	2.2
1	A	364	LEU	2.2
2	D	314	ASP	2.2
1	E	8	ALA	2.1
2	F	69	LYS	2.1
1	E	314	PRO	2.1
1	E	364	LEU	2.1
1	E	315	VAL	2.1
2	D	6	LYS	2.1
1	E	308	ASN	2.1
2	D	229	VAL	2.1
2	D	144	ALA	2.0
1	E	366	ASP	2.0
1	E	287	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	EDO	A	1010	4/4	0.71	0.32	33,35,36,40	0
7	EDO	A	1018	4/4	0.73	0.18	44,44,45,47	0
7	EDO	B	407	4/4	0.78	0.18	29,36,39,43	0
7	EDO	A	1008	4/4	0.80	0.18	31,36,38,40	0
7	EDO	E	1005	4/4	0.80	0.18	34,35,40,43	0
9	SO3	C	1010	4/4	0.81	0.11	60,65,68,83	0
7	EDO	A	1009	4/4	0.82	0.18	33,38,41,43	0
7	EDO	B	409	4/4	0.82	0.17	26,28,32,33	0
9	SO3	E	1009	4/4	0.82	0.12	52,52,70,86	0
13	GOL	E	1006	6/6	0.83	0.19	37,42,45,46	0
10	NA	E	1012	1/1	0.84	0.21	48,48,48,48	0
7	EDO	C	1007	4/4	0.85	0.15	26,32,34,44	0
7	EDO	C	1006	4/4	0.86	0.16	47,49,50,52	0
9	SO3	A	1014	4/4	0.87	0.12	50,54,61,82	0
7	EDO	E	1007	4/4	0.88	0.12	38,42,43,43	0
7	EDO	F	406	4/4	0.89	0.14	28,28,37,41	0
7	EDO	C	1005	4/4	0.89	0.13	31,39,40,45	0
7	EDO	C	1008	4/4	0.90	0.11	37,40,43,47	0
7	EDO	B	408	4/4	0.91	0.27	27,30,30,32	0
7	EDO	A	1007	4/4	0.92	0.09	28,31,33,35	0
7	EDO	A	1006	4/4	0.92	0.13	35,36,39,39	0
10	NA	B	406	1/1	0.93	0.19	44,44,44,44	0
7	EDO	A	1019	4/4	0.93	0.09	26,28,29,34	0
7	EDO	A	1012	4/4	0.93	0.14	24,24,27,39	0
7	EDO	B	410	4/4	0.94	0.20	25,30,31,31	0
8	BSY	A	1013	4/4	0.94	0.20	31,35,43,64	4
3	SF4	D	402	8/8	0.95	0.06	37,49,57,58	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	EDO	A	1005	4/4	0.95	0.08	27,28,34,35	0
8	BSY	C	1009	4/4	0.96	0.18	33,35,39,51	4
8	BSY	E	1008	4/4	0.96	0.17	34,35,38,59	4
7	EDO	A	1011	4/4	0.96	0.06	28,28,32,32	0
11	ZN	C	1013	1/1	0.96	0.06	82,82,82,82	0
7	EDO	D	405	4/4	0.96	0.07	30,32,34,36	0
5	MGD	C	1003	47/47	0.97	0.06	18,27,32,35	0
10	NA	A	1016	1/1	0.97	0.10	46,46,46,46	0
5	MGD	E	1003	47/47	0.97	0.07	19,28,33,36	0
10	NA	C	1011	1/1	0.97	0.06	27,27,27,27	0
10	NA	C	1012	1/1	0.97	0.17	42,42,42,42	0
3	SF4	D	404	8/8	0.97	0.05	38,45,52,53	0
7	EDO	F	405	4/4	0.97	0.06	25,27,30,30	0
12	F3S	D	401	7/7	0.97	0.05	52,58,67,67	0
7	EDO	B	405	4/4	0.97	0.05	22,22,24,24	0
3	SF4	D	403	8/8	0.98	0.04	40,42,48,52	0
3	SF4	F	402	8/8	0.98	0.04	31,34,36,37	0
6	MD1	A	1004	47/47	0.98	0.06	20,27,31,35	0
6	MD1	C	1004	47/47	0.98	0.06	22,28,33,35	0
10	NA	E	1010	1/1	0.98	0.06	19,19,19,19	0
10	NA	E	1011	1/1	0.98	0.11	25,25,25,25	0
6	MD1	E	1004	47/47	0.98	0.05	19,25,32,34	0
3	SF4	F	404	8/8	0.98	0.04	26,28,30,31	0
11	ZN	E	1013	1/1	0.98	0.03	52,52,52,52	0
5	MGD	A	1003	47/47	0.98	0.06	17,24,28,30	0
12	F3S	F	401	7/7	0.98	0.04	29,33,35,36	0
10	NA	A	1015	1/1	0.98	0.07	23,23,23,23	0
3	SF4	A	1001	8/8	0.99	0.03	21,23,27,27	0
3	SF4	B	402	8/8	0.99	0.04	21,25,27,29	0
11	ZN	A	1017	1/1	0.99	0.03	57,57,57,57	0
3	SF4	B	403	8/8	0.99	0.02	18,25,28,32	0
3	SF4	E	1001	8/8	0.99	0.03	21,25,28,29	0
12	F3S	B	401	7/7	0.99	0.03	27,29,30,32	0
3	SF4	B	404	8/8	0.99	0.03	22,23,24,26	0
3	SF4	F	403	8/8	0.99	0.03	25,31,35,39	0
3	SF4	C	1001	8/8	0.99	0.04	32,34,36,38	0
4	MO	A	1002	1/1	1.00	0.01	35,35,35,35	0
4	MO	C	1002	1/1	1.00	0.02	35,35,35,35	0
4	MO	E	1002	1/1	1.00	0.01	34,34,34,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around MGD C 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD E 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MD1 A 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MD1 C 1004:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MD1 E 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around MGD A 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.