



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2026 – 12:28 PM UTC

PDB ID : 7CIP / pdb_00007cip
Title : Microbial Hormone-sensitive lipase E53 wild type
Authors : Yang, X.; Li, Z.; Xu, X.; Li, J.
Deposited on : 2020-07-08
Resolution : 1.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	 91% 7%
1	B	314	 89% 10%
1	C	314	 92% 6%
1	D	314	 89% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	NA	C	821	-	-	-	X
2	GOL	C	809	-	-	X	-
3	EDO	B	624	-	-	X	-
4	6NA	D	1418	-	-	X	-
5	DMS	A	406	-	-	X	-
5	DMS	A	414	-	-	X	X
5	DMS	A	415	-	-	X	-
5	DMS	C	820	-	-	X	-
6	CCN	A	408	-	-	X	-
6	CCN	A	409	-	-	X	-
6	CCN	B	607	-	-	X	-
6	CCN	B	614	-	-	X	-
6	CCN	B	618	-	-	X	-
6	CCN	C	807	-	-	X	-
6	CCN	D	1403	-	-	X	-
6	CCN	D	1408	-	-	X	-
6	CCN	D	1415	-	-	X	-
6	CCN	D	1419	-	-	X	-
7	D8F	B	623	-	X	X	-
7	D8F	C	817	-	-	X	-
7	D8F	D	1423	-	-	X	-

2 Entry composition [i](#)


There are 13 unique types of molecules in this entry. The entry contains 11012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	309	Total 2277	C 1444	N 391	O 430	S 12	0	0	0
1	B	309	Total 2289	C 1450	N 391	O 436	S 12	0	0	0
1	C	309	Total 2285	C 1448	N 391	O 434	S 12	0	0	0
1	D	309	Total 2289	C 1450	N 391	O 436	S 12	0	0	0

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0

- Molecule 4 is HEXANOIC ACID (CCD ID: 6NA) (formula: $C_6H_{12}O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 8 6 2	0	0
4	A	1	Total C O 8 6 2	0	0
4	C	1	Total C O 8 6 2	0	0
4	D	1	Total C O 8 6 2	0	0
4	D	1	Total C O 8 6 2	0	0

- Molecule 5 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	C	1	Total	C	O	S	0	0
			4	2	1	1		
5	C	1	Total	C	O	S	0	0
			4	2	1	1		
5	D	1	Total	C	O	S	0	0
			4	2	1	1		
5	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 6 is ACETONITRILE (CCD ID: CCN) (formula: C₂H₃N).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	A	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	B	1	Total	C	N	0	0
			3	2	1		
6	C	1	Total	C	N	0	0
			3	2	1		
6	C	1	Total	C	N	0	0
			3	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
6	C	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0
6	D	1	Total 3	C 2	N 1	0	0

- Molecule 7 is (4-nitrophenyl) hexanoate (CCD ID: D8F) (formula: $C_{12}H_{15}NO_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
7	A	1	Total 17	C 12	N 1	O 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			17	12	1	4		
7	C	1	Total	C	N	O	0	0
			17	12	1	4		
7	D	1	Total	C	N	O	0	0
			17	12	1	4		

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	O S	0	0
			5	4 1		
8	A	1	Total	O S	0	0
			5	4 1		

- Molecule 9 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: C₄H₈O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			6	4	2		

- Molecule 10 is butanoic acid (CCD ID: BUA) (formula: $C_4H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			6	4	2		

- Molecule 11 is P-NITROPHENOL (CCD ID: NPO) (formula: $C_6H_5NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	N	O	0	0
			10	6	1	3		
11	B	1	Total	C	N	O	0	0
			10	6	1	3		
11	D	1	Total	C	N	O	0	0
			10	6	1	3		

- Molecule 12 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	1	Total	Na	0	0
			1	1		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	401	Total	O	0	0
			401	401		
13	B	325	Total	O	0	0
			325	325		
13	C	396	Total	O	0	0
			396	396		
13	D	311	Total	O	0	0
			311	311		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Lipase





- Molecule 1: Lipase



- Molecule 1: Lipase



- Molecule 1: Lipase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	70.58Å 129.84Å 221.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.71 – 1.75 48.71 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.71-1.75) 99.8 (48.71-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 1.75Å)	Xtrriage
Refinement program	REFMAC 5.8.0257	Depositor
R, R_{free}	0.176 , 0.181 0.177 , 0.181	Depositor DCC
R_{free} test set	2000 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtrriage
Anisotropy	0.607	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11012	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NPO, GOL, NA, DIO, EDO, SO4, D8F, BUA, 6NA, DMS, CCN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	1/2328 (0.0%)	0.67	0/3178
1	B	0.52	3/2340 (0.1%)	0.62	0/3193
1	C	0.51	0/2336	0.66	0/3188
1	D	0.51	1/2340 (0.0%)	0.63	2/3193 (0.1%)
All	All	0.51	5/9344 (0.1%)	0.65	2/12752 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	145	SER	C-O	6.43	1.26	1.23
1	D	192	PRO	C-O	-6.36	1.16	1.23
1	B	158	PRO	C-O	-5.95	1.17	1.23
1	B	192	PRO	C-O	-5.54	1.17	1.23
1	A	76	GLU	C-O	-5.16	1.17	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	210	PHE	CA-C-N	5.04	131.04	121.97
1	D	210	PHE	C-N-CA	5.04	131.04	121.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2277	0	2257	52	0
1	B	2289	0	2269	39	0
1	C	2285	0	2265	44	0
1	D	2289	0	2269	41	0
2	A	6	0	8	0	0
2	B	6	0	8	0	0
2	C	30	0	38	9	0
2	D	12	0	15	2	0
3	A	16	0	24	4	0
3	B	28	0	42	9	0
3	C	32	0	48	2	0
3	D	24	0	36	2	0
4	A	16	0	22	2	0
4	C	8	0	11	1	0
4	D	16	0	22	21	0
5	A	16	0	24	22	0
5	B	20	0	30	4	0
5	C	8	0	12	7	0
5	D	8	0	12	0	0
6	A	18	0	18	7	0
6	B	18	0	18	11	0
6	C	9	0	9	4	0
6	D	27	0	27	11	0
7	A	17	0	0	6	0
7	B	17	0	0	12	0
7	C	17	0	0	9	0
7	D	17	0	0	10	0
8	A	10	0	0	0	0
9	B	6	0	8	0	0
10	B	6	0	7	2	0
11	B	20	0	8	1	0
11	D	10	0	4	2	0
12	C	1	0	0	0	0
13	A	401	0	0	22	0
13	B	325	0	0	14	0
13	C	396	0	0	9	0
13	D	311	0	0	18	0
All	All	11012	0	9511	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 208 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:414:DMS:O	13:A:501:HOH:O	1.72	1.04
1:A:47:ARG:HH22	5:A:414:DMS:H22	1.18	1.04
1:C:280:GLU:HG3	4:D:1418:6NA:C6	1.87	1.03
1:C:280:GLU:OE1	13:C:901:HOH:O	1.75	1.02
1:A:47:ARG:HH22	5:A:414:DMS:C2	1.77	0.98

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
1	B	307/314 (98%)	300 (98%)	7 (2%)	0	100	100
1	C	307/314 (98%)	298 (97%)	9 (3%)	0	100	100
1	D	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
All	All	1228/1256 (98%)	1196 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/240 (97%)	232 (100%)	0	100	100
1	B	235/240 (98%)	233 (99%)	2 (1%)	70	60
1	C	234/240 (98%)	233 (100%)	1 (0%)	84	80
1	D	235/240 (98%)	231 (98%)	4 (2%)	53	36
All	All	936/960 (98%)	929 (99%)	7 (1%)	76	67

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	12	LYS
1	D	44	MET
1	D	211	VAL
1	D	151	ARG
1	C	151	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	126	HIS
1	C	126	HIS
1	D	102	ASN
1	D	126	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 88 ligands modelled in this entry, 1 is monoatomic - leaving 87 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	C	803	-	3,3,3	0.42	0	2,2,2	0.36	0
3	EDO	B	602	-	3,3,3	0.26	0	2,2,2	0.80	0
4	6NA	D	1412	-	7,7,7	0.93	0	7,7,7	1.20	0
3	EDO	D	1406	-	3,3,3	0.52	0	2,2,2	0.25	0
9	DIO	B	604	-	6,6,6	0.70	0	6,6,6	1.14	1 (16%)
2	GOL	A	401	-	5,5,5	1.35	1 (20%)	5,5,5	0.78	0
6	CCN	C	807	-	2,2,2	0.99	0	1,1,1	0.18	0
6	CCN	D	1416	-	2,2,2	1.02	0	1,1,1	0.35	0
5	DMS	B	616	-	3,3,3	0.72	0	3,3,3	0.74	0
4	6NA	C	810	-	7,7,7	1.04	0	7,7,7	1.11	0
6	CCN	B	614	-	2,2,2	0.96	0	1,1,1	0.33	0
8	SO4	A	420	-	4,4,4	0.27	0	6,6,6	0.21	0
5	DMS	B	611	-	3,3,3	0.69	0	3,3,3	0.85	0
3	EDO	A	405	-	3,3,3	0.43	0	2,2,2	0.18	0
5	DMS	B	617	-	3,3,3	0.68	0	3,3,3	0.70	0
3	EDO	D	1402	-	3,3,3	0.49	0	2,2,2	0.30	0
6	CCN	D	1419	-	2,2,2	1.04	0	1,1,1	0.21	0
3	EDO	C	804	-	3,3,3	0.40	0	2,2,2	0.73	0
6	CCN	B	618	-	2,2,2	0.93	0	1,1,1	0.18	0
7	D8F	C	817	-	17,17,17	1.27	3 (17%)	19,21,21	1.32	4 (21%)
3	EDO	D	1404	-	3,3,3	0.42	0	2,2,2	0.36	0
11	NPO	B	621	-	10,10,10	1.27	2 (20%)	11,13,13	0.74	0
3	EDO	B	608	-	3,3,3	0.46	0	2,2,2	0.50	0
5	DMS	C	820	-	3,3,3	0.71	0	3,3,3	0.99	0
4	6NA	A	403	-	7,7,7	1.04	0	7,7,7	1.34	1 (14%)
6	CCN	B	610	-	2,2,2	0.96	0	1,1,1	0.34	0
5	DMS	A	415	-	3,3,3	0.52	0	3,3,3	1.10	0
5	DMS	B	622	-	3,3,3	0.87	0	3,3,3	0.80	0
2	GOL	C	813	-	5,5,5	1.44	1 (20%)	5,5,5	0.69	0
6	CCN	D	1415	-	2,2,2	1.01	0	1,1,1	0.22	0
5	DMS	A	406	-	3,3,3	0.80	0	3,3,3	1.52	1 (33%)
3	EDO	C	805	-	3,3,3	0.42	0	2,2,2	0.45	0
3	EDO	C	815	-	3,3,3	0.43	0	2,2,2	0.42	0
2	GOL	D	1410	-	5,5,5	0.88	0	5,5,5	1.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	CCN	A	410	-	2,2,2	0.94	0	1,1,1	0.21	0
3	EDO	B	601	-	3,3,3	0.53	0	2,2,2	0.11	0
2	GOL	C	814	-	5,5,5	0.86	0	5,5,5	0.92	0
2	GOL	D	1401	-	5,5,5	0.84	0	5,5,5	1.62	1 (20%)
3	EDO	C	812	-	3,3,3	0.56	0	2,2,2	0.26	0
3	EDO	D	1414	-	3,3,3	0.44	0	2,2,2	0.89	0
6	CCN	D	1417	-	2,2,2	1.03	0	1,1,1	0.41	0
3	EDO	B	624	-	3,3,3	0.37	0	2,2,2	0.24	0
6	CCN	A	411	-	2,2,2	0.95	0	1,1,1	0.36	0
5	DMS	D	1413	-	3,3,3	0.73	0	3,3,3	0.87	0
3	EDO	C	806	-	3,3,3	0.45	0	2,2,2	0.67	0
5	DMS	A	407	-	3,3,3	0.64	0	3,3,3	0.44	0
6	CCN	A	413	-	2,2,2	0.96	0	1,1,1	0.02	0
3	EDO	B	605	-	3,3,3	0.39	0	2,2,2	0.57	0
3	EDO	A	402	-	3,3,3	0.28	0	2,2,2	0.59	0
6	CCN	D	1403	-	2,2,2	0.94	0	1,1,1	0.35	0
6	CCN	D	1411	-	2,2,2	0.98	0	1,1,1	0.43	0
2	GOL	C	809	-	5,5,5	0.79	0	5,5,5	1.24	0
5	DMS	B	612	-	3,3,3	0.67	0	3,3,3	0.95	0
11	NPO	B	620	-	10,10,10	1.26	1 (10%)	11,13,13	2.14	4 (36%)
7	D8F	D	1423	-	17,17,17	2.66	6 (35%)	19,21,21	3.73	7 (36%)
3	EDO	A	404	-	3,3,3	0.52	0	2,2,2	0.20	0
7	D8F	A	416	-	17,17,17	1.23	3 (17%)	19,21,21	1.29	2 (10%)
5	DMS	C	819	-	3,3,3	0.70	0	3,3,3	0.87	0
10	BUA	B	615	-	5,5,5	1.19	0	5,5,5	1.22	1 (20%)
2	GOL	B	619	-	5,5,5	1.32	1 (20%)	5,5,5	0.95	0
5	DMS	A	414	-	3,3,3	0.74	0	3,3,3	0.85	0
3	EDO	D	1405	-	3,3,3	0.38	0	2,2,2	0.62	0
11	NPO	D	1421	-	10,10,10	1.98	4 (40%)	11,13,13	1.03	1 (9%)
8	SO4	A	419	-	4,4,4	0.24	0	6,6,6	0.09	0
6	CCN	C	811	-	2,2,2	0.95	0	1,1,1	0.28	0
6	CCN	D	1408	-	2,2,2	1.08	0	1,1,1	0.23	0
3	EDO	C	801	-	3,3,3	0.40	0	2,2,2	0.46	0
5	DMS	D	1409	-	3,3,3	0.71	0	3,3,3	0.63	0
2	GOL	C	802	-	5,5,5	1.32	0	5,5,5	1.50	1 (20%)
3	EDO	B	603	-	3,3,3	0.34	0	2,2,2	0.87	0
3	EDO	D	1422	-	3,3,3	0.39	0	2,2,2	0.30	0
3	EDO	A	412	-	3,3,3	0.30	0	2,2,2	0.32	0
7	D8F	B	623	-	17,17,17	2.90	7 (41%)	19,21,21	3.95	7 (36%)
6	CCN	D	1407	-	2,2,2	0.91	0	1,1,1	0.11	0
3	EDO	B	606	-	3,3,3	0.44	0	2,2,2	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	CCN	A	408	-	2,2,2	0.95	0	1,1,1	0.16	0
6	CCN	A	409	-	2,2,2	0.97	0	1,1,1	0.37	0
6	CCN	C	808	-	2,2,2	0.88	0	1,1,1	0.22	0
6	CCN	A	418	-	2,2,2	0.96	0	1,1,1	0.24	0
6	CCN	B	609	-	2,2,2	0.95	0	1,1,1	0.20	0
4	6NA	D	1418	-	7,7,7	1.65	1 (14%)	7,7,7	2.19	1 (14%)
6	CCN	B	607	-	2,2,2	0.92	0	1,1,1	0.41	0
6	CCN	D	1420	-	2,2,2	0.99	0	1,1,1	0.24	0
4	6NA	A	417	-	7,7,7	0.97	0	7,7,7	1.42	1 (14%)
3	EDO	C	818	-	3,3,3	0.59	0	2,2,2	0.47	0
6	CCN	B	613	-	2,2,2	0.95	0	1,1,1	0.50	0
2	GOL	C	816	-	5,5,5	0.85	0	5,5,5	1.33	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NPO	D	1421	-	-	0/2/4/4	0/1/1/1
3	EDO	C	803	-	-	0/1/1/1	-
3	EDO	B	602	-	-	0/1/1/1	-
3	EDO	C	804	-	-	0/1/1/1	-
2	GOL	C	814	-	-	2/4/4/4	-
2	GOL	D	1401	-	-	2/4/4/4	-
3	EDO	C	812	-	-	1/1/1/1	-
4	6NA	D	1412	-	-	3/5/5/5	-
7	D8F	C	817	-	-	5/11/13/13	0/1/1/1
3	EDO	D	1414	-	-	1/1/1/1	-
3	EDO	B	624	-	-	1/1/1/1	-
3	EDO	D	1404	-	-	1/1/1/1	-
11	NPO	B	621	-	-	0/2/4/4	0/1/1/1
3	EDO	C	801	-	-	0/1/1/1	-
3	EDO	D	1406	-	-	1/1/1/1	-
3	EDO	C	806	-	-	1/1/1/1	-
2	GOL	C	802	-	-	2/4/4/4	-
3	EDO	B	603	-	-	0/1/1/1	-
3	EDO	B	608	-	-	0/1/1/1	-
3	EDO	D	1422	-	-	1/1/1/1	-
2	GOL	A	401	-	-	2/4/4/4	-
3	EDO	A	412	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	DIO	B	604	-	-	-	0/1/1/1
3	EDO	B	605	-	-	1/1/1/1	-
4	6NA	A	403	-	-	5/5/5/5	-
7	D8F	B	623	-	-	9/11/13/13	0/1/1/1
3	EDO	A	402	-	-	1/1/1/1	-
4	6NA	C	810	-	-	4/5/5/5	-
2	GOL	C	809	-	-	4/4/4/4	-
3	EDO	B	606	-	-	1/1/1/1	-
11	NPO	B	620	-	-	0/2/4/4	0/1/1/1
7	D8F	D	1423	-	-	4/11/13/13	0/1/1/1
3	EDO	A	404	-	-	1/1/1/1	-
2	GOL	C	813	-	-	2/4/4/4	-
4	6NA	D	1418	-	-	4/5/5/5	-
3	EDO	A	405	-	-	1/1/1/1	-
4	6NA	A	417	-	-	1/5/5/5	-
3	EDO	C	805	-	-	1/1/1/1	-
3	EDO	C	815	-	-	1/1/1/1	-
3	EDO	D	1402	-	-	1/1/1/1	-
7	D8F	A	416	-	-	8/11/13/13	0/1/1/1
2	GOL	D	1410	-	-	4/4/4/4	-
3	EDO	C	818	-	-	1/1/1/1	-
2	GOL	B	619	-	-	4/4/4/4	-
10	BUA	B	615	-	-	3/3/3/3	-
3	EDO	D	1405	-	-	0/1/1/1	-
2	GOL	C	816	-	-	2/4/4/4	-
3	EDO	B	601	-	-	1/1/1/1	-

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	623	D8F	CAP-CAO	6.21	1.50	1.38
7	B	623	D8F	CAQ-CAO	6.17	1.50	1.38
7	D	1423	D8F	CAQ-CAO	5.79	1.49	1.38
7	D	1423	D8F	CAQ-CAN	5.45	1.47	1.38
7	B	623	D8F	CAQ-CAN	4.74	1.46	1.38

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	623	D8F	CAN-CAQ-CAO	-11.10	105.38	120.08
7	D	1423	D8F	CAQ-CAN-CAL	-10.95	107.23	119.73
7	D	1423	D8F	CAQ-CAO-NAE	6.87	125.34	119.34
7	B	623	D8F	CAQ-CAN-CAL	6.78	127.47	119.73
7	B	623	D8F	CAQ-CAO-CAP	6.37	130.12	119.88

There are no chirality outliers.

5 of 87 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	619	GOL	O1-C1-C2-O2
2	B	619	GOL	O1-C1-C2-C3
2	B	619	GOL	C1-C2-C3-O3
2	C	802	GOL	C1-C2-C3-O3
2	C	802	GOL	O2-C2-C3-O3

There are no ring outliers.

49 monomers are involved in 158 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	602	EDO	2	0
4	D	1412	6NA	3	0
6	C	807	CCN	3	0
4	C	810	6NA	1	0
6	B	614	CCN	4	0
3	A	405	EDO	2	0
6	D	1419	CCN	2	0
6	B	618	CCN	4	0
7	C	817	D8F	9	0
3	B	608	EDO	1	0
5	C	820	DMS	4	0
4	A	403	6NA	2	0
5	A	415	DMS	5	0
5	B	622	DMS	1	0
2	C	813	GOL	3	0
6	D	1415	CCN	2	0
5	A	406	DMS	9	0
3	C	805	EDO	1	0
2	D	1410	GOL	1	0
6	A	410	CCN	1	0
2	D	1401	GOL	1	0
3	D	1414	EDO	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	624	EDO	4	0
6	A	411	CCN	1	0
5	A	407	DMS	1	0
3	B	605	EDO	2	0
6	D	1403	CCN	2	0
6	D	1411	CCN	1	0
2	C	809	GOL	6	0
5	B	612	DMS	3	0
11	B	620	NPO	1	0
7	D	1423	D8F	10	0
3	A	404	EDO	1	0
7	A	416	D8F	6	0
5	C	819	DMS	3	0
10	B	615	BUA	2	0
5	A	414	DMS	7	0
11	D	1421	NPO	2	0
6	D	1408	CCN	3	0
3	A	412	EDO	1	0
7	B	623	D8F	12	0
6	D	1407	CCN	1	0
6	A	408	CCN	3	0
6	A	409	CCN	2	0
6	C	808	CCN	1	0
6	B	609	CCN	1	0
4	D	1418	6NA	18	0
6	B	607	CCN	2	0
3	C	818	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	309/314 (98%)	-0.04	4 (1%) 75 81	19, 25, 40, 49	0
1	B	309/314 (98%)	0.22	4 (1%) 75 81	22, 28, 45, 59	0
1	C	309/314 (98%)	-0.05	2 (0%) 85 89	19, 25, 40, 50	0
1	D	309/314 (98%)	0.39	12 (3%) 43 49	21, 29, 49, 62	0
All	All	1236/1256 (98%)	0.13	22 (1%) 67 74	19, 27, 45, 62	0

The worst 5 of 22 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	27	ALA	4.5
1	A	23	GLY	3.5
1	D	44	MET	3.5
1	A	4	THR	3.3
1	B	44	MET	3.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMS	A	414	4/4	0.25	0.41	54,61,62,72	4
5	DMS	A	407	4/4	0.57	0.29	77,77,84,94	0
5	DMS	B	622	4/4	0.62	0.29	58,65,66,75	0
6	CCN	D	1411	3/3	0.63	0.26	47,47,55,56	0
4	6NA	C	810	8/8	0.64	0.26	46,57,65,68	0
5	DMS	D	1413	4/4	0.65	0.28	73,83,92,102	0
3	EDO	A	412	4/4	0.66	0.20	51,54,57,57	0
5	DMS	A	406	4/4	0.67	0.26	66,67,71,89	0
5	DMS	A	415	4/4	0.69	0.23	21,30,62,66	4
7	D8F	A	416	17/17	0.69	0.24	28,42,54,56	0
2	GOL	C	813	6/6	0.70	0.28	47,57,58,61	0
6	CCN	B	610	3/3	0.70	0.37	46,46,52,54	0
7	D8F	B	623	17/17	0.70	0.23	36,44,56,58	0
10	BUA	B	615	6/6	0.71	0.18	33,52,58,61	0
12	NA	C	821	1/1	0.71	0.46	77,77,77,77	0
6	CCN	A	411	3/3	0.72	0.31	46,46,51,53	0
6	CCN	C	807	3/3	0.73	0.27	43,43,50,52	0
11	NPO	D	1421	10/10	0.73	0.35	66,79,114,114	10
6	CCN	A	410	3/3	0.73	0.24	42,42,43,49	0
5	DMS	C	820	4/4	0.74	0.23	63,65,74,79	0
6	CCN	B	613	3/3	0.74	0.22	44,44,54,54	0
5	DMS	B	611	4/4	0.74	0.24	67,75,78,85	0
11	NPO	B	621	10/10	0.74	0.34	147,176,183,186	10
6	CCN	B	607	3/3	0.74	0.25	50,50,52,59	0
6	CCN	D	1415	3/3	0.74	0.25	39,39,40,51	0
7	D8F	D	1423	17/17	0.75	0.19	33,45,54,55	0
6	CCN	D	1417	3/3	0.75	0.22	40,40,50,51	0
6	CCN	D	1420	3/3	0.75	0.23	47,47,50,52	0
4	6NA	D	1418	8/8	0.75	0.27	29,37,44,46	8
6	CCN	D	1407	3/3	0.75	0.25	41,41,48,54	0
6	CCN	A	413	3/3	0.76	0.27	39,39,46,48	0
5	DMS	B	617	4/4	0.76	0.23	59,63,64,70	0
3	EDO	C	812	4/4	0.76	0.26	53,57,63,68	0
5	DMS	B	616	4/4	0.76	0.24	57,79,82,85	0
7	D8F	C	817	17/17	0.76	0.20	26,39,51,51	0
5	DMS	D	1409	4/4	0.77	0.28	74,80,90,94	0
3	EDO	C	806	4/4	0.77	0.19	55,58,59,63	0
3	EDO	B	605	4/4	0.78	0.18	38,48,48,59	0
3	EDO	B	608	4/4	0.78	0.23	57,60,61,65	0
11	NPO	B	620	10/10	0.78	0.33	168,176,183,184	10
6	CCN	D	1416	3/3	0.79	0.22	35,35,38,40	0
3	EDO	C	805	4/4	0.79	0.16	40,40,51,57	0
6	CCN	B	609	3/3	0.79	0.21	47,47,48,51	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	CCN	D	1403	3/3	0.80	0.19	43,43,50,52	0
6	CCN	A	409	3/3	0.80	0.20	44,44,47,47	0
2	GOL	C	816	6/6	0.81	0.23	53,59,66,73	0
5	DMS	C	819	4/4	0.81	0.28	64,66,73,79	0
4	6NA	D	1412	8/8	0.81	0.19	55,68,75,77	0
3	EDO	D	1414	4/4	0.82	0.17	35,40,42,43	0
3	EDO	D	1422	4/4	0.82	0.18	39,46,48,51	0
4	6NA	A	417	8/8	0.82	0.19	55,61,63,66	0
6	CCN	C	811	3/3	0.82	0.22	34,34,43,44	0
4	6NA	A	403	8/8	0.83	0.20	36,42,47,48	0
6	CCN	B	614	3/3	0.83	0.23	39,39,46,58	0
2	GOL	B	619	6/6	0.83	0.18	46,55,60,67	0
3	EDO	C	818	4/4	0.83	0.14	41,42,44,56	0
6	CCN	C	808	3/3	0.84	0.27	49,49,50,50	0
6	CCN	A	408	3/3	0.84	0.22	36,36,45,46	0
6	CCN	A	418	3/3	0.84	0.22	32,32,41,49	0
3	EDO	C	815	4/4	0.85	0.21	49,50,65,65	0
6	CCN	D	1419	3/3	0.85	0.18	39,39,43,49	0
3	EDO	C	803	4/4	0.85	0.15	52,54,61,67	0
3	EDO	A	405	4/4	0.85	0.16	41,50,52,58	0
3	EDO	B	606	4/4	0.85	0.16	51,55,56,62	0
3	EDO	B	601	4/4	0.85	0.18	38,40,49,61	0
8	SO4	A	419	5/5	0.86	0.10	55,58,69,69	0
3	EDO	B	624	4/4	0.86	0.15	38,39,41,42	0
2	GOL	C	814	6/6	0.86	0.14	42,42,52,56	0
2	GOL	D	1401	6/6	0.87	0.13	35,45,46,60	0
2	GOL	D	1410	6/6	0.88	0.14	48,49,58,63	0
3	EDO	B	603	4/4	0.88	0.15	37,45,46,47	0
3	EDO	D	1402	4/4	0.88	0.16	40,43,50,56	0
6	CCN	D	1408	3/3	0.88	0.18	26,26,40,41	0
3	EDO	D	1404	4/4	0.88	0.14	34,43,43,59	0
5	DMS	B	612	4/4	0.89	0.20	48,52,58,59	0
3	EDO	C	804	4/4	0.89	0.15	35,37,46,50	0
3	EDO	C	801	4/4	0.89	0.13	39,42,47,48	0
3	EDO	D	1406	4/4	0.89	0.18	37,40,54,63	0
8	SO4	A	420	5/5	0.89	0.09	56,56,70,84	0
3	EDO	B	602	4/4	0.90	0.15	31,37,41,45	0
2	GOL	C	809	6/6	0.90	0.15	31,40,46,46	6
2	GOL	C	802	6/6	0.90	0.14	29,36,39,43	0
3	EDO	A	404	4/4	0.90	0.16	42,45,46,59	0
3	EDO	D	1405	4/4	0.90	0.12	38,43,45,46	0
3	EDO	A	402	4/4	0.91	0.13	36,40,42,44	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	CCN	B	618	3/3	0.92	0.28	35,35,38,39	0
2	GOL	A	401	6/6	0.93	0.10	30,33,40,40	0
9	DIO	B	604	6/6	0.95	0.09	36,36,37,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around D8F B 623:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around D8F D 1423:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.