



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:22 PM UTC

PDB ID : 3CJT / pdb_00003cjt
Title : Ribosomal protein L11 methyltransferase (PrmA) in complex with dimethylated ribosomal protein L11
Authors : Demirci, H.; Gregory, S.T.; Dahlberg, A.E.; Jogl, G.
Deposited on : 2008-03-13
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	254	
1	C	254	
1	E	254	
1	G	254	
1	I	254	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	K	254	
1	M	254	
1	O	254	
2	B	147	
2	D	147	
2	F	147	
2	H	147	
2	J	147	
2	L	147	
2	N	147	
2	P	147	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CL	I	258	-	-	X	-
7	2MM	F	149	-	-	X	-
7	2MM	M	257	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 23555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal protein L11 methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	0	2	0
			1966	1278	338	346	4			
1	C	250	Total	C	N	O	S	5	0	0
			1922	1245	333	341	3			
1	E	254	Total	C	N	O	S	0	0	0
			1953	1267	337	345	4			
1	G	251	Total	C	N	O	S	5	0	0
			1926	1247	334	342	3			
1	I	254	Total	C	N	O	S	0	1	0
			1961	1273	338	346	4			
1	K	250	Total	C	N	O	S	5	0	0
			1922	1245	333	341	3			
1	M	254	Total	C	N	O	S	0	1	0
			1961	1273	338	346	4			
1	O	250	Total	C	N	O	S	5	0	0
			1922	1245	333	341	3			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	104	ALA	HIS	engineered mutation	UNP Q84BQ9
C	104	ALA	HIS	engineered mutation	UNP Q84BQ9
E	104	ALA	HIS	engineered mutation	UNP Q84BQ9
G	104	ALA	HIS	engineered mutation	UNP Q84BQ9
I	104	ALA	HIS	engineered mutation	UNP Q84BQ9
K	104	ALA	HIS	engineered mutation	UNP Q84BQ9
M	104	ALA	HIS	engineered mutation	UNP Q84BQ9
O	104	ALA	HIS	engineered mutation	UNP Q84BQ9

- Molecule 2 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	126	Total	C	N	O	S	0	0	0
			921	588	166	162	5			
2	D	72	Total	C	N	O	S	4	0	0
			525	341	88	93	3			
2	F	130	Total	C	N	O	S	0	0	0
			950	607	170	168	5			
2	H	71	Total	C	N	O	S	4	0	0
			520	338	87	92	3			
2	J	127	Total	C	N	O	S	0	0	0
			922	588	166	163	5			
2	L	72	Total	C	N	O	S	4	0	0
			525	341	88	93	3			
2	N	130	Total	C	N	O	S	0	0	0
			946	604	169	168	5			
2	P	72	Total	C	N	O	S	4	0	0
			525	341	88	93	3			

- Molecule 3 is NITRATE ION (CCD ID: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		
3	E	1	Total	N	O	0	0
			4	1	3		
3	F	1	Total	N	O	0	0
			4	1	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	I	1	Total	N	O	0	0
			4	1	3		
3	I	1	Total	N	O	0	0
			4	1	3		
3	M	1	Total	N	O	0	0
			4	1	3		
3	N	1	Total	N	O	0	0
			4	1	3		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	I	2	Total	Cl	0	0
			2	2		

- Molecule 5 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: C₁₄H₂₀N₆O₅S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
5	E	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
5	I	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	M	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is N,N-dimethyl-L-methionine (CCD ID: 2MM) (formula: $C_7H_{15}NO_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	N	O	S	0	0
			10	7	1	1	1		
7	F	1	Total	C	N	O	S	0	0
			10	7	1	1	1		
7	J	1	Total	C	N	O	S	0	0
			10	7	1	1	1		
7	M	1	Total	C	N	O	S	0	0
			10	7	1	1	1		

- Molecule 8 is S-ADENOSYLMETHIONINE (CCD ID: SAM) (formula: $C_{15}H_{22}N_6O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
8	G	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
8	K	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
8	O	1	Total	C	N	O	S	0	0
			27	15	6	5	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	263	Total	O	0	5
			268	268		
9	B	87	Total	O	0	2
			89	89		
9	C	173	Total	O	0	0
			173	173		
9	D	25	Total	O	0	0
			25	25		
9	E	248	Total	O	0	0
			248	248		
9	F	61	Total	O	0	0
			61	61		
9	G	198	Total	O	0	0
			198	198		
9	H	22	Total	O	0	0
			22	22		
9	I	200	Total	O	0	0
			200	200		
9	J	67	Total	O	0	0
			67	67		
9	K	142	Total	O	0	0
			142	142		
9	L	10	Total	O	0	0
			10	10		
9	M	193	Total	O	0	0
			193	193		
9	N	46	Total	O	0	0
			46	46		
9	O	145	Total	O	0	0
			145	145		
9	P	5	Total	O	0	0
			5	5		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Ribosomal protein L11 methyltransferase




• Molecule 1: Ribosomal protein L11 methyltransferase



• Molecule 1: Ribosomal protein L11 methyltransferase



• Molecule 1: Ribosomal protein L11 methyltransferase






- Molecule 1: Ribosomal protein L11 methyltransferase

Chain I: 87% 13% .




- Molecule 1: Ribosomal protein L11 methyltransferase

Chain K: 81% 15% ..




- Molecule 1: Ribosomal protein L11 methyltransferase

Chain M: 82% 17% .



- Molecule 1: Ribosomal protein L11 methyltransferase

Chain O: 83% 14% ..




- Molecule 2: 50S ribosomal protein L11

Chain B: 69% 14% . 14%




ASP
ALA


- Molecule 2: 50S ribosomal protein L11

Chain D:  39% 8% 51%


- Molecule 2: 50S ribosomal protein L11

Chain F:  67% 16% 12%


- Molecule 2: 50S ribosomal protein L11

Chain H:  41% 5% 52%


- Molecule 2: 50S ribosomal protein L11

Chain J:  71% 13% 14%


- Molecule 2: 50S ribosomal protein L11

Chain L:  38% 8% 51%

- Molecule 2: 50S ribosomal protein L11



● Molecule 2: 50S ribosomal protein L11



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	69.82Å 69.94Å 379.01Å 90.00° 90.47° 90.00°	Depositor
Resolution (Å)	29.74 – 2.30 29.74 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.3 (29.74-2.30) 94.3 (29.74-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.194 , 0.259 0.190 , 0.252	Depositor DCC
R_{free} test set	7909 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	38.6	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 23.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.407 for -k,-h,-l 0.410 for k,h,-l 0.387 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	23555	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SAM, 2MM, SAH, CL, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/2025	0.93	4/2761 (0.1%)
1	C	1.44	6/1976 (0.3%)	0.98	5/2694 (0.2%)
1	E	0.81	0/2009	0.95	3/2739 (0.1%)
1	G	1.49	3/1980 (0.2%)	0.99	4/2699 (0.1%)
1	I	0.73	0/2017	0.89	1/2750 (0.0%)
1	K	1.40	7/1976 (0.4%)	1.06	3/2694 (0.1%)
1	M	0.74	1/2017 (0.0%)	0.93	3/2750 (0.1%)
1	O	1.18	4/1976 (0.2%)	0.99	4/2694 (0.1%)
2	B	1.72	3/936 (0.3%)	1.07	1/1261 (0.1%)
2	D	1.71	2/536 (0.4%)	1.20	5/730 (0.7%)
2	F	0.74	0/964	1.02	1/1298 (0.1%)
2	H	0.94	2/531 (0.4%)	1.86	4/723 (0.6%)
2	J	0.71	0/937	0.95	0/1264
2	L	2.65	3/536 (0.6%)	1.24	4/730 (0.5%)
2	N	0.68	0/960	0.88	0/1294
2	P	1.01	2/536 (0.4%)	1.16	5/730 (0.7%)
All	All	1.18	33/21912 (0.2%)	1.02	47/29811 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	G	0	1
2	D	0	1
2	H	0	1
2	L	0	1
2	P	0	1
All	All	0	6

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	35	MET	SD-CE	55.56	3.18	1.79
2	B	140	GLY	C-O	46.51	2.16	1.23
1	G	11	GLU	CD-OE1	44.98	2.10	1.25
1	C	11	GLU	CD-OE1	41.45	2.04	1.25
1	K	11	GLU	CG-CD	37.74	2.46	1.52
2	D	63	ARG	CZ-NH2	33.20	1.76	1.33
1	G	11	GLU	CD-OE2	32.65	1.87	1.25
1	C	11	GLU	CD-OE2	31.94	1.86	1.25
1	K	11	GLU	CD-OE2	30.52	1.83	1.25
1	O	11	GLU	CD-OE1	29.31	1.81	1.25
1	O	11	GLU	CD-OE2	24.12	1.71	1.25
1	K	32	GLU	CB-CG	16.16	2.00	1.52
2	L	63	ARG	CZ-NH2	15.97	1.54	1.33
1	K	11	GLU	CD-OE1	13.51	1.51	1.25
1	O	11	GLU	CG-CD	13.31	1.85	1.52
2	D	35	MET	SD-CE	-13.14	1.46	1.79
2	P	39	LYS	CD-CE	12.79	1.90	1.52
2	L	39	LYS	CD-CE	-12.64	1.14	1.52
2	H	39	LYS	CD-CE	-12.13	1.16	1.52
2	P	63	ARG	CZ-NH2	11.04	1.47	1.33
2	H	63	ARG	CZ-NH2	7.66	1.43	1.33
1	C	11	GLU	CG-CD	7.56	1.71	1.52
1	C	32	GLU	CB-CG	6.16	1.71	1.52
1	K	217	THR	CA-CB	5.45	1.61	1.53
2	B	140	GLY	CA-C	5.44	1.61	1.52
2	B	57	ILE	CA-CB	5.41	1.60	1.54
1	G	11	GLU	CG-CD	-5.27	1.38	1.52
1	O	217	THR	CA-CB	5.24	1.60	1.53
1	M	133	VAL	CA-CB	5.21	1.60	1.54
1	C	217	THR	CA-CB	5.10	1.60	1.53
1	K	133	VAL	CA-CB	5.06	1.60	1.54
1	C	189	VAL	CA-CB	5.03	1.61	1.54
1	K	54	VAL	CA-CB	5.01	1.59	1.54

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	63	ARG	NE-CZ-NH2	-36.78	86.10	119.20
1	K	11	GLU	CB-CG-CD	-25.38	69.45	112.60
2	H	63	ARG	NH1-CZ-NH2	19.08	144.10	119.30
2	L	63	ARG	NH1-CZ-NH2	-18.92	94.70	119.30
1	O	32	GLU	CB-CG-CD	-14.61	87.76	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	39	LYS	CG-CD-CE	13.77	142.97	111.30
2	B	140	GLY	CA-C-O	-13.74	91.95	120.80
2	D	63	ARG	NE-CZ-NH2	-13.54	107.02	119.20
2	D	39	LYS	CG-CD-CE	11.98	138.85	111.30
2	P	63	ARG	NE-CZ-NH2	-11.53	108.82	119.20
2	F	2	LYS	O-C-N	-10.87	105.61	123.00
1	C	32	GLU	CA-CB-CG	-9.66	94.77	114.10
2	P	63	ARG	NH1-CZ-NH2	-9.00	107.60	119.30
1	C	11	GLU	OE1-CD-OE2	-8.89	101.57	122.90
1	G	11	GLU	OE1-CD-OE2	-8.87	101.62	122.90
2	P	39	LYS	CG-CD-CE	-8.79	91.08	111.30
1	G	11	GLU	CG-CD-OE2	8.63	138.26	118.40
2	D	39	LYS	CD-CE-NZ	8.39	138.76	111.90
1	O	11	GLU	CB-CG-CD	-8.37	98.36	112.60
2	L	35	MET	CG-SD-CE	8.36	119.30	100.90
2	L	39	LYS	CG-CD-CE	7.93	129.55	111.30
1	K	85	GLU	N-CA-C	7.89	122.28	111.71
2	D	63	ARG	NH1-CZ-NH2	7.26	128.74	119.30
2	P	72	PRO	N-CA-CB	7.21	110.93	103.00
2	D	72	PRO	N-CA-CB	6.98	110.67	103.00
2	L	72	PRO	N-CA-CB	6.89	110.58	103.00
1	G	86	GLY	N-CA-C	6.83	129.36	113.18
1	G	85	GLU	N-CA-C	6.68	121.84	113.43
1	A	237	ARG	CA-C-N	6.08	126.40	119.83
1	A	237	ARG	C-N-CA	6.08	126.40	119.83
1	A	122	ASP	CB-CA-C	6.03	120.56	109.46
1	M	8	GLY	N-CA-C	5.98	118.19	111.85
1	O	86	GLY	N-CA-C	5.83	126.99	113.18
2	P	35	MET	CG-SD-CE	5.62	113.27	100.90
1	O	85	GLU	N-CA-C	5.62	121.00	114.04
1	C	11	GLU	CG-CD-OE2	5.59	131.26	118.40
2	H	39	LYS	CD-CE-NZ	-5.46	94.44	111.90
1	E	118	LEU	CA-CB-CG	5.33	134.95	116.30
1	E	177	GLU	N-CA-C	5.20	116.95	111.28
1	C	62	ALA	N-CA-C	5.10	125.28	111.00
1	E	133	VAL	N-CA-C	5.09	115.71	110.36
1	I	133	VAL	N-CA-C	5.09	116.43	110.62
1	C	47	TYR	N-CA-C	5.02	119.41	113.28
1	K	218	GLY	N-CA-C	-5.02	108.32	115.30
1	M	237	ARG	CA-C-N	5.01	125.16	119.90
1	M	237	ARG	C-N-CA	5.01	125.16	119.90
1	A	177	GLU	N-CA-C	5.00	117.38	111.33

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	11	GLU	Sidechain
2	D	63	ARG	Sidechain
1	G	11	GLU	Sidechain
2	H	63	ARG	Sidechain
2	L	63	ARG	Sidechain
2	P	63	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1966	0	1974	28	0
1	C	1922	0	1917	35	0
1	E	1953	0	1953	31	0
1	G	1926	0	1920	26	0
1	I	1961	0	1963	23	0
1	K	1922	0	1917	32	0
1	M	1961	0	1963	24	0
1	O	1922	0	1917	22	0
2	B	921	0	974	13	1
2	D	525	0	549	8	0
2	F	950	0	1001	24	0
2	H	520	0	548	7	0
2	J	922	0	968	14	0
2	L	525	0	549	9	0
2	N	946	0	990	16	0
2	P	525	0	549	7	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	E	4	0	0	0	0
3	F	4	0	0	1	0
3	I	8	0	0	0	0
3	M	4	0	0	0	0
3	N	4	0	0	0	0
4	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	I	2	0	0	2	0
5	A	26	0	19	0	0
5	E	26	0	19	0	0
5	I	26	0	19	0	0
5	M	26	0	19	0	0
6	A	4	0	6	1	0
6	B	4	0	6	0	0
7	B	10	0	14	3	0
7	F	10	0	14	8	0
7	J	10	0	14	1	0
7	M	10	0	14	10	0
8	C	27	0	22	3	0
8	G	27	0	22	2	0
8	K	27	0	22	4	0
8	O	27	0	22	4	0
9	A	268	0	0	7	0
9	B	89	0	0	0	0
9	C	173	0	0	7	0
9	D	25	0	0	1	0
9	E	248	0	0	5	0
9	F	61	0	0	2	0
9	G	198	0	0	6	1
9	H	22	0	0	1	0
9	I	200	0	0	7	0
9	J	67	0	0	1	0
9	K	142	0	0	9	0
9	L	10	0	0	1	0
9	M	193	0	0	5	0
9	N	46	0	0	0	0
9	O	145	0	0	2	0
9	P	5	0	0	0	0
All	All	23555	0	21884	307	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (307) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:244:GLU:HG3	9:E:297:HOH:O	1.33	1.26
7:M:257:2MM:O	2:N:2:LYS:N	1.78	1.17

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:61:GLU:HG3	1:O:65:ARG:HB3	1.38	1.04
1:C:164:ARG:HG2	1:C:164:ARG:HH11	1.25	1.01
2:L:1:MET:H3	2:L:2:LYS:HA	1.31	0.95
1:O:73:PRO:O	1:O:112:LYS:HG2	1.67	0.93
8:C:302:SAM:HA	9:C:330:HOH:O	1.71	0.91
2:L:1:MET:N	2:L:2:LYS:HA	1.82	0.90
2:B:140:GLY:C	2:B:140:GLY:O	2.16	0.89
2:P:1:MET:N	2:P:2:LYS:HA	1.88	0.88
7:M:257:2MM:O	2:N:2:LYS:CA	2.21	0.88
1:C:206:GLU:HG3	9:C:456:HOH:O	1.73	0.87
1:E:187:LEU:HD12	1:E:213:ARG:HB2	1.58	0.86
1:I:244:GLU:HG3	9:I:327:HOH:O	1.75	0.86
1:A:203:ARG:NH1	1:A:206:GLU:OE2	2.09	0.85
1:G:61:GLU:HB2	1:G:64:ARG:HB2	1.55	0.85
1:K:61:GLU:HB2	1:K:64:ARG:HB2	1.58	0.84
1:M:187:LEU:HD13	1:M:213:ARG:HB2	1.61	0.82
1:C:61:GLU:HB2	1:C:64:ARG:HB2	1.62	0.81
1:E:238:PRO:HD3	9:E:431:HOH:O	1.79	0.81
1:O:191:ASN:O	8:O:302:SAM:HE2	1.79	0.81
2:J:16:LYS:CB	9:J:149:HOH:O	2.29	0.80
1:K:164:ARG:HH11	1:K:164:ARG:HG2	1.47	0.80
1:C:108:ARG:NH1	1:C:244:GLU:OE2	2.15	0.80
1:G:62:ALA:O	1:G:65:ARG:HG2	1.81	0.80
1:K:108:ARG:NH1	1:K:244:GLU:OE2	2.18	0.76
1:A:144:LYS:CD	9:A:517:HOH:O	2.33	0.76
1:A:168:ARG:HG2	9:A:518:HOH:O	1.86	0.76
1:C:61:GLU:H	1:C:64:ARG:H	1.34	0.75
1:M:187:LEU:CD1	1:M:213:ARG:HB2	2.17	0.75
1:E:187:LEU:CD1	1:E:213:ARG:HB2	2.17	0.74
1:C:191:ASN:HB3	8:C:302:SAM:HB2	1.68	0.74
1:G:237:ARG:NH2	9:G:355:HOH:O	1.90	0.73
1:E:47:TYR:O	1:E:48:GLU:HG2	1.87	0.73
1:A:144:LYS:HD2	9:A:517:HOH:O	1.87	0.73
1:E:220:LEU:HG	7:F:149:2MM:HE	1.69	0.73
7:M:257:2MM:HA	2:N:2:LYS:N	2.03	0.73
1:I:244:GLU:CG	9:I:327:HOH:O	2.33	0.73
7:M:257:2MM:HEA	2:N:3:LYS:HE2	1.70	0.72
1:E:247:TRP:CZ3	7:F:149:2MM:HEA	2.25	0.72
1:O:96:GLY:C	9:O:384:HOH:O	2.31	0.72
2:F:112:MET:CB	2:F:113:PRO:HD3	2.20	0.72
2:D:1:MET:H3	2:D:2:LYS:HA	1.53	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:73:PRO:O	1:O:112:LYS:CG	2.40	0.70
1:A:238:PRO:HD3	9:A:400:HOH:O	1.92	0.70
2:B:106:GLU:HG3	2:B:107:ILE:N	2.06	0.70
2:D:49:GLY:C	2:D:51:ALA:H	1.99	0.69
1:A:71:LEU:HD22	1:A:76:VAL:HG23	1.73	0.69
2:N:134:MET:H	2:N:135:GLY:HA2	1.56	0.68
1:I:203:ARG:CZ	1:I:206:GLU:OE2	2.41	0.68
7:M:257:2MM:C	2:N:2:LYS:N	2.56	0.67
1:A:187[A]:LEU:HD12	1:A:213:ARG:HB2	1.75	0.67
1:O:191:ASN:O	8:O:302:SAM:CE	2.41	0.67
2:P:1:MET:H3	2:P:2:LYS:HA	1.59	0.67
1:E:203:ARG:CZ	1:E:206:GLU:OE2	2.42	0.66
1:K:94:GLU:OE1	9:K:402:HOH:O	2.12	0.66
1:A:244:GLU:HG2	9:A:464:HOH:O	1.95	0.65
2:J:79:ARG:HG2	2:J:84:LEU:HD12	1.77	0.65
1:K:86:GLY:N	9:K:368:HOH:O	2.30	0.65
1:G:61:GLU:HA	1:G:62:ALA:C	2.21	0.65
1:C:61:GLU:HG3	1:C:65:ARG:HB3	1.79	0.64
1:A:119:ARG:HD2	1:C:144:LYS:HD2	1.79	0.64
2:H:1:MET:N	2:H:2:LYS:HA	2.12	0.64
8:K:302:SAM:N	9:K:325:HOH:O	2.30	0.64
7:M:257:2MM:CA	2:N:2:LYS:N	2.61	0.64
1:E:119:ARG:HD2	1:G:144:LYS:HD2	1.78	0.64
1:O:61:GLU:HA	1:O:62:ALA:C	2.21	0.64
2:B:106:GLU:HG3	2:B:107:ILE:H	1.61	0.64
1:C:164:ARG:HH11	1:C:164:ARG:CG	2.06	0.64
1:C:59:TRP:HA	9:D:1842:HOH:O	1.98	0.64
1:G:1:MET:HE2	1:G:38:PHE:HB3	1.79	0.63
1:K:153:MET:HA	1:K:153:MET:HE2	1.80	0.63
1:K:112:LYS:HG2	1:K:116:ARG:HH21	1.64	0.63
2:N:134:MET:N	2:N:135:GLY:HA2	2.14	0.63
2:F:134:MET:H	2:F:135:GLY:HA2	1.63	0.63
3:F:148:NO3:O1	9:F:756:HOH:O	2.15	0.62
2:H:1:MET:H2	2:H:2:LYS:HA	1.64	0.61
1:C:237:ARG:NH2	9:C:336:HOH:O	1.99	0.61
1:G:116:ARG:NH1	1:G:240:GLU:OE2	2.34	0.61
2:J:121:GLU:HG3	2:J:122:ALA:H	1.66	0.61
1:K:85:GLU:C	9:K:368:HOH:O	2.42	0.61
1:O:62:ALA:O	1:O:65:ARG:HG2	2.01	0.61
1:C:246:GLU:OE1	9:C:360:HOH:O	2.17	0.60
1:A:144:LYS:HD3	9:A:517:HOH:O	2.00	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:1:MET:H2	2:P:2:LYS:HA	1.65	0.60
1:A:71:LEU:HD21	1:A:84:TRP:CH2	2.37	0.59
1:E:148:VAL:HG12	1:E:172:LEU:HB3	1.85	0.58
1:G:61:GLU:HG3	1:G:65:ARG:HB3	1.85	0.58
1:K:191:ASN:O	8:K:302:SAM:HG1	2.04	0.58
2:F:134:MET:N	2:F:135:GLY:HA2	2.17	0.57
1:G:128:GLY:O	8:G:302:SAM:HG2	2.04	0.57
1:I:81:TRP:NE1	9:I:291:HOH:O	2.27	0.56
1:E:247:TRP:HZ3	7:F:149:2MM:HEA	1.69	0.56
1:K:47:TYR:O	1:K:48:GLU:HB2	2.04	0.56
8:K:302:SAM:H5'2	9:K:414:HOH:O	2.06	0.56
1:A:193:TYR:HB3	7:B:149:2MM:HB	1.88	0.56
2:F:47:ASN:HD21	2:F:48:MET:HE2	1.69	0.56
1:K:224:ALA:O	1:K:228:ARG:HG3	2.04	0.56
2:J:134:MET:N	2:J:135:GLY:HA2	2.19	0.56
1:E:1:MET:N	1:E:56:ASP:OD1	2.37	0.55
1:O:164:ARG:HG2	1:O:164:ARG:HH11	1.71	0.55
1:K:116:ARG:NH1	1:K:240:GLU:OE2	2.40	0.55
2:F:112:MET:HB3	2:F:113:PRO:HD3	1.87	0.55
1:C:164:ARG:HG2	1:C:164:ARG:NH1	2.04	0.55
2:F:2:LYS:CA	7:F:149:2MM:C	2.78	0.55
1:E:61:GLU:OE1	9:E:362:HOH:O	2.18	0.55
1:K:128:GLY:O	8:K:302:SAM:HA	2.06	0.55
1:G:237:ARG:NE	9:G:355:HOH:O	2.31	0.55
1:A:124:VAL:HG22	1:A:187[A]:LEU:HB3	1.88	0.54
1:C:191:ASN:HD22	8:C:302:SAM:C	2.19	0.54
2:F:98:ARG:HA	2:F:137:GLU:O	2.06	0.54
1:K:1:MET:O	1:K:54:VAL:HG13	2.07	0.54
1:O:61:GLU:HB2	1:O:64:ARG:HB2	1.88	0.54
2:B:134:MET:H	2:B:135:GLY:HA2	1.72	0.54
1:A:144:LYS:HE2	1:E:144:LYS:HG2	1.89	0.54
1:M:237:ARG:NH1	9:M:367:HOH:O	2.40	0.53
2:N:62:ASP:O	2:N:63:ARG:HB2	2.08	0.53
1:I:170:ARG:NH1	4:I:258:CL:CL	2.77	0.53
2:D:49:GLY:C	2:D:51:ALA:N	2.66	0.53
1:I:60:LEU:HD11	2:J:35:MET:HG2	1.92	0.52
1:A:211:GLY:HA3	6:A:259:EDO:H12	1.91	0.52
1:G:238:PRO:HD3	9:G:381:HOH:O	2.10	0.52
1:K:153:MET:HE3	9:K:415:HOH:O	2.08	0.52
1:K:61:GLU:H	1:K:64:ARG:H	1.57	0.52
2:N:8:VAL:HG11	2:N:26:ALA:HB1	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:94:GLU:HG3	1:O:89:ILE:HG23	1.92	0.52
1:G:83:THR:HG22	1:G:83:THR:O	2.09	0.52
1:C:238:PRO:HG2	9:C:475:HOH:O	2.11	0.51
2:J:134:MET:H	2:J:135:GLY:HA2	1.74	0.51
1:G:238:PRO:CD	9:G:381:HOH:O	2.59	0.51
1:I:60:LEU:HD21	2:J:35:MET:HG2	1.92	0.51
2:F:112:MET:HB2	2:F:113:PRO:HD3	1.91	0.51
1:G:191:ASN:O	8:G:302:SAM:HG1	2.10	0.51
1:I:148:VAL:HG12	1:I:172:LEU:HB3	1.92	0.51
2:D:49:GLY:O	2:D:51:ALA:N	2.43	0.51
1:K:164:ARG:HD2	9:K:394:HOH:O	2.11	0.51
1:K:45:LEU:HB3	1:K:47:TYR:CD1	2.46	0.51
1:G:61:GLU:H	1:G:63:TRP:N	2.09	0.50
1:K:85:GLU:HA	9:K:408:HOH:O	2.10	0.50
1:I:103:HIS:HE1	9:I:272:HOH:O	1.93	0.50
1:K:164:ARG:HG2	1:K:164:ARG:NH1	2.21	0.50
1:M:144:LYS:HB2	9:M:375:HOH:O	2.12	0.50
2:B:108:ALA:HA	2:B:127:ILE:HD13	1.93	0.50
1:C:164:ARG:CG	1:C:164:ARG:NH1	2.71	0.50
1:I:5:ARG:NH2	9:I:314:HOH:O	2.45	0.50
2:B:134:MET:N	2:B:135:GLY:HA2	2.26	0.50
1:M:14:ASP:HB3	1:M:15:PRO:HD3	1.94	0.50
1:A:3:VAL:HG21	1:A:36:TRP:CE3	2.47	0.49
1:M:104:ALA:HB2	2:N:62:ASP:HB3	1.94	0.49
1:M:192:LEU:O	7:M:257:2MM:HBA	2.13	0.49
2:B:79:ARG:HG2	2:B:84:LEU:HD12	1.94	0.49
1:E:104:ALA:HB2	2:F:62:ASP:HB3	1.94	0.49
1:C:116:ARG:NH1	1:C:240:GLU:OE2	2.46	0.49
1:K:62:ALA:HB1	9:L:957:HOH:O	2.12	0.49
1:A:187[A]:LEU:CD1	1:A:213:ARG:HB2	2.41	0.49
1:C:47:TYR:O	1:C:48:GLU:HB2	2.13	0.49
2:F:112:MET:CB	2:F:113:PRO:CD	2.90	0.49
1:K:83:THR:O	1:K:83:THR:HG22	2.13	0.49
1:O:57:GLU:CD	1:O:57:GLU:H	2.20	0.49
1:O:108:ARG:HH11	1:O:244:GLU:CD	2.19	0.49
1:C:140:LYS:HE3	9:C:335:HOH:O	2.12	0.48
1:M:244:GLU:HG2	9:M:299:HOH:O	2.13	0.48
1:M:220:LEU:HD11	7:M:257:2MM:CE	2.43	0.48
1:M:238:PRO:HD3	9:M:355:HOH:O	2.12	0.48
2:J:8:VAL:HG11	2:J:26:ALA:HB1	1.94	0.48
1:K:28:LEU:HB2	2:L:11:GLN:HB2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:217:THR:HB	1:M:249:LEU:HD12	1.96	0.48
1:C:210:PRO:HA	1:C:254:ARG:HD2	1.95	0.48
2:D:1:MET:N	2:D:2:LYS:HA	2.25	0.48
2:F:96:VAL:CG1	2:F:97:GLY:N	2.77	0.48
1:A:194:ALA:CB	1:A:223:ARG:HB3	2.44	0.48
1:E:220:LEU:HG	7:F:149:2MM:CE	2.39	0.48
2:P:45:THR:HG22	2:P:48:MET:HE3	1.96	0.48
1:A:118[A]:LEU:CD1	1:A:122:ASP:OD1	2.62	0.47
1:A:65:ARG:O	1:A:68:LYS:NZ	2.48	0.47
1:E:247:TRP:CH2	7:F:149:2MM:HEA	2.49	0.47
2:B:23:VAL:HG12	2:B:34:ILE:HG23	1.96	0.47
1:G:61:GLU:CA	1:G:62:ALA:C	2.87	0.47
1:M:17:LEU:HD22	1:M:28:LEU:HD13	1.96	0.47
1:E:220:LEU:CG	7:F:149:2MM:HE	2.43	0.47
1:K:29:TRP:HB2	2:L:22:PRO:HB3	1.96	0.47
1:E:118:LEU:HB2	1:E:187:LEU:HD22	1.96	0.47
1:G:205:ARG:HD2	1:G:234:ALA:O	2.15	0.47
1:G:5:ARG:HB2	1:G:50:VAL:HG12	1.97	0.47
1:K:45:LEU:HB3	1:K:47:TYR:HD1	1.80	0.47
1:K:187:LEU:HD12	1:K:213:ARG:HB2	1.96	0.47
1:G:123:LYS:NZ	1:G:182:PHE:O	2.41	0.46
2:H:61:ALA:HB3	9:H:161:HOH:O	2.14	0.46
1:I:104:ALA:HB2	2:J:62:ASP:HB3	1.97	0.46
2:J:2:LYS:HB3	2:J:60:TYR:CE1	2.50	0.46
1:A:119:ARG:CD	1:C:144:LYS:HD2	2.44	0.46
1:E:195:GLU:OE2	1:E:223:ARG:HD2	2.15	0.46
7:M:257:2MM:O	2:N:2:LYS:HA	2.13	0.46
2:F:89:HIS:O	2:F:90:LYS:HD2	2.15	0.46
1:A:122:ASP:HB2	1:A:186:ASP:CB	2.46	0.46
2:F:112:MET:HB3	2:F:113:PRO:CD	2.46	0.46
1:O:116:ARG:NH1	1:O:240:GLU:OE2	2.47	0.46
1:A:131:SER:O	1:A:158:ALA:HA	2.16	0.46
2:B:123:ALA:C	2:B:125:ARG:H	2.24	0.46
1:C:83:THR:HG22	1:C:83:THR:O	2.16	0.46
1:C:205:ARG:HD2	1:C:234:ALA:O	2.16	0.46
1:C:108:ARG:HD2	1:C:244:GLU:OE1	2.15	0.46
2:L:3:LYS:HB2	2:L:61:ALA:HB2	1.98	0.46
2:J:98:ARG:HB3	2:J:137:GLU:HB2	1.98	0.46
1:C:6:LEU:HD13	1:C:16:ILE:HD11	1.98	0.45
1:O:164:ARG:HG2	1:O:164:ARG:NH1	2.30	0.45
1:C:118:LEU:CD1	1:C:122:ASP:HB2	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:108:ARG:O	1:O:112:LYS:HD3	2.16	0.45
1:C:61:GLU:N	1:C:64:ARG:H	2.08	0.45
2:N:112:MET:HB3	2:N:113:PRO:HD3	1.98	0.45
2:F:8:VAL:HG11	2:F:26:ALA:HB1	1.99	0.45
1:E:118:LEU:HB2	1:E:187:LEU:CD2	2.46	0.45
2:N:102:GLU:HB2	2:N:140:GLY:H	1.82	0.45
2:P:71:THR:HA	2:P:72:PRO:HA	1.72	0.45
2:F:96:VAL:HG13	2:F:97:GLY:H	1.81	0.45
1:C:110:ALA:O	1:C:114:LEU:HB2	2.17	0.45
2:J:109:LYS:HA	2:J:112:MET:HB2	1.98	0.45
2:D:71:THR:HA	2:D:72:PRO:HA	1.72	0.45
1:M:194:ALA:CB	1:M:223:ARG:HB3	2.46	0.45
1:M:59:TRP:HD1	9:M:408:HOH:O	2.00	0.45
1:M:105:GLU:HG2	1:M:244:GLU:HG3	1.99	0.45
2:B:98:ARG:HA	2:B:137:GLU:O	2.17	0.44
1:G:254:ARG:O	1:G:254:ARG:HD3	2.17	0.44
1:E:223:ARG:O	1:E:226:LEU:HB2	2.18	0.44
1:I:193:TYR:HB3	7:J:148:2MM:HB	1.99	0.44
1:I:210:PRO:HA	1:I:254:ARG:HD2	1.98	0.44
1:I:223:ARG:NE	9:I:311:HOH:O	2.43	0.44
1:M:72:ALA:O	1:M:73:PRO:C	2.60	0.44
1:C:224:ALA:N	1:C:225:PRO:CD	2.80	0.44
2:F:62:ASP:O	2:F:63:ARG:HB2	2.17	0.44
1:C:148:VAL:HA	1:C:172:LEU:O	2.18	0.44
1:I:118[A]:LEU:CD1	1:I:122:ASP:HB2	2.48	0.44
1:C:139:GLU:HG3	1:C:169:PRO:HG3	1.99	0.43
1:O:61:GLU:CA	1:O:62:ALA:C	2.89	0.43
1:C:151:ASP:O	1:C:154:VAL:HG22	2.18	0.43
1:C:237:ARG:NE	9:C:336:HOH:O	2.41	0.43
2:H:1:MET:N	2:H:2:LYS:CA	2.80	0.43
1:I:127:LEU:HD12	1:I:148:VAL:HG23	1.99	0.43
2:J:23:VAL:HG12	2:J:34:ILE:HG23	1.99	0.43
1:K:61:GLU:HG3	1:K:65:ARG:HB3	2.01	0.43
1:E:7:LYS:HB2	9:E:278:HOH:O	2.18	0.43
1:E:14:ASP:HB3	1:E:15:PRO:HD3	2.00	0.43
1:I:195:GLU:OE2	1:I:223:ARG:HD2	2.18	0.43
1:K:164:ARG:HH11	1:K:164:ARG:CG	2.25	0.43
1:I:244:GLU:HG2	9:I:327:HOH:O	2.12	0.43
1:M:231:MET:O	1:M:236:PHE:HB2	2.18	0.43
1:I:109:LEU:HD21	1:I:244:GLU:HB2	2.01	0.43
1:A:220:LEU:HD11	7:B:149:2MM:HEB	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:28:LEU:HB2	2:D:11:GLN:HB2	2.01	0.42
1:O:2:TRP:CG	1:O:42:PRO:HD3	2.54	0.42
1:G:29:TRP:HB2	2:H:22:PRO:HB3	2.01	0.42
1:C:61:GLU:HA	1:C:62:ALA:C	2.44	0.42
1:I:72:ALA:O	1:I:73:PRO:C	2.63	0.42
2:L:71:THR:HA	2:L:72:PRO:HA	1.70	0.42
2:D:23:VAL:HG12	2:D:34:ILE:HG23	2.01	0.42
1:K:1:MET:HB2	9:K:345:HOH:O	2.19	0.42
1:K:205:ARG:HD2	1:K:234:ALA:O	2.20	0.42
1:M:220:LEU:HG	7:M:257:2MM:HEB	2.02	0.42
1:I:127:LEU:HD12	1:I:148:VAL:CG2	2.50	0.42
1:M:63:TRP:CH2	1:M:81:TRP:CH2	3.07	0.42
1:O:61:GLU:H	1:O:64:ARG:H	1.66	0.42
1:A:144:LYS:HG2	1:E:144:LYS:HE2	2.01	0.42
2:H:18:THR:HB	2:H:19:PRO:HD2	2.01	0.42
2:L:9:LYS:HG3	2:L:56:GLU:HG2	2.01	0.42
1:G:237:ARG:CZ	9:G:355:HOH:O	2.43	0.42
2:L:24:GLY:HA2	2:L:34:ILE:HD13	2.00	0.42
1:M:3:VAL:HG21	1:M:36:TRP:CE3	2.55	0.42
1:O:254:ARG:O	1:O:254:ARG:HD3	2.20	0.42
1:E:139:GLU:HG3	1:E:169:PRO:HG3	2.02	0.42
1:M:106:THR:HG21	1:M:218:GLY:HA2	2.02	0.42
1:G:224:ALA:N	1:G:225:PRO:CD	2.83	0.41
1:M:177:GLU:HA	1:M:180:LEU:HD13	2.00	0.41
1:O:29:TRP:HB2	2:P:22:PRO:HB3	2.02	0.41
2:B:8:VAL:HG11	2:B:26:ALA:HB1	2.03	0.41
1:E:119:ARG:HD3	9:G:332:HOH:O	2.20	0.41
2:F:126:MET:O	2:F:127:ILE:HG13	2.20	0.41
2:N:18:THR:HB	2:N:19:PRO:HD2	2.03	0.41
1:A:237:ARG:HD3	9:A:369:HOH:O	2.20	0.41
1:K:67:LEU:HD21	2:L:35:MET:HG3	2.02	0.41
2:B:96:VAL:CG1	2:B:97:GLY:N	2.83	0.41
1:K:61:GLU:N	1:K:64:ARG:H	2.18	0.41
2:N:132:ARG:NH2	2:N:138:VAL:HB	2.36	0.41
1:G:67:LEU:HD21	2:H:35:MET:HG3	2.03	0.41
2:F:134:MET:HB3	2:F:136:VAL:HG23	2.01	0.41
1:I:176:LEU:O	1:I:180:LEU:HD13	2.20	0.41
1:I:217:THR:HB	1:I:249:LEU:HD12	2.02	0.41
2:B:108:ALA:O	2:B:112:MET:HB2	2.21	0.41
1:G:13:LEU:O	1:G:17:LEU:HG	2.21	0.41
2:P:1:MET:HG3	2:P:2:LYS:C	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:87:GLY:O	2:F:89:HIS:N	2.53	0.41
1:A:247:TRP:CH2	7:B:149:2MM:HG	2.56	0.41
2:F:109:LYS:HG3	2:F:112:MET:HE2	2.03	0.41
2:F:97:GLY:C	2:F:136:VAL:HG13	2.46	0.41
1:G:180:LEU:HB3	1:G:181:PRO:HD3	2.03	0.40
4:I:258:CL:CL	1:M:170:ARG:NH2	2.90	0.40
1:O:26:ARG:HE	1:O:40:PRO:HG3	1.86	0.40
2:J:112:MET:SD	2:J:120:LEU:HA	2.61	0.40
1:E:217:THR:HB	1:E:249:LEU:HD12	2.03	0.40
1:A:124:VAL:HG22	1:A:187[B]:LEU:HB3	2.02	0.40
1:E:131:SER:O	1:E:158:ALA:HA	2.21	0.40
1:E:225:PRO:O	1:E:229:GLU:HG3	2.21	0.40
2:F:2:LYS:N	7:F:149:2MM:O	2.35	0.40
2:F:12:LEU:HD22	9:F:380:HOH:O	2.22	0.40
1:M:1:MET:HG2	1:M:39:PHE:O	2.21	0.40
8:O:302:SAM:HE1	9:O:438:HOH:O	2.21	0.40
8:O:302:SAM:HG2	8:O:302:SAM:H4'	2.01	0.40
1:E:85:GLU:HG3	9:E:272:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:134:MET:O	9:G:459:HOH:O[2_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/254 (100%)	243 (96%)	11 (4%)	0	100	100
1	C	246/254 (97%)	237 (96%)	8 (3%)	1 (0%)	30	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	252/254 (99%)	247 (98%)	4 (2%)	1 (0%)	30	38
1	G	247/254 (97%)	238 (96%)	6 (2%)	3 (1%)	10	12
1	I	253/254 (100%)	242 (96%)	11 (4%)	0	100	100
1	K	246/254 (97%)	236 (96%)	8 (3%)	2 (1%)	16	20
1	M	253/254 (100%)	246 (97%)	7 (3%)	0	100	100
1	O	246/254 (97%)	236 (96%)	8 (3%)	2 (1%)	16	20
2	B	120/147 (82%)	112 (93%)	7 (6%)	1 (1%)	16	20
2	D	70/147 (48%)	64 (91%)	4 (6%)	2 (3%)	3	2
2	F	122/147 (83%)	113 (93%)	7 (6%)	2 (2%)	7	7
2	H	69/147 (47%)	65 (94%)	3 (4%)	1 (1%)	9	9
2	J	121/147 (82%)	115 (95%)	6 (5%)	0	100	100
2	L	70/147 (48%)	66 (94%)	4 (6%)	0	100	100
2	N	122/147 (83%)	120 (98%)	1 (1%)	1 (1%)	16	20
2	P	70/147 (48%)	66 (94%)	3 (4%)	1 (1%)	9	9
All	All	2761/3208 (86%)	2646 (96%)	98 (4%)	17 (1%)	21	27

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	50	ASP
1	E	32	GLU
2	F	124	ALA
1	G	62	ALA
1	G	86	GLY
2	H	49	GLY
1	O	62	ALA
1	O	86	GLY
1	C	61	GLU
2	D	48	MET
2	F	112	MET
1	G	32	GLU
1	K	61	GLU
2	N	122	ALA
1	K	48	GLU
2	P	48	MET
2	B	139	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	190/188 (101%)	186 (98%)	4 (2%)	47 66
1	C	185/188 (98%)	169 (91%)	16 (9%)	10 13
1	E	188/188 (100%)	181 (96%)	7 (4%)	30 45
1	G	185/188 (98%)	168 (91%)	17 (9%)	8 11
1	I	189/188 (100%)	180 (95%)	9 (5%)	23 35
1	K	185/188 (98%)	175 (95%)	10 (5%)	20 29
1	M	189/188 (100%)	178 (94%)	11 (6%)	18 26
1	O	185/188 (98%)	171 (92%)	14 (8%)	12 16
2	B	92/111 (83%)	87 (95%)	5 (5%)	20 29
2	D	54/111 (49%)	52 (96%)	2 (4%)	30 45
2	F	95/111 (86%)	83 (87%)	12 (13%)	4 5
2	H	54/111 (49%)	52 (96%)	2 (4%)	30 45
2	J	91/111 (82%)	86 (94%)	5 (6%)	19 28
2	L	54/111 (49%)	52 (96%)	2 (4%)	30 45
2	N	94/111 (85%)	90 (96%)	4 (4%)	26 39
2	P	54/111 (49%)	51 (94%)	3 (6%)	19 28
All	All	2084/2392 (87%)	1961 (94%)	123 (6%)	18 26

All (123) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	180	LEU
1	A	188	LEU
1	A	223	ARG
1	A	254	ARG
2	B	80	LYS
2	B	96	VAL
2	B	106	GLU
2	B	127	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	138	VAL
1	C	16	ILE
1	C	26	ARG
1	C	32	GLU
1	C	44	ASP
1	C	50	VAL
1	C	54	VAL
1	C	57	GLU
1	C	114	LEU
1	C	119	ARG
1	C	164	ARG
1	C	172	LEU
1	C	176	LEU
1	C	200	LEU
1	C	216	LEU
1	C	220	LEU
1	C	254	ARG
2	D	3	LYS
2	D	71	THR
1	E	85	GLU
1	E	118	LEU
1	E	180	LEU
1	E	188	LEU
1	E	221	LYS
1	E	226	LEU
1	E	254	ARG
2	F	3	LYS
2	F	16	LYS
2	F	48	MET
2	F	70	LYS
2	F	80	LYS
2	F	84	LEU
2	F	94	GLU
2	F	96	VAL
2	F	109	LYS
2	F	112	MET
2	F	127	ILE
2	F	138	VAL
1	G	7	LYS
1	G	50	VAL
1	G	54	VAL
1	G	91	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	108	ARG
1	G	114	LEU
1	G	129	THR
1	G	140	LYS
1	G	172	LEU
1	G	176	LEU
1	G	180	LEU
1	G	200	LEU
1	G	213	ARG
1	G	216	LEU
1	G	220	LEU
1	G	244	GLU
1	G	254	ARG
2	H	1	MET
2	H	63	ARG
1	I	7	LYS
1	I	28	LEU
1	I	56	ASP
1	I	57	GLU
1	I	67	LEU
1	I	180	LEU
1	I	221	LYS
1	I	226	LEU
1	I	254	ARG
2	J	84	LEU
2	J	96	VAL
2	J	106	GLU
2	J	109	LYS
2	J	121	GLU
1	K	7	LYS
1	K	54	VAL
1	K	91	LEU
1	K	172	LEU
1	K	176	LEU
1	K	187	LEU
1	K	200	LEU
1	K	216	LEU
1	K	220	LEU
1	K	254	ARG
2	L	39	LYS
2	L	48	MET
1	M	56	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	M	67	LEU
1	M	71	LEU
1	M	83	THR
1	M	118	LEU
1	M	180	LEU
1	M	188	LEU
1	M	221	LYS
1	M	226[A]	LEU
1	M	226[B]	LEU
1	M	254	ARG
2	N	86	LYS
2	N	96	VAL
2	N	120	LEU
2	N	125	ARG
1	O	50	VAL
1	O	54	VAL
1	O	83	THR
1	O	91	LEU
1	O	101	THR
1	O	114	LEU
1	O	172	LEU
1	O	176	LEU
1	O	177	GLU
1	O	180	LEU
1	O	200	LEU
1	O	216	LEU
1	O	220	LEU
1	O	254	ARG
2	P	48	MET
2	P	50	ASP
2	P	66	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	11	GLN
1	C	191	ASN
2	F	11	GLN
2	F	89	HIS
1	G	191	ASN
1	I	103	HIS
1	K	191	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	47	ASN
1	M	103	HIS
2	N	89	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 4 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SAH	I	259	-	27,28,28	1.09	3 (11%)	36,40,40	1.88	9 (25%)
7	2MM	M	257	-	7,9,10	0.65	0	5,10,12	1.02	0
8	SAM	C	302	-	27,29,29	1.29	4 (14%)	34,42,42	2.23	10 (29%)
3	NO3	I	255	-	1,3,3	2.82	1 (100%)	0,3,3	-	-
3	NO3	E	255	-	1,3,3	2.66	1 (100%)	0,3,3	-	-
8	SAM	G	302	-	27,29,29	1.18	3 (11%)	34,42,42	2.08	9 (26%)
5	SAH	A	258	-	27,28,28	1.00	2 (7%)	36,40,40	1.92	10 (27%)
6	EDO	A	259	-	3,3,3	0.52	0	2,2,2	0.14	0
3	NO3	B	148	-	1,3,3	2.90	1 (100%)	0,3,3	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	2MM	B	149	2	7,9,10	0.77	0	5,10,12	0.67	0
3	NO3	N	148	-	1,3,3	2.86	1 (100%)	0,3,3	-	-
7	2MM	J	148	2	7,9,10	0.82	0	5,10,12	0.84	0
3	NO3	M	255	-	1,3,3	3.02	1 (100%)	0,3,3	-	-
3	NO3	A	255	-	1,3,3	2.64	1 (100%)	0,3,3	-	-
3	NO3	F	148	-	1,3,3	3.08	1 (100%)	0,3,3	-	-
6	EDO	B	150	-	3,3,3	0.46	0	2,2,2	0.36	0
8	SAM	K	302	-	27,29,29	1.13	3 (11%)	34,42,42	1.95	7 (20%)
3	NO3	I	256	-	1,3,3	2.90	1 (100%)	0,3,3	-	-
7	2MM	F	149	2	7,9,10	0.75	0	5,10,12	1.29	1 (20%)
5	SAH	M	256	-	27,28,28	1.04	4 (14%)	36,40,40	2.07	10 (27%)
8	SAM	O	302	-	27,29,29	1.19	3 (11%)	34,42,42	2.27	10 (29%)
5	SAH	E	256	-	27,28,28	1.03	2 (7%)	36,40,40	1.95	6 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SAH	I	259	-	-	2/15/31/31	0/3/3/3
5	SAH	M	256	-	-	2/15/31/31	0/3/3/3
8	SAM	O	302	-	-	6/17/33/33	0/3/3/3
6	EDO	A	259	-	-	1/1/1/1	-
6	EDO	B	150	-	-	1/1/1/1	-
7	2MM	M	257	-	-	7/9/10/12	-
5	SAH	E	256	-	-	2/15/31/31	0/3/3/3
8	SAM	K	302	-	-	6/17/33/33	0/3/3/3
7	2MM	B	149	2	-	2/9/10/12	-
7	2MM	J	148	2	-	6/9/10/12	-
7	2MM	F	149	2	-	1/9/10/12	-
8	SAM	C	302	-	-	4/17/33/33	0/3/3/3
8	SAM	G	302	-	-	7/17/33/33	0/3/3/3
5	SAH	A	258	-	-	1/15/31/31	0/3/3/3

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	302	SAM	C2-N1	3.32	1.39	1.33
8	G	302	SAM	C2-N1	3.31	1.39	1.33
8	O	302	SAM	C2-N1	3.16	1.39	1.33
3	F	148	NO3	O1-N	3.08	1.39	1.24
3	M	255	NO3	O1-N	3.02	1.39	1.24
3	I	256	NO3	O1-N	2.90	1.38	1.24
3	B	148	NO3	O1-N	2.90	1.38	1.24
8	O	302	SAM	C2-N3	2.89	1.39	1.33
3	N	148	NO3	O1-N	2.86	1.38	1.24
8	C	302	SAM	C2-N3	2.82	1.38	1.33
3	I	255	NO3	O1-N	2.82	1.38	1.24
8	K	302	SAM	C2-N1	2.79	1.38	1.33
5	M	256	SAH	C2-N1	2.69	1.38	1.33
5	I	259	SAH	C2-N1	2.66	1.38	1.33
3	E	255	NO3	O1-N	2.66	1.37	1.24
3	A	255	NO3	O1-N	2.64	1.37	1.24
5	E	256	SAH	C2-N1	2.63	1.38	1.33
8	K	302	SAM	C2-N3	2.62	1.38	1.33
8	G	302	SAM	C2-N3	2.56	1.38	1.33
5	A	258	SAH	C2-N1	2.50	1.38	1.33
8	C	302	SAM	C5-N7	-2.45	1.34	1.39
5	A	258	SAH	OXT-C	-2.37	1.23	1.30
8	C	302	SAM	OXT-C	-2.33	1.23	1.30
5	E	256	SAH	C2-N3	2.31	1.38	1.33
5	I	259	SAH	OXT-C	-2.21	1.23	1.30
5	M	256	SAH	C2-N3	2.20	1.37	1.33
8	K	302	SAM	C5-N7	-2.16	1.35	1.39
5	M	256	SAH	OXT-C	-2.15	1.23	1.30
5	M	256	SAH	C8-N7	2.09	1.35	1.31
8	O	302	SAM	OXT-C	-2.07	1.24	1.30
8	G	302	SAM	C5-N7	-2.03	1.35	1.39
5	I	259	SAH	C5-N7	-2.00	1.35	1.39

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	256	SAH	N3-C2-N1	-7.66	116.98	128.58
5	M	256	SAH	N3-C2-N1	-7.21	117.67	128.58
5	I	259	SAH	N3-C2-N1	-6.50	118.75	128.58
8	K	302	SAM	N3-C2-N1	-6.48	118.78	128.58
8	O	302	SAM	N3-C2-N1	-6.42	118.86	128.58
5	A	258	SAH	N3-C2-N1	-6.37	118.94	128.58
8	C	302	SAM	N3-C2-N1	-6.12	119.32	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	G	302	SAM	N3-C2-N1	-5.80	119.81	128.58
8	O	302	SAM	N9-C8-N7	-5.01	106.82	113.94
8	O	302	SAM	C5-N7-C8	4.58	110.65	103.45
8	C	302	SAM	OXT-C-O	-4.52	113.82	124.08
8	G	302	SAM	N9-C8-N7	-4.52	107.53	113.94
8	C	302	SAM	N9-C8-N7	-4.36	107.75	113.94
8	K	302	SAM	N9-C8-N7	-4.35	107.76	113.94
8	O	302	SAM	C5-C4-N3	-4.15	121.00	126.72
5	M	256	SAH	C2-N3-C4	4.13	121.92	111.83
5	E	256	SAH	C2-N3-C4	4.01	121.63	111.83
5	M	256	SAH	C5-C4-N3	-3.92	121.32	126.72
8	C	302	SAM	C5-N7-C8	3.89	109.57	103.45
8	C	302	SAM	CG-SD-C5'	3.82	112.76	103.43
5	I	259	SAH	N9-C8-N7	-3.67	108.74	113.94
5	E	256	SAH	C5-C4-N3	-3.66	121.67	126.72
8	O	302	SAM	C2-N3-C4	3.64	120.72	111.83
8	G	302	SAM	C5-N7-C8	3.64	109.16	103.45
8	G	302	SAM	C5-C4-N3	-3.60	121.76	126.72
5	A	258	SAH	C2-N3-C4	3.59	120.61	111.83
5	A	258	SAH	C5-C4-N3	-3.58	121.78	126.72
5	I	259	SAH	C2-N3-C4	3.54	120.48	111.83
8	C	302	SAM	C5-C4-N3	-3.51	121.89	126.72
8	G	302	SAM	OXT-C-O	-3.49	116.17	124.08
5	I	259	SAH	C5-C4-N3	-3.42	122.01	126.72
8	K	302	SAM	C5-N7-C8	3.40	108.80	103.45
8	G	302	SAM	CG-SD-C5'	3.34	111.60	103.43
8	K	302	SAM	C2-N3-C4	3.29	119.86	111.83
8	K	302	SAM	C5-C4-N3	-3.28	122.19	126.72
5	M	256	SAH	N9-C8-N7	-3.25	109.33	113.94
8	C	302	SAM	C2-N3-C4	3.20	119.66	111.83
8	G	302	SAM	C2-N3-C4	3.17	119.56	111.83
5	A	258	SAH	C5-N7-C8	3.16	108.42	103.45
8	O	302	SAM	OXT-C-O	-3.14	116.96	124.08
5	A	258	SAH	N9-C8-N7	-3.13	109.50	113.94
8	O	302	SAM	N3-C4-N9	3.11	132.46	127.17
5	M	256	SAH	C5'-SD-CG	-3.04	93.23	102.26
5	A	258	SAH	C5'-SD-CG	-3.00	93.36	102.26
8	O	302	SAM	C4-C5-N7	-2.92	107.24	110.58
8	C	302	SAM	N3-C4-N9	2.89	132.08	127.17
5	I	259	SAH	C5-N7-C8	2.87	107.96	103.45
8	O	302	SAM	C4-N9-C8	2.86	108.75	105.74
5	M	256	SAH	C5-N7-C8	2.85	107.94	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	G	302	SAM	N3-C4-N9	2.76	131.87	127.17
5	E	256	SAH	N3-C4-N9	2.68	131.72	127.17
8	G	302	SAM	C4-N9-C8	2.67	108.54	105.74
5	E	256	SAH	N9-C8-N7	-2.63	110.20	113.94
5	E	256	SAH	C2-N1-C6	2.61	123.02	118.73
8	K	302	SAM	C4-N9-C8	2.54	108.40	105.74
5	A	258	SAH	OXT-C-O	-2.51	118.38	124.08
5	I	259	SAH	C5'-SD-CG	-2.49	94.87	102.26
8	K	302	SAM	N3-C4-N9	2.47	131.37	127.17
8	O	302	SAM	CG-SD-C5'	2.47	109.47	103.43
5	M	256	SAH	N3-C4-N9	2.46	131.34	127.17
8	C	302	SAM	C4-N9-C8	2.44	108.31	105.74
5	A	258	SAH	C4-C5-N7	-2.41	107.82	110.58
5	A	258	SAH	N3-C4-N9	2.39	131.23	127.17
5	M	256	SAH	C4-C5-N7	-2.37	107.88	110.58
5	M	256	SAH	OXT-C-O	-2.34	118.77	124.08
5	I	259	SAH	N3-C4-N9	2.30	131.08	127.17
7	F	149	2MM	CE-SD-CG	2.20	111.71	100.32
5	A	258	SAH	C2-N1-C6	2.20	122.34	118.73
8	C	302	SAM	O4'-C4'-C5'	-2.15	103.45	108.88
5	M	256	SAH	C2-N1-C6	2.14	122.25	118.73
5	I	259	SAH	C2-N1-C6	2.06	122.12	118.73
5	I	259	SAH	C4-N9-C8	2.04	107.89	105.74

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	149	2MM	C-CA-CB-CG
7	J	148	2MM	C-CA-CB-CG
7	J	148	2MM	N-CA-CB-CG
7	J	148	2MM	CB-CA-N-CN2
7	M	257	2MM	C-CA-CB-CG
7	M	257	2MM	N-CA-CB-CG
7	M	257	2MM	CB-CA-N-CN1
7	M	257	2MM	C-CA-N-CN2
7	M	257	2MM	C-CA-N-CN1
8	C	302	SAM	O4'-C4'-C5'-SD
8	C	302	SAM	C3'-C4'-C5'-SD
8	G	302	SAM	N-CA-CB-CG
8	G	302	SAM	C-CA-CB-CG
8	G	302	SAM	C4'-C5'-SD-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	G	302	SAM	C4'-C5'-SD-CE
8	G	302	SAM	O4'-C4'-C5'-SD
8	G	302	SAM	C3'-C4'-C5'-SD
8	K	302	SAM	C4'-C5'-SD-CE
8	K	302	SAM	O4'-C4'-C5'-SD
8	K	302	SAM	C3'-C4'-C5'-SD
8	O	302	SAM	N-CA-CB-CG
8	O	302	SAM	C-CA-CB-CG
8	O	302	SAM	C4'-C5'-SD-CG
8	O	302	SAM	C4'-C5'-SD-CE
8	O	302	SAM	O4'-C4'-C5'-SD
8	O	302	SAM	C3'-C4'-C5'-SD
7	F	149	2MM	CB-CG-SD-CE
7	J	148	2MM	CA-CB-CG-SD
7	J	148	2MM	CB-CG-SD-CE
6	B	150	EDO	O1-C1-C2-O2
7	M	257	2MM	CB-CA-N-CN2
5	A	258	SAH	CB-CG-SD-C5'
5	M	256	SAH	CB-CG-SD-C5'
5	E	256	SAH	C2'-C1'-N9-C8
8	C	302	SAM	CA-CB-CG-SD
8	G	302	SAM	CA-CB-CG-SD
8	K	302	SAM	CB-CG-SD-CE
8	K	302	SAM	C4'-C5'-SD-CG
5	E	256	SAH	CB-CG-SD-C5'
5	I	259	SAH	CB-CG-SD-C5'
6	A	259	EDO	O1-C1-C2-O2
7	B	149	2MM	CA-CB-CG-SD
7	M	257	2MM	CA-CB-CG-SD
7	J	148	2MM	CB-CA-N-CN1
5	M	256	SAH	C2'-C1'-N9-C8
5	I	259	SAH	C2'-C1'-N9-C8
8	C	302	SAM	CB-CG-SD-C5'
8	K	302	SAM	CB-CG-SD-C5'

There are no ring outliers.

10 monomers are involved in 37 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	M	257	2MM	10	0
8	C	302	SAM	3	0
8	G	302	SAM	2	0




Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	259	EDO	1	0
7	B	149	2MM	3	0
7	J	148	2MM	1	0
3	F	148	NO3	1	0
8	K	302	SAM	4	0
7	F	149	2MM	8	0
8	O	302	SAM	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	254/254 (100%)	-1.31	0 100 100	10, 28, 43, 56	2 (0%)
1	C	250/254 (98%)	-1.11	0 100 100	23, 32, 67, 70	2 (0%)
1	E	254/254 (100%)	-1.26	0 100 100	20, 29, 45, 59	0
1	G	251/254 (98%)	-1.12	0 100 100	22, 32, 66, 70	2 (0%)
1	I	254/254 (100%)	-1.29	0 100 100	14, 32, 45, 57	1 (0%)
1	K	250/254 (98%)	-1.07	0 100 100	28, 38, 81, 83	2 (0%)
1	M	254/254 (100%)	-1.23	0 100 100	15, 33, 48, 62	1 (0%)
1	O	250/254 (98%)	-1.08	0 100 100	28, 37, 78, 81	2 (0%)
2	B	126/147 (85%)	-1.11	0 100 100	22, 39, 80, 92	0
2	D	72/147 (48%)	-0.72	0 100 100	54, 70, 86, 90	2 (2%)
2	F	130/147 (88%)	-0.98	0 100 100	23, 48, 92, 98	0
2	H	71/147 (48%)	-0.75	0 100 100	50, 68, 85, 90	2 (2%)
2	J	127/147 (86%)	-1.05	0 100 100	25, 42, 83, 92	0
2	L	72/147 (48%)	-0.47	0 100 100	62, 84, 100, 100	2 (2%)
2	N	130/147 (88%)	-1.02	0 100 100	27, 50, 91, 100	0
2	P	72/147 (48%)	-0.48	0 100 100	63, 82, 98, 100	2 (2%)
All	All	2817/3208 (87%)	-1.10	0 100 100	10, 35, 83, 100	20 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NO3	N	148	4/4	0.96	0.14	38,39,39,39	0
6	EDO	B	150	4/4	0.96	0.11	81,81,82,82	0
6	EDO	A	259	4/4	0.97	0.07	74,74,74,74	0
8	SAM	K	302	27/27	0.97	0.05	34,41,54,57	0
8	SAM	O	302	27/27	0.97	0.05	36,39,56,58	0
4	CL	A	256	1/1	0.98	0.04	47,47,47,47	0
4	CL	I	257	1/1	0.98	0.05	53,53,53,53	0
4	CL	I	258	1/1	0.98	0.05	48,48,48,48	0
5	SAH	M	256	26/26	0.98	0.04	21,27,28,29	0
3	NO3	I	255	4/4	0.98	0.09	32,32,32,32	0
3	NO3	I	256	4/4	0.98	0.09	25,26,26,27	0
7	2MM	F	149	10/11	0.98	0.06	26,28,38,38	0
7	2MM	J	148	10/11	0.98	0.06	27,30,38,39	0
7	2MM	M	257	10/11	0.98	0.06	37,39,40,43	0
8	SAM	C	302	27/27	0.98	0.06	31,35,56,57	0
8	SAM	G	302	27/27	0.98	0.05	30,33,54,55	0
3	NO3	M	255	4/4	0.98	0.09	30,30,31,33	0
3	NO3	F	148	4/4	0.98	0.09	37,38,38,38	0
7	2MM	B	149	10/11	0.99	0.05	23,25,37,37	0
3	NO3	B	148	4/4	0.99	0.09	30,30,31,31	0
5	SAH	A	258	26/26	0.99	0.04	17,21,23,25	0
5	SAH	E	256	26/26	0.99	0.04	18,22,24,24	0
5	SAH	I	259	26/26	0.99	0.04	22,25,28,29	0
3	NO3	E	255	4/4	0.99	0.10	23,24,25,27	0
4	CL	A	257	1/1	0.99	0.04	47,47,47,47	0
3	NO3	A	255	4/4	0.99	0.10	27,27,28,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SAM K 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAM O 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH M 256:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAM C 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAM G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAH A 258:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH E 256:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH I 259:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.