



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 05:23 AM EDT

PDB ID : 2CKQ / pdb_00002ckq
Title : Crystal structure of Human Choline Kinase alpha 2 in complex with Phosphocholine
Authors : Malito, E.; Lavie, A.
Deposited on : 2006-04-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	 3% 74% 14% • 11%
1	B	390	 % 77% 11% • 11%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5698 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CHOLINE KINASE ALPHA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	346	Total	C	N	O	S	0	3	0
			2797	1826	465	491	15			
1	B	348	Total	C	N	O	S	0	0	0
			2770	1797	465	493	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	154	VAL	MET	SEE REMARK 999	UNP P35790
A	155	GLY	ARG	conflict	UNP P35790
B	154	VAL	MET	SEE REMARK 999	UNP P35790
B	155	GLY	ARG	conflict	UNP P35790

- Molecule 2 is PHOSPHOCHOLINE (CCD ID: PC) (formula: C₅H₁₅NO₄P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	B	1	Total	C	N	O	P	0	0
			11	5	1	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	69	Total	O	0	0
			69	69		
3	B	40	Total	O	0	0
			40	40		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.50Å 128.30Å 172.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.40 15.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (15.00-2.40) 99.4 (15.00-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.214 , 0.259 0.213 , 0.258	Depositor DCC
R_{free} test set	4638 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.067	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5698	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/2883	0.88	4/3896 (0.1%)
1	B	0.53	0/2842	0.89	6/3844 (0.2%)
All	All	0.56	0/5725	0.88	10/7740 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	GLY	N-CA-C	9.07	123.62	112.73
1	B	85	PRO	N-CA-CB	7.80	110.58	103.33
1	B	83	PRO	N-CA-CB	7.73	110.23	103.27
1	A	85	PRO	N-CA-CB	6.87	110.56	103.00
1	A	178	VAL	N-CA-C	5.77	115.95	110.53
1	B	117	ARG	N-CA-C	5.71	120.24	113.28
1	B	88	ARG	N-CA-C	-5.56	106.34	113.01
1	A	221	LEU	CA-C-N	5.49	124.95	119.24
1	A	221	LEU	C-N-CA	5.49	124.95	119.24
1	B	390	PHE	N-CA-C	5.03	119.62	111.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2797	0	2683	37	0
1	B	2770	0	2636	30	0
2	A	11	0	13	1	0
2	B	11	0	13	1	0
3	A	69	0	0	1	0
3	B	40	0	0	0	0
All	All	5698	0	5345	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:MET:CE	1:B:240:MET:HE2	1.54	1.36
1:A:183:MET:HE1	1:A:240:MET:CE	1.69	1.22
1:A:183:MET:CE	1:A:240:MET:HE2	1.72	1.18
1:B:183:MET:HE1	1:B:240:MET:CE	1.74	1.16
1:A:183:MET:HE1	1:A:240:MET:HE2	1.08	1.06
1:A:183:MET:CE	1:A:240:MET:CE	2.40	0.83
1:B:202:GLN:HE21	1:B:202:GLN:H	1.27	0.79
1:A:383:LEU:HD21	1:A:405:MET:HE1	1.67	0.77
1:B:183:MET:HE1	1:B:240:MET:HE2	0.79	0.76
1:B:383:LEU:HD21	1:B:405:MET:HE1	1.70	0.73
1:B:87:THR:CG2	1:B:90:ARG:HG3	2.20	0.71
1:B:183:MET:CE	1:B:240:MET:CE	2.48	0.71
1:A:107:ARG:O	1:A:110:GLU:HG2	1.90	0.71
1:A:183:MET:HE1	1:A:240:MET:HE3	1.70	0.71
1:A:183:MET:SD	1:A:240:MET:HE2	2.30	0.70
1:A:204:ARG:NH1	1:A:206:GLU:OE1	2.25	0.70
1:A:304[B]:HIS:HD2	1:A:331[B]:PHE:CD2	2.10	0.69
1:A:304[B]:HIS:HD2	1:A:331[B]:PHE:HD2	1.41	0.68
1:A:263:ILE:HD11	1:A:425:ILE:HG22	1.75	0.68
1:B:104:ARG:CG	1:B:104:ARG:HH11	2.08	0.67
1:A:227:GLU:HG2	1:A:326:LEU:HD12	1.77	0.66
1:A:183:MET:CE	1:A:242:PHE:HE2	2.09	0.66
1:A:304[B]:HIS:O	1:A:342:ASP:OD1	2.16	0.64
1:B:104:ARG:NH1	1:B:104:ARG:HG3	2.18	0.59
1:B:87:THR:HG21	1:B:90:ARG:HG3	1.88	0.56
1:A:183:MET:CE	1:A:240:MET:HE3	2.33	0.56
1:B:104:ARG:HH11	1:B:104:ARG:HG3	1.71	0.56
1:A:219:LEU:HD11	1:A:309:GLU:HG3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:CYS:C	1:A:304[C]:HIS:CA	2.81	0.53
1:A:231:LYS:O	1:A:235[A]:PHE:HD2	1.91	0.53
1:A:149:GLY:O	1:A:150:ALA:HB2	2.10	0.52
1:A:447:ALA:O	1:A:451:GLN:HG3	2.10	0.52
1:B:183:MET:HE2	1:B:240:MET:HE2	1.73	0.52
1:B:202:GLN:HE21	1:B:202:GLN:N	2.02	0.52
1:B:87:THR:HG22	1:B:90:ARG:HG3	1.92	0.51
1:A:306:ASP:OD2	2:A:1458:PC:O3	2.28	0.51
1:B:88:ARG:NH2	1:B:111:PHE:O	2.44	0.50
1:B:118:GLY:HA3	1:B:213:ARG:NH1	2.26	0.49
1:A:220:SER:HA	1:A:350:TRP:CH2	2.48	0.49
1:B:107:ARG:HB2	1:B:110:GLU:HG2	1.94	0.48
1:A:317:GLY:C	1:A:319:GLU:H	2.22	0.48
1:A:97:GLU:HB3	1:B:243:ASN:OD1	2.13	0.47
1:B:306:ASP:OD2	2:B:1458:PC:O3	2.31	0.47
1:A:308:GLN:HG2	1:A:309:GLU:N	2.30	0.47
1:A:253:MET:HG3	1:A:419:LEU:HD12	1.97	0.46
1:B:249:LEU:HD11	1:B:415:ALA:HB1	1.96	0.46
1:B:405:MET:HE3	1:B:405:MET:HB2	1.79	0.45
1:B:383:LEU:HD21	1:B:405:MET:CE	2.43	0.45
1:B:222:PRO:O	1:B:377:HIS:HE1	2.00	0.45
1:A:371:THR:O	1:A:375:GLN:HG3	2.16	0.45
1:A:219:LEU:HD11	1:A:309:GLU:CG	2.47	0.44
1:A:331[B]:PHE:HD1	3:A:2043:HOH:O	1.99	0.43
1:A:231:LYS:O	1:A:235[A]:PHE:CD2	2.71	0.43
1:B:183:MET:HE3	1:B:242:PHE:HE2	1.83	0.43
1:B:149:GLY:O	1:B:150:ALA:HB2	2.19	0.42
1:A:405:MET:HB2	1:A:405:MET:HE3	1.79	0.42
1:A:318:ARG:C	1:A:320:ASN:H	2.27	0.42
1:B:219:LEU:HD22	1:B:346:HIS:HE1	1.84	0.42
1:B:220:SER:HB3	1:B:350:TRP:CZ3	2.55	0.42
1:A:282:LEU:N	1:A:283:PRO:CD	2.83	0.41
1:B:424:SER:O	1:B:437:TYR:HB3	2.21	0.41
1:B:183:MET:HE3	1:B:302:PHE:CZ	2.56	0.41
1:A:202:GLN:H	1:A:202:GLN:CD	2.27	0.41
1:B:215:ASP:HB2	1:B:218:GLU:HG3	2.02	0.41
1:A:304[B]:HIS:NE2	1:A:330:ASP:O	2.54	0.40
1:A:209:ILE:HA	1:A:210:PRO:HD2	1.81	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/390 (88%)	322 (94%)	22 (6%)	0	100	100
1	B	342/390 (88%)	329 (96%)	11 (3%)	2 (1%)	21	32
All	All	686/780 (88%)	651 (95%)	33 (5%)	2 (0%)	36	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	150	ALA
1	B	86	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/349 (82%)	273 (95%)	14 (5%)	22	39
1	B	280/349 (80%)	265 (95%)	15 (5%)	20	35
All	All	567/698 (81%)	538 (95%)	29 (5%)	21	37

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	MET
1	A	126	GLN
1	A	128	SER
1	A	139	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	179	LEU
1	A	181	SER
1	A	200	PHE
1	A	263	ILE
1	A	268	GLU
1	A	270	ARG
1	A	308	GLN
1	A	309	GLU
1	A	357	GLU
1	A	366	ILE
1	B	104	ARG
1	B	108	GLU
1	B	117	ARG
1	B	128	SER
1	B	136	LEU
1	B	199	ILE
1	B	202	GLN
1	B	209	ILE
1	B	267	GLU
1	B	308	GLN
1	B	357	GLU
1	B	366	ILE
1	B	387	GLN
1	B	404	GLU
1	B	453	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	A	288	ASN
1	A	427	GLN
1	A	442	GLN
1	A	451	GLN
1	B	122	ASN
1	B	202	GLN
1	B	288	ASN
1	B	308	GLN
1	B	377	HIS
1	B	392	ASN
1	B	442	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PC	A	1458	-	10,10,10	0.82	0	15,15,15	1.05	2 (13%)
2	PC	B	1458	-	10,10,10	0.77	0	15,15,15	1.14	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PC	A	1458	-	-	0/8/8/8	-
2	PC	B	1458	-	-	0/8/8/8	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	1458	PC	P1-O2-C1	2.32	124.51	118.21
2	A	1458	PC	O4-P1-O2	-2.31	100.65	106.67
2	B	1458	PC	O4-P1-O2	-2.13	101.12	106.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1458	PC	1	0
2	B	1458	PC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	346/390 (88%)	-0.06	13 (3%) 44 40	7, 33, 58, 67	3 (0%)
1	B	348/390 (89%)	-0.10	3 (0%) 81 78	20, 36, 53, 72	0
All	All	694/780 (88%)	-0.08	16 (2%) 61 57	7, 35, 57, 72	3 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	136	LEU	4.5
1	A	135	THR	4.1
1	A	134	ALA	4.0
1	A	133	THR	3.6
1	A	85	PRO	3.1
1	B	266	THR	2.9
1	A	109	ASP	2.6
1	A	317	GLY	2.5
1	A	87	THR	2.3
1	A	105	GLY	2.2
1	B	388	ASN	2.1
1	A	131	ASP	2.1
1	A	111	PHE	2.1
1	B	150	ALA	2.0
1	A	320	ASN	2.0
1	A	321	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PC	B	1458	11/11	0.98	0.06	28,30,31,33	0
2	PC	A	1458	11/11	0.99	0.04	20,24,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.