



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:18 PM UTC

PDB ID : 1CL2 / pdb_00001cl2
Title : CYSTATHIONINE BETA-LYASE (CBL) FROM ESCHERICHIA COLI IN
COMPLEX WITH AMINOETHOXYVINYLGLYCINE
Authors : Clausen, T.; Huber, R.; Messerschmidt, A.
Deposited on : 1997-09-04
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	395	 80% 17% ..
1	B	395	 83% 14% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 8615 atoms, of which 2174 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYSTATHIONINE BETA-LYASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	391	Total	C	H	N	O	S	0	0	0
			3636	1897	652	517	556	14			
1	B	392	Total	C	H	N	O	S	0	0	0
			3629	1891	654	519	551	14			

- Molecule 2 is (2E,3E)-4-(2-aminoethoxy)-2-[(3-hydroxy-2-methyl-5-[(phosphonoxy)methyl]pyridin-4-yl)methyl]imino]but-3-enoic acid (CCD ID: PPG) (formula: $C_{14}H_{20}N_3O_8P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			30	14	4	3	8	1		
2	B	1	Total	C	H	N	O	P	0	0
			30	14	4	3	8	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	211	Total 633	H 422	O 211	0	0
3	B	219	Total 657	H 438	O 219	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYSTATHIONINE BETA-LYASE



• Molecule 1: CYSTATHIONINE BETA-LYASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	61.10Å 154.70Å 152.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.20	Depositor
% Data completeness (in resolution range)	98.1 (8.00-2.20)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	0.06	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.164 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8615	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PPG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	1/3047 (0.0%)	1.03	16/4136 (0.4%)
1	B	0.64	0/3038	1.06	18/4127 (0.4%)
All	All	0.64	1/6085 (0.0%)	1.04	34/8263 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	166	VAL	CA-CB	5.91	1.57	1.54

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	32	SER	N-CA-C	-9.72	96.24	111.02
1	B	32	SER	N-CA-C	-9.26	96.95	111.02
1	A	161	MET	N-CA-C	8.91	124.10	113.23
1	B	161	MET	N-CA-C	8.82	123.62	112.86
1	B	165	ASP	N-CA-C	-7.99	98.45	109.71
1	A	12	ASN	N-CA-C	7.48	122.50	113.23
1	B	230	TRP	N-CA-C	7.47	119.12	110.97
1	B	280	HIS	CA-C-N	7.01	127.61	119.47
1	B	280	HIS	C-N-CA	7.01	127.61	119.47
1	B	12	ASN	N-CA-C	6.99	121.97	113.38
1	A	230	TRP	N-CA-C	6.91	119.44	111.02
1	A	207	ALA	N-CA-C	-6.87	95.06	107.98
1	B	330	ASN	N-CA-C	6.75	120.41	112.72
1	B	211	TYR	N-CA-C	6.63	119.51	111.82
1	B	207	ALA	N-CA-C	-6.55	95.67	107.98
1	B	328	LEU	N-CA-C	6.34	118.19	111.28
1	B	269	SER	N-CA-C	6.07	117.69	111.14
1	A	328	LEU	N-CA-C	5.88	117.77	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	83	PHE	CA-C-N	5.85	125.72	119.28
1	B	83	PHE	C-N-CA	5.85	125.72	119.28
1	B	98	ILE	N-CA-C	5.85	117.58	109.45
1	A	303	ASP	N-CA-C	5.83	120.52	113.41
1	B	321	ASN	N-CA-C	5.77	117.57	111.28
1	A	280	HIS	CA-C-N	5.69	125.54	119.28
1	A	280	HIS	C-N-CA	5.69	125.54	119.28
1	A	35	VAL	N-CA-C	5.68	116.94	109.21
1	A	211	TYR	N-CA-C	5.67	119.45	112.54
1	A	98	ILE	N-CA-C	5.62	116.18	110.05
1	B	237	ALA	N-CA-C	-5.53	105.41	111.82
1	A	83	PHE	CA-C-N	5.50	125.33	119.28
1	A	83	PHE	C-N-CA	5.50	125.33	119.28
1	A	365	ASP	N-CA-C	5.36	119.42	111.87
1	B	31	ALA	N-CA-C	5.27	116.53	108.52
1	A	330	ASN	N-CA-C	5.13	118.84	112.59

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2984	652	2939	49	1
1	B	2975	654	2922	45	1
2	A	26	4	16	3	0
2	B	26	4	16	8	0
3	A	211	422	0	7	2
3	B	219	438	0	1	4
All	All	6441	2174	5893	94	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:LEU:HD12	1:B:27:VAL:HG11	1.60	0.83
2:B:500:PPG:HNI1	2:B:500:PPG:HGI	1.47	0.79
1:B:210:LYS:NZ	2:B:500:PPG:H4A2	2.00	0.76
1:A:64:HIS:HE1	1:A:244:VAL:O	1.70	0.75
1:A:391:PHE:O	1:A:395:VAL:HG23	1.87	0.74
1:B:280:HIS:HD2	1:B:282:GLN:H	1.36	0.71
1:B:18:LYS:HA	1:B:18:LYS:HE2	1.73	0.70
1:A:61:THR:H	1:A:64:HIS:HD2	1.40	0.69
1:B:64:HIS:HE1	1:B:244:VAL:O	1.76	0.69
1:B:108:ASN:HB2	1:B:360:PRO:HD2	1.77	0.66
1:B:344:GLU:HB2	3:B:620:HOH:O	1.95	0.66
1:A:210:LYS:NZ	2:A:500:PPG:H4A2	2.11	0.65
1:A:288:HIS:HD2	1:A:290:ALA:H	1.45	0.65
1:A:289:PRO:O	1:A:297:HIS:HD2	1.79	0.64
1:B:111:TYR:OH	2:B:500:PPG:HGI	1.98	0.64
1:B:288:HIS:HD2	1:B:290:ALA:H	1.47	0.63
1:A:21:LEU:HD11	1:B:21:LEU:HD11	1.80	0.63
1:A:61:THR:H	1:A:64:HIS:CD2	2.16	0.63
1:A:21:LEU:HD11	1:B:21:LEU:CD1	2.29	0.61
1:A:136:ILE:HD13	1:A:140:ILE:HA	1.83	0.60
1:A:21:LEU:HD12	1:A:27:VAL:HG11	1.84	0.59
1:B:280:HIS:CD2	1:B:282:GLN:H	2.19	0.59
1:A:21:LEU:CD1	1:B:21:LEU:HD11	2.32	0.59
1:B:93:SER:HA	1:B:233:LEU:HD11	1.85	0.59
1:B:61:THR:H	1:B:64:HIS:CD2	2.21	0.58
1:A:225:CYS:SG	1:A:233:LEU:HD23	2.44	0.58
1:A:298:GLU:CD	1:A:298:GLU:H	2.11	0.58
1:A:131:TRP:CD1	1:A:360:PRO:HB2	2.41	0.56
1:A:5:LYS:HB3	3:A:666:HOH:O	2.04	0.56
1:B:358:ILE:O	1:B:360:PRO:HD3	2.06	0.55
1:A:344:GLU:HG3	3:A:573:HOH:O	2.06	0.55
2:B:500:PPG:HGI	2:B:500:PPG:NI	2.17	0.54
1:A:280:HIS:HD2	1:A:282:GLN:H	1.54	0.54
1:A:210:LYS:HZ1	2:A:500:PPG:H4A2	1.70	0.54
1:B:225:CYS:SG	1:B:233:LEU:HD23	2.47	0.54
1:B:61:THR:H	1:B:64:HIS:HD2	1.55	0.54
1:A:269:SER:O	1:A:273:VAL:HG23	2.08	0.53
1:B:65:PHE:HA	1:B:68:GLN:HE21	1.73	0.53
1:A:333:LEU:HD11	1:A:382:ASP:HB3	1.90	0.53
1:A:344:GLU:CG	3:A:573:HOH:O	2.57	0.52
1:A:108:ASN:HB2	1:A:360:PRO:HD2	1.91	0.52
1:B:210:LYS:HZ3	2:B:500:PPG:H4A2	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:GLU:HB3	1:A:113:PRO:HD3	1.92	0.51
1:B:208:ALA:HB3	1:B:220:ILE:HG23	1.93	0.51
1:A:210:LYS:CE	2:A:500:PPG:H4A2	2.41	0.50
1:A:64:HIS:CE1	1:A:244:VAL:O	2.58	0.50
1:B:97:PHE:CD1	1:B:181:ILE:HD13	2.46	0.50
1:A:95:LEU:HD12	1:A:98:ILE:HD11	1.94	0.50
1:B:351:GLN:HA	1:B:351:GLN:OE1	2.11	0.50
1:A:344:GLU:OE2	1:A:346:LEU:HD21	2.12	0.49
1:B:274:ALA:HB1	1:B:291:LEU:HD22	1.93	0.49
1:A:69:GLN:O	1:A:73:GLU:HG2	2.12	0.48
1:B:210:LYS:HZ1	2:B:500:PPG:H4A2	1.78	0.48
1:B:112:GLU:HB3	1:B:113:PRO:HD3	1.96	0.48
1:B:64:HIS:CE1	1:B:244:VAL:O	2.63	0.47
1:A:282:GLN:NE2	1:A:395:VAL:HG22	2.30	0.47
1:A:359:ARG:HG3	1:A:364:ILE:HD13	1.96	0.47
1:B:118:CYS:O	1:B:122:LEU:HB2	2.15	0.47
1:B:97:PHE:CG	1:B:181:ILE:HD13	2.51	0.46
1:A:121:ILE:O	1:A:124:LYS:HG2	2.15	0.46
1:A:15:ARG:HD2	1:A:24:VAL:O	2.16	0.46
1:A:211:TYR:CE1	1:A:341:GLY:HA2	2.51	0.46
1:B:111:TYR:CE2	1:B:113:PRO:HD2	2.51	0.46
1:B:330:ASN:HB2	1:B:393:ARG:NE	2.32	0.45
1:A:344:GLU:HB2	3:A:573:HOH:O	2.16	0.45
1:B:106:MET:O	1:B:131:TRP:HA	2.16	0.45
1:A:207:ALA:C	1:A:209:THR:N	2.74	0.45
1:A:395:VAL:HG21	3:A:697:HOH:O	2.16	0.45
1:A:289:PRO:O	1:A:297:HIS:CD2	2.64	0.45
1:A:212:LEU:O	1:A:255:GLY:HA3	2.18	0.44
1:B:348:LEU:HD12	1:B:372:ARG:HH21	1.82	0.44
1:A:93:SER:O	1:A:183:MET:HE1	2.18	0.44
3:A:669:HOH:O	1:B:17:LYS:HE2	2.18	0.44
1:B:358:ILE:C	1:B:360:PRO:HD3	2.41	0.43
1:A:184:ILE:HG22	1:A:201:ILE:HG21	2.00	0.43
1:B:348:LEU:HD12	1:B:372:ARG:NH2	2.33	0.43
1:A:285:ARG:HE	1:A:287:ASN:HD21	1.66	0.43
1:A:333:LEU:CD1	1:A:382:ASP:HB3	2.48	0.43
1:B:98:ILE:HD13	1:B:127:VAL:HG21	2.01	0.43
1:B:280:HIS:CD2	1:B:281:PRO:HD2	2.53	0.43
2:B:500:PPG:NI	2:B:500:PPG:CGI	2.82	0.43
1:B:74:LEU:O	1:B:195:LYS:HE2	2.18	0.43
1:B:106:MET:SD	1:B:131:TRP:HZ3	2.42	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:HIS:HA	1:B:281:PRO:HD3	1.82	0.42
1:A:271:LEU:O	1:A:275:GLU:HG3	2.20	0.42
1:A:267:HIS:CD2	3:A:635:HOH:O	2.71	0.42
1:B:210:LYS:CE	2:B:500:PPG:H4A2	2.50	0.42
1:A:364:ILE:HD12	1:A:364:ILE:HA	1.59	0.42
1:A:10:LEU:HD13	1:A:259:LEU:HB3	2.01	0.42
1:B:189:ALA:HB1	1:B:193:LEU:HB2	2.02	0.41
1:A:280:HIS:CD2	1:A:282:GLN:H	2.37	0.41
1:B:131:TRP:CD1	1:B:131:TRP:N	2.88	0.41
1:A:79:GLY:HA3	1:A:230:TRP:CE2	2.55	0.40
1:B:131:TRP:CG	1:B:360:PRO:HB2	2.57	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:676:HOH:H2	3:B:676:HOH:H2[3_555]	0.88	0.72
3:A:696:HOH:H1	3:A:696:HOH:H1[4_556]	0.93	0.67
1:B:58:ARG:HH22	1:B:111:TYR:HH[3_555]	1.35	0.25
3:B:608:HOH:H2	3:B:689:HOH:O[3_555]	1.44	0.16
3:B:676:HOH:O	3:B:676:HOH:H2[3_555]	1.56	0.04
3:A:617:HOH:O	3:A:637:HOH:H1[3_555]	1.58	0.02
3:B:562:HOH:H1	3:B:712:HOH:O[3_555]	1.58	0.02
1:A:58:ARG:HH22	1:A:111:TYR:OH[3_555]	1.59	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/395 (98%)	374 (96%)	14 (4%)	1 (0%)	36	42
1	B	390/395 (99%)	379 (97%)	10 (3%)	1 (0%)	36	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	779/790 (99%)	753 (97%)	24 (3%)	2 (0%)	36	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	210	LYS
1	B	210	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/322 (97%)	305 (98%)	7 (2%)	45	61
1	B	309/322 (96%)	304 (98%)	5 (2%)	55	71
All	All	621/644 (96%)	609 (98%)	12 (2%)	50	66

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	ASN
1	A	195	LYS
1	A	233	LEU
1	A	267	HIS
1	A	292	PRO
1	A	317	LYS
1	A	364	ILE
1	B	18	LYS
1	B	177	VAL
1	B	186	ASN
1	B	195	LYS
1	B	239	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	A	64	HIS
1	A	68	GLN
1	A	145	GLN
1	A	186	ASN
1	A	280	HIS
1	A	282	GLN
1	A	287	ASN
1	A	288	HIS
1	A	297	HIS
1	A	326	ASN
1	B	9	GLN
1	B	12	ASN
1	B	51	ASN
1	B	64	HIS
1	B	68	GLN
1	B	69	GLN
1	B	100	GLN
1	B	143	HIS
1	B	145	GLN
1	B	186	ASN
1	B	265	GLN
1	B	280	HIS
1	B	288	HIS
1	B	297	HIS
1	B	374	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PPG	B	500	-	25,26,26	2.24	8 (32%)	29,35,35	2.54	11 (37%)
2	PPG	A	500	-	25,26,26	2.46	9 (36%)	29,35,35	2.13	8 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PPG	B	500	-	-	6/20/21/21	0/1/1/1
2	PPG	A	500	-	-	5/20/21/21	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	PPG	CAI-CBC	-7.93	1.40	1.48
2	B	500	PPG	CAI-CBC	-5.74	1.42	1.48
2	B	500	PPG	CBI-CGI	4.73	1.48	1.31
2	A	500	PPG	C5-C4	3.89	1.45	1.40
2	A	500	PPG	C3-C4	3.86	1.45	1.40
2	B	500	PPG	C3-C4	3.60	1.45	1.40
2	B	500	PPG	O2B-CBC	3.38	1.30	1.22
2	B	500	PPG	C4A-C4	2.99	1.58	1.52
2	A	500	PPG	C2-N1	2.92	1.39	1.33
2	A	500	PPG	O2B-CBC	2.90	1.29	1.22
2	B	500	PPG	C5-C4	2.73	1.44	1.40
2	A	500	PPG	CBI-CGI	2.66	1.41	1.31
2	A	500	PPG	C4A-C4	2.59	1.57	1.52
2	B	500	PPG	O3-C3	-2.59	1.31	1.36
2	A	500	PPG	P-OP2	-2.42	1.45	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	PPG	O3-C3	-2.18	1.31	1.36
2	B	500	PPG	C4A-N4A	-2.14	1.43	1.46

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	PPG	CBC-CAI-N4A	-5.51	113.90	122.12
2	B	500	PPG	O3B-CBC-CAI	5.28	121.87	113.40
2	B	500	PPG	C2A-C2-C3	5.04	126.69	120.80
2	A	500	PPG	C2A-C2-C3	4.74	126.35	120.80
2	A	500	PPG	O3B-CBC-CAI	4.52	120.65	113.40
2	A	500	PPG	CBC-CAI-N4A	-4.12	115.98	122.12
2	B	500	PPG	C6-C5-C4	4.11	121.17	118.06
2	B	500	PPG	C6-N1-C2	4.01	126.47	119.20
2	A	500	PPG	C6-N1-C2	3.71	125.93	119.20
2	B	500	PPG	C5-C6-N1	-3.27	118.51	123.83
2	B	500	PPG	OP2-P-OP1	3.15	123.13	110.83
2	B	500	PPG	C5A-C5-C4	-3.09	116.15	122.67
2	A	500	PPG	C5-C6-N1	-3.07	118.83	123.83
2	B	500	PPG	C3-C2-N1	-2.80	117.43	120.96
2	A	500	PPG	C6-C5-C4	2.77	120.16	118.06
2	A	500	PPG	C5A-C5-C4	-2.53	117.34	122.67
2	A	500	PPG	C3-C2-N1	-2.49	117.81	120.96
2	B	500	PPG	O2B-CBC-CAI	-2.40	118.22	122.02
2	B	500	PPG	OP4-P-OP1	-2.02	100.97	106.44

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	500	PPG	C5-C4-C4A-N4A
2	A	500	PPG	CBI-CAI-N4A-C4A
2	A	500	PPG	N4A-CAI-CBI-CGI
2	B	500	PPG	C3-C4-C4A-N4A
2	B	500	PPG	C5-C4-C4A-N4A
2	B	500	PPG	CBI-CAI-N4A-C4A
2	B	500	PPG	N4A-CAI-CBI-CGI
2	B	500	PPG	CBC-CAI-CBI-CGI
2	B	500	PPG	CAI-CBI-CGI-OET
2	A	500	PPG	C3-C4-C4A-N4A
2	A	500	PPG	CBC-CAI-CBI-CGI


There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	500	PPG	8	0
2	A	500	PPG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.