



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:34 AM UTC

PDB ID : 1CLS / pdb_00001cls
Title : CROSS-LINKED HUMAN HEMOGLOBIN DEOXY
Authors : Ji, X.; Fronticelli, C.; Bucci, E.; Gilliland, G.L.
Deposited on : 1995-08-29
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	70% 25% 5% .
1	C	141	57% 35% 6% .
2	B	146	60% 31% 9%
2	D	146	63% 32% . .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 5058 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			
1	C	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			

- Molecule 2 is a protein called HEMOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	0	0
			1123	724	195	201	3			
2	D	146	Total	C	N	O	S	0	0	0
			1123	724	195	201	3			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 4 is OXYGEN ATOM (CCD ID: O) (formula: O).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O		
			1	1	0	0
4	C	1	Total	O		
			1	1	0	0

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	S		
			5	4	1	0	0
5	D	1	Total	O	S		
			5	4	1	0	0

- Molecule 6 is SEBACIC ACID (CCD ID: DEC) (formula: C₁₀H₁₈O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			12	10	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	115	Total	O	0	0
			115	115		
7	B	127	Total	O	0	0
			127	127		
7	C	130	Total	O	0	0
			130	130		
7	D	106	Total	O	0	0
			106	106		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: HEMOGLOBIN

Chain A: 




• Molecule 1: HEMOGLOBIN

Chain C: 




• Molecule 2: HEMOGLOBIN

Chain B: 



• Molecule 2: HEMOGLOBIN

Chain D: 





4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.80Å 82.47Å 53.30Å 90.00° 99.24° 90.00°	Depositor
Resolution (Å)	6.00 – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) (6.00-1.90)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	GPRLSA	Depositor
R, R_{free}	0.168 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5058	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: O, HEM, SO4, DEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.24	1/1097 (0.1%)	1.99	20/1491 (1.3%)
1	C	1.24	2/1097 (0.2%)	2.06	44/1491 (3.0%)
2	B	1.24	2/1153 (0.2%)	2.07	37/1566 (2.4%)
2	D	1.15	0/1153	2.05	36/1566 (2.3%)
All	All	1.22	5/4500 (0.1%)	2.04	137/6114 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	93	VAL	CA-CB	5.62	1.60	1.54
1	A	102	SER	N-CA	5.39	1.52	1.46
2	B	113	VAL	CA-CB	5.11	1.61	1.54
1	C	29	LEU	N-CA	5.04	1.52	1.46
2	B	100	PRO	C-N	-5.02	1.27	1.34

All (137) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	21	ASP	CA-CB-CG	11.87	124.47	112.60
1	C	118	THR	N-CA-CB	-10.83	95.47	109.55
2	D	133	VAL	CA-C-O	-10.28	109.64	121.05
2	D	139	ASN	CA-CB-CG	-10.10	102.50	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	22	GLU	CB-CG-CD	8.90	127.74	112.60
2	B	131	GLN	CA-C-O	-8.88	111.14	120.55
1	A	136	LEU	CA-C-O	8.82	130.16	119.49
1	C	122	HIS	CA-CB-CG	8.80	122.60	113.80
1	C	46	PHE	CA-CB-CG	8.58	122.38	113.80
2	D	124	PRO	CB-CA-C	8.39	121.15	110.92
2	B	124	PRO	CB-CA-C	8.25	120.99	110.92
2	D	52	ASP	CA-CB-CG	-8.18	104.42	112.60
2	B	131	GLN	O-C-N	8.14	130.75	122.12
2	B	117	HIS	CA-CB-CG	-8.04	105.76	113.80
2	D	133	VAL	CB-CA-C	-7.91	101.66	112.02
2	D	30	ARG	NH1-CZ-NH2	7.72	129.33	119.30
2	B	143	HIS	CA-CB-CG	7.67	121.47	113.80
1	C	68	ASN	CA-CB-CG	7.54	120.14	112.60
2	D	69	GLY	N-CA-C	-7.46	103.22	112.77
1	A	135	VAL	CA-C-O	-7.43	113.54	121.27
2	D	143	HIS	CA-CB-CG	-7.27	106.53	113.80
2	B	106	LEU	O-C-N	-7.17	114.52	122.12
2	D	24	GLY	CA-C-N	7.10	127.82	119.94
2	D	24	GLY	C-N-CA	7.10	127.82	119.94
1	A	89	HIS	CA-CB-CG	-6.90	106.90	113.80
1	C	109	LEU	CA-C-O	-6.88	113.13	120.42
1	C	126	ASP	CA-CB-CG	-6.85	105.75	112.60
2	B	73	ASP	CA-CB-CG	6.80	119.40	112.60
1	C	112	HIS	CA-CB-CG	-6.76	107.04	113.80
2	B	133	VAL	CA-C-O	-6.67	114.10	121.17
2	D	77	HIS	CA-CB-CG	-6.65	107.15	113.80
1	A	34	LEU	CA-C-O	-6.64	113.39	120.42
2	D	131	GLN	CB-CG-CD	6.63	123.88	112.60
2	B	57	ASN	OD1-CG-ND2	6.58	129.19	122.60
1	C	108	THR	N-CA-C	-6.58	104.18	111.36
1	C	109	LEU	O-C-N	6.56	129.63	122.15
1	C	68	ASN	OD1-CG-ND2	-6.49	116.11	122.60
1	C	96	VAL	CA-CB-CG2	6.49	121.43	110.40
2	B	113	VAL	CA-C-O	-6.47	113.99	120.85
2	B	14	LEU	CA-C-O	-6.38	113.66	120.42
1	C	98	PHE	CA-CB-CG	-6.25	107.55	113.80
2	D	133	VAL	O-C-N	6.24	128.39	121.90
2	D	111	VAL	N-CA-C	-6.23	104.42	110.72
2	B	129	ALA	CA-C-O	-6.22	113.83	120.42
1	A	137	THR	CA-CB-OG1	-6.17	100.34	109.60
2	B	127	GLN	O-C-N	-6.17	115.67	122.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	100	LEU	N-CA-C	-6.10	104.71	111.36
2	D	17	LYS	O-C-N	-6.08	114.74	122.34
2	D	104	ARG	CB-CG-CD	6.08	125.29	111.30
1	C	118	THR	OG1-CB-CG2	6.03	121.35	109.30
1	A	31	ARG	CA-C-O	-6.02	114.17	120.55
1	A	54	GLN	O-C-N	6.00	128.99	122.15
1	C	56	LYS	N-CA-CB	5.98	118.91	110.12
2	B	109	VAL	N-CA-C	-5.96	103.64	111.09
2	D	57	ASN	CA-CB-CG	5.94	118.54	112.60
2	D	40	ARG	NE-CZ-NH2	-5.93	113.86	119.20
2	D	28	LEU	CA-C-O	-5.91	114.28	120.55
1	A	134	THR	CA-C-N	5.86	128.16	120.60
1	A	134	THR	C-N-CA	5.86	128.16	120.60
2	B	25	GLY	N-CA-C	-5.86	105.27	112.77
1	A	10	VAL	N-CA-CB	-5.85	103.70	110.55
1	A	31	ARG	CD-NE-CZ	5.85	132.59	124.40
2	D	21	ASP	N-CA-C	-5.84	104.82	111.07
1	C	50	HIS	N-CA-C	-5.83	101.78	110.23
2	D	146	HIS	CA-CB-CG	-5.82	107.98	113.80
2	D	30	ARG	NE-CZ-NH2	-5.80	113.97	119.20
1	C	88	ALA	N-CA-C	5.78	117.38	111.14
2	B	129	ALA	O-C-N	5.76	128.72	122.15
1	A	17	VAL	N-CA-C	-5.76	104.89	110.42
1	C	121	VAL	N-CA-C	-5.74	104.92	110.72
1	A	140	TYR	N-CA-C	5.72	118.29	111.71
1	C	102	SER	CA-C-N	5.67	127.81	120.44
1	C	102	SER	C-N-CA	5.67	127.81	120.44
2	B	99	ASP	O-C-N	5.66	126.23	121.31
1	C	118	THR	CA-CB-CG2	5.64	120.10	110.50
2	D	142	ALA	CA-C-O	5.64	125.89	119.18
2	D	61	LYS	N-CA-CB	5.63	118.18	110.01
2	B	80	ASN	CA-CB-CG	5.62	118.22	112.60
1	C	126	ASP	O-C-N	-5.62	116.28	122.07
2	D	30	ARG	CD-NE-CZ	5.62	132.26	124.40
2	B	65	LYS	CB-CA-C	-5.61	101.32	110.85
2	D	34	VAL	CA-C-O	-5.60	114.71	120.71
1	C	72	HIS	CA-CB-CG	-5.58	108.22	113.80
1	A	46	PHE	CA-CB-CG	5.56	119.36	113.80
2	B	76	ALA	CA-C-O	5.52	125.75	119.18
2	D	84	THR	CA-CB-CG2	5.50	119.85	110.50
2	B	21	ASP	CA-C-O	-5.50	115.04	120.70
1	C	93	VAL	CA-C-O	-5.50	114.78	121.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	78	ASN	N-CA-CB	5.49	118.28	110.16
2	B	77	HIS	CA-CB-CG	-5.47	108.33	113.80
1	C	85	ASP	CB-CA-C	-5.46	101.72	110.79
1	C	138	SER	O-C-N	5.44	129.72	122.43
2	B	69	GLY	N-CA-C	-5.38	105.89	112.77
1	C	81	SER	N-CA-C	5.36	117.12	111.28
2	B	91	LEU	O-C-N	-5.36	116.55	122.07
2	D	131	GLN	OE1-CD-NE2	5.36	127.96	122.60
1	C	131	SER	O-C-N	5.32	128.21	122.15
2	D	143	HIS	N-CA-C	5.30	117.06	111.28
1	A	50	HIS	CA-C-O	-5.29	115.37	121.19
2	D	118	PHE	CA-CB-CG	-5.29	108.51	113.80
2	B	74	GLY	CA-C-O	5.29	126.12	120.30
2	B	140	ALA	CA-C-O	-5.28	114.82	120.42
2	B	14	LEU	CB-CA-C	-5.27	101.89	110.85
1	C	13	ALA	CA-C-N	5.26	127.77	120.29
1	C	13	ALA	C-N-CA	5.26	127.77	120.29
2	D	22	GLU	N-CA-C	5.25	118.15	111.69
1	C	133	SER	CA-C-N	5.25	127.26	120.44
1	C	133	SER	C-N-CA	5.25	127.26	120.44
1	C	4	PRO	CB-CA-C	5.25	121.02	112.26
1	A	134	THR	CA-CB-OG1	-5.22	101.77	109.60
2	D	10	ALA	O-C-N	5.22	127.72	122.09
1	C	105	LEU	CB-CA-C	-5.20	102.00	110.85
1	A	132	VAL	N-CA-C	-5.18	105.49	110.72
1	C	135	VAL	CA-C-O	-5.17	115.69	121.17
2	B	129	ALA	CA-C-N	-5.16	112.47	120.31
2	B	129	ALA	C-N-CA	-5.16	112.47	120.31
2	B	83	GLY	CA-C-O	-5.16	115.43	121.00
1	C	47	ASP	N-CA-C	-5.14	100.13	108.41
1	C	89	HIS	CA-CB-CG	-5.13	108.67	113.80
2	B	131	GLN	CG-CD-NE2	5.12	124.08	116.40
1	C	121	VAL	CA-C-O	-5.11	115.44	120.85
1	C	75	ASP	CA-C-N	5.10	127.09	120.26
1	C	75	ASP	C-N-CA	5.10	127.09	120.26
2	B	131	GLN	N-CA-CB	5.10	117.61	110.12
1	A	40	LYS	N-CA-C	-5.09	106.33	112.54
2	D	68	LEU	CA-C-O	5.09	125.62	119.31
2	B	91	LEU	CA-C-O	5.08	126.16	120.82
1	C	2	LEU	CA-C-O	-5.08	114.75	120.43
2	D	30	ARG	NE-CZ-NH1	-5.07	116.43	121.50
2	B	47	ASP	O-C-N	5.07	129.41	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	109	LEU	N-CA-CB	-5.07	102.67	110.12
1	C	92	ARG	CA-CB-CG	-5.06	103.98	114.10
2	B	50	THR	O-C-N	5.03	125.59	121.32
2	B	12	THR	CA-C-O	-5.02	114.20	119.97
1	C	64	ASP	CB-CA-C	-5.01	102.47	110.79
1	A	47	ASP	N-CA-C	-5.00	100.91	108.67
2	B	20	VAL	CA-C-O	5.00	126.26	121.05

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	37	PRO	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	23	0
1	C	1069	0	1073	26	0
2	B	1123	0	1116	24	0
2	D	1123	0	1115	24	0
3	A	43	0	30	4	0
3	B	43	0	30	3	0
3	C	43	0	30	3	0
3	D	43	0	30	3	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	B	5	0	0	0	0
5	D	5	0	0	1	0
6	D	12	0	16	3	0
7	A	115	0	0	4	0
7	B	127	0	0	2	0
7	C	130	0	0	6	0
7	D	106	0	0	4	0
All	All	5058	0	4513	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:82:LYS:HE3	6:D:149:DEC:H32	1.51	0.90
1:C:12:ALA:O	1:C:16:LYS:HE2	1.80	0.81
2:D:20:VAL:HG13	2:D:68:LEU:HB3	1.61	0.80
1:A:76:MET:N	1:A:77:PRO:HD2	1.99	0.77
1:A:56:LYS:O	1:A:60:LYS:HD3	1.87	0.75
1:A:74:ASP:HA	7:A:254:HOH:O	1.87	0.74
1:C:83:LEU:HD11	3:C:142:HEM:HMA1	1.69	0.73
2:B:1:VAL:HB	2:B:2:HIS:CD2	2.24	0.73
1:C:118:THR:HG22	1:C:121:VAL:H	1.56	0.68
1:C:45:HIS:HE1	3:C:142:HEM:O2D	1.77	0.67
2:D:43:GLU:HA	7:D:219:HOH:O	1.94	0.66
2:B:2:HIS:CD2	2:B:2:HIS:N	2.62	0.65
2:B:45:PHE:HA	2:B:59:LYS:HD3	1.78	0.65
1:C:45:HIS:H	1:C:45:HIS:CD2	2.12	0.64
2:D:139:ASN:HB3	6:D:149:DEC:O3	1.99	0.63
2:B:2:HIS:CD2	2:B:2:HIS:H	2.17	0.63
2:D:105:LEU:O	2:D:109:VAL:HG23	2.01	0.60
1:C:42:TYR:CE1	1:C:93:VAL:HA	2.37	0.59
1:A:61:LYS:NZ	3:A:142:HEM:O1A	2.36	0.58
1:A:137:THR:HG22	7:A:231:HOH:O	2.03	0.58
1:C:122:HIS:HD2	2:D:30:ARG:HH11	1.52	0.58
1:C:27:GLU:OE1	1:C:112:HIS:HE1	1.87	0.58
1:C:84:SER:OG	1:C:139:LYS:HD2	2.05	0.57
2:B:32:LEU:HG	2:B:39:GLN:HG2	1.87	0.56
1:A:28:ALA:HB2	1:A:105:LEU:HD13	1.86	0.56
1:A:76:MET:N	1:A:77:PRO:CD	2.68	0.55
1:A:28:ALA:CB	1:A:105:LEU:HD13	2.37	0.55
2:B:2:HIS:O	2:B:3:LEU:HD22	2.07	0.55
1:C:45:HIS:CE1	3:C:142:HEM:O2D	2.59	0.54
2:B:38:THR:HG22	2:B:102:ASN:OD1	2.07	0.54
2:D:51:PRO:O	2:D:55:MET:HG2	2.08	0.54
1:A:14:TRP:O	1:A:17:VAL:HB	2.08	0.53
2:D:32:LEU:HG	2:D:39:GLN:HG2	1.90	0.53
2:B:123:THR:HA	7:B:165:HOH:O	2.07	0.53
1:A:76:MET:H	1:A:77:PRO:HD2	1.70	0.53
1:A:21:ALA:HB1	1:A:63:ALA:HB1	1.91	0.52
2:D:56:GLY:HA2	2:D:61:LYS:HZ1	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:LEU:HB3	1:C:116:GLU:HG2	1.90	0.51
2:D:3:LEU:HD22	2:D:7:GLU:HB3	1.91	0.51
1:C:45:HIS:CD2	7:C:263:HOH:O	2.63	0.51
1:C:122:HIS:CD2	2:D:30:ARG:HH11	2.29	0.51
2:B:82:LYS:CE	6:D:149:DEC:H32	2.33	0.50
3:D:148:HEM:HBC2	3:D:148:HEM:HMC2	1.94	0.50
2:D:22:GLU:HB2	7:D:177:HOH:O	2.11	0.50
2:D:121:GLU:HB2	7:D:243:HOH:O	2.11	0.50
2:B:90:GLU:HG2	7:B:260:HOH:O	2.11	0.50
1:A:83:LEU:HD11	3:A:142:HEM:C3A	2.46	0.49
2:B:146:HIS:OXT	1:C:40:LYS:NZ	2.39	0.49
1:A:11:LYS:HE3	7:A:163:HOH:O	2.13	0.49
3:D:148:HEM:HBB2	3:D:148:HEM:HHC	1.95	0.49
1:A:13:ALA:O	1:A:16:LYS:HB3	2.12	0.49
1:A:60:LYS:HE3	7:A:199:HOH:O	2.13	0.48
2:B:21:ASP:CG	2:B:65:LYS:HD3	2.39	0.48
2:D:104:ARG:HG2	7:D:194:HOH:O	2.14	0.48
1:C:99:LYS:NZ	7:C:189:HOH:O	2.44	0.47
1:A:42:TYR:CE2	1:A:93:VAL:HA	2.50	0.47
1:C:11:LYS:NZ	7:C:231:HOH:O	2.48	0.47
2:D:75:LEU:HA	2:D:78:LEU:HD13	1.97	0.47
1:A:92:ARG:HB3	2:D:37:TRP:HB2	1.97	0.47
1:C:28:ALA:CB	1:C:105:LEU:HD13	2.45	0.47
1:C:103:HIS:O	1:C:107:VAL:HG23	2.15	0.47
1:C:112:HIS:HD2	7:C:251:HOH:O	1.96	0.47
3:B:148:HEM:HMB1	3:B:148:HEM:HBB2	1.96	0.47
2:D:19:ASN:HB3	2:D:22:GLU:HG2	1.97	0.47
1:A:22:GLY:HA3	1:A:60:LYS:HZ3	1.78	0.46
1:C:44:PRO:HD2	1:C:45:HIS:HD2	1.80	0.46
1:C:112:HIS:CD2	7:C:251:HOH:O	2.68	0.46
3:B:148:HEM:HBB2	3:B:148:HEM:CMB	2.46	0.46
1:A:83:LEU:HD11	3:A:142:HEM:CMA	2.46	0.45
2:B:24:GLY:HA2	2:B:68:LEU:HG	1.97	0.45
2:B:57:ASN:HA	2:B:58:PRO:HD2	1.83	0.45
1:A:114:PRO:HA	2:B:116:HIS:CD2	2.52	0.45
1:C:87:HIS:HA	1:C:91:LEU:HB2	1.98	0.44
1:C:27:GLU:OE1	1:C:112:HIS:CE1	2.69	0.44
2:D:3:LEU:HD12	2:D:78:LEU:CD2	2.48	0.44
2:B:50:THR:O	2:B:54:VAL:HG23	2.17	0.44
1:C:7:LYS:O	1:C:11:LYS:HG3	2.18	0.44
2:B:6:GLU:H	2:B:6:GLU:CD	2.26	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:61:LYS:HD2	7:C:227:HOH:O	2.18	0.43
2:B:104:ARG:NH2	2:B:139:ASN:OD1	2.52	0.43
2:D:11:VAL:HA	2:D:130:TYR:CE2	2.54	0.43
2:D:23:VAL:HG12	2:D:68:LEU:HD21	2.01	0.43
2:D:82:LYS:HB2	5:D:147:SO4:O4	2.19	0.42
2:B:100:PRO:HB3	2:B:142:ALA:HB2	2.00	0.42
2:B:8:LYS:O	2:B:12:THR:HG23	2.20	0.42
2:D:3:LEU:HD23	2:D:132:LYS:HD3	2.01	0.42
2:D:63:HIS:O	2:D:66:LYS:HB2	2.19	0.42
1:A:140:TYR:HD2	2:D:37:TRP:CE3	2.36	0.42
1:C:83:LEU:HD22	1:C:87:HIS:HE1	1.85	0.42
1:A:96:VAL:HG22	1:A:96:VAL:O	2.19	0.42
1:A:83:LEU:HD21	3:A:142:HEM:HMA1	2.02	0.41
3:D:148:HEM:HHC	3:D:148:HEM:CBB	2.50	0.41
2:B:124:PRO:N	2:B:125:PRO:CD	2.84	0.41
2:D:88:LEU:HD23	2:D:91:LEU:HD23	2.02	0.41
2:B:1:VAL:N	2:B:78:LEU:O	2.54	0.41
2:B:96:LEU:HD13	3:B:148:HEM:C3D	2.55	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	134 (96%)	4 (3%)	1 (1%)	18	10
1	C	139/141 (99%)	138 (99%)	0	1 (1%)	18	10
2	B	144/146 (99%)	140 (97%)	4 (3%)	0	100	100
2	D	144/146 (99%)	142 (99%)	2 (1%)	0	100	100
All	All	566/574 (99%)	554 (98%)	10 (2%)	2 (0%)	30	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	75	ASP
1	C	75	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	113/113 (100%)	104 (92%)	9 (8%)	11 5
1	C	113/113 (100%)	103 (91%)	10 (9%)	9 4
2	B	118/118 (100%)	110 (93%)	8 (7%)	14 7
2	D	118/118 (100%)	111 (94%)	7 (6%)	18 10
All	All	462/462 (100%)	428 (93%)	34 (7%)	13 6

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	60	LYS
1	A	78	ASN
1	A	90	LYS
1	A	92	ARG
1	A	105	LEU
1	A	109	LEU
1	A	119	PRO
1	A	137	THR
2	B	2	HIS
2	B	3	LEU
2	B	6	GLU
2	B	14	LEU
2	B	26	GLU
2	B	32	LEU
2	B	68	LEU
2	B	79	ASP
1	C	1	VAL
1	C	16	LYS
1	C	23	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	45	HIS
1	C	74	ASP
1	C	99	LYS
1	C	105	LEU
1	C	116	GLU
1	C	118	THR
1	C	122	HIS
2	D	1	VAL
2	D	6	GLU
2	D	26	GLU
2	D	32	LEU
2	D	68	LEU
2	D	82	LYS
2	D	139	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	ASN
2	B	2	HIS
1	C	45	HIS
1	C	78	ASN
1	C	89	HIS
1	C	112	HIS
1	C	122	HIS
2	D	117	HIS
2	D	146	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	C	142	1,4	50,50,50	1.50	9 (18%)	67,82,82	1.36	10 (14%)
3	HEM	D	148	2	50,50,50	1.43	7 (14%)	67,82,82	1.08	5 (7%)
3	HEM	B	148	2	50,50,50	1.52	6 (12%)	67,82,82	1.55	11 (16%)
5	SO4	D	147	-	4,4,4	0.84	0	6,6,6	0.56	0
6	DEC	D	149	2	9,11,13	0.83	0	8,10,14	0.76	0
3	HEM	A	142	1,4	50,50,50	1.58	11 (22%)	67,82,82	1.55	9 (13%)
5	SO4	B	147	-	4,4,4	1.13	0	6,6,6	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	C	142	1,4	-	5/14/54/54	-
3	HEM	D	148	2	-	7/14/54/54	-
3	HEM	B	148	2	-	2/14/54/54	-
6	DEC	D	149	2	-	5/9/9/11	-
3	HEM	A	142	1,4	-	4/14/54/54	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	FE-NB	4.00	2.07	1.94
3	B	148	HEM	FE-NB	3.93	2.07	1.94
3	C	142	HEM	CAB-C3B	3.64	1.57	1.47
3	A	142	HEM	FE-NC	3.53	2.06	1.95
3	A	142	HEM	CAB-C3B	3.33	1.56	1.47
3	C	142	HEM	FE-ND	3.30	2.05	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	148	HEM	FE-NB	3.15	2.04	1.94
3	B	148	HEM	FE-NA	3.15	2.05	1.95
3	B	148	HEM	CAB-C3B	3.10	1.55	1.47
3	C	142	HEM	FE-NB	3.01	2.04	1.94
3	A	142	HEM	FE-ND	2.95	2.04	1.94
3	C	142	HEM	O2D-CGD	-2.91	1.21	1.30
3	D	148	HEM	CAB-C3B	2.81	1.54	1.47
3	D	148	HEM	FE-NA	2.81	2.04	1.95
3	B	148	HEM	CMC-C2C	2.78	1.56	1.50
3	B	148	HEM	FE-ND	2.70	2.03	1.94
3	C	142	HEM	CAA-C2A	2.65	1.58	1.51
3	D	148	HEM	CAC-C3C	2.64	1.54	1.47
3	D	148	HEM	C4A-C3A	2.61	1.49	1.43
3	A	142	HEM	CAC-C3C	2.60	1.54	1.47
3	D	148	HEM	C2A-C3A	-2.50	1.32	1.38
3	D	148	HEM	FE-ND	2.47	2.02	1.94
3	C	142	HEM	CMC-C2C	2.45	1.55	1.50
3	A	142	HEM	CAA-C2A	2.43	1.57	1.51
3	A	142	HEM	CBD-CGD	2.41	1.56	1.50
3	A	142	HEM	CAD-C3D	2.27	1.57	1.51
3	C	142	HEM	C2A-C3A	-2.19	1.33	1.38
3	A	142	HEM	CBA-CGA	2.12	1.55	1.50
3	A	142	HEM	CMC-C2C	2.10	1.55	1.50
3	A	142	HEM	C2A-C3A	-2.09	1.33	1.38
3	C	142	HEM	CAC-C3C	2.09	1.53	1.47
3	B	148	HEM	C2A-C3A	-2.05	1.33	1.38
3	C	142	HEM	C3B-C2B	-2.01	1.33	1.37

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	142	HEM	O2D-CGD-O1D	4.93	136.01	123.33
3	A	142	HEM	O2A-CGA-O1A	4.56	135.05	123.33
3	B	148	HEM	CMA-C3A-C2A	4.26	134.67	125.62
3	B	148	HEM	O1D-CGD-CBD	-4.13	110.00	123.09
3	B	148	HEM	CMA-C3A-C4A	-4.08	119.21	125.42
3	A	142	HEM	O1A-CGA-CBA	-4.07	110.20	123.09
3	C	142	HEM	O1A-CGA-CBA	-3.54	111.86	123.09
3	B	148	HEM	O2D-CGD-O1D	3.42	132.12	123.33
3	B	148	HEM	CHB-C4A-NA	3.31	129.86	123.86
3	A	142	HEM	O1D-CGD-CBD	-3.19	112.97	123.09
3	A	142	HEM	C3D-C4D-ND	-3.17	106.70	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	142	HEM	C3B-C4B-NB	-3.04	107.28	109.47
3	B	148	HEM	C4A-CHB-C1B	-2.97	119.27	126.25
3	C	142	HEM	CMA-C3A-C2A	2.94	131.86	125.62
3	C	142	HEM	O2A-CGA-O1A	2.84	130.63	123.33
3	C	142	HEM	C4B-C3B-C2B	2.73	109.78	107.28
3	B	148	HEM	CHC-C1C-NC	2.66	127.35	124.45
3	C	142	HEM	CHC-C4B-NB	-2.57	121.65	124.42
3	C	142	HEM	C1A-C2A-C3A	2.49	110.72	106.87
3	C	142	HEM	CAA-CBA-CGA	-2.48	107.09	113.67
3	C	142	HEM	CHC-C4B-C3B	2.38	129.82	125.07
3	A	142	HEM	CMA-C3A-C2A	2.37	130.66	125.62
3	B	148	HEM	CHB-C4A-C3A	-2.35	120.59	127.43
3	D	148	HEM	C4A-CHB-C1B	-2.33	120.78	126.25
3	C	142	HEM	C1C-CHC-C4B	2.33	130.96	126.02
3	D	148	HEM	O2D-CGD-CBD	2.28	121.20	114.00
3	D	148	HEM	CMA-C3A-C2A	2.26	130.42	125.62
3	A	142	HEM	CBB-CAB-C3B	-2.26	116.23	127.53
3	D	148	HEM	O1D-CGD-CBD	-2.25	115.95	123.09
3	B	148	HEM	C3C-C2C-C1C	2.25	109.18	107.05
3	C	142	HEM	C3D-C4D-ND	-2.20	107.75	110.17
3	B	148	HEM	CHB-C1B-C2B	-2.17	120.77	126.95
3	B	148	HEM	C3D-C4D-ND	-2.15	107.81	110.17
3	A	142	HEM	C4D-C3D-C2D	2.06	109.88	106.89
3	D	148	HEM	CHB-C1B-NB	2.03	126.87	124.37

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	D	149	DEC	C1-C2-C3-C4
6	D	149	DEC	C2-C3-C4-C5
6	D	149	DEC	C6-C7-C8-C9
3	D	148	HEM	C3A-C2A-CAA-CBA
3	D	148	HEM	C1A-C2A-CAA-CBA
6	D	149	DEC	C5-C6-C7-C8
6	D	149	DEC	C3-C4-C5-C6
3	D	148	HEM	C2A-CAA-CBA-CGA
3	A	142	HEM	CAD-CBD-CGD-O2D
3	C	142	HEM	CAA-CBA-CGA-O1A
3	D	148	HEM	CAA-CBA-CGA-O1A
3	C	142	HEM	CAA-CBA-CGA-O2A
3	C	142	HEM	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	142	HEM	CAD-CBD-CGD-O1D
3	B	148	HEM	CAA-CBA-CGA-O2A
3	D	148	HEM	CAA-CBA-CGA-O2A
3	A	142	HEM	CAA-CBA-CGA-O1A
3	A	142	HEM	CAA-CBA-CGA-O2A
3	C	142	HEM	C2B-C3B-CAB-CBB
3	C	142	HEM	CAD-CBD-CGD-O1D
3	B	148	HEM	CAA-CBA-CGA-O1A
3	D	148	HEM	CAD-CBD-CGD-O2D
3	D	148	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


6 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	142	HEM	3	0
3	D	148	HEM	3	0
3	B	148	HEM	3	0
5	D	147	SO4	1	0
6	D	149	DEC	3	0
3	A	142	HEM	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.