



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:02 AM UTC

PDB ID : 1CLY / pdb_00001cly
Title : IGG FAB (HUMAN IGG1, KAPPA) CHIMERIC FRAGMENT (CBR96)
COMPLEXED WITH LEWIS Y NONOATE METHYL ESTER
Authors : Sheriff, S.; Bajorath, J.
Deposited on : 1995-03-15
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	219	5% 52% 40% 5% ..
2	H	219	57% 38% 5%
3	A	4	50% 25% 25%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3395 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called IGG FAB (HUMAN IGG1, KAPPA).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	217	Total	C	N	O	S	20	0	0
			1679	1056	283	334	6			

- Molecule 2 is a protein called IGG FAB (HUMAN IGG1, KAPPA).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	219	Total	C	N	O	S	61	0	0
			1658	1051	275	325	7			

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	A	4	Total	C	N	O	0	0	0
			46	26	1	19			

- Molecule 4 is METHYL NONANOATE (ESTER) (CCD ID: NON) (formula: C₁₀H₂₀O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	C	O	0	0
			12	10	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: IGG FAB (HUMAN IGG1, KAPPA)



- Molecule 2: IGG FAB (HUMAN IGG1, KAPPA)



- Molecule 3: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	81.70Å 81.70Å 166.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.50 8.00 – 2.51	Depositor EDS
% Data completeness (in resolution range)	91.0 (8.00-2.50) 89.0 (8.00-2.51)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 2.51Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.238 , 0.298 0.256 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	47.1	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 79.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3395	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, FUC, NON, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.56	0/1716	1.00	8/2326 (0.3%)
2	H	0.57	0/1700	0.98	8/2317 (0.3%)
All	All	0.57	0/3416	0.99	16/4643 (0.3%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	32	TYR	N-CA-C	7.21	121.25	109.72
1	L	28	ASN	N-CA-C	-6.96	105.24	113.38
2	H	226	GLU	N-CA-C	6.87	114.18	108.07
2	H	183	GLY	N-CA-C	-6.87	105.75	115.43
2	H	150	GLN	N-CA-C	-6.45	100.71	110.39
1	L	27(E)	ASN	N-CA-C	-6.37	104.06	112.72
2	H	92	CYS	N-CA-C	-6.30	99.94	109.95
2	H	33	TYR	N-CA-C	-6.04	100.65	110.20
1	L	88	CYS	N-CA-C	-5.58	101.77	110.42
1	L	27(B)	ILE	N-CA-C	5.52	115.73	107.51
2	H	111	VAL	N-CA-C	5.46	114.24	106.53
1	L	191	VAL	N-CA-C	5.37	117.03	108.87
1	L	138	ASN	N-CA-C	5.26	122.01	110.80
1	L	82	ASP	N-CA-C	5.23	119.53	113.20
2	H	100(B)	PHE	N-CA-C	5.18	116.47	109.11
1	L	4	MET	N-CA-C	5.15	117.08	108.99

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1679	0	1636	89	0
2	H	1658	0	1615	54	0
3	A	46	0	41	1	0
4	H	12	0	19	2	0
All	All	3395	0	3311	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:133:VAL:HG22	1:L:178:THR:HG23	1.50	0.92
1:L:115:VAL:HG11	1:L:196:VAL:HG21	1.55	0.87
1:L:7:ILE:HD12	1:L:8:PRO:HA	1.67	0.74
1:L:108:ARG:HH21	1:L:111:ALA:HB2	1.53	0.73
2:H:198:LEU:HD13	2:H:227:PRO:HG3	1.72	0.72
2:H:31:ASP:HB3	4:H:232:NON:H31	1.71	0.72
2:H:117:LYS:HD3	2:H:184:LEU:HD11	1.73	0.70
1:L:158:ASN:O	1:L:179:LEU:HA	1.92	0.70
2:H:217:THR:HG22	2:H:219:VAL:HG22	1.74	0.69
1:L:24:ARG:HA	1:L:69:THR:O	1.92	0.68
1:L:27(B):ILE:HD11	1:L:71:PHE:CE1	2.28	0.68
2:H:97:ASP:HA	3:A:1:NAG:H83	1.76	0.68
1:L:132:VAL:HG12	1:L:179:LEU:HB3	1.75	0.66
1:L:192:TYR:HB2	1:L:209:PHE:CE1	2.30	0.66
1:L:160:GLN:O	1:L:177:SER:HA	1.95	0.66
1:L:192:TYR:HB2	1:L:209:PHE:HE1	1.61	0.65
1:L:186:TYR:HA	1:L:192:TYR:OH	1.97	0.65
2:H:24:THR:HG21	2:H:29:PHE:HB2	1.77	0.65
2:H:144:VAL:HG11	2:H:152:VAL:HG11	1.80	0.64
1:L:158:ASN:O	1:L:179:LEU:HD12	1.97	0.64
1:L:115:VAL:HG11	1:L:196:VAL:CG2	2.28	0.64
1:L:108:ARG:HG2	1:L:109:THR:N	2.12	0.63
2:H:49:ALA:HB2	2:H:59:TYR:CD2	2.34	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:175:LEU:HD12	1:L:176:SER:N	2.13	0.63
1:L:143:GLU:O	1:L:198:HIS:HD2	1.83	0.62
2:H:63:VAL:HG13	2:H:67:PHE:HB2	1.81	0.62
2:H:49:ALA:HB2	2:H:59:TYR:HD2	1.65	0.60
1:L:14:SER:O	1:L:17:ASP:HB2	2.01	0.60
1:L:120:PRO:CB	1:L:130:ALA:HB1	2.31	0.59
1:L:165:GLU:HG3	1:L:166:GLN:H	1.67	0.59
1:L:4:MET:HG2	1:L:88:CYS:SG	2.43	0.59
1:L:120:PRO:HB3	1:L:130:ALA:HB1	1.84	0.59
1:L:196:VAL:HG23	1:L:201:LEU:HD21	1.84	0.59
1:L:150:VAL:HG22	1:L:192:TYR:CD1	2.38	0.58
1:L:27(B):ILE:HG21	1:L:90:GLN:HG3	1.84	0.57
1:L:33:LEU:HD13	1:L:71:PHE:CD1	2.40	0.57
2:H:207:ILE:HG22	2:H:222:ARG:HA	1.86	0.57
1:L:27(E):ASN:C	1:L:29:GLY:H	2.11	0.57
1:L:184:ALA:O	1:L:188:LYS:HG3	2.05	0.56
2:H:119:PRO:HB3	2:H:147:TYR:HB3	1.87	0.56
1:L:135:LEU:HD12	2:H:190:VAL:HG11	1.88	0.55
2:H:34:MET:HB3	2:H:78:LEU:HD22	1.88	0.55
1:L:150:VAL:HG22	1:L:192:TYR:CE1	2.41	0.55
1:L:131:SER:HB3	1:L:178:THR:HG22	1.88	0.55
1:L:104:LEU:HD12	1:L:105:GLU:N	2.22	0.55
2:H:173:THR:HA	2:H:189:SER:HA	1.89	0.55
1:L:135:LEU:CD1	2:H:190:VAL:HG11	2.37	0.54
1:L:27(E):ASN:C	1:L:29:GLY:N	2.64	0.54
1:L:47:LEU:HA	1:L:58:VAL:HG21	1.88	0.54
1:L:115:VAL:CG1	1:L:196:VAL:HG11	2.38	0.54
1:L:192:TYR:O	1:L:208:SER:HA	2.07	0.54
2:H:82:MET:HB3	2:H:82(C):LEU:HD21	1.89	0.54
1:L:132:VAL:CG1	1:L:179:LEU:HB3	2.38	0.54
1:L:183:LYS:HG2	1:L:184:ALA:N	2.22	0.54
2:H:32:TYR:CD2	2:H:94:ARG:HD3	2.43	0.54
1:L:138:ASN:HA	1:L:173:TYR:O	2.08	0.53
1:L:7:ILE:HD12	1:L:8:PRO:CA	2.37	0.53
1:L:28:ASN:C	1:L:30:ASN:H	2.17	0.53
1:L:115:VAL:HG11	1:L:196:VAL:HG11	1.91	0.52
1:L:141:PRO:HG2	1:L:143:GLU:HG2	1.91	0.52
2:H:203:GLN:HB3	2:H:206:TYR:CZ	2.44	0.52
2:H:9:GLY:HA2	2:H:18:LEU:HD21	1.91	0.51
1:L:149:LYS:HA	1:L:153:ALA:O	2.10	0.51
1:L:115:VAL:CG1	1:L:196:VAL:HG21	2.33	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:190:VAL:HG12	2:H:191:VAL:N	2.25	0.51
1:L:35:TRP:CZ3	1:L:88:CYS:HB3	2.46	0.51
2:H:6:GLU:HG3	2:H:92:CYS:SG	2.51	0.51
1:L:108:ARG:HG2	1:L:109:THR:H	1.74	0.50
1:L:3:LEU:HD23	1:L:97:THR:HG21	1.93	0.50
1:L:104:LEU:HD12	1:L:104:LEU:C	2.37	0.50
1:L:61:ARG:HD3	1:L:77:ARG:O	2.12	0.49
1:L:159:SER:HA	1:L:178:THR:O	2.12	0.49
1:L:186:TYR:CZ	1:L:211:ARG:HG3	2.47	0.49
2:H:48:VAL:O	2:H:60:PRO:HD2	2.12	0.49
1:L:150:VAL:HG13	1:L:192:TYR:CE1	2.48	0.49
2:H:179:GLN:HG3	2:H:186:SER:OG	2.12	0.49
1:L:211:ARG:HG2	1:L:211:ARG:HH11	1.78	0.49
2:H:136:GLY:O	2:H:194:PRO:HA	2.12	0.49
1:L:116:PHE:O	1:L:134:CYS:HA	2.13	0.49
1:L:175:LEU:HD12	1:L:176:SER:H	1.78	0.49
2:H:156:SER:O	2:H:208:CYS:HA	2.13	0.48
2:H:205:THR:HG22	2:H:222:ARG:NH2	2.28	0.48
1:L:162:SER:OG	2:H:174:PHE:HB3	2.14	0.48
1:L:119:PRO:HA	1:L:132:VAL:HG23	1.95	0.47
1:L:133:VAL:HG22	1:L:178:THR:CG2	2.34	0.47
1:L:142:ARG:HG2	1:L:142:ARG:O	2.15	0.47
2:H:82:MET:HE1	2:H:109:VAL:HG21	1.97	0.47
2:H:226:GLU:HB2	2:H:227:PRO:HD2	1.97	0.47
2:H:212:HIS:ND1	2:H:214:PRO:HD2	2.30	0.47
2:H:8:GLY:O	2:H:18:LEU:HD11	2.16	0.46
1:L:17:ASP:O	1:L:78:VAL:HG23	2.15	0.46
1:L:165:GLU:HG3	1:L:166:GLN:N	2.29	0.46
1:L:13:VAL:HG12	1:L:104:LEU:HD11	1.95	0.46
1:L:27(B):ILE:O	1:L:31:THR:HG23	2.16	0.45
1:L:37:LEU:HB2	1:L:47:LEU:HD11	1.99	0.45
1:L:190:LYS:O	1:L:211:ARG:HB2	2.15	0.45
2:H:51:ILE:HD11	2:H:54:GLY:HA2	1.99	0.45
1:L:3:LEU:HB2	1:L:26:SER:OG	2.17	0.45
1:L:110:VAL:HG21	1:L:199:GLN:OE1	2.16	0.45
1:L:186:TYR:OH	1:L:211:ARG:HG3	2.16	0.44
2:H:20:VAL:HG13	2:H:107:THR:HG21	2.00	0.44
2:H:84:SER:HA	2:H:111:VAL:HB	1.99	0.44
2:H:96:LEU:HB2	2:H:100:ALA:HB3	1.99	0.44
2:H:29:PHE:O	2:H:71:ARG:NH2	2.51	0.44
2:H:157:TRP:HZ3	2:H:223:VAL:HG21	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:157:TRP:HB3	2:H:166:LEU:HD23	2.00	0.43
1:L:113:PRO:HB3	1:L:139:PHE:CD1	2.54	0.43
2:H:50:TYR:C	2:H:50:TYR:CD1	2.97	0.43
1:L:196:VAL:HG23	1:L:201:LEU:CD2	2.49	0.43
4:H:232:NON:H71	4:H:232:NON:H41	1.81	0.42
1:L:150:VAL:O	1:L:152:ASN:N	2.51	0.42
2:H:42:GLU:H	2:H:42:GLU:CD	2.28	0.42
2:H:30:SER:O	2:H:52(A):GLN:HB3	2.19	0.42
2:H:147:TYR:N	2:H:184:LEU:HD12	2.34	0.42
1:L:115:VAL:HA	1:L:135:LEU:O	2.20	0.42
1:L:132:VAL:HG13	1:L:132:VAL:O	2.19	0.42
1:L:21:ILE:HG12	1:L:102:THR:HG21	2.02	0.42
1:L:108:ARG:HD2	1:L:170:ASP:O	2.19	0.42
1:L:9:VAL:HG23	1:L:10:SER:N	2.35	0.42
1:L:198:HIS:H	1:L:201:LEU:HB3	1.85	0.42
2:H:20:VAL:CG1	2:H:107:THR:HG21	2.50	0.42
2:H:20:VAL:HG23	2:H:82:MET:HE2	2.01	0.42
2:H:24:THR:HG1	2:H:29:PHE:HD1	1.68	0.41
2:H:149:PRO:O	2:H:212:HIS:HE1	2.03	0.41
1:L:74:LYS:HE2	1:L:74:LYS:HB2	1.89	0.41
2:H:157:TRP:HZ3	2:H:223:VAL:CG2	2.34	0.41
1:L:207:LYS:HA	1:L:207:LYS:HD2	1.88	0.41
2:H:176:ALA:HA	2:H:187:LEU:HB3	2.02	0.41
2:H:226:GLU:HB2	2:H:227:PRO:CD	2.50	0.41
2:H:41:PRO:C	2:H:43:LYS:H	2.29	0.41
2:H:39:GLN:O	2:H:88:ALA:HB1	2.21	0.41
1:L:90:GLN:HE21	1:L:90:GLN:HB3	1.64	0.41
1:L:148:TRP:O	1:L:154:LEU:HA	2.20	0.41
2:H:211:ASN:HD22	2:H:211:ASN:C	2.29	0.41
1:L:61:ARG:O	1:L:75:ILE:HA	2.20	0.41
1:L:27(D):HIS:C	1:L:28:ASN:H	2.29	0.41
1:L:67:SER:O	1:L:69:THR:N	2.54	0.41
1:L:130:ALA:N	1:L:181:LEU:O	2.54	0.40
1:L:198:HIS:HB3	1:L:201:LEU:HB2	2.03	0.40
2:H:93:ALA:HA	2:H:102:TYR:O	2.22	0.40
1:L:23:CYS:O	1:L:70:ASP:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	215/219 (98%)	194 (90%)	16 (7%)	5 (2%)	5	8
2	H	217/219 (99%)	195 (90%)	18 (8%)	4 (2%)	6	12
All	All	432/438 (99%)	389 (90%)	34 (8%)	9 (2%)	5	9

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	68	GLY
1	L	138	ASN
2	H	130	SER
2	H	146	ASP
1	L	27(D)	HIS
1	L	183	LYS
2	H	128	SER
2	H	166	LEU
1	L	157	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	193/195 (99%)	176 (91%)	17 (9%)	9	20
2	H	185/186 (100%)	167 (90%)	18 (10%)	8	17
All	All	378/381 (99%)	343 (91%)	35 (9%)	8	18

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	4	MET
1	L	7	ILE
1	L	13	VAL
1	L	28	ASN
1	L	37	LEU
1	L	43	SER
1	L	48	ILE
1	L	60	ASP
1	L	63	SER
1	L	81	GLU
1	L	90	GLN
1	L	100	SER
1	L	104	LEU
1	L	135	LEU
1	L	175	LEU
1	L	178	THR
1	L	183	LYS
2	H	2	VAL
2	H	24	THR
2	H	25	SER
2	H	42	GLU
2	H	45	LEU
2	H	63	VAL
2	H	84	SER
2	H	150	GLN
2	H	151	PRO
2	H	182	SER
2	H	186	SER
2	H	192	THR
2	H	193	VAL
2	H	196	SER
2	H	209	ASN
2	H	218	LYS
2	H	219	VAL
2	H	220	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	27(D)	HIS
1	L	90	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	93	HIS
1	L	124	GLN
1	L	152	ASN
1	L	189	HIS
1	L	198	HIS
2	H	73	ASN
2	H	211	ASN
2	H	212	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1	3,4	15,15,15	0.58	0	21,21,21	0.93	1 (4%)
3	GAL	A	2	3	11,11,12	0.41	0	15,15,17	0.47	0
3	FUC	A	3	3	10,10,11	0.35	0	14,14,16	0.85	1 (7%)
3	FUC	A	4	3	10,10,11	0.42	0	14,14,16	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1	3,4	-	0/6/26/26	0/1/1/1
3	GAL	A	2	3	-	0/2/19/22	0/1/1/1
3	FUC	A	3	3	-	-	0/1/1/1
3	FUC	A	4	3	-	-	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	1	NAG	C1-C2-C3	-2.22	107.51	110.54
3	A	3	FUC	C1-C2-C3	2.01	112.57	109.64

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NON	H	232	3	11,11,11	0.40	0	11,11,11	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NON	H	232	3	-	3/10/10/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	232	NON	C3-C4-C5-C6
4	H	232	NON	C2-C3-C4-C5
4	H	232	NON	C4-C5-C6-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	232	NON	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	214/219 (97%)	-0.07	11 (5%) 33 29	13, 43, 95, 109	0
2	H	209/219 (95%)	-0.22	1 (0%) 87 85	17, 45, 82, 108	0
All	All	423/438 (96%)	-0.14	12 (2%) 55 50	13, 44, 94, 109	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	153	ALA	4.0
2	H	199	GLY	3.7
1	L	29	GLY	3.6
1	L	27(E)	ASN	3.4
1	L	30	ASN	2.8
1	L	3	LEU	2.7
1	L	191	VAL	2.7
1	L	184	ALA	2.7
1	L	128	GLY	2.3
1	L	150	VAL	2.1
1	L	209	PHE	2.0
1	L	28	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	1	15/15	-	-	18,26,30,34	0
3	GAL	A	2	11/12	-	-	26,28,31,36	0
3	FUC	A	3	10/11	-	-	31,34,40,44	0
3	FUC	A	4	10/11	-	-	28,29,30,34	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NON	H	232	12/12	0.90	0.08	20,28,37,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.