



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:14 PM UTC

PDB ID : 2CLA / pdb_00002cla
Title : CRYSTAL STRUCTURE OF THE ASP-199-ASN MUTANT OF CHLORAMPHENICOL ACETYLTRANSFERASE TO 2.35 ANGSTROMS RESOLUTION. STRUCTURAL CONSEQUENCES OF DISRUPTION OF A BURIED SALT-BRIDGE
Authors : Gibbs, M.R.; Moody, P.C.E.; Leslie, A.G.W.
Deposited on : 1990-04-05
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	213	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 1750 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHLORAMPHENICOL ACETYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1644	1074	267	293	10			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	199	ASN	ASP	conflict	UNP P00484

- Molecule 2 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Co	0	0
			2	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	104	Total	O	0	0
			104	104		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CHLORAMPHENICOL ACETYLTRANSFERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	107.70Å 107.70Å 124.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.35	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.35)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.152 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1750	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.45	8/1691 (0.5%)	2.34	85/2299 (3.7%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	209	ARG	CD-NE	-6.26	1.37	1.46
1	A	172	ILE	C-N	-6.25	1.25	1.33
1	A	188	PRO	C-N	-6.03	1.25	1.33
1	A	51	SER	C-O	5.77	1.30	1.23
1	A	133	LYS	N-CA	5.64	1.53	1.45
1	A	15	ASN	CA-CB	5.25	1.62	1.53
1	A	194	HIS	C-O	5.21	1.30	1.23
1	A	82	GLU	N-CA	5.15	1.51	1.45

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	THR	O-C-N	12.58	138.27	123.30
1	A	146	ASN	OD1-CG-ND2	11.75	134.35	122.60
1	A	155	PHE	CA-CB-CG	11.20	125.00	113.80
1	A	209	ARG	CD-NE-CZ	10.81	139.54	124.40
1	A	7	ASN	CA-CB-CG	10.77	123.37	112.60
1	A	27	HIS	CA-CB-CG	9.08	122.88	113.80
1	A	90	ASP	CA-CB-CG	8.46	121.06	112.60
1	A	81	ASP	N-CA-C	-7.93	104.11	113.38
1	A	172	ILE	CA-C-N	7.88	133.47	123.14
1	A	172	ILE	C-N-CA	7.88	133.47	123.14
1	A	74	ARG	NE-CZ-NH2	-7.77	112.20	119.20
1	A	36	THR	CA-C-O	-7.53	112.23	120.36
1	A	160	LEU	O-C-N	7.44	131.70	123.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	LYS	CA-C-N	7.35	134.66	122.54
1	A	14	LYS	C-N-CA	7.35	134.66	122.54
1	A	115	ASP	CA-CB-CG	7.26	119.86	112.60
1	A	147	ILE	CA-C-O	7.15	128.68	120.67
1	A	100	THR	N-CA-CB	-7.05	101.15	110.88
1	A	120	ASN	OD1-CG-ND2	7.00	129.59	122.60
1	A	74	ARG	NH1-CZ-NH2	6.85	128.20	119.30
1	A	10	LYS	N-CA-CB	6.76	120.11	109.71
1	A	36	THR	CA-CB-OG1	-6.75	99.48	109.60
1	A	120	ASN	CA-CB-CG	6.72	119.32	112.60
1	A	71	ASP	CA-C-N	6.48	130.97	120.60
1	A	71	ASP	C-N-CA	6.48	130.97	120.60
1	A	198	CYS	O-C-N	6.41	131.09	123.27
1	A	108	CYS	CA-C-O	6.41	126.35	120.26
1	A	146	ASN	CA-CB-CG	-6.34	106.26	112.60
1	A	88	SER	N-CA-CB	-6.33	101.09	111.66
1	A	135	PHE	O-C-N	6.20	126.95	121.37
1	A	146	ASN	O-C-N	6.14	130.38	123.19
1	A	160	LEU	CA-C-O	-6.11	113.63	120.54
1	A	60	ILE	O-C-N	6.00	128.44	121.96
1	A	185	LEU	CB-CA-C	5.96	119.97	110.19
1	A	156	ASP	N-CA-C	-5.95	106.36	113.97
1	A	68	ASN	OD1-CG-ND2	-5.92	116.68	122.60
1	A	62	LEU	CA-C-O	-5.91	114.15	120.42
1	A	29	LEU	N-CA-CB	-5.87	103.81	111.09
1	A	86	TRP	O-C-N	5.87	129.90	123.04
1	A	112	SER	CA-C-O	5.75	126.45	119.38
1	A	48	LEU	O-C-N	5.75	128.29	122.09
1	A	18	ARG	CD-NE-CZ	5.74	132.44	124.40
1	A	142	GLU	CA-CB-CG	5.72	125.54	114.10
1	A	92	GLN	CA-C-O	-5.66	114.46	120.40
1	A	212	GLU	CA-C-O	5.66	126.76	120.82
1	A	85	VAL	O-C-N	5.64	129.29	123.20
1	A	62	LEU	O-C-N	5.56	128.49	122.15
1	A	159	ASN	CA-CB-CG	5.55	118.15	112.60
1	A	123	SER	CA-C-O	-5.52	114.57	120.42
1	A	113	ASP	CA-C-O	-5.43	114.77	120.58
1	A	9	THR	O-C-N	-5.41	116.86	123.30
1	A	111	SER	O-C-N	5.39	129.63	123.48
1	A	129	LYS	N-CA-C	5.37	117.83	111.33
1	A	151	PRO	N-CA-C	5.36	120.55	113.86
1	A	47	SER	N-CA-CB	5.35	117.98	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	ALA	CA-C-O	5.33	128.55	121.46
1	A	31	CYS	N-CA-CB	-5.31	102.09	111.39
1	A	86	TRP	CA-C-O	-5.29	114.65	120.69
1	A	219	LYS	CA-C-O	-5.29	111.80	120.80
1	A	71	ASP	N-CA-C	5.29	117.12	111.36
1	A	156	ASP	O-C-N	5.26	128.85	122.48
1	A	146	ASN	CB-CG-OD1	-5.25	110.29	120.80
1	A	162	VAL	CA-C-N	5.24	131.56	121.54
1	A	162	VAL	C-N-CA	5.24	131.56	121.54
1	A	38	LYS	CG-CD-CE	-5.23	99.27	111.30
1	A	86	TRP	CA-C-N	-5.23	113.28	120.28
1	A	86	TRP	C-N-CA	-5.23	113.28	120.28
1	A	119	VAL	CA-C-O	-5.22	115.25	121.05
1	A	11	PHE	N-CA-CB	-5.21	101.87	109.95
1	A	15	ASN	CB-CA-C	-5.19	101.43	110.09
1	A	48	LEU	CB-CA-C	5.18	119.09	110.90
1	A	128	TYR	N-CA-C	5.17	118.90	112.59
1	A	21	HIS	CA-C-O	5.17	126.25	120.82
1	A	82	GLU	CA-C-N	5.17	129.28	122.30
1	A	82	GLU	C-N-CA	5.17	129.28	122.30
1	A	35	LEU	CD1-CG-CD2	-5.16	99.45	110.80
1	A	142	GLU	CB-CG-CD	5.16	121.37	112.60
1	A	104	SER	N-CA-C	-5.10	101.84	109.95
1	A	119	VAL	O-C-N	5.06	127.16	121.90
1	A	95	VAL	N-CA-CB	5.05	118.89	111.52
1	A	215	ASN	OD1-CG-ND2	5.03	127.63	122.60
1	A	214	CYS	CA-C-N	5.01	131.18	122.56
1	A	214	CYS	C-N-CA	5.01	131.18	122.56
1	A	50	ASP	CA-C-N	-5.01	113.59	122.20
1	A	50	ASP	C-N-CA	-5.01	113.59	122.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1644	0	1520	22	2
2	A	2	0	0	0	0
3	A	104	0	0	1	2
All	All	1750	0	1520	22	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (22) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:LEU:HD21	1:A:58:VAL:HG21	1.79	0.64
1:A:176:ALA:HB3	1:A:188:PRO:HG2	1.85	0.58
1:A:34:SER:CB	1:A:159:ASN:HD22	2.16	0.56
1:A:34:SER:OG	1:A:159:ASN:ND2	2.37	0.54
1:A:90:ASP:O	1:A:144:HIS:HA	2.10	0.52
1:A:54:LYS:O	1:A:58:VAL:HG23	2.10	0.51
1:A:58:VAL:O	1:A:62:LEU:HG	2.11	0.51
1:A:22:PHE:O	1:A:26:ARG:HB2	2.13	0.49
1:A:80:ASP:C	1:A:82:GLU:N	2.71	0.46
1:A:46:LYS:CG	3:A:335:HOH:O	2.63	0.46
1:A:77:ILE:HA	1:A:82:GLU:O	2.16	0.45
1:A:151:PRO:HD2	1:A:152:TRP:CZ3	2.52	0.45
1:A:77:ILE:HD13	1:A:83:LEU:HA	1.98	0.45
1:A:56:TYR:N	1:A:57:PRO:HD2	2.32	0.45
1:A:80:ASP:C	1:A:82:GLU:H	2.26	0.44
1:A:114:ILE:O	1:A:118:MET:HG2	2.18	0.43
1:A:56:TYR:O	1:A:60:ILE:HG13	2.18	0.43
1:A:63:ILE:CG2	1:A:173:ILE:HD13	2.49	0.42
1:A:97:HIS:HB2	1:A:100:THR:HG22	2.02	0.42
1:A:155:PHE:CE2	1:A:176:ALA:HB2	2.55	0.41
1:A:46:LYS:O	1:A:49:ASP:HB2	2.20	0.41
1:A:100:THR:HG23	1:A:102:THR:OG1	2.21	0.41

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:MET:CG	3:A:504:HOH:O[12_555]	1.99	0.21
1:A:6:MET:CE	3:A:501:HOH:O[12_555]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/213 (99%)	201 (95%)	10 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/198 (83%)	159 (96%)	6 (4%)	31	41

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	35	LEU
1	A	51	SER
1	A	95	VAL
1	A	145	LEU
1	A	155	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	HIS
1	A	65	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	92	GLN
1	A	146	ASN
1	A	159	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.