



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 11:48 AM UTC

PDB ID : 9CM3 / pdb_00009cm3
EMDB ID : EMD-45738
Title : Cryo-EM structure of Gq-coupled FFA2 in complex with TUG-1375 and compound 187
Authors : Zhang, X.; Tikhonova, I.; Milligan, G.; Zhang, C.
Deposited on : 2024-07-12
Resolution : 3.06 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13976 (2.56 - 3.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	246	
2	B	376	
3	N	266	
4	R	544	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	G	71	 A horizontal bar chart showing the quality of chain G. The bar is divided into four segments: a small red segment at the beginning labeled '7%', followed by a large green segment labeled '68%', a yellow segment labeled '11%', and a grey segment at the end labeled '21%'.

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 8429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(q) subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	226	Total	C	N	O	S	0	0
			1723	1098	308	310	7		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	341	Total	C	N	O	S	0	0
			2534	1571	453	489	21		

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-9	MET	-	initiating methionine	UNP P62873
B	-8	HIS	-	expression tag	UNP P62873
B	-7	HIS	-	expression tag	UNP P62873
B	-6	HIS	-	expression tag	UNP P62873
B	-5	HIS	-	expression tag	UNP P62873
B	-4	HIS	-	expression tag	UNP P62873
B	-3	HIS	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873
B	341	GLY	-	expression tag	UNP P62873
B	342	SER	-	expression tag	UNP P62873
B	343	SER	-	expression tag	UNP P62873
B	344	GLY	-	expression tag	UNP P62873
B	345	GLY	-	expression tag	UNP P62873
B	346	GLY	-	expression tag	UNP P62873
B	347	GLY	-	expression tag	UNP P62873
B	348	SER	-	expression tag	UNP P62873
B	349	GLY	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	350	GLY	-	expression tag	UNP P62873
B	351	GLY	-	expression tag	UNP P62873
B	352	GLY	-	expression tag	UNP P62873
B	353	SER	-	expression tag	UNP P62873
B	354	SER	-	expression tag	UNP P62873
B	355	GLY	-	expression tag	UNP P62873
B	356	VAL	-	expression tag	UNP P62873
B	357	SER	-	expression tag	UNP P62873
B	358	GLY	-	expression tag	UNP P62873
B	359	TRP	-	expression tag	UNP P62873
B	360	ARG	-	expression tag	UNP P62873
B	361	LEU	-	expression tag	UNP P62873
B	362	PHE	-	expression tag	UNP P62873
B	363	LYS	-	expression tag	UNP P62873
B	364	LYS	-	expression tag	UNP P62873
B	365	ILE	-	expression tag	UNP P62873
B	366	SER	-	expression tag	UNP P62873

- Molecule 3 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	N	231	Total	C	N	O	S	0	0
			1708	1090	288	320	10		

- Molecule 4 is a protein called Free fatty acid receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	R	262	Total	C	N	O	S	0	0
			1973	1336	313	314	10		

There are 214 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-44	ASP	-	expression tag	UNP O15552
R	-43	TYR	-	expression tag	UNP O15552
R	-42	LYS	-	expression tag	UNP O15552
R	-41	ASP	-	expression tag	UNP O15552
R	-40	ASP	-	expression tag	UNP O15552
R	-39	ASP	-	expression tag	UNP O15552
R	-38	ASP	-	expression tag	UNP O15552
R	-37	GLY	-	expression tag	UNP O15552
R	-36	GLN	-	expression tag	UNP O15552

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-35	PRO	-	expression tag	UNP O15552
R	-34	GLY	-	expression tag	UNP O15552
R	-33	ASN	-	expression tag	UNP O15552
R	-32	GLY	-	expression tag	UNP O15552
R	-31	SER	-	expression tag	UNP O15552
R	-30	ALA	-	expression tag	UNP O15552
R	-29	PHE	-	expression tag	UNP O15552
R	-28	LEU	-	expression tag	UNP O15552
R	-27	LEU	-	expression tag	UNP O15552
R	-26	ALA	-	expression tag	UNP O15552
R	-25	PRO	-	expression tag	UNP O15552
R	-24	ASN	-	expression tag	UNP O15552
R	-23	GLY	-	expression tag	UNP O15552
R	-22	SER	-	expression tag	UNP O15552
R	-21	HIS	-	expression tag	UNP O15552
R	-20	ALA	-	expression tag	UNP O15552
R	-19	PRO	-	expression tag	UNP O15552
R	-18	ASP	-	expression tag	UNP O15552
R	-17	HIS	-	expression tag	UNP O15552
R	-16	ASN	-	expression tag	UNP O15552
R	-15	VAL	-	expression tag	UNP O15552
R	-14	THR	-	expression tag	UNP O15552
R	-13	GLN	-	expression tag	UNP O15552
R	-12	GLN	-	expression tag	UNP O15552
R	-11	ARG	-	expression tag	UNP O15552
R	-10	ASP	-	expression tag	UNP O15552
R	-9	GLU	-	expression tag	UNP O15552
R	-8	GLU	-	expression tag	UNP O15552
R	-7	ASN	-	expression tag	UNP O15552
R	-6	LEU	-	expression tag	UNP O15552
R	-5	TYR	-	expression tag	UNP O15552
R	-4	PHE	-	expression tag	UNP O15552
R	-3	GLN	-	expression tag	UNP O15552
R	-2	GLY	-	expression tag	UNP O15552
R	-1	VAL	-	expression tag	UNP O15552
R	0	ASP	-	expression tag	UNP O15552
R	331	ALA	-	expression tag	UNP O15552
R	332	ALA	-	expression tag	UNP O15552
R	333	ALA	-	expression tag	UNP O15552
R	334	VAL	-	expression tag	UNP O15552
R	335	PHE	-	expression tag	UNP O15552
R	336	THR	-	expression tag	UNP O15552

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	337	LEU	-	expression tag	UNP O15552
R	338	GLU	-	expression tag	UNP O15552
R	339	ASP	-	expression tag	UNP O15552
R	340	PHE	-	expression tag	UNP O15552
R	341	VAL	-	expression tag	UNP O15552
R	342	GLY	-	expression tag	UNP O15552
R	343	ASP	-	expression tag	UNP O15552
R	344	TRP	-	expression tag	UNP O15552
R	345	GLU	-	expression tag	UNP O15552
R	346	GLN	-	expression tag	UNP O15552
R	347	THR	-	expression tag	UNP O15552
R	348	ALA	-	expression tag	UNP O15552
R	349	ALA	-	expression tag	UNP O15552
R	350	TYR	-	expression tag	UNP O15552
R	351	ASN	-	expression tag	UNP O15552
R	352	LEU	-	expression tag	UNP O15552
R	353	ASP	-	expression tag	UNP O15552
R	354	GLN	-	expression tag	UNP O15552
R	355	VAL	-	expression tag	UNP O15552
R	356	LEU	-	expression tag	UNP O15552
R	357	GLU	-	expression tag	UNP O15552
R	358	GLN	-	expression tag	UNP O15552
R	359	GLY	-	expression tag	UNP O15552
R	360	GLY	-	expression tag	UNP O15552
R	361	VAL	-	expression tag	UNP O15552
R	362	SER	-	expression tag	UNP O15552
R	363	SER	-	expression tag	UNP O15552
R	364	LEU	-	expression tag	UNP O15552
R	365	LEU	-	expression tag	UNP O15552
R	366	GLN	-	expression tag	UNP O15552
R	367	ASN	-	expression tag	UNP O15552
R	368	LEU	-	expression tag	UNP O15552
R	369	ALA	-	expression tag	UNP O15552
R	370	VAL	-	expression tag	UNP O15552
R	371	SER	-	expression tag	UNP O15552
R	372	VAL	-	expression tag	UNP O15552
R	373	THR	-	expression tag	UNP O15552
R	374	PRO	-	expression tag	UNP O15552
R	375	ILE	-	expression tag	UNP O15552
R	376	GLN	-	expression tag	UNP O15552
R	377	ARG	-	expression tag	UNP O15552
R	378	ILE	-	expression tag	UNP O15552

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	379	VAL	-	expression tag	UNP O15552
R	380	ARG	-	expression tag	UNP O15552
R	381	SER	-	expression tag	UNP O15552
R	382	GLY	-	expression tag	UNP O15552
R	383	GLU	-	expression tag	UNP O15552
R	384	ASN	-	expression tag	UNP O15552
R	385	ALA	-	expression tag	UNP O15552
R	386	LEU	-	expression tag	UNP O15552
R	387	LYS	-	expression tag	UNP O15552
R	388	ILE	-	expression tag	UNP O15552
R	389	ASP	-	expression tag	UNP O15552
R	390	ILE	-	expression tag	UNP O15552
R	391	HIS	-	expression tag	UNP O15552
R	392	VAL	-	expression tag	UNP O15552
R	393	ILE	-	expression tag	UNP O15552
R	394	ILE	-	expression tag	UNP O15552
R	395	PRO	-	expression tag	UNP O15552
R	396	TYR	-	expression tag	UNP O15552
R	397	GLU	-	expression tag	UNP O15552
R	398	GLY	-	expression tag	UNP O15552
R	399	LEU	-	expression tag	UNP O15552
R	400	SER	-	expression tag	UNP O15552
R	401	ALA	-	expression tag	UNP O15552
R	402	ASP	-	expression tag	UNP O15552
R	403	GLN	-	expression tag	UNP O15552
R	404	MET	-	expression tag	UNP O15552
R	405	ALA	-	expression tag	UNP O15552
R	406	GLN	-	expression tag	UNP O15552
R	407	ILE	-	expression tag	UNP O15552
R	408	GLU	-	expression tag	UNP O15552
R	409	GLU	-	expression tag	UNP O15552
R	410	VAL	-	expression tag	UNP O15552
R	411	PHE	-	expression tag	UNP O15552
R	412	LYS	-	expression tag	UNP O15552
R	413	VAL	-	expression tag	UNP O15552
R	414	VAL	-	expression tag	UNP O15552
R	415	TYR	-	expression tag	UNP O15552
R	416	PRO	-	expression tag	UNP O15552
R	417	VAL	-	expression tag	UNP O15552
R	418	ASP	-	expression tag	UNP O15552
R	419	ASP	-	expression tag	UNP O15552
R	420	HIS	-	expression tag	UNP O15552

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	421	HIS	-	expression tag	UNP O15552
R	422	PHE	-	expression tag	UNP O15552
R	423	LYS	-	expression tag	UNP O15552
R	424	VAL	-	expression tag	UNP O15552
R	425	ILE	-	expression tag	UNP O15552
R	426	LEU	-	expression tag	UNP O15552
R	427	PRO	-	expression tag	UNP O15552
R	428	TYR	-	expression tag	UNP O15552
R	429	GLY	-	expression tag	UNP O15552
R	430	THR	-	expression tag	UNP O15552
R	431	LEU	-	expression tag	UNP O15552
R	432	VAL	-	expression tag	UNP O15552
R	433	ILE	-	expression tag	UNP O15552
R	434	ASP	-	expression tag	UNP O15552
R	435	GLY	-	expression tag	UNP O15552
R	436	VAL	-	expression tag	UNP O15552
R	437	THR	-	expression tag	UNP O15552
R	438	PRO	-	expression tag	UNP O15552
R	439	ASN	-	expression tag	UNP O15552
R	440	MET	-	expression tag	UNP O15552
R	441	LEU	-	expression tag	UNP O15552
R	442	ASN	-	expression tag	UNP O15552
R	443	TYR	-	expression tag	UNP O15552
R	444	PHE	-	expression tag	UNP O15552
R	445	GLY	-	expression tag	UNP O15552
R	446	ARG	-	expression tag	UNP O15552
R	447	PRO	-	expression tag	UNP O15552
R	448	TYR	-	expression tag	UNP O15552
R	449	GLU	-	expression tag	UNP O15552
R	450	GLY	-	expression tag	UNP O15552
R	451	ILE	-	expression tag	UNP O15552
R	452	ALA	-	expression tag	UNP O15552
R	453	VAL	-	expression tag	UNP O15552
R	454	PHE	-	expression tag	UNP O15552
R	455	ASP	-	expression tag	UNP O15552
R	456	GLY	-	expression tag	UNP O15552
R	457	LYS	-	expression tag	UNP O15552
R	458	LYS	-	expression tag	UNP O15552
R	459	ILE	-	expression tag	UNP O15552
R	460	THR	-	expression tag	UNP O15552
R	461	VAL	-	expression tag	UNP O15552
R	462	THR	-	expression tag	UNP O15552

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	463	GLY	-	expression tag	UNP O15552
R	464	THR	-	expression tag	UNP O15552
R	465	LEU	-	expression tag	UNP O15552
R	466	TRP	-	expression tag	UNP O15552
R	467	ASN	-	expression tag	UNP O15552
R	468	GLY	-	expression tag	UNP O15552
R	469	ASN	-	expression tag	UNP O15552
R	470	LYS	-	expression tag	UNP O15552
R	471	ILE	-	expression tag	UNP O15552
R	472	ILE	-	expression tag	UNP O15552
R	473	ASP	-	expression tag	UNP O15552
R	474	GLU	-	expression tag	UNP O15552
R	475	ARG	-	expression tag	UNP O15552
R	476	LEU	-	expression tag	UNP O15552
R	477	ILE	-	expression tag	UNP O15552
R	478	THR	-	expression tag	UNP O15552
R	479	PRO	-	expression tag	UNP O15552
R	480	ASP	-	expression tag	UNP O15552
R	481	GLY	-	expression tag	UNP O15552
R	482	SER	-	expression tag	UNP O15552
R	483	MET	-	expression tag	UNP O15552
R	484	LEU	-	expression tag	UNP O15552
R	485	PHE	-	expression tag	UNP O15552
R	486	ARG	-	expression tag	UNP O15552
R	487	VAL	-	expression tag	UNP O15552
R	488	THR	-	expression tag	UNP O15552
R	489	ILE	-	expression tag	UNP O15552
R	490	ASN	-	expression tag	UNP O15552
R	491	SER	-	expression tag	UNP O15552
R	492	HIS	-	expression tag	UNP O15552
R	493	HIS	-	expression tag	UNP O15552
R	494	HIS	-	expression tag	UNP O15552
R	495	HIS	-	expression tag	UNP O15552
R	496	HIS	-	expression tag	UNP O15552
R	497	HIS	-	expression tag	UNP O15552
R	498	HIS	-	expression tag	UNP O15552
R	499	HIS	-	expression tag	UNP O15552

- Molecule 5 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.


Mol	Chain	Residues	Atoms					AltConf	Trace
5	G	56	Total	C	N	O	S	0	0
			386	244	68	72	2		

- Molecule 6 is (2R,4R)-2-(2-chlorophenyl)-3-[4-(3,5-dimethyl-1,2-oxazol-4-yl)phenyl]carbon yl-1,3-thiazolidine-4-carboxylic acid (CCD ID: 9UJ) (formula: $C_{22}H_{19}ClN_2O_4S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf	
6	R	1	Total	C	Cl	N	O	S	0
			30	22	1	2	4	1	

- Molecule 7 is 4-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-7-(2-fluorobenzene-1-sulfonyl)-2-methyl-5H-pyrrolo[3,2-d]pyrimidin-6-amine (CCD ID: A1AZC) (formula: $C_{19}H_{22}FN_5O_3S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
7	R	1	Total	C	F	N	O	S	0
			29	19	1	5	3	1	

- Molecule 8 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
8	R	1	Total	C	O	0
			28	27	1	

- Molecule 9 is PALMITIC ACID (CCD ID: PLM) (formula: $C_{16}H_{32}O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
9	R	1	Total	C	O	0
			18	16	2	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(q) subunit alpha




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1





- Molecule 3: scFv16





• Molecule 4: Free fatty acid receptor 2



• Molecule 5: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	348210	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.607	Depositor
Minimum map value	-1.103	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.048	Depositor
Recommended contour level	0.137	Depositor
Map size ($\text{\AA}$)	184.32, 184.32, 184.32	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.72, 0.72, 0.72	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1AZC, PLM, CLR, 9UJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/1755	0.58	6/2380 (0.3%)
2	B	0.32	0/2581	0.45	1/3510 (0.0%)
3	N	0.82	0/1751	1.19	8/2384 (0.3%)
4	R	0.31	0/2030	0.43	1/2791 (0.0%)
5	G	0.34	0/392	0.43	0/537
All	All	0.46	0/8509	0.69	16/11602 (0.1%)

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	N	239	THR	N-CA-C	14.10	130.12	110.24
3	N	238	LEU	N-CA-C	11.79	135.92	110.80
3	N	234	LEU	N-CA-C	11.13	123.50	111.36
3	N	239	THR	N-CA-CB	-7.54	97.71	109.69
1	A	90	ARG	N-CA-C	6.88	125.45	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1723	0	1641	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	2534	0	2394	49	0
3	N	1708	0	1603	52	0
4	R	1973	0	1959	48	0
5	G	386	0	358	7	0
6	R	30	0	0	1	0
7	R	29	0	0	0	0
8	R	28	0	46	18	0
9	R	18	0	31	2	0
All	All	8429	0	8032	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 170 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:134:TRP:HB2	8:R:503:CLR:C26	1.81	1.11
4:R:127:VAL:HG22	8:R:503:CLR:H111	1.37	1.06
4:R:134:TRP:HB2	8:R:503:CLR:H261	1.42	1.01
4:R:134:TRP:HB2	8:R:503:CLR:H263	1.55	0.89
4:R:127:VAL:HG22	8:R:503:CLR:C11	2.09	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	222/246 (90%)	213 (96%)	9 (4%)	0	100	100
2	B	339/376 (90%)	326 (96%)	13 (4%)	0	100	100
3	N	227/266 (85%)	214 (94%)	12 (5%)	1 (0%)	30	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	R	258/544 (47%)	251 (97%)	7 (3%)	0	100	100
5	G	54/71 (76%)	54 (100%)	0	0	100	100
All	All	1100/1503 (73%)	1058 (96%)	41 (4%)	1 (0%)	49	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	N	238	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/213 (79%)	167 (99%)	2 (1%)	63	75
2	B	262/306 (86%)	259 (99%)	3 (1%)	65	76
3	N	175/215 (81%)	155 (89%)	20 (11%)	5	20
4	R	196/469 (42%)	193 (98%)	3 (2%)	57	73
5	G	33/58 (57%)	33 (100%)	0	100	100
All	All	835/1261 (66%)	807 (97%)	28 (3%)	33	59

5 of 28 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	N	175	LEU
4	R	215	GLN
3	N	190	ILE
3	N	239	THR
3	N	187	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
3	N	195	ASN
4	R	72	ASN
4	R	265	ASN
4	R	215	GLN
2	B	155	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	CLR	R	503	-	31,31,31	0.87	2 (6%)	48,48,48	1.14	3 (6%)
9	PLM	R	504	-	17,17,17	0.50	0	17,17,17	0.90	1 (5%)
7	A1AZC	R	502	-	31,32,32	1.88	9 (29%)	39,49,49	3.40	12 (30%)
6	9UJ	R	501	-	33,33,33	4.62	11 (33%)	44,48,48	2.73	18 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	CLR	R	503	-	-	6/10/68/68	0/4/4/4
9	PLM	R	504	-	-	8/15/15/15	-
7	A1AZC	R	502	-	-	1/16/28/28	1/4/4/4
6	9UJ	R	501	-	-	0/20/33/33	0/4/4/4

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	501	9UJ	C10-S02	-12.70	1.69	1.84
6	R	501	9UJ	C11-S02	-12.17	1.47	1.81
6	R	501	9UJ	C11-C09	10.82	1.70	1.53
6	R	501	9UJ	C10-N07	9.99	1.61	1.47
6	R	501	9UJ	O06-N08	-6.07	1.31	1.42

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	R	502	A1AZC	O20-S18-O19	-18.01	101.37	118.73
6	R	501	9UJ	C09-N07-C10	-8.71	108.89	116.58
6	R	501	9UJ	C11-S02-C10	7.72	105.04	90.88
6	R	501	9UJ	O06-C27-C29	5.80	125.55	116.59
6	R	501	9UJ	C29-C27-C25	-5.00	127.04	133.91

There are no chirality outliers.

5 of 15 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	R	503	CLR	C13-C17-C20-C22
8	R	503	CLR	C13-C17-C20-C21
8	R	503	CLR	C16-C17-C20-C21
8	R	503	CLR	C16-C17-C20-C22
8	R	503	CLR	C20-C22-C23-C24

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	R	502	A1AZC	C02-C03-C05-C06-N04-O07

3 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	R	503	CLR	18	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	R	504	PLM	2	0
6	R	501	9UJ	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand A1AZC R 502



Ligand 9UJ R 501



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-45738. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 121




Y Index: 115




Z Index: 91


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.137. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 50 nm^3 ; this corresponds to an approximate mass of 45 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.327 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.327 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.06	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.58	3.91	3.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.58 differs from the reported value 3.06 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-45738 and PDB model 9CM3. Per-residue inclusion information can be found in section 3 on page 14.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.137 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.137).

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.137) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8190	0.5450
A	0.8210	0.5490
B	0.8650	0.5670
G	0.7430	0.5220
N	0.8240	0.5560
R	0.7720	0.5110

