



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:08 AM UTC

PDB ID : 2CN3 / pdb_00002cn3
Title : Crystal Structures of Clostridium thermocellum Xyloglucanase
Authors : Martinez-Fleites, C.; Taylor, E.J.; Guerreiro, C.I.P.D.; Prates, J.A.M.; Ferreira, L.M.A.; Fontes, C.M.G.A.; Baumann, M.J.; Brumer, H.; Davies, G.J.
Deposited on : 2006-05-17
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	737	85% 12% ..
1	B	737	87% 11% ..
2	C	8	50% 50%
2	E	8	50% 50%
2	F	8	38% 62%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	9	 22%78%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLC	C	1	X	-	-	-
2	GLC	E	1	X	-	-	-
2	GLC	F	1	X	-	-	-
3	GLC	D	1	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12865 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA-1,4-XYLOGLUCAN HYDROLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	0	0
			5645	3608	938	1075	24			
1	B	728	Total	C	N	O	S	0	0	0
			5647	3609	938	1076	24			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	70	ALA	ASP	engineered mutation	UNP Q70DK5
B	70	ALA	ASP	engineered mutation	UNP Q70DK5

- Molecule 2 is an oligosaccharide called alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	8	Total	C	O	0	0	0
			83	45	38			
2	E	8	Total	C	O	0	0	0
			83	45	38			
2	F	8	Total	C	O	0	0	0
			83	45	38			

- Molecule 3 is an oligosaccharide called alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	D	9	Total	C	O	0	0	0
			94	51	43			

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		
4	B	1	Total	Ca	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	611	Total	O	0	0
			611	611		
5	B	617	Total	O	0	0
			617	617		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-1,4-XYLOGLUCAN HYDROLASE



• Molecule 1: BETA-1,4-XYLOGLUCAN HYDROLASE



• Molecule 2: alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain C:  50% 50%




- Molecule 2: alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain E:  50% 50%




- Molecule 2: alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain F:  38% 62%



- Molecule 3: alpha-D-xylopyranose-(1-6)-beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-[beta-D-galactopyranose-(1-2)-alpha-D-xylopyranose-(1-6)]beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain D:  22% 78%



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	141.44Å 141.44Å 193.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 1.95 19.96 – 1.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.96-1.95) 99.9 (19.96-1.95)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.07 (at 1.94Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.178 , 0.204 (Not available) , 0.198	Depositor DCC
R_{free} test set	7140 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	16.0	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 46.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12865	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.2594e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, XYS, GLC, CA, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	8/5811 (0.1%)	0.77	7/7926 (0.1%)
1	B	0.63	6/5814 (0.1%)	0.76	6/7931 (0.1%)
All	All	0.65	14/11625 (0.1%)	0.76	13/15857 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	331	ALA	C-O	-7.53	1.14	1.24
1	A	329	CYS	C-O	-7.09	1.15	1.23
1	B	380	ILE	C-O	-6.48	1.17	1.24
1	B	329	CYS	C-O	-6.42	1.16	1.23
1	B	324	SER	C-O	-5.87	1.16	1.24
1	A	273	PRO	C-O	-5.61	1.16	1.24
1	A	276	GLY	C-O	-5.53	1.16	1.23
1	A	274	HIS	C-O	-5.36	1.17	1.24
1	A	351	TRP	C-O	-5.19	1.17	1.24
1	B	331	ALA	CA-CB	-5.14	1.44	1.53
1	A	327	ARG	C-O	-5.12	1.17	1.24
1	B	322	SER	C-O	-5.07	1.17	1.24
1	A	137	ASP	CA-C	5.05	1.57	1.52
1	A	324	SER	C-O	-5.03	1.17	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	275	HIS	N-CA-C	12.72	129.27	109.81
1	A	137	ASP	N-CA-C	11.33	129.08	113.21
1	B	378	GLU	N-CA-C	-10.36	91.25	108.76
1	A	378	GLU	N-CA-C	-10.29	92.06	109.24
1	B	274	HIS	N-CA-C	7.40	120.42	111.40
1	B	275	HIS	N-CA-CB	-5.97	102.10	111.05
1	A	137	ASP	CA-C-N	5.90	132.32	121.70
1	A	137	ASP	C-N-CA	5.90	132.32	121.70
1	A	43	VAL	N-CA-C	-5.40	102.55	109.30
1	B	376	TYR	CA-C-N	5.23	139.54	127.00
1	B	376	TYR	C-N-CA	5.23	139.54	127.00
1	A	274	HIS	N-CA-C	5.11	116.85	111.28
1	A	45	ILE	N-CA-C	-5.04	107.47	111.81

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	377	PRO	Peptide
1	B	274	HIS	Peptide
1	B	377	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5645	0	5400	69	0
1	B	5647	0	5406	65	0
2	C	83	0	69	0	0
2	E	83	0	69	0	0
2	F	83	0	69	0	0
3	D	94	0	78	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	611	0	0	5	0
5	B	617	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	12865	0	11091	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:MET:HE2	1:B:305:LYS:HB2	1.31	1.08
1:B:117:VAL:HG23	1:B:151:MET:HE3	1.32	1.06
1:A:103:SER:HB3	1:A:117:VAL:CG1	2.01	0.91
1:B:103:SER:HB3	1:B:117:VAL:CG1	2.04	0.88
1:A:144:LYS:HE2	1:A:146:ILE:HD11	1.54	0.88
1:B:117:VAL:HG23	1:B:151:MET:CE	2.04	0.87
1:B:700:LYS:HE2	1:B:703:ASN:HA	1.59	0.84
1:A:700:LYS:HE3	1:A:703:ASN:HA	1.60	0.82
1:B:337:ARG:HD3	5:B:2026:HOH:O	1.78	0.82
1:A:375:MET:O	1:A:378:GLU:HB2	1.79	0.81
1:A:362:ASP:OD2	1:A:366:THR:HG22	1.82	0.79
1:B:362:ASP:OD2	1:B:366:THR:HG22	1.86	0.76
1:A:117:VAL:HG23	1:A:151:MET:CE	2.16	0.76
1:A:302:GLN:HE21	1:A:304:TRP:HE1	1.33	0.75
1:B:283:MET:CE	1:B:305:LYS:HB2	2.12	0.74
1:B:102:GLU:HB3	1:B:117:VAL:HG22	1.68	0.74
1:B:251:ILE:H	1:B:267:GLN:HE22	1.32	0.74
1:A:117:VAL:HG23	1:A:151:MET:HE2	1.68	0.74
1:A:550:ASN:HD22	1:A:553:GLY:H	1.34	0.74
1:B:283:MET:HE2	1:B:305:LYS:CB	2.15	0.73
1:A:302:GLN:NE2	1:A:304:TRP:HE1	1.86	0.73
1:A:251:ILE:H	1:A:267:GLN:HE22	1.34	0.72
1:B:302:GLN:HE21	1:B:304:TRP:HE1	1.39	0.70
1:B:550:ASN:HD22	1:B:553:GLY:H	1.38	0.69
1:A:490:LYS:HD3	5:A:2577:HOH:O	1.91	0.69
1:B:375:MET:O	1:B:378:GLU:HB2	1.93	0.68
1:B:147:LEU:CD1	1:B:151:MET:HE1	2.25	0.67
1:B:302:GLN:NE2	1:B:304:TRP:HE1	1.92	0.67
1:A:102:GLU:HB3	1:A:117:VAL:HG22	1.77	0.67
1:B:42:ASN:HD21	1:B:751:ARG:HH12	1.44	0.66
1:B:103:SER:HB3	1:B:117:VAL:HG11	1.78	0.65
1:B:536:ASP:O	1:B:539:ARG:HG3	1.96	0.65
1:B:147:LEU:HD12	1:B:151:MET:HE1	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:VAL:CG2	1:B:151:MET:HE3	2.18	0.64
1:B:375:MET:SD	1:B:375:MET:N	2.61	0.64
1:A:375:MET:SD	1:A:375:MET:N	2.62	0.63
1:B:368:LYS:HE3	5:B:2312:HOH:O	1.98	0.62
1:A:103:SER:HB3	1:A:117:VAL:HG11	1.80	0.62
1:A:283:MET:HE2	1:A:305:LYS:HD2	1.82	0.62
1:B:349:ASN:ND2	1:B:411:MET:H	1.98	0.61
1:B:377:PRO:O	1:B:402:PRO:HB3	2.00	0.60
1:B:247:LYS:O	1:B:270:GLY:HA2	2.01	0.60
1:B:377:PRO:HB3	1:B:401:LEU:HB3	1.85	0.58
1:B:377:PRO:HB2	1:B:378:GLU:HG2	1.84	0.58
1:A:377:PRO:O	1:A:402:PRO:HB3	2.02	0.58
1:A:377:PRO:HB2	1:A:378:GLU:HG2	1.86	0.58
1:A:476:SER:OG	1:A:486:HIS:HE1	1.86	0.58
1:A:247:LYS:O	1:A:270:GLY:HA2	2.05	0.57
1:B:509:TYR:HB3	1:B:517:MET:HE3	1.86	0.57
1:B:250:SER:H	1:B:267:GLN:NE2	2.01	0.57
1:A:335:VAL:HG22	1:A:343:ILE:HG22	1.87	0.57
1:A:349:ASN:ND2	1:A:411:MET:H	2.03	0.57
1:A:476:SER:O	1:A:497:HIS:HE1	1.88	0.56
1:B:497:HIS:HD2	5:B:2433:HOH:O	1.89	0.55
1:B:476:SER:OG	1:B:486:HIS:HE1	1.90	0.55
1:B:144:LYS:HE2	1:B:146:ILE:HD11	1.87	0.55
1:A:497:HIS:HD2	5:A:2405:HOH:O	1.89	0.54
1:B:396:GLY:HA3	1:B:495:LYS:HE2	1.89	0.54
1:A:391:PRO:HG2	1:A:494:LYS:HD3	1.90	0.53
1:A:147:LEU:CD1	1:A:151:MET:HE1	2.39	0.53
1:A:536:ASP:O	1:A:539:ARG:HG3	2.08	0.53
1:B:335:VAL:HG22	1:B:343:ILE:HG22	1.91	0.52
1:A:112:ASN:HA	1:A:138:ARG:HG2	1.91	0.52
1:B:580:ASP:HB3	1:B:583:ASN:HB2	1.92	0.52
1:A:376:TYR:HA	1:A:377:PRO:C	2.36	0.51
1:A:128:ASN:HD22	1:A:128:ASN:H	1.58	0.51
1:B:463:LEU:HD12	1:B:504:GLY:O	2.11	0.51
1:B:550:ASN:ND2	1:B:553:GLY:H	2.08	0.51
1:B:152:GLY:CA	1:B:155:MET:HG2	2.41	0.51
1:A:132:ILE:HG12	1:A:147:LEU:HD11	1.93	0.51
1:A:337:ARG:HD3	5:A:2025:HOH:O	2.11	0.50
1:B:103:SER:N	1:B:117:VAL:HG13	2.26	0.50
1:A:250:SER:H	1:A:267:GLN:NE2	2.09	0.50
1:A:337:ARG:O	1:A:337:ARG:HG2	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:391:PRO:HG2	1:B:494:LYS:HD3	1.92	0.50
1:A:42:ASN:HD21	1:A:751:ARG:HH12	1.58	0.50
1:A:107:ASP:HB3	1:A:110:ASP:O	2.12	0.48
1:A:550:ASN:ND2	1:A:553:GLY:H	2.09	0.48
1:B:707:PHE:CD2	1:B:721:ASN:HB3	2.49	0.48
1:B:172:ARG:HG2	1:B:190:TYR:CZ	2.49	0.48
1:A:377:PRO:HB3	1:A:401:LEU:HB3	1.96	0.48
1:A:639:LYS:HG3	1:A:680:VAL:HG12	1.95	0.47
1:B:520:VAL:HG11	1:B:568:TRP:CD1	2.49	0.47
1:B:299:GLY:HA3	1:B:327:ARG:O	2.14	0.47
1:B:128:ASN:H	1:B:128:ASN:HD22	1.63	0.47
1:A:103:SER:N	1:A:117:VAL:HG13	2.30	0.47
1:B:639:LYS:HG3	1:B:680:VAL:HG12	1.97	0.46
1:A:101:VAL:HG13	1:A:116:ILE:HG23	1.97	0.46
1:B:250:SER:H	1:B:267:GLN:HE22	1.63	0.46
1:B:649:HIS:HD2	1:B:692:TYR:OH	1.98	0.46
1:A:200:PHE:HA	1:A:201:PRO:HD3	1.80	0.45
1:A:139:GLY:HA2	1:A:142:TRP:CZ2	2.51	0.45
1:A:283:MET:HE3	1:A:305:LYS:HB2	1.97	0.45
1:B:349:ASN:HD21	1:B:411:MET:H	1.60	0.45
1:A:463:LEU:HD12	1:A:504:GLY:O	2.17	0.45
1:A:250:SER:H	1:A:267:GLN:HE22	1.65	0.45
1:A:368:LYS:HE2	1:A:442:TRP:HE1	1.83	0.44
1:A:368:LYS:HG2	5:A:2282:HOH:O	2.16	0.44
1:B:470:GLU:HG2	5:B:2177:HOH:O	2.17	0.44
1:B:52:MET:SD	1:B:69:ALA:HB2	2.57	0.44
1:A:490:LYS:HA	1:A:490:LYS:HD2	1.78	0.44
1:A:608:TYR:HB3	1:A:615:PHE:CZ	2.53	0.44
1:B:251:ILE:H	1:B:267:GLN:NE2	2.09	0.44
1:B:128:ASN:H	1:B:128:ASN:ND2	2.16	0.44
1:A:117:VAL:HG23	1:A:151:MET:HG2	2.00	0.43
1:A:649:HIS:HD2	1:A:692:TYR:OH	2.01	0.43
1:A:283:MET:CE	1:A:305:LYS:HB2	2.48	0.43
1:A:587:VAL:HG22	5:A:2190:HOH:O	2.18	0.43
1:B:608:TYR:HB3	1:B:615:PHE:CZ	2.53	0.43
1:B:107:ASP:HB3	1:B:110:ASP:O	2.18	0.43
1:B:375:MET:O	1:B:376:TYR:C	2.61	0.43
1:A:128:ASN:H	1:A:128:ASN:ND2	2.16	0.43
1:B:101:VAL:HG13	1:B:116:ILE:HG23	2.00	0.42
1:B:368:LYS:HE2	1:B:368:LYS:HB3	1.94	0.42
1:B:511:GLU:OE1	1:B:601:ARG:HD3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:615:PHE:CE2	1:B:666:GLY:HA3	2.53	0.42
1:A:239:THR:HA	1:A:254:SER:O	2.18	0.42
1:A:606:LYS:HA	1:A:618:SER:O	2.20	0.42
1:A:152:GLY:CA	1:A:155:MET:HG2	2.49	0.42
1:A:161:GLY:HA2	1:A:222:VAL:O	2.19	0.42
1:A:418:ASP:OD2	1:A:424:ARG:HD2	2.19	0.42
1:A:103:SER:CB	1:A:117:VAL:CG1	2.87	0.42
1:A:283:MET:HE2	1:A:305:LYS:CD	2.49	0.41
1:A:117:VAL:CG2	1:A:151:MET:HG2	2.50	0.41
1:B:146:ILE:N	1:B:146:ILE:CD1	2.83	0.41
1:A:476:SER:O	1:A:497:HIS:CE1	2.72	0.41
1:A:181:GLY:HA2	1:A:203:PRO:HB2	2.03	0.41
1:A:707:PHE:CD2	1:A:721:ASN:HB3	2.55	0.41
1:A:175:TYR:CZ	1:A:186:ARG:HD3	2.55	0.40
1:B:42:ASN:HD21	1:B:751:ARG:NH1	2.14	0.40
1:B:466:VAL:HG21	1:B:517:MET:HE1	2.04	0.40
1:A:349:ASN:HD21	1:A:411:MET:H	1.69	0.40
1:A:492:GLY:HA2	1:A:493:PRO:HD3	1.95	0.40
1:B:377:PRO:HB3	1:B:401:LEU:CB	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	726/737 (98%)	702 (97%)	23 (3%)	1 (0%)	48	41
1	B	726/737 (98%)	702 (97%)	23 (3%)	1 (0%)	48	41
All	All	1452/1474 (98%)	1404 (97%)	46 (3%)	2 (0%)	48	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	377	PRO
1	B	377	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	593/602 (98%)	582 (98%)	11 (2%)	50	45
1	B	594/602 (99%)	582 (98%)	12 (2%)	48	43
All	All	1187/1204 (99%)	1164 (98%)	23 (2%)	50	45

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	ILE
1	A	102	GLU
1	A	117	VAL
1	A	128	ASN
1	A	375	MET
1	A	377	PRO
1	A	449	LYS
1	A	478	VAL
1	A	574	SER
1	A	703	ASN
1	A	707	PHE
1	B	65	ILE
1	B	102	GLU
1	B	117	VAL
1	B	128	ASN
1	B	146	ILE
1	B	151	MET
1	B	375	MET
1	B	377	PRO
1	B	378	GLU
1	B	425	MET
1	B	481	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	707	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	128	ASN
1	A	169	ASN
1	A	182	ASN
1	A	235	ASN
1	A	248	ASN
1	A	267	GLN
1	A	298	ASN
1	A	302	GLN
1	A	349	ASN
1	A	486	HIS
1	A	497	HIS
1	A	550	ASN
1	A	590	ASN
1	A	649	HIS
1	A	749	ASN
1	B	42	ASN
1	B	128	ASN
1	B	169	ASN
1	B	182	ASN
1	B	235	ASN
1	B	248	ASN
1	B	267	GLN
1	B	302	GLN
1	B	349	ASN
1	B	486	HIS
1	B	497	HIS
1	B	550	ASN
1	B	590	ASN
1	B	632	GLN
1	B	649	HIS
1	B	749	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

33 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	C	1	2	12,12,12	0.54	0	17,17,17	0.64	0
2	BGC	C	2	2	11,11,12	0.61	0	15,15,17	0.59	0
2	BGC	C	3	2	11,11,12	0.55	0	15,15,17	1.13	0
2	BGC	C	4	2	11,11,12	0.60	0	15,15,17	0.91	1 (6%)
2	XYS	C	5	2	9,9,10	1.36	1 (11%)	10,12,14	1.23	1 (10%)
2	XYS	C	6	2	9,9,10	1.01	1 (11%)	10,12,14	1.10	1 (10%)
2	XYS	C	7	2	9,9,10	1.16	1 (11%)	10,12,14	1.17	1 (10%)
2	GAL	C	8	2	11,11,12	0.64	0	15,15,17	0.63	0
3	GLC	D	1	3	12,12,12	0.56	0	17,17,17	0.89	0
3	BGC	D	2	3	11,11,12	0.61	0	15,15,17	0.96	1 (6%)
3	BGC	D	3	3	11,11,12	0.73	0	15,15,17	0.87	1 (6%)
3	BGC	D	4	3	11,11,12	0.59	0	15,15,17	0.99	1 (6%)
3	XYS	D	5	3	9,9,10	1.13	1 (11%)	10,12,14	1.10	1 (10%)
3	XYS	D	6	3	9,9,10	1.30	1 (11%)	10,12,14	0.96	1 (10%)
3	GAL	D	7	3	11,11,12	0.59	0	15,15,17	1.31	2 (13%)
3	XYS	D	8	3	9,9,10	1.13	1 (11%)	10,12,14	1.41	2 (20%)
3	GAL	D	9	3	11,11,12	0.60	0	15,15,17	0.71	0
2	GLC	E	1	2	12,12,12	0.50	0	17,17,17	0.60	0
2	BGC	E	2	2	11,11,12	0.58	0	15,15,17	0.61	0
2	BGC	E	3	2	11,11,12	0.57	0	15,15,17	1.22	3 (20%)
2	BGC	E	4	2	11,11,12	0.60	0	15,15,17	0.90	0
2	XYS	E	5	2	9,9,10	1.34	1 (11%)	10,12,14	1.24	1 (10%)
2	XYS	E	6	2	9,9,10	1.10	1 (11%)	10,12,14	1.12	1 (10%)
2	XYS	E	7	2	9,9,10	1.15	1 (11%)	10,12,14	1.02	1 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	E	8	2	11,11,12	0.68	0	15,15,17	0.60	0
2	GLC	F	1	2	12,12,12	0.59	0	17,17,17	0.96	0
2	BGC	F	2	2	11,11,12	0.64	0	15,15,17	1.00	1 (6%)
2	BGC	F	3	2	11,11,12	0.71	0	15,15,17	0.77	0
2	BGC	F	4	2	11,11,12	0.61	0	15,15,17	1.06	1 (6%)
2	XYS	F	5	2	9,9,10	1.19	1 (11%)	10,12,14	1.10	1 (10%)
2	XYS	F	6	2	9,9,10	1.23	1 (11%)	10,12,14	1.20	1 (10%)
2	XYS	F	7	2	9,9,10	1.18	1 (11%)	10,12,14	1.03	1 (10%)
2	GAL	F	8	2	11,11,12	0.58	0	15,15,17	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	BGC	C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	C	4	2	-	0/2/19/22	0/1/1/1
2	XYS	C	5	2	-	-	0/1/1/1
2	XYS	C	6	2	-	-	0/1/1/1
2	XYS	C	7	2	-	-	0/1/1/1
2	GAL	C	8	2	-	0/2/19/22	0/1/1/1
3	GLC	D	1	3	1/1/5/5	0/2/22/22	0/1/1/1
3	BGC	D	2	3	-	0/2/19/22	0/1/1/1
3	BGC	D	3	3	-	2/2/19/22	0/1/1/1
3	BGC	D	4	3	-	0/2/19/22	0/1/1/1
3	XYS	D	5	3	-	-	0/1/1/1
3	XYS	D	6	3	-	-	0/1/1/1
3	GAL	D	7	3	-	2/2/19/22	0/1/1/1
3	XYS	D	8	3	-	-	0/1/1/1
3	GAL	D	9	3	-	2/2/19/22	0/1/1/1
2	GLC	E	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	BGC	E	2	2	-	0/2/19/22	0/1/1/1
2	BGC	E	3	2	-	0/2/19/22	0/1/1/1
2	BGC	E	4	2	-	0/2/19/22	0/1/1/1
2	XYS	E	5	2	-	-	0/1/1/1
2	XYS	E	6	2	-	-	0/1/1/1
2	XYS	E	7	2	-	-	0/1/1/1
2	GAL	E	8	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	F	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	BGC	F	2	2	-	0/2/19/22	0/1/1/1
2	BGC	F	3	2	-	0/2/19/22	0/1/1/1
2	BGC	F	4	2	-	0/2/19/22	0/1/1/1
2	XYS	F	5	2	-	-	0/1/1/1
2	XYS	F	6	2	-	-	0/1/1/1
2	XYS	F	7	2	-	-	0/1/1/1
2	GAL	F	8	2	-	2/2/19/22	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	5	XYS	O5-C1	-3.56	1.36	1.43
2	C	5	XYS	O5-C1	-3.55	1.36	1.43
3	D	6	XYS	O5-C1	-3.51	1.36	1.43
2	F	6	XYS	O5-C1	-3.27	1.36	1.43
2	C	7	XYS	O5-C1	-3.18	1.36	1.43
2	F	5	XYS	O5-C1	-3.16	1.37	1.43
2	E	7	XYS	O5-C1	-3.07	1.37	1.43
3	D	8	XYS	O5-C1	-3.02	1.37	1.43
2	F	7	XYS	O5-C1	-3.01	1.37	1.43
3	D	5	XYS	O5-C1	-2.96	1.37	1.43
2	E	6	XYS	O5-C1	-2.89	1.37	1.43
2	C	6	XYS	O5-C1	-2.67	1.37	1.43

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	7	GAL	C1-C2-C3	3.73	115.08	109.64
2	F	4	BGC	C1-O5-C5	3.46	116.82	112.19
2	E	6	XYS	C5-O5-C1	3.43	116.95	111.42
3	D	5	XYS	C5-O5-C1	3.20	116.59	111.42
3	D	4	BGC	C1-O5-C5	3.18	116.45	112.19
3	D	8	XYS	C5-O5-C1	3.15	116.49	111.42
2	C	5	XYS	C5-O5-C1	3.02	116.28	111.42
2	C	6	XYS	C5-O5-C1	3.00	116.27	111.42
2	F	5	XYS	C5-O5-C1	2.99	116.24	111.42
2	C	7	XYS	C5-O5-C1	2.95	116.18	111.42
2	E	5	XYS	C5-O5-C1	2.95	116.18	111.42
2	F	6	XYS	C5-O5-C1	2.76	115.88	111.42
2	E	7	XYS	C5-O5-C1	2.71	115.78	111.42
3	D	8	XYS	O2-C2-C3	-2.54	104.89	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	7	GAL	O5-C5-C6	2.46	112.44	107.66
3	D	3	BGC	C1-C2-C3	2.44	113.20	109.64
2	F	7	XYS	C5-O5-C1	2.40	115.29	111.42
3	D	2	BGC	C1-O5-C5	2.39	115.39	112.19
2	C	4	BGC	C1-O5-C5	2.36	115.35	112.19
3	D	6	XYS	C5-O5-C1	2.35	115.20	111.42
2	F	2	BGC	C1-C2-C3	2.34	113.05	109.64
2	E	3	BGC	O4-C4-C5	-2.30	103.66	109.32
2	E	3	BGC	C6-C5-C4	-2.14	107.77	113.02
2	E	3	BGC	C1-O5-C5	2.05	114.93	112.19

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	1	GLC	C1
2	E	1	GLC	C1
2	F	1	GLC	C1
3	D	1	GLC	C1


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	8	GAL	O5-C5-C6-O6
3	D	9	GAL	O5-C5-C6-O6
3	D	7	GAL	O5-C5-C6-O6
3	D	7	GAL	C4-C5-C6-O6
2	F	8	GAL	C4-C5-C6-O6
3	D	9	GAL	C4-C5-C6-O6
3	D	3	BGC	O5-C5-C6-O6
3	D	3	BGC	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/737 (98%)	-0.35	9 (1%) 76 82	7, 14, 22, 32	0
1	B	728/737 (98%)	-0.38	11 (1%) 72 78	7, 14, 24, 32	0
All	All	1456/1474 (98%)	-0.36	20 (1%) 73 79	7, 14, 23, 32	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	377	PRO	6.6
1	B	377	PRO	5.4
1	B	375	MET	4.1
1	A	375	MET	4.0
1	A	535	TYR	3.3
1	A	298	ASN	3.1
1	B	760	SER	3.0
1	A	117	VAL	2.8
1	B	298	ASN	2.8
1	A	378	GLU	2.7
1	B	580	ASP	2.5
1	A	656	GLU	2.5
1	A	270	GLY	2.4
1	A	760	SER	2.4
1	B	724	GLU	2.3
1	B	270	GLY	2.3
1	B	117	VAL	2.3
1	B	378	GLU	2.2
1	B	527	ASP	2.2
1	B	368	LYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GAL	D	7	11/12	0.73	0.24	25,26,27,27	11
2	BGC	F	4	11/12	0.84	0.11	24,28,31,32	0
2	GAL	F	8	11/12	0.86	0.12	21,24,26,27	0
2	XYS	F	5	9/10	0.86	0.10	33,33,34,35	0
3	XYS	D	6	9/10	0.87	0.10	19,21,22,24	0
3	BGC	D	4	11/12	0.87	0.10	22,26,29,29	0
3	GAL	D	9	11/12	0.87	0.11	21,24,26,27	0
3	XYS	D	5	9/10	0.88	0.10	29,30,30,31	0
2	GLC	E	1	12/12	0.89	0.09	16,18,19,22	0
2	XYS	F	6	9/10	0.90	0.10	18,20,21,23	0
2	GLC	C	1	12/12	0.92	0.07	14,18,20,23	0
2	GAL	C	8	11/12	0.93	0.08	21,23,24,25	0
2	GAL	E	8	11/12	0.95	0.06	20,23,25,27	0
2	XYS	E	7	9/10	0.95	0.06	18,19,20,22	0
2	XYS	E	5	9/10	0.96	0.05	15,16,17,18	0
2	XYS	E	6	9/10	0.96	0.05	12,13,14,15	0
3	BGC	D	3	11/12	0.96	0.05	11,13,16,18	0
3	XYS	D	8	9/10	0.96	0.06	10,10,12,15	0
2	XYS	C	7	9/10	0.96	0.05	17,17,19,19	0
2	BGC	C	2	11/12	0.97	0.05	10,12,14,15	0
2	XYS	F	7	9/10	0.97	0.06	12,12,14,16	0
2	BGC	C	3	11/12	0.97	0.04	10,10,11,11	0
2	XYS	C	5	9/10	0.97	0.05	13,15,16,17	0
2	BGC	E	2	11/12	0.97	0.05	14,14,16,17	0
2	GLC	F	1	12/12	0.97	0.04	9,10,13,14	0
2	BGC	F	2	11/12	0.97	0.05	8,9,10,11	0
2	BGC	F	3	11/12	0.97	0.05	11,14,16,20	0
2	BGC	E	3	11/12	0.97	0.05	11,11,12,13	0
2	BGC	E	4	11/12	0.97	0.05	10,11,11,13	0
3	GLC	D	1	12/12	0.98	0.04	8,10,10,13	0
3	BGC	D	2	11/12	0.98	0.04	8,9,10,10	0
2	XYS	C	6	9/10	0.98	0.04	10,11,13,13	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	C	4	11/12	0.99	0.03	8,9,10,12	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	A	1778	1/1	1.00	0.01	12,12,12,12	0
4	CA	B	1777	1/1	1.00	0.01	12,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.