



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 05:46 AM UTC

PDB ID : 7CN3 / pdb_00007cn3
Title : 2,5-dihydroxypridine Dioxygenase in complex with 2,5-dihydroxypridine and product N-formylmaleamic acid
Authors : Liu, G.Q.; Tang, H.Z.
Deposited on : 2020-07-30
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	
1	B	363	
1	C	363	
1	D	363	
1	E	363	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	363	% 88% 7% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	E	503	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 17618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2,5-dihydroxypyridine 5,6-dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	3	0
			2750	1734	480	520	16			
1	B	348	Total	C	N	O	S	0	2	0
			2739	1728	476	519	16			
1	C	349	Total	C	N	O	S	0	4	0
			2770	1746	486	522	16			
1	D	349	Total	C	N	O	S	0	6	0
			2788	1756	489	527	16			
1	E	348	Total	C	N	O	S	0	4	0
			2760	1741	481	522	16			
1	F	348	Total	C	N	O	S	0	4	0
			2763	1743	483	521	16			

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	351	LYS	-	expression tag	UNP Q88FY1
A	352	LEU	-	expression tag	UNP Q88FY1
A	353	ALA	-	expression tag	UNP Q88FY1
A	354	ALA	-	expression tag	UNP Q88FY1
A	355	ALA	-	expression tag	UNP Q88FY1
A	356	LEU	-	expression tag	UNP Q88FY1
A	357	GLU	-	expression tag	UNP Q88FY1
A	358	HIS	-	expression tag	UNP Q88FY1
A	359	HIS	-	expression tag	UNP Q88FY1
A	360	HIS	-	expression tag	UNP Q88FY1
A	361	HIS	-	expression tag	UNP Q88FY1
A	362	HIS	-	expression tag	UNP Q88FY1
A	363	HIS	-	expression tag	UNP Q88FY1
B	351	LYS	-	expression tag	UNP Q88FY1
B	352	LEU	-	expression tag	UNP Q88FY1
B	353	ALA	-	expression tag	UNP Q88FY1
B	354	ALA	-	expression tag	UNP Q88FY1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	355	ALA	-	expression tag	UNP Q88FY1
B	356	LEU	-	expression tag	UNP Q88FY1
B	357	GLU	-	expression tag	UNP Q88FY1
B	358	HIS	-	expression tag	UNP Q88FY1
B	359	HIS	-	expression tag	UNP Q88FY1
B	360	HIS	-	expression tag	UNP Q88FY1
B	361	HIS	-	expression tag	UNP Q88FY1
B	362	HIS	-	expression tag	UNP Q88FY1
B	363	HIS	-	expression tag	UNP Q88FY1
C	351	LYS	-	expression tag	UNP Q88FY1
C	352	LEU	-	expression tag	UNP Q88FY1
C	353	ALA	-	expression tag	UNP Q88FY1
C	354	ALA	-	expression tag	UNP Q88FY1
C	355	ALA	-	expression tag	UNP Q88FY1
C	356	LEU	-	expression tag	UNP Q88FY1
C	357	GLU	-	expression tag	UNP Q88FY1
C	358	HIS	-	expression tag	UNP Q88FY1
C	359	HIS	-	expression tag	UNP Q88FY1
C	360	HIS	-	expression tag	UNP Q88FY1
C	361	HIS	-	expression tag	UNP Q88FY1
C	362	HIS	-	expression tag	UNP Q88FY1
C	363	HIS	-	expression tag	UNP Q88FY1
D	351	LYS	-	expression tag	UNP Q88FY1
D	352	LEU	-	expression tag	UNP Q88FY1
D	353	ALA	-	expression tag	UNP Q88FY1
D	354	ALA	-	expression tag	UNP Q88FY1
D	355	ALA	-	expression tag	UNP Q88FY1
D	356	LEU	-	expression tag	UNP Q88FY1
D	357	GLU	-	expression tag	UNP Q88FY1
D	358	HIS	-	expression tag	UNP Q88FY1
D	359	HIS	-	expression tag	UNP Q88FY1
D	360	HIS	-	expression tag	UNP Q88FY1
D	361	HIS	-	expression tag	UNP Q88FY1
D	362	HIS	-	expression tag	UNP Q88FY1
D	363	HIS	-	expression tag	UNP Q88FY1
E	351	LYS	-	expression tag	UNP Q88FY1
E	352	LEU	-	expression tag	UNP Q88FY1
E	353	ALA	-	expression tag	UNP Q88FY1
E	354	ALA	-	expression tag	UNP Q88FY1
E	355	ALA	-	expression tag	UNP Q88FY1
E	356	LEU	-	expression tag	UNP Q88FY1
E	357	GLU	-	expression tag	UNP Q88FY1

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	358	HIS	-	expression tag	UNP Q88FY1
E	359	HIS	-	expression tag	UNP Q88FY1
E	360	HIS	-	expression tag	UNP Q88FY1
E	361	HIS	-	expression tag	UNP Q88FY1
E	362	HIS	-	expression tag	UNP Q88FY1
E	363	HIS	-	expression tag	UNP Q88FY1
F	351	LYS	-	expression tag	UNP Q88FY1
F	352	LEU	-	expression tag	UNP Q88FY1
F	353	ALA	-	expression tag	UNP Q88FY1
F	354	ALA	-	expression tag	UNP Q88FY1
F	355	ALA	-	expression tag	UNP Q88FY1
F	356	LEU	-	expression tag	UNP Q88FY1
F	357	GLU	-	expression tag	UNP Q88FY1
F	358	HIS	-	expression tag	UNP Q88FY1
F	359	HIS	-	expression tag	UNP Q88FY1
F	360	HIS	-	expression tag	UNP Q88FY1
F	361	HIS	-	expression tag	UNP Q88FY1
F	362	HIS	-	expression tag	UNP Q88FY1
F	363	HIS	-	expression tag	UNP Q88FY1

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Fe 1 1	0	0
2	B	1	Total Fe 1 1	0	0
2	C	1	Total Fe 1 1	0	0
2	D	1	Total Fe 1 1	0	0
2	E	1	Total Fe 1 1	0	0
2	F	1	Total Fe 1 1	0	0

- Molecule 3 is ({Z})-4-formamido-4-oxidanylidene-but-2-enoic acid (CCD ID: D6O) (formula: C₅H₅NO₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	5	1	4		
3	B	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 5-oxidanyl-1H-pyridin-2-one (CCD ID: G6C) (formula: $C_5H_5NO_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	N	O	0	0
			8	5	1	2		
5	D	1	Total	C	N	O	0	0
			8	5	1	2		
5	E	1	Total	C	N	O	0	0
			8	5	1	2		
5	F	1	Total	C	N	O	0	0
			8	5	1	2		

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			10	6	4		
6	D	1	Total	C	O	0	0
			10	6	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	182	Total	O	0	0
			182	182		
7	B	145	Total	O	0	0
			145	145		
7	C	181	Total	O	0	0
			181	181		
7	D	142	Total	O	0	0
			142	142		
7	E	147	Total	O	0	0
			147	147		
7	F	141	Total	O	0	0
			141	141		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase




- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase




- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase




- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase







- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase

Chain E: 86% 10%



- Molecule 1: 2,5-dihydroxypyridine 5,6-dioxygenase

Chain F: 88% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	126.67Å 145.51Å 118.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.59 – 2.20 27.59 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.6 (27.59-2.20) 99.6 (27.59-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.18Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.183 , 0.238 0.184 , 0.241	Depositor DCC
R_{free} test set	5645 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	30.9	Xtrriage
Anisotropy	0.053	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	17618	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.65 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.2726e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, FE2, G6C, PGE, D6O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2815	0.54	0/3824
1	B	0.34	0/2804	0.55	0/3810
1	C	0.38	0/2837	0.56	0/3854
1	D	0.36	0/2855	0.54	0/3878
1	E	0.35	0/2827	0.54	0/3841
1	F	0.35	0/2830	0.54	0/3844
All	All	0.35	0/16968	0.54	0/23051

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2750	0	2675	23	0
1	B	2739	0	2663	16	0
1	C	2770	0	2688	24	1
1	D	2788	0	2700	32	0
1	E	2760	0	2675	31	0
1	F	2763	0	2683	23	1
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
4	A	4	0	6	1	0
4	C	8	0	12	0	0
4	D	4	0	6	0	0
4	E	8	0	12	4	0
4	F	8	0	12	0	0
5	C	8	0	0	1	0
5	D	8	0	0	1	0
5	E	8	0	0	1	0
5	F	8	0	0	1	0
6	C	10	0	14	1	0
6	D	10	0	14	0	0
7	A	182	0	0	4	0
7	B	145	0	0	2	0
7	C	181	0	0	4	0
7	D	142	0	0	6	0
7	E	147	0	0	6	0
7	F	141	0	0	4	0
All	All	17618	0	16160	141	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:72:MET:HB2	1:D:102:MET:HE3	1.44	0.99
1:D:72:MET:CB	1:D:102:MET:HE3	1.97	0.95
5:C:502:G6C:OB	7:C:601:HOH:O	1.83	0.95
5:D:502:G6C:OB	7:D:601:HOH:O	1.89	0.89
1:D:333:LYS:NZ	7:D:602:HOH:O	2.10	0.83
1:D:17:LYS:NZ	7:D:603:HOH:O	2.14	0.80
1:A:53:LYS:NZ	7:A:601:HOH:O	2.17	0.77
1:A:253:LYS:NZ	7:A:603:HOH:O	2.20	0.74
5:E:502:G6C:OB	7:E:601:HOH:O	2.07	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:227:ILE:HD11	1:C:244:GLU:HB3	1.72	0.71
1:D:227:ILE:HD11	1:D:244:GLU:HB3	1.72	0.70
1:B:227:ILE:HD11	1:B:244:GLU:HB3	1.74	0.70
1:D:221[B]:ASN:ND2	7:D:604:HOH:O	2.23	0.68
1:E:151:GLN:NE2	7:E:604:HOH:O	2.26	0.67
1:E:64:HIS:HB3	4:E:503:EDO:H21	1.76	0.67
1:D:320:ASP:OD1	7:D:601:HOH:O	2.14	0.65
1:A:227:ILE:HD11	1:A:244:GLU:HB3	1.77	0.65
1:A:10:GLN:NE2	7:A:606:HOH:O	2.30	0.65
1:C:225:GLU:HG2	1:C:244:GLU:OE1	1.98	0.65
1:F:45[B]:GLU:OE2	7:F:601:HOH:O	2.15	0.63
1:E:227:ILE:HD11	1:E:244:GLU:HB3	1.81	0.62
1:D:293:ARG:NE	1:D:320:ASP:OD2	2.30	0.62
1:D:72:MET:HB3	1:D:102:MET:HE3	1.78	0.62
1:D:72:MET:C	1:D:102:MET:HE1	2.25	0.61
1:E:31:LYS:C	1:E:101:MET:HE2	2.26	0.60
1:B:148:LEU:HD22	1:B:344:PRO:HG3	1.82	0.60
1:E:92:GLU:O	7:E:602:HOH:O	2.16	0.60
1:A:11:MET:HG3	4:A:503:EDO:H22	1.83	0.60
1:F:227:ILE:HD11	1:F:244:GLU:HB3	1.83	0.59
1:A:148:LEU:HG	1:A:330:LEU:HD12	1.85	0.59
1:D:72:MET:HB2	1:D:102:MET:CE	2.26	0.58
1:E:17:LYS:HE2	1:E:50:LEU:HD22	1.85	0.58
1:F:45[B]:GLU:OE1	7:F:602:HOH:O	2.17	0.57
1:E:75:TYR:CZ	4:E:503:EDO:H22	2.40	0.57
1:F:276:TRP:CD1	1:F:324:ARG:HD2	2.39	0.57
1:C:73:THR:HG22	1:C:102:MET:HE3	1.86	0.57
1:B:102:MET:SD	1:B:288:MET:HE1	2.45	0.57
1:A:107:PRO:O	1:A:111:GLN:HG3	2.06	0.56
1:B:93:ALA:HA	1:F:89:ARG:NH2	2.21	0.56
1:B:276:TRP:NE1	1:B:324:ARG:HD2	2.21	0.55
1:B:56:ALA:HB3	1:F:58:GLU:HB3	1.89	0.55
1:C:85:LEU:HD12	1:C:89:ARG:HH12	1.72	0.55
1:A:2:PRO:HD2	7:F:604:HOH:O	2.07	0.54
1:C:85:LEU:HD12	1:C:89:ARG:NH1	2.22	0.54
1:E:30:LEU:CD1	1:E:101:MET:HE3	2.38	0.54
1:E:75:TYR:OH	4:E:503:EDO:H22	2.08	0.54
1:E:59:LEU:HB2	1:E:101:MET:HE1	1.90	0.54
1:C:6:ALA:HB2	1:E:45[A]:GLU:HG3	1.90	0.53
1:F:177:GLU:OE1	5:F:502:G6C:OH	2.25	0.53
1:B:249:ARG:HA	7:B:727:HOH:O	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:41:ASN:O	1:F:45[A]:GLU:HG2	2.09	0.53
1:D:148:LEU:O	1:D:151[A]:GLN:HG3	2.08	0.53
1:A:171:GLN:OE1	7:A:602:HOH:O	2.18	0.53
1:D:13:GLU:OE2	1:F:49:ARG:NH1	2.36	0.52
1:D:13:GLU:O	1:D:17:LYS:HE3	2.09	0.52
1:D:110:GLU:HG2	7:D:625:HOH:O	2.10	0.52
1:B:276:TRP:CD1	1:B:324:ARG:HD2	2.44	0.52
1:E:307:THR:HG23	1:E:313:ARG:O	2.10	0.51
1:D:276:TRP:CD1	1:D:324:ARG:HD2	2.45	0.51
1:E:326:CYS:HB2	7:E:683:HOH:O	2.09	0.51
1:D:11:MET:HG2	1:D:133:LEU:HD13	1.92	0.50
1:C:276:TRP:CD1	1:C:324:ARG:HD2	2.46	0.50
1:D:260:VAL:CG1	1:D:317:CYS:HB3	2.42	0.50
1:D:144:ALA:HB1	1:D:346[A]:GLU:HG2	1.95	0.49
1:C:110:GLU:OE1	7:C:603:HOH:O	2.19	0.49
1:F:101:MET:O	1:F:102:MET:HB3	2.12	0.48
1:F:276:TRP:NE1	1:F:324:ARG:HD2	2.28	0.48
1:B:74:ALA:HB2	1:B:218:PRO:HG3	1.95	0.48
1:A:49:ARG:NH2	1:B:13:GLU:OE1	2.47	0.48
1:E:271:GLN:HG3	1:E:274:ALA:H	1.78	0.48
1:F:140[B]:ARG:NH1	1:F:346:GLU:HG2	2.29	0.48
1:F:148:LEU:HD12	1:F:344:PRO:HG3	1.94	0.47
1:F:253:LYS:HE2	7:F:664:HOH:O	2.13	0.47
1:C:154:SER:OG	1:C:156[B]:HIS:NE2	2.45	0.47
1:E:276:TRP:NE1	1:E:324:ARG:HD2	2.30	0.47
1:A:85:LEU:HD11	1:A:89[A]:ARG:CZ	2.45	0.47
1:C:111:GLN:O	1:C:114:LYS:HB2	2.15	0.47
1:E:17:LYS:HD3	1:E:17:LYS:HA	1.79	0.47
1:F:147:THR:HA	1:F:150:LYS:CD	2.45	0.47
1:D:260:VAL:HG12	1:D:317:CYS:HB3	1.96	0.47
1:A:101:MET:O	1:A:102:MET:HB3	2.14	0.47
1:B:299:PHE:HB2	1:B:328:ILE:HD11	1.96	0.47
1:C:56:ALA:HB3	1:D:58:GLU:HB3	1.96	0.46
1:E:53:LYS:N	1:E:53:LYS:HD3	2.29	0.46
1:A:271:GLN:HG3	1:A:274:ALA:H	1.80	0.46
1:D:148:LEU:HD22	1:D:344:PRO:HG3	1.97	0.46
1:A:253:LYS:HD2	1:A:254:TYR:N	2.30	0.46
1:C:333:LYS:O	1:C:333:LYS:HG3	2.15	0.46
1:D:276:TRP:NE1	1:D:324:ARG:HD2	2.31	0.46
1:F:140[B]:ARG:HH12	1:F:346:GLU:HG2	1.79	0.46
1:C:246:GLU:OE2	1:F:324:ARG:NH2	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:264:SER:OG	1:D:265:HIS:N	2.48	0.45
1:A:74:ALA:HB2	1:A:218:PRO:HG3	1.98	0.45
1:C:146:GLU:HG2	1:C:150:LYS:HE2	1.97	0.45
1:F:147:THR:HA	1:F:150:LYS:HD2	1.97	0.45
1:A:85:LEU:O	1:A:89[B]:ARG:HG3	2.16	0.45
1:D:123:VAL:HG21	1:D:288:MET:HE3	1.98	0.45
1:B:104:LEU:HD23	1:B:104:LEU:HA	1.79	0.45
1:E:64:HIS:CB	4:E:503:EDO:H21	2.46	0.45
1:F:148:LEU:HD23	1:F:148:LEU:HA	1.75	0.44
1:D:64:HIS:CE1	1:D:78:ASP:HB2	2.53	0.44
1:E:31:LYS:O	1:E:101:MET:HE2	2.18	0.44
1:B:253:LYS:HA	1:B:253:LYS:HD2	1.80	0.44
1:C:114:LYS:HD3	1:C:114:LYS:HA	1.78	0.44
1:A:104:LEU:HD22	1:A:104:LEU:H	1.82	0.44
1:C:346:GLU:H	1:C:346:GLU:CD	2.25	0.44
1:B:76:CYS:HA	1:B:104:LEU:HD13	1.99	0.43
1:F:59:LEU:HD21	1:F:87:ALA:HB1	2.00	0.43
1:A:6:ALA:O	1:A:10:GLN:NE2	2.52	0.43
1:A:13:GLU:OE2	1:B:49:ARG:NH2	2.48	0.43
1:E:85:LEU:HB2	7:E:736:HOH:O	2.17	0.43
1:A:34:TYR:CE2	1:C:2:PRO:HG2	2.54	0.43
1:E:30:LEU:HD11	1:E:101:MET:HE3	2.00	0.43
1:F:102:MET:HE2	1:F:288:MET:HE1	2.01	0.43
1:A:56:ALA:HB3	1:E:58:GLU:HB3	2.00	0.43
1:B:64:HIS:HD2	7:B:743:HOH:O	2.02	0.43
1:C:253:LYS:HA	6:C:505:PGE:H6	2.01	0.43
1:C:104:LEU:HD12	7:C:714:HOH:O	2.17	0.43
1:E:104:LEU:HD13	1:E:187:TRP:CE2	2.53	0.43
1:E:276:TRP:CD1	1:E:324:ARG:HD2	2.54	0.43
1:D:217:LEU:HB2	1:D:320:ASP:HB2	2.01	0.42
1:E:101:MET:O	1:E:102:MET:HB3	2.18	0.42
1:E:135:THR:HG22	7:E:739:HOH:O	2.19	0.42
1:E:204:ALA:C	1:E:205:GLU:HG2	2.45	0.42
1:A:295:PHE:CE1	1:A:298:ASN:HB3	2.55	0.42
1:C:23:GLU:CD	1:C:23:GLU:H	2.28	0.42
1:C:224:ARG:HD3	7:C:607:HOH:O	2.19	0.42
1:E:59:LEU:HD21	1:E:87:ALA:HB1	2.02	0.42
1:E:337:LEU:HD23	1:E:337:LEU:HA	1.90	0.41
1:F:107:PRO:O	1:F:111:GLN:HG3	2.20	0.41
1:D:346[A]:GLU:H	1:D:346[A]:GLU:CD	2.28	0.41
1:E:74:ALA:HB2	1:E:218:PRO:HG3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:GLU:HB3	1:D:56:ALA:HB3	2.00	0.41
1:E:138:ASP:O	1:E:142:VAL:HG23	2.21	0.41
1:A:253:LYS:HD2	1:A:253:LYS:C	2.46	0.41
1:D:64:HIS:CG	1:D:75:TYR:CD1	3.09	0.41
1:C:64:HIS:CG	1:C:75:TYR:CD1	3.09	0.41
1:F:133:LEU:HA	1:F:134:PRO:HD3	1.88	0.41
1:D:306:ASN:OD1	1:D:311:GLY:HA3	2.21	0.40
1:D:72:MET:C	1:D:102:MET:CE	2.94	0.40
1:C:73:THR:HG22	1:C:102:MET:CE	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:350:ARG:NH2	1:F:205:GLU:OE1[4_457]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/363 (96%)	334 (96%)	14 (4%)	1 (0%)	36	42
1	B	348/363 (96%)	329 (94%)	19 (6%)	0	100	100
1	C	351/363 (97%)	339 (97%)	10 (3%)	2 (1%)	21	23
1	D	353/363 (97%)	335 (95%)	16 (4%)	2 (1%)	21	23
1	E	350/363 (96%)	335 (96%)	14 (4%)	1 (0%)	36	42
1	F	350/363 (96%)	334 (95%)	14 (4%)	2 (1%)	21	23
All	All	2101/2178 (96%)	2006 (96%)	87 (4%)	8 (0%)	30	34

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	MET
1	C	102	MET
1	D	192	SER
1	E	192	SER
1	C	192	SER
1	D	102	MET
1	F	102	MET
1	F	192	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/299 (97%)	290 (100%)	0	100	100
1	B	289/299 (97%)	289 (100%)	0	100	100
1	C	292/299 (98%)	292 (100%)	0	100	100
1	D	294/299 (98%)	292 (99%)	2 (1%)	76	87
1	E	291/299 (97%)	289 (99%)	2 (1%)	76	87
1	F	291/299 (97%)	289 (99%)	2 (1%)	76	87
All	All	1747/1794 (97%)	1741 (100%)	6 (0%)	87	93

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	151[A]	GLN
1	D	151[B]	GLN
1	E	45[A]	GLU
1	E	45[B]	GLU
1	F	45[A]	GLU
1	F	45[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	240	HIS
1	A	285	ASN
1	B	63	ASN
1	B	240	HIS
1	C	63	ASN
1	C	88	GLN
1	C	275	GLN
1	D	63	ASN
1	D	70	ASN
1	D	88	GLN
1	D	111	GLN
1	E	48	GLN
1	E	63	ASN
1	E	70	ASN
1	E	111	GLN
1	E	318	HIS
1	E	325	ASN
1	F	63	ASN
1	F	318	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 6 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PGE	C	505	-	9,9,9	0.43	0	8,8,8	0.38	0
4	EDO	A	503	-	3,3,3	0.49	0	2,2,2	0.24	0
4	EDO	C	504	-	3,3,3	0.54	0	2,2,2	0.15	0
5	G6C	D	502	-	8,8,8	2.57	2 (25%)	6,10,10	3.41	4 (66%)
4	EDO	C	503	-	3,3,3	0.48	0	2,2,2	0.33	0
4	EDO	E	503	-	3,3,3	0.40	0	2,2,2	0.51	0
4	EDO	F	503	-	3,3,3	0.41	0	2,2,2	0.51	0
5	G6C	C	502	-	8,8,8	2.65	2 (25%)	6,10,10	3.06	4 (66%)
4	EDO	E	504	-	3,3,3	0.46	0	2,2,2	0.48	0
5	G6C	E	502	-	8,8,8	2.71	4 (50%)	6,10,10	3.80	3 (50%)
4	EDO	F	504	-	3,3,3	0.54	0	2,2,2	0.37	0
3	D6O	B	502	-	9,9,9	0.97	0	9,10,10	1.62	2 (22%)
5	G6C	F	502	-	8,8,8	2.76	3 (37%)	6,10,10	3.15	3 (50%)
4	EDO	D	503	-	3,3,3	0.51	0	2,2,2	0.50	0
6	PGE	D	504	-	9,9,9	0.34	0	8,8,8	0.36	0
3	D6O	A	502	-	9,9,9	0.90	0	9,10,10	1.34	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PGE	C	505	-	-	3/7/7/7	-
4	EDO	A	503	-	-	1/1/1/1	-
4	EDO	C	504	-	-	0/1/1/1	-
5	G6C	D	502	-	-	-	0/1/1/1
4	EDO	C	503	-	-	1/1/1/1	-
4	EDO	E	503	-	-	1/1/1/1	-
4	EDO	F	503	-	-	0/1/1/1	-
5	G6C	C	502	-	-	-	0/1/1/1
4	EDO	E	504	-	-	1/1/1/1	-
5	G6C	E	502	-	-	-	0/1/1/1
4	EDO	F	504	-	-	1/1/1/1	-
3	D6O	B	502	-	-	7/8/8/8	-
5	G6C	F	502	-	-	-	0/1/1/1
4	EDO	D	503	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PGE	D	504	-	-	4/7/7/7	-
3	D6O	A	502	-	-	7/8/8/8	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	502	G6C	OH-CZ	6.29	1.36	1.24
5	C	502	G6C	OH-CZ	6.14	1.36	1.24
5	E	502	G6C	OH-CZ	5.99	1.36	1.24
5	D	502	G6C	OH-CZ	5.63	1.35	1.24
5	E	502	G6C	CD1-CG	2.89	1.40	1.35
5	F	502	G6C	CD1-CG	2.84	1.40	1.35
5	D	502	G6C	CD1-CG	2.83	1.40	1.35
5	C	502	G6C	CD1-CG	2.51	1.39	1.35
5	E	502	G6C	CE2-CZ	-2.25	1.38	1.43
5	F	502	G6C	CE2-CZ	-2.24	1.38	1.43
5	E	502	G6C	CD2-CG	-2.11	1.38	1.42

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	502	G6C	CD1-NE1-CZ	-6.02	119.53	124.13
5	D	502	G6C	CE2-CZ-NE1	5.45	122.22	115.39
5	E	502	G6C	CE2-CZ-NE1	5.08	121.76	115.39
5	F	502	G6C	CD1-NE1-CZ	-5.06	120.27	124.13
5	C	502	G6C	CE2-CZ-NE1	4.99	121.64	115.39
5	E	502	G6C	OH-CZ-CE2	-4.70	117.06	125.16
5	F	502	G6C	CE2-CZ-NE1	4.17	120.62	115.39
5	C	502	G6C	CD1-NE1-CZ	-4.07	121.02	124.13
5	D	502	G6C	CD1-NE1-CZ	-3.98	121.09	124.13
5	F	502	G6C	OH-CZ-CE2	-3.88	118.47	125.16
5	D	502	G6C	OH-CZ-CE2	-3.52	119.09	125.16
5	D	502	G6C	CD2-CE2-CZ	-3.28	117.51	120.66
3	B	502	D6O	OB1-CG1-NE1	-3.27	119.62	124.59
5	C	502	G6C	OH-CZ-CE2	-2.84	120.26	125.16
3	A	502	D6O	OH-CZ-NE1	2.29	125.92	121.45
3	A	502	D6O	OH-CZ-CE2	-2.21	117.85	122.95
5	C	502	G6C	CD2-CE2-CZ	-2.17	118.57	120.66
3	B	502	D6O	OH-CZ-CE2	-2.13	118.03	122.95

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	D6O	OH-CZ-NE1-CG1
3	A	502	D6O	CE2-CZ-NE1-CG1
3	A	502	D6O	OB1-CG1-NE1-CZ
3	B	502	D6O	OB1-CG1-NE1-CZ
6	D	504	PGE	O2-C3-C4-O3
3	B	502	D6O	CE2-CD2-CG-OB
3	B	502	D6O	CE2-CD2-CG-OB2
3	A	502	D6O	CE2-CD2-CG-OB
3	A	502	D6O	CE2-CD2-CG-OB2
3	B	502	D6O	CD2-CE2-CZ-OH
3	A	502	D6O	CD2-CE2-CZ-NE1
3	B	502	D6O	CD2-CE2-CZ-NE1
3	A	502	D6O	CD2-CE2-CZ-OH
6	C	505	PGE	O3-C5-C6-O4
4	E	504	EDO	O1-C1-C2-O2
6	D	504	PGE	O1-C1-C2-O2
4	A	503	EDO	O1-C1-C2-O2
6	D	504	PGE	C6-C5-O3-C4
4	E	503	EDO	O1-C1-C2-O2
3	B	502	D6O	CE2-CZ-NE1-CG1
3	B	502	D6O	OH-CZ-NE1-CG1
6	D	504	PGE	O3-C5-C6-O4
6	C	505	PGE	O1-C1-C2-O2
4	C	503	EDO	O1-C1-C2-O2
4	D	503	EDO	O1-C1-C2-O2
4	F	504	EDO	O1-C1-C2-O2
6	C	505	PGE	C4-C3-O2-C2


There are no ring outliers.



7 monomers are involved in 10 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	505	PGE	1	0
4	A	503	EDO	1	0
5	D	502	G6C	1	0
4	E	503	EDO	4	0
5	C	502	G6C	1	0
5	E	502	G6C	1	0
5	F	502	G6C	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/363 (95%)	-0.46	1 (0%) 90 88	14, 32, 49, 64	3 (0%)
1	B	348/363 (95%)	-0.17	2 (0%) 85 83	15, 37, 57, 72	2 (0%)
1	C	349/363 (96%)	-0.38	4 (1%) 78 76	14, 29, 50, 76	4 (1%)
1	D	349/363 (96%)	-0.19	5 (1%) 73 71	14, 33, 55, 82	6 (1%)
1	E	348/363 (95%)	-0.31	1 (0%) 90 88	13, 34, 57, 69	4 (1%)
1	F	348/363 (95%)	-0.25	3 (0%) 81 79	15, 33, 54, 66	4 (1%)
All	All	2090/2178 (95%)	-0.29	16 (0%) 82 80	13, 33, 54, 82	23 (1%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	307	THR	2.9
1	C	350	ARG	2.7
1	D	307	THR	2.7
1	C	76	CYS	2.7
1	E	72	MET	2.6
1	F	314	LYS	2.4
1	B	349	ALA	2.3
1	D	310	GLY	2.3
1	F	105	HIS	2.2
1	F	140[A]	ARG	2.2
1	D	77	GLY	2.2
1	A	349	ALA	2.1
1	C	64	HIS	2.1
1	B	151	GLN	2.1
1	D	64	HIS	2.0
1	D	350	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FE2	C	501	1/1	0.69	0.17	43,43,43,43	0
4	EDO	C	504	4/4	0.71	0.16	51,59,61,62	0
4	EDO	E	503	4/4	0.71	0.15	55,56,59,61	0
6	PGE	C	505	10/10	0.76	0.15	35,50,60,66	0
4	EDO	F	503	4/4	0.77	0.12	49,52,60,62	0
6	PGE	D	504	10/10	0.78	0.13	37,54,60,64	0
4	EDO	E	504	4/4	0.82	0.12	51,51,63,64	0
3	D6O	B	502	10/10	0.82	0.15	32,56,67,70	0
5	G6C	D	502	8/8	0.83	0.12	28,38,47,48	0
2	FE2	D	501	1/1	0.84	0.12	51,51,51,51	0
4	EDO	A	503	4/4	0.84	0.13	43,44,46,57	0
4	EDO	F	504	4/4	0.84	0.16	45,50,51,56	0
3	D6O	A	502	10/10	0.85	0.14	27,53,66,72	0
2	FE2	E	501	1/1	0.86	0.09	48,48,48,48	0
5	G6C	E	502	8/8	0.86	0.15	31,39,51,61	0
4	EDO	C	503	4/4	0.88	0.13	40,42,43,50	0
5	G6C	F	502	8/8	0.88	0.12	31,40,54,68	0
4	EDO	D	503	4/4	0.89	0.12	37,40,42,46	0
5	G6C	C	502	8/8	0.90	0.12	29,43,47,48	0
2	FE2	F	501	1/1	0.91	0.09	48,48,48,48	0
2	FE2	B	501	1/1	0.93	0.07	44,44,44,44	0
2	FE2	A	501	1/1	0.97	0.05	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D6O B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around G6C D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D6O A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around G6C E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around G6C F 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.