



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:36 PM UTC

PDB ID : 8CND / pdb_00008cnd
Title : Crystal structure of CREBBP-Y1482N histone acetyltransferase domain in complex with a bisubstrate inhibitor, Lys-CoA
Authors : Mechaly, A.E.; Zhang, W.; Haouz, A.; Green, M.; Rodrigues-Lima, F.
Deposited on : 2023-02-22
Resolution : 2.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3580 (3.00-2.96)
Clashscore	190562	3904 (3.00-2.96)
Ramachandran outliers	187476	3761 (3.00-2.96)
Sidechain outliers	187428	3764 (3.00-2.96)
RSRZ outliers	180081	3579 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	640	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4495 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called histone acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	534	Total	C	N	O	S	0	0	0
			4426	2831	763	798	34			

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1054	HIS	-	expression tag	UNP F8VPR5
A	1055	HIS	-	expression tag	UNP F8VPR5
A	1056	HIS	-	expression tag	UNP F8VPR5
A	1057	HIS	-	expression tag	UNP F8VPR5
A	1058	HIS	-	expression tag	UNP F8VPR5
A	1059	HIS	-	expression tag	UNP F8VPR5
A	1060	ASP	-	expression tag	UNP F8VPR5
A	1061	TYR	-	expression tag	UNP F8VPR5
A	1062	ASP	-	expression tag	UNP F8VPR5
A	1063	ILE	-	expression tag	UNP F8VPR5
A	1064	PRO	-	expression tag	UNP F8VPR5
A	1065	THR	-	expression tag	UNP F8VPR5
A	1066	THR	-	expression tag	UNP F8VPR5
A	1067	GLU	-	expression tag	UNP F8VPR5
A	1068	ASN	-	expression tag	UNP F8VPR5
A	1069	LEU	-	expression tag	UNP F8VPR5
A	1070	TYR	-	expression tag	UNP F8VPR5
A	1071	PHE	-	expression tag	UNP F8VPR5
A	1072	GLN	-	expression tag	UNP F8VPR5
A	1073	GLY	-	expression tag	UNP F8VPR5
A	1074	ALA	-	expression tag	UNP F8VPR5
A	1075	MET	-	expression tag	UNP F8VPR5
A	1076	GLY	-	expression tag	UNP F8VPR5
A	1077	SER	-	expression tag	UNP F8VPR5
A	1078	SER	-	expression tag	UNP F8VPR5
A	1079	GLN	-	expression tag	UNP F8VPR5
A	1080	PRO	-	expression tag	UNP F8VPR5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1081	ARG	-	expression tag	UNP F8VPR5
A	1082	LYS	-	expression tag	UNP F8VPR5
A	1083	LYS	-	expression tag	UNP F8VPR5
A	1084	ILE	-	expression tag	UNP F8VPR5
A	1482	ASN	TYR	engineered mutation	UNP F8VPR5
A	1613	SER	-	linker	UNP F8VPR5
A	1614	GLY	-	linker	UNP F8VPR5
A	1615	GLY	-	linker	UNP F8VPR5
A	1616	SER	-	linker	UNP F8VPR5
A	1617	GLY	-	linker	UNP F8VPR5

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	5	Total Zn 5 5	0	0

- Molecule 3 is [(2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-4-hydroxy-3-(phosphonooxy)tetrahydrofuran-2-yl]methyl (3R,20R)-20-carbamoyl-3-hydroxy-2,2-dimethyl-4,8,14,22-tetraoxo-12-thia-5,9,15,21-tetraazatricos-1-yl dihydrogen diphosphate (CCD ID: 01K) (formula: C₃₁H₅₃N₁₀O₁₉P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	
			64	31	10	19	3	1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: histone acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	86.81Å 149.19Å 154.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	77.46 – 2.97 77.46 – 2.97	Depositor EDS
% Data completeness (in resolution range)	99.9 (77.46-2.97) 99.9 (77.46-2.97)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.96Å)	Xtriage
Refinement program	BUSTER 2.10.4 (8-JUN-2022)	Depositor
R, R_{free}	0.278 , 0.326 0.270 , 0.315	Depositor DCC
R_{free} test set	1025 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	79.9	Xtriage
Anisotropy	0.851	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 78.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4495	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 01K, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/4551	1.09	7/6150 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1359	VAL	N-CA-CB	5.84	119.19	111.25
1	A	1157	VAL	N-CA-CB	5.43	117.52	110.57
1	A	1308	CYS	CA-C-N	5.23	127.60	120.54
1	A	1308	CYS	C-N-CA	5.23	127.60	120.54
1	A	1078	SER	N-CA-C	5.17	115.87	107.23
1	A	1418	GLY	CA-C-N	5.11	127.64	120.28
1	A	1418	GLY	C-N-CA	5.11	127.64	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4426	0	4300	92	0
2	A	5	0	0	0	0
3	A	64	0	49	4	0
All	All	4495	0	4349	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1451:HIS:HE2	1:A:1502:TRP:NE1	1.73	0.86
1:A:1169:ARG:NH1	1:A:1170:LYS:NZ	2.33	0.77
1:A:1516:ILE:HD11	1:A:1519:TYR:HB3	1.68	0.76
1:A:1451:HIS:NE2	1:A:1502:TRP:NE1	2.35	0.74
1:A:1451:HIS:HE2	1:A:1502:TRP:CD1	2.09	0.69
1:A:1447:THR:HG23	1:A:1502:TRP:HE1	1.58	0.68
1:A:1520:LYS:HE2	1:A:1524:LYS:HZ1	1.59	0.67
1:A:1722:CYS:HB2	1:A:1725:TYR:HB2	1.76	0.67
1:A:1520:LYS:HE2	1:A:1524:LYS:NZ	2.09	0.66
1:A:1341:ARG:HG3	1:A:1452:GLU:HG3	1.77	0.66
1:A:1362:VAL:CG2	1:A:1660:MET:HG3	2.26	0.66
1:A:1154:VAL:HG21	1:A:1193:MET:HE2	1.77	0.65
1:A:1398:ALA:HB3	1:A:1410:PHE:HB3	1.78	0.65
1:A:1169:ARG:HH11	1:A:1170:LYS:HZ1	1.43	0.65
1:A:1169:ARG:NH1	1:A:1170:LYS:HZ1	1.94	0.64
1:A:1472:TRP:HD1	1:A:1631:VAL:HG12	1.62	0.64
1:A:1362:VAL:HG21	1:A:1660:MET:HG3	1.81	0.62
1:A:1521:ASP:HB2	1:A:1629:LYS:O	1.99	0.62
1:A:1310:ASN:HA	1:A:1313:LYS:NZ	2.16	0.61
1:A:1626:GLU:HA	1:A:1629:LYS:HB3	1.83	0.61
1:A:1169:ARG:NH1	1:A:1170:LYS:HZ2	1.99	0.61
1:A:1298:TYR:HE2	1:A:1692:VAL:HG21	1.67	0.59
1:A:1302:TRP:NE1	1:A:1320:LYS:O	2.32	0.59
1:A:1472:TRP:CD1	1:A:1631:VAL:HG12	2.37	0.58
1:A:1441:ARG:HB3	1:A:1442:PRO:HD3	1.85	0.58
1:A:1709:CYS:SG	1:A:1711:HIS:CE1	2.99	0.56
1:A:1433:TYR:CE1	1:A:1663:ARG:NH2	2.74	0.56
1:A:1447:THR:OG1	3:A:1805:O1K:O35	2.25	0.55
1:A:1434:LEU:HD11	1:A:1454:LEU:HD21	1.88	0.55
1:A:1738:HIS:CD2	1:A:1742:MET:HE1	2.42	0.54
1:A:1663:ARG:HG3	1:A:1664:ASP:N	2.23	0.53
1:A:1098:LEU:HA	1:A:1101:LEU:HD12	1.90	0.52
1:A:1342:VAL:HG12	1:A:1452:GLU:HB3	1.91	0.52
1:A:1369:VAL:HG13	1:A:1389:PHE:HB2	1.93	0.51
1:A:1298:TYR:CE2	1:A:1692:VAL:HG21	2.45	0.51
1:A:1494:PRO:HA	3:A:1805:O1K:N52	2.26	0.51
1:A:1337:HIS:HE1	1:A:1459:GLU:OE1	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1169:ARG:HH11	1:A:1170:LYS:NZ	2.01	0.50
1:A:1502:TRP:HA	1:A:1505:LYS:HE2	1.92	0.50
1:A:1504:LYS:O	1:A:1508:ASP:OD1	2.30	0.50
1:A:1433:TYR:CD1	1:A:1663:ARG:NH2	2.79	0.50
1:A:1721:VAL:HG21	1:A:1740:HIS:HD2	1.77	0.49
1:A:1362:VAL:HG23	1:A:1660:MET:HG3	1.93	0.49
1:A:1390:PRO:HD2	1:A:1421:CYS:SG	2.52	0.49
1:A:1721:VAL:HG11	1:A:1740:HIS:NE2	2.28	0.48
1:A:1320:LYS:NZ	1:A:1321:GLU:HB2	2.28	0.48
1:A:1186:GLU:HG2	1:A:1202:ARG:HE	1.79	0.48
3:A:1805:01K:H9	3:A:1805:01K:O34	2.14	0.48
1:A:1721:VAL:HG21	1:A:1740:HIS:CD2	2.49	0.47
1:A:1087:PRO:O	1:A:1091:ARG:HB2	2.15	0.47
1:A:1738:HIS:CD2	1:A:1742:MET:CE	2.97	0.47
1:A:1738:HIS:HD2	1:A:1742:MET:CE	2.27	0.47
1:A:1472:TRP:CD1	1:A:1631:VAL:CG1	2.99	0.46
1:A:1451:HIS:NE2	1:A:1502:TRP:CD1	2.82	0.46
1:A:1354:ALA:HA	1:A:1442:PRO:HG3	1.98	0.45
1:A:1133:MET:HE3	1:A:1138:ILE:CG1	2.47	0.45
1:A:1719:CYS:HB3	1:A:1742:MET:SD	2.57	0.45
1:A:1365:SER:HA	1:A:1654:LEU:HD23	1.99	0.45
1:A:1133:MET:CE	1:A:1138:ILE:HG12	2.48	0.44
1:A:1516:ILE:HD12	1:A:1635:ILE:HG23	1.99	0.44
3:A:1805:01K:H18A	3:A:1805:01K:H21	1.93	0.44
1:A:1467:VAL:HG12	1:A:1638:HIS:HD2	1.82	0.44
1:A:1462:LYS:HB2	1:A:1637:LEU:HD12	1.99	0.44
1:A:1721:VAL:HB	1:A:1740:HIS:CD2	2.52	0.44
1:A:1501:GLU:C	1:A:1505:LYS:HZ3	2.25	0.43
1:A:1687:THR:HA	1:A:1690:MET:HG2	1.98	0.43
1:A:1363:ALA:HB2	1:A:1657:CYS:HB3	2.00	0.43
1:A:1625:MET:HE2	1:A:1625:MET:HB3	1.82	0.43
1:A:1673:LYS:HB3	1:A:1675:TRP:NE1	2.34	0.43
1:A:1738:HIS:HD2	1:A:1742:MET:HE2	1.84	0.43
1:A:1324:PHE:HA	1:A:1695:HIS:CD2	2.54	0.42
1:A:1462:LYS:HG3	1:A:1637:LEU:HB3	2.01	0.42
1:A:1320:LYS:HD2	1:A:1320:LYS:HA	1.88	0.42
1:A:1675:TRP:CZ2	1:A:1689:CYS:HB3	2.53	0.42
1:A:1354:ALA:CA	1:A:1442:PRO:HG3	2.50	0.42
1:A:1364:SER:HB3	1:A:1655:LEU:H	1.84	0.42
1:A:1345:PHE:O	1:A:1349:GLN:HG2	2.19	0.42
1:A:1522:ILE:HG12	1:A:1625:MET:HE3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1298:TYR:HE2	1:A:1692:VAL:CG2	2.31	0.42
1:A:1451:HIS:NE2	1:A:1502:TRP:CE2	2.86	0.41
1:A:1091:ARG:HG3	1:A:1142:LEU:HD22	2.01	0.41
1:A:1373:PRO:HA	1:A:1376:LYS:HB3	2.03	0.41
1:A:1627:LYS:HE3	1:A:1628:HIS:CE1	2.56	0.41
1:A:1186:GLU:HB3	1:A:1202:ARG:HH21	1.85	0.41
1:A:1363:ALA:HA	1:A:1655:LEU:HB3	2.02	0.41
1:A:1440:PHE:CE1	1:A:1442:PRO:HD2	2.56	0.41
1:A:1133:MET:HE3	1:A:1138:ILE:HG12	2.02	0.41
1:A:1310:ASN:HA	1:A:1313:LYS:HG2	2.03	0.41
1:A:1384:GLU:HG2	1:A:1535:LYS:NZ	2.36	0.41
1:A:1310:ASN:HA	1:A:1313:LYS:HZ2	1.86	0.40
1:A:1552:SER:HB3	1:A:1621:LEU:HD21	2.03	0.40
1:A:1160:MET:HE2	1:A:1160:MET:HB3	1.97	0.40
1:A:1106:PRO:HA	1:A:1109:LEU:HD13	2.03	0.40
1:A:1284:LYS:HB2	1:A:1307:VAL:HG12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	524/640 (82%)	486 (93%)	31 (6%)	7 (1%)	9	36

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1438	HIS
1	A	1530	ARG
1	A	1653	PRO
1	A	1319	ARG
1	A	1443	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1145	GLY
1	A	1441	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	492/586 (84%)	436 (89%)	56 (11%)	5 22

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1082	LYS
1	A	1084	ILE
1	A	1103	ARG
1	A	1142	LEU
1	A	1148	GLN
1	A	1149	GLU
1	A	1157	VAL
1	A	1166	LEU
1	A	1170	LYS
1	A	1174	VAL
1	A	1176	LYS
1	A	1184	VAL
1	A	1203	LYS
1	A	1274	THR
1	A	1289	LYS
1	A	1295	VAL
1	A	1299	ASP
1	A	1309	ASP
1	A	1317	ARG
1	A	1333	ARG
1	A	1347	ARG
1	A	1359	VAL
1	A	1369	VAL
1	A	1375	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1376	LYS
1	A	1377	SER
1	A	1381	ASP
1	A	1436	SER
1	A	1441	ARG
1	A	1443	ARG
1	A	1444	CYS
1	A	1447	THR
1	A	1478	GLU
1	A	1493	ILE
1	A	1513	GLU
1	A	1516	ILE
1	A	1520	LYS
1	A	1524	LYS
1	A	1537	LEU
1	A	1547	ASN
1	A	1548	VAL
1	A	1553	ILE
1	A	1622	TYR
1	A	1637	LEU
1	A	1649	VAL
1	A	1663	ARG
1	A	1664	ASP
1	A	1667	LEU
1	A	1679	SER
1	A	1692	VAL
1	A	1700	ASP
1	A	1704	TYR
1	A	1706	CYS
1	A	1709	CYS
1	A	1710	LYS
1	A	1716	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1337	HIS
1	A	1547	ASN
1	A	1638	HIS
1	A	1697	GLN
1	A	1740	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 5 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	01K	A	1805	-	64,66,66	0.28	0	89,95,95	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	01K	A	1805	-	-	19/68/84/84	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (19) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1805	01K	C39-O38-P2-O1
3	A	1805	01K	C39-O38-P2-O3
3	A	1805	01K	C39-O38-P2-O37
3	A	1805	01K	C10-C12-N13-C14
3	A	1805	01K	O34-C12-N13-C14
3	A	1805	01K	C22-C21-S20-C19
3	A	1805	01K	O38-C39-C40-O60
3	A	1805	01K	C15-C16-N17-C18
3	A	1805	01K	CG-CD-CE-NZ
3	A	1805	01K	O33-C16-N17-C18
3	A	1805	01K	O38-C39-C40-C41
3	A	1805	01K	C7-C10-C12-N13
3	A	1805	01K	O-C-CA-N
3	A	1805	01K	N64-C-CA-N
3	A	1805	01K	N13-C14-C15-C16
3	A	1805	01K	C7-C10-C12-O34
3	A	1805	01K	C18-C19-S20-C21
3	A	1805	01K	P2-O3-P4-O35
3	A	1805	01K	CE-CD-CG-CB

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1805	01K	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/640 (83%)	0.78	44 (8%) 17 11	61, 86, 147, 159	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1729	ILE	6.8
1	A	1713	VAL	4.6
1	A	1353	GLU	4.6
1	A	1555	GLU	3.9
1	A	1552	SER	3.9
1	A	1537	LEU	3.8
1	A	1715	THR	3.8
1	A	1493	ILE	3.7
1	A	1727	LEU	3.5
1	A	1702	PHE	3.4
1	A	1553	ILE	3.4
1	A	1704	TYR	3.3
1	A	1621	LEU	3.1
1	A	1624	THR	3.1
1	A	1620	LYS	3.1
1	A	1696	THR	2.8
1	A	1634	VAL	2.7
1	A	1692	VAL	2.7
1	A	1745	TRP	2.7
1	A	1441	ARG	2.7
1	A	1628	HIS	2.6
1	A	1210	THR	2.6
1	A	1473	ALA	2.5
1	A	1312	LEU	2.4
1	A	1174	VAL	2.4
1	A	1545	TRP	2.4
1	A	1703	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1370	GLU	2.4
1	A	1644	GLY	2.3
1	A	1082	LYS	2.3
1	A	1169	ARG	2.3
1	A	1075	MET	2.3
1	A	1123	PRO	2.3
1	A	1544	PHE	2.2
1	A	1356	GLU	2.2
1	A	1346	LEU	2.2
1	A	1420	ASP	2.1
1	A	1318	PRO	2.1
1	A	1298	TYR	2.1
1	A	1315	THR	2.1
1	A	1083	LYS	2.0
1	A	1525	GLN	2.0
1	A	1726	ASP	2.0
1	A	1168	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	01K	A	1805	64/64	0.87	0.13	99,102,105,106	0
2	ZN	A	1803	1/1	0.91	0.07	169,169,169,169	0
2	ZN	A	1806	1/1	0.93	0.08	113,113,113,113	1
2	ZN	A	1804	1/1	0.94	0.07	174,174,174,174	0
2	ZN	A	1801	1/1	0.99	0.07	77,77,77,77	0
2	ZN	A	1802	1/1	0.99	0.07	91,91,91,91	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.