



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:16 AM UTC

PDB ID : 1CPC / pdb_00001cpc
Title : ISOLATION, CRYSTALLIZATION, CRYSTAL STRUCTURE ANALYSIS
AND REFINEMENT OF CONSTITUTIVE C-PHYCOCYANIN FROM THE
CHROMATICALLY ADAPTING CYANOBACTERIUM FREMYELLA
DIPLOSIPHON AT 1.66 ANGSTROMS RESOLUTION
Authors : Duerring, M.; Schmidt, G.B.; Huber, R.
Deposited on : 1990-10-11
Resolution : 1.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	162	80% 17% ..
1	K	162	81% 17% .
2	B	172	80% 13% 8%
2	L	172	73% 23% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5434 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-PHYCOCYANIN (ALPHA SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	162	Total	C	N	O	S	11	0	0
			1214	766	203	241	4			
1	K	162	Total	C	N	O	S	14	0	0
			1214	766	203	241	4			


- Molecule 2 is a protein called C-PHYCOCYANIN (BETA SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	172	Total	C	N	O	S	23	0	0
			1253	775	220	249	9			
2	L	172	Total	C	N	O	S	26	0	0
			1252	775	220	248	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	171	SER	SER	conflict	UNP P07119

- Molecule 3 is PHYCOCYANOBILIN (CCD ID: CYC) (formula: C₃₃H₄₀N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			43	33	4	6		
3	B	1	Total	C	N	O	0	0
			43	33	4	6		
3	B	1	Total	C	N	O	0	0
			43	33	4	6		
3	K	1	Total	C	N	O	0	0
			43	33	4	6		
3	L	1	Total	C	N	O	0	0
			43	33	4	6		
3	L	1	Total	C	N	O	0	0
			43	33	4	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	75	Total	O	0	0
			75	75		
4	B	58	Total	O	0	0
			58	58		
4	K	57	Total	O	0	0
			57	57		
4	L	53	Total	O	0	0
			53	53		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: C-PHYCOCYANIN (ALPHA SUBUNIT)




• Molecule 1: C-PHYCOCYANIN (ALPHA SUBUNIT)



• Molecule 2: C-PHYCOCYANIN (BETA SUBUNIT)



• Molecule 2: C-PHYCOCYANIN (BETA SUBUNIT)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	180.26Å 180.26Å 61.24Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 1.66	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.66)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	EREF	Depositor
R, R_{free}	0.181 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5434	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CYC, MEN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.42	4/1238 (0.3%)	1.75	18/1680 (1.1%)
1	K	1.35	3/1238 (0.2%)	1.66	11/1680 (0.7%)
2	B	1.33	2/1255 (0.2%)	1.89	27/1694 (1.6%)
2	L	1.29	2/1254 (0.2%)	1.82	18/1693 (1.1%)
All	All	1.35	11/4985 (0.2%)	1.78	74/6747 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	K	0	2
2	L	1	8
All	All	1	13

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	140	HIS	ND1-CE1	8.95	1.41	1.32
1	A	140	HIS	CE1-NE2	8.23	1.40	1.32
1	K	140	HIS	ND1-CE1	7.47	1.40	1.32
1	K	128	TRP	NE1-CE2	-6.78	1.29	1.37
1	A	128	TRP	NE1-CE2	-6.64	1.30	1.37
1	A	3	THR	N-CA	5.88	1.51	1.45
2	L	135	LYS	N-CA	5.36	1.52	1.46
1	K	120	ARG	CZ-NH1	5.31	1.40	1.32
2	B	3	ASP	CA-CB	5.17	1.61	1.53
2	L	101	ALA	N-CA	5.11	1.52	1.46
2	B	136	MET	N-CA	5.10	1.52	1.46

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	113	ASN	CA-CB-CG	-11.07	101.53	112.60
2	B	108	ASP	CA-CB-CG	-9.51	103.09	112.60
2	B	105	SER	CB-CA-C	-9.03	95.76	110.74
1	A	164	SER	N-CA-CB	-8.12	97.84	109.94
1	K	134	LYS	CA-CB-CG	-7.76	98.57	114.10
1	A	139	ASN	CA-CB-CG	-7.42	105.18	112.60
2	L	23	GLN	O-C-N	7.42	130.60	122.15
2	B	113	ASN	CA-CB-CG	-7.40	105.20	112.60
2	B	5	PHE	CA-CB-CG	-7.21	106.59	113.80
1	A	69	GLN	CB-CG-CD	-6.94	100.80	112.60
2	B	152	ARG	CD-NE-CZ	6.75	133.86	124.40
2	B	17	GLU	CB-CG-CD	-6.75	101.13	112.60
2	B	28	SER	N-CA-CB	6.71	119.98	110.12
1	A	83	LYS	CA-CB-CG	-6.60	100.89	114.10
1	A	137	LYS	N-CA-CB	-6.57	99.49	110.39
2	B	20	SER	CA-C-N	6.52	127.33	120.03
2	B	20	SER	C-N-CA	6.52	127.33	120.03
1	A	171	ASN	N-CA-C	-6.38	104.97	112.89
2	L	131	VAL	O-C-N	6.35	128.03	121.87
2	L	109	ASP	O-C-N	6.27	128.55	122.03
1	A	120	ARG	NH1-CZ-NH2	-6.25	111.17	119.30
2	B	33	ASP	CA-CB-CG	-6.24	106.36	112.60
1	K	120	ARG	NE-CZ-NH2	-6.17	113.64	119.20
1	A	120	ARG	NE-CZ-NH1	6.15	127.65	121.50
2	L	125	PRO	CA-C-N	6.11	127.98	120.22
2	L	125	PRO	C-N-CA	6.11	127.98	120.22
2	B	110	ARG	NE-CZ-NH1	5.98	127.48	121.50
2	B	87	ASP	O-C-N	5.93	128.91	122.15
2	B	108	ASP	CB-CA-C	-5.92	101.55	110.90
2	L	158	LEU	N-CA-C	-5.90	104.92	111.36
2	B	87	ASP	CA-CB-CG	-5.87	106.73	112.60
1	A	62	LYS	N-CA-CB	-5.87	101.48	110.16
1	K	17	ARG	CD-NE-CZ	-5.75	116.36	124.40
2	B	173	VAL	N-CA-C	-5.68	105.04	113.39
2	B	22	SER	N-CA-C	5.66	117.13	111.07
2	B	110	ARG	CA-C-N	-5.64	113.48	122.17
2	B	110	ARG	C-N-CA	-5.64	113.48	122.17
1	A	35	SER	N-CA-C	5.63	117.09	111.07
2	L	120	LEU	N-CA-C	-5.62	105.31	111.82
2	B	146	ASP	CA-CB-CG	-5.58	107.02	112.60
2	B	13	ASP	CA-CB-CG	-5.54	107.06	112.60
1	K	145	SER	N-CA-CB	-5.53	102.06	111.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	78	GLN	O-C-N	5.50	128.43	122.15
2	B	106	VAL	O-C-N	5.49	127.49	121.83
1	A	66	THR	CA-C-N	-5.47	114.01	122.49
1	A	66	THR	C-N-CA	-5.47	114.01	122.49
1	A	79	THR	N-CA-CB	-5.45	102.10	110.16
2	L	168	LYS	O-C-N	5.44	127.67	122.07
2	L	76	TYR	CA-C-N	5.41	131.88	121.54
2	L	76	TYR	C-N-CA	5.41	131.88	121.54
2	B	163	ALA	CA-C-N	-5.41	112.09	120.31
2	B	163	ALA	C-N-CA	-5.41	112.09	120.31
1	A	120	ARG	NE-CZ-NH2	-5.39	114.35	119.20
1	A	163	ASN	CA-CB-CG	-5.38	107.22	112.60
2	L	131	VAL	CA-C-O	-5.33	115.40	120.95
2	L	90	ILE	N-CA-C	-5.30	105.37	110.72
1	A	67	THR	CA-CB-OG1	-5.28	101.69	109.60
1	K	83	LYS	CB-CA-C	-5.26	102.06	110.79
2	L	63	GLN	O-C-N	5.23	126.00	121.34
1	A	79	THR	CA-CB-OG1	-5.18	101.82	109.60
2	B	143	ILE	N-CA-C	5.18	115.95	110.72
1	A	98	CYS	O-C-N	5.18	127.61	122.12
2	B	109	ASP	N-CA-CB	5.17	117.57	110.07
2	L	50	THR	N-CA-CB	-5.13	102.57	110.16
1	K	67	THR	CA-C-O	-5.12	113.36	119.35
2	B	152	ARG	NE-CZ-NH1	5.12	126.62	121.50
2	L	111	CYS	O-C-N	5.12	127.94	121.95
2	L	129	VAL	CA-C-N	5.12	127.14	120.28
2	L	129	VAL	C-N-CA	5.12	127.14	120.28
1	K	166	ILE	O-C-N	5.10	126.91	121.91
2	B	137	LYS	N-CA-C	5.09	117.22	111.11
1	K	52	ALA	CA-C-N	-5.03	112.12	120.68
1	K	52	ALA	C-N-CA	-5.03	112.12	120.68
1	K	17	ARG	NE-CZ-NH1	-5.03	116.47	121.50

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	L	124	THR	CB

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	113	GLY	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	120	ARG	Sidechain
1	A	15	GLN	Mainchain
1	K	35	SER	Mainchain
1	K	93	ARG	Mainchain
2	L	114	GLY	Peptide,Mainchain
2	L	151	THR	Mainchain
2	L	17	GLU	Mainchain
2	L	172	ALA	Mainchain
2	L	2	LEU	Mainchain
2	L	58	SER	Mainchain
2	L	69	PRO	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1214	0	1190	19	0
1	K	1214	0	1190	18	0
2	B	1253	0	1257	16	1
2	L	1252	0	1254	15	1
3	A	43	0	37	1	0
3	B	86	0	74	3	0
3	K	43	0	37	1	0
3	L	86	0	74	2	0
4	A	75	0	0	1	1
4	B	58	0	0	0	0
4	K	57	0	0	0	1
4	L	53	0	0	0	0
All	All	5434	0	5113	64	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:GLN:HG3	1:A:17:ARG:HD3	1.24	1.19
1:K:73:ASN:H	1:K:73:ASN:HD22	1.17	0.88
2:B:20:SER:H	2:B:23:GLN:HE21	1.24	0.85
1:A:73:ASN:HD22	1:A:73:ASN:H	1.22	0.84
2:L:20:SER:H	2:L:23:GLN:HE21	1.38	0.71
2:B:106:VAL:HG23	2:B:110:ARG:HD2	1.76	0.67
2:L:122:LEU:HB3	2:L:124:THR:HG23	1.77	0.67
2:L:30:LEU:HD11	2:L:37:ARG:HH21	1.59	0.66
1:K:73:ASN:H	1:K:73:ASN:ND2	1.93	0.66
1:A:30:ARG:HH11	1:K:25:GLN:HE22	1.44	0.64
2:L:72:MEN:OD1	2:L:124:THR:HG22	1.98	0.63
1:K:4:PRO:HG2	1:K:30:ARG:HD3	1.81	0.63
1:A:15:GLN:CG	1:A:17:ARG:HD3	2.16	0.62
1:A:73:ASN:H	1:A:73:ASN:ND2	1.96	0.62
1:A:77:THR:HG23	1:A:80:GLY:H	1.69	0.57
2:L:30:LEU:HD11	2:L:37:ARG:NH2	2.18	0.57
1:K:73:ASN:HA	3:K:175:CYC:HBD2	1.86	0.57
1:A:30:ARG:HD2	1:K:25:GLN:HE22	1.70	0.57
1:A:77:THR:HG22	4:A:229:HOH:O	2.06	0.56
2:L:54:ASN:ND2	2:L:57:ARG:HH12	2.03	0.56
2:L:56:ALA:HB2	2:L:88:MET:HE1	1.88	0.56
1:A:30:ARG:HD2	1:K:25:GLN:NE2	2.21	0.56
2:B:115:LEU:HD13	2:B:173:VAL:CG1	2.37	0.54
1:A:84:CYS:HA	3:A:175:CYC:HHD	1.91	0.53
2:L:54:ASN:HD22	2:L:57:ARG:HH12	1.56	0.52
2:B:90:ILE:HG21	3:B:176:CYC:HAB1	1.90	0.52
1:A:161:GLU:O	1:A:164:SER:HB3	2.09	0.52
2:B:115:LEU:HD13	2:B:173:VAL:HG12	1.91	0.52
1:A:65:TYR:HB2	1:A:69:GLN:HG3	1.92	0.52
1:A:30:ARG:HA	1:K:25:GLN:HE21	1.76	0.50
1:A:30:ARG:HH11	1:K:25:GLN:NE2	2.10	0.49
1:K:56:ALA:HB2	1:K:85:VAL:HG12	1.94	0.49
2:B:20:SER:N	2:B:23:GLN:HE21	2.03	0.49
2:L:1:MET:HG3	2:L:106:VAL:HB	1.94	0.49
1:A:64:PRO:O	1:A:67:THR:HG22	2.12	0.48
2:B:72:MEN:HE22	3:B:176:CYC:HBD2	1.94	0.48
2:B:65:GLN:H	2:B:65:GLN:CD	2.20	0.48
3:L:177:CYC:HHA	3:L:177:CYC:O2D	2.14	0.47
2:B:158:LEU:O	2:B:162:VAL:HG23	2.15	0.47
1:K:2:LYS:HE3	1:K:7:GLU:OE1	2.15	0.47
1:K:69:GLN:HE21	1:K:69:GLN:HB3	1.43	0.47
1:K:18:PHE:HB3	2:L:45:THR:HG23	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:20:SER:H	2:B:23:GLN:NE2	2.01	0.46
1:K:56:ALA:CB	1:K:85:VAL:HG12	2.45	0.46
2:B:117:GLU:H	2:B:117:GLU:HG2	1.42	0.46
2:L:161:GLU:O	2:L:164:SER:HB3	2.16	0.46
1:A:90:TYR:O	1:A:94:MET:HG2	2.17	0.45
2:L:1:MET:HE3	2:L:1:MET:HB3	1.74	0.44
1:K:17:ARG:HH11	1:K:17:ARG:HD2	1.52	0.44
2:B:115:LEU:HD21	3:B:176:CYC:HMB3	2.00	0.44
1:A:40:ALA:HB2	1:A:148:PRO:HB3	2.00	0.44
2:B:30:LEU:HD12	2:B:30:LEU:HA	1.73	0.43
1:K:44:LEU:HD21	1:K:140:HIS:HB2	2.00	0.43
2:L:62:GLU:C	2:L:64:PRO:HD3	2.44	0.43
1:A:73:ASN:HD22	1:A:73:ASN:N	2.02	0.43
2:B:158:LEU:HA	2:B:158:LEU:HD23	1.80	0.43
2:L:113:ASN:HD22	2:L:113:ASN:HA	1.17	0.43
2:B:108:ASP:O	2:B:113:ASN:HB2	2.19	0.42
1:K:30:ARG:HA	1:K:30:ARG:HD2	1.98	0.41
1:K:37:SER:HB3	1:K:99:LEU:O	2.20	0.41
2:B:104:ALA:O	2:B:105:SER:C	2.63	0.41
2:L:54:ASN:HD22	2:L:57:ARG:NH1	2.18	0.40
3:L:177:CYC:HHA	3:L:177:CYC:HAA1	1.94	0.40
1:A:17:ARG:HH11	1:A:17:ARG:HD2	1.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:ARG:NH1	4:A:216:HOH:O[3_555]	2.05	0.15
2:L:57:ARG:NH2	4:K:221:HOH:O[2_555]	2.15	0.05

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/162 (99%)	159 (99%)	1 (1%)	0	100	100
1	K	160/162 (99%)	157 (98%)	3 (2%)	0	100	100
2	B	169/172 (98%)	165 (98%)	3 (2%)	1 (1%)	21	8
2	L	169/172 (98%)	167 (99%)	1 (1%)	1 (1%)	21	8
All	All	658/668 (98%)	648 (98%)	8 (1%)	2 (0%)	36	21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	77	THR
2	L	77	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	125/125 (100%)	122 (98%)	3 (2%)	43	20
1	K	125/125 (100%)	119 (95%)	6 (5%)	23	5
2	B	126/126 (100%)	120 (95%)	6 (5%)	23	5
2	L	125/126 (99%)	114 (91%)	11 (9%)	9	1
All	All	501/502 (100%)	475 (95%)	26 (5%)	21	4

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	SER
1	A	15	GLN
1	A	73	ASN
2	B	22	SER
2	B	30	LEU
2	B	115	LEU
2	B	117	GLU
2	B	120	LEU
2	B	152	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	15	GLN
1	K	46	GLU
1	K	47	LYS
1	K	73	ASN
1	K	92	LEU
1	K	127	SER
2	L	1	MET
2	L	11	GLN
2	L	65	GLN
2	L	113	ASN
2	L	115	LEU
2	L	120	LEU
2	L	122	LEU
2	L	134	GLN
2	L	147	THR
2	L	158	LEU
2	L	159	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	33	GLN
1	A	57	ASN
1	A	69	GLN
1	A	73	ASN
2	B	23	GLN
2	B	35	ASN
2	B	63	GLN
2	B	134	GLN
1	K	15	GLN
1	K	25	GLN
1	K	33	GLN
1	K	69	GLN
1	K	70	ASN
1	K	73	ASN
1	K	119	ASN
1	K	171	ASN
2	L	23	GLN
2	L	35	ASN
2	L	47	ASN
2	L	54	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	63	GLN
2	L	65	GLN
2	L	113	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MEN	B	72	2	7,8,9	1.03	1 (14%)	4,9,11	0.79	0
2	MEN	L	72	2	7,8,9	0.87	0	4,9,11	2.21	2 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MEN	B	72	2	-	2/7/8/10	-
2	MEN	L	72	2	-	0/7/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	72	MEN	CB-CA	2.16	1.58	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	72	MEN	OD1-CG-CB	-3.03	117.10	121.54
2	L	72	MEN	CB-CG-ND2	2.98	119.42	115.53

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	72	MEN	CA-CB-CG-OD1
2	B	72	MEN	CA-CB-CG-ND2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	72	MEN	1	0
2	L	72	MEN	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CYC	K	175	1	46,46,46	1.61	9 (19%)	63,67,67	1.74	20 (31%)
3	CYC	B	177	2	46,46,46	1.60	8 (17%)	63,67,67	1.70	13 (20%)
3	CYC	L	176	2	46,46,46	1.50	10 (21%)	63,67,67	1.96	10 (15%)
3	CYC	A	175	1	46,46,46	1.58	8 (17%)	63,67,67	1.68	10 (15%)
3	CYC	L	177	2	46,46,46	1.56	10 (21%)	63,67,67	1.64	17 (26%)
3	CYC	B	176	2	46,46,46	1.63	7 (15%)	63,67,67	2.00	13 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CYC	K	175	1	-	10/26/74/74	0/4/4/4
3	CYC	B	177	2	-	11/26/74/74	0/4/4/4
3	CYC	L	176	2	-	6/26/74/74	0/4/4/4
3	CYC	A	175	1	-	12/26/74/74	0/4/4/4
3	CYC	L	177	2	-	12/26/74/74	0/4/4/4
3	CYC	B	176	2	-	6/26/74/74	0/4/4/4

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	176	CYC	C1C-NC	-5.43	1.30	1.37
3	B	177	CYC	C1A-C2A	-4.22	1.39	1.45
3	K	175	CYC	CHD-C4C	4.11	1.43	1.36
3	B	177	CYC	C3B-C2B	3.94	1.45	1.36
3	B	176	CYC	CHD-C4C	3.82	1.42	1.36
3	A	175	CYC	C1C-NC	-3.64	1.32	1.37
3	K	175	CYC	C1B-NB	3.62	1.44	1.37
3	A	175	CYC	CAC-C3C	3.59	1.60	1.54
3	L	176	CYC	C1B-NB	3.54	1.43	1.37
3	A	175	CYC	C2A-C3A	3.36	1.44	1.36
3	B	176	CYC	C4C-NC	3.35	1.43	1.37
3	B	176	CYC	C3B-C2B	3.27	1.43	1.36
3	L	177	CYC	C3B-C2B	3.17	1.43	1.36
3	L	177	CYC	C1B-NB	3.16	1.43	1.37
3	B	177	CYC	CHD-C4C	3.11	1.41	1.36
3	L	176	CYC	C1C-NC	-3.08	1.33	1.37
3	L	177	CYC	C1A-C2A	-3.03	1.41	1.45
3	B	176	CYC	C1A-C2A	-2.97	1.41	1.45
3	L	177	CYC	C4C-NC	2.95	1.43	1.37
3	B	177	CYC	C4C-NC	2.90	1.43	1.37
3	K	175	CYC	C3B-C2B	2.89	1.43	1.36
3	A	175	CYC	C3B-C2B	2.81	1.42	1.36
3	L	176	CYC	C4C-NC	2.80	1.42	1.37
3	L	176	CYC	CHD-C4C	2.79	1.41	1.36
3	L	177	CYC	CHD-C4C	2.76	1.41	1.36
3	A	175	CYC	C1A-C2A	-2.68	1.41	1.45
3	L	177	CYC	C2A-C3A	2.63	1.42	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	175	CYC	CHD-C4C	2.62	1.40	1.36
3	L	176	CYC	C3B-C2B	2.62	1.42	1.36
3	K	175	CYC	C4D-ND	2.59	1.42	1.37
3	A	175	CYC	C4C-NC	2.55	1.42	1.37
3	B	177	CYC	C1C-NC	-2.54	1.34	1.37
3	K	175	CYC	C4B-NB	-2.53	1.32	1.38
3	L	176	CYC	C2A-C3A	2.53	1.42	1.36
3	K	175	CYC	C4C-NC	2.53	1.42	1.37
3	L	176	CYC	CHB-C1B	2.39	1.43	1.37
3	L	177	CYC	C1C-NC	-2.37	1.34	1.37
3	B	176	CYC	C4A-C3A	-2.33	1.40	1.45
3	K	175	CYC	CHB-C1B	2.31	1.43	1.37
3	L	177	CYC	C4B-NB	-2.22	1.32	1.38
3	B	177	CYC	CMC-C2C	2.21	1.57	1.53
3	L	176	CYC	C1A-C2A	-2.20	1.42	1.45
3	B	177	CYC	C4B-NB	-2.19	1.32	1.38
3	B	177	CYC	C2A-C3A	2.17	1.41	1.36
3	L	176	CYC	C1D-C2D	2.10	1.46	1.41
3	L	176	CYC	CBD-CGD	2.09	1.55	1.50
3	K	175	CYC	C1A-NA	-2.07	1.34	1.38
3	L	177	CYC	CHB-C1B	2.07	1.42	1.37
3	K	175	CYC	C1D-C2D	2.04	1.46	1.41
3	L	177	CYC	C2C-C1C	2.02	1.53	1.52
3	B	176	CYC	CAC-C3C	2.02	1.57	1.54
3	A	175	CYC	C4D-ND	2.01	1.41	1.37

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	176	CYC	C2C-C1C-NC	6.73	113.89	108.29
3	L	176	CYC	OC-C1C-C2C	-6.55	120.96	126.17
3	B	176	CYC	OC-C1C-C2C	-6.27	121.19	126.17
3	L	176	CYC	C2C-C1C-NC	6.06	113.33	108.29
3	B	177	CYC	C2C-C1C-NC	5.32	112.71	108.29
3	A	175	CYC	C3B-C4B-NB	5.01	110.76	106.77
3	L	176	CYC	CAB-C3B-C4B	4.99	129.08	121.37
3	B	176	CYC	CAB-C3B-C4B	4.83	128.84	121.37
3	L	176	CYC	C2C-C3C-C4C	4.46	108.02	101.34
3	L	177	CYC	C3B-C4B-NB	4.34	110.23	106.77
3	A	175	CYC	CAB-C3B-C4B	4.29	128.00	121.37
3	B	176	CYC	C1D-CHD-C4C	4.21	134.96	127.76
3	K	175	CYC	CAB-C3B-C4B	4.05	127.64	121.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	177	CYC	OC-C1C-C2C	-3.97	123.01	126.17
3	B	177	CYC	C2C-C3C-C4C	3.93	107.22	101.34
3	L	177	CYC	C2C-C1C-NC	3.90	111.54	108.29
3	A	175	CYC	CHD-C4C-NC	-3.87	120.80	125.63
3	B	176	CYC	C2C-C3C-C4C	3.83	107.08	101.34
3	L	176	CYC	C1D-CHD-C4C	3.78	134.21	127.76
3	L	177	CYC	CAB-C3B-C4B	3.65	127.02	121.37
3	L	176	CYC	CMD-C2D-C1D	3.65	130.92	125.62
3	A	175	CYC	C2C-C1C-NC	3.62	111.30	108.29
3	L	176	CYC	CMB-C2B-C1B	3.56	128.49	124.16
3	B	177	CYC	C3B-C4B-NB	3.53	109.58	106.77
3	B	176	CYC	CAD-CBD-CGD	-3.41	104.63	113.67
3	B	176	CYC	C3B-C4B-NB	3.34	109.43	106.77
3	K	175	CYC	CMA-C3A-C4A	3.24	130.13	125.10
3	A	175	CYC	C1B-NB-C4B	-3.20	106.73	110.66
3	A	175	CYC	CMD-C2D-C1D	3.13	130.17	125.62
3	K	175	CYC	CMB-C2B-C1B	3.06	127.88	124.16
3	L	177	CYC	CHD-C4C-NC	-3.04	121.84	125.63
3	K	175	CYC	C3B-C4B-NB	3.01	109.16	106.77
3	K	175	CYC	OC-C1C-C2C	-2.99	123.80	126.17
3	L	177	CYC	CHA-C1A-NA	2.96	130.82	124.60
3	B	176	CYC	CMD-C2D-C1D	2.95	129.91	125.62
3	K	175	CYC	O1D-CGD-CBD	-2.94	113.76	123.09
3	A	175	CYC	C1D-CHD-C4C	2.94	132.79	127.76
3	L	177	CYC	C1D-C2D-C3D	-2.91	104.12	107.76
3	B	177	CYC	CMA-C3A-C4A	2.91	129.61	125.10
3	K	175	CYC	C2C-C1C-NC	2.90	110.70	108.29
3	K	175	CYC	C1D-CHD-C4C	2.87	132.67	127.76
3	A	175	CYC	CHA-C4D-C3D	-2.85	121.10	127.22
3	L	177	CYC	CAA-CBA-CGA	-2.82	106.18	113.67
3	B	177	CYC	CAB-C3B-C4B	2.82	125.72	121.37
3	K	175	CYC	C1B-C2B-C3B	-2.81	104.97	107.86
3	B	176	CYC	O2A-CGA-CBA	2.74	122.67	114.00
3	K	175	CYC	O2D-CGD-CBD	2.74	122.64	114.00
3	A	175	CYC	C2B-C1B-NB	2.66	110.85	106.97
3	L	177	CYC	OC-C1C-C2C	-2.62	124.09	126.17
3	K	175	CYC	C3C-C4C-NC	-2.61	104.58	107.94
3	B	177	CYC	CMD-C2D-C1D	2.60	129.40	125.62
3	K	175	CYC	CAA-CBA-CGA	-2.57	106.84	113.67
3	B	176	CYC	CMA-C3A-C4A	2.56	129.08	125.10
3	L	177	CYC	C1A-C2A-C3A	2.51	109.44	106.73
3	L	177	CYC	C4D-CHA-C1A	2.50	133.69	128.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	175	CYC	CHA-C4D-C3D	-2.49	121.87	127.22
3	L	176	CYC	CMC-C2C-C1C	-2.47	107.08	112.40
3	K	175	CYC	CMD-C2D-C1D	2.45	129.18	125.62
3	K	175	CYC	C2C-C3C-C4C	2.37	104.88	101.34
3	B	176	CYC	C1C-NC-C4C	-2.33	110.48	113.41
3	K	175	CYC	CAA-C2A-C3A	-2.31	123.54	127.87
3	B	177	CYC	CAA-CBA-CGA	-2.30	107.56	113.67
3	L	177	CYC	C1C-NC-C4C	-2.27	110.56	113.41
3	L	177	CYC	CMD-C2D-C1D	2.27	128.92	125.62
3	B	176	CYC	O1A-CGA-CBA	-2.23	116.02	123.09
3	K	175	CYC	CAA-C2A-C1A	2.19	128.87	125.02
3	L	177	CYC	CBA-CAA-C2A	-2.18	106.51	112.53
3	B	177	CYC	CMB-C2B-C1B	2.18	126.81	124.16
3	K	175	CYC	CBC-CAC-C3C	-2.15	108.85	113.41
3	B	177	CYC	CHA-C1A-NA	2.15	129.11	124.60
3	L	177	CYC	C2C-C3C-C4C	2.15	104.55	101.34
3	L	177	CYC	C2A-C1A-NA	-2.14	107.02	110.04
3	L	177	CYC	O2D-CGD-CBD	2.12	120.71	114.00
3	K	175	CYC	C2B-C1B-NB	2.11	110.05	106.97
3	K	175	CYC	C1C-NC-C4C	-2.09	110.78	113.41
3	L	177	CYC	O1D-CGD-CBD	-2.09	116.47	123.09
3	L	176	CYC	CAB-C3B-C2B	-2.08	123.73	127.56
3	A	175	CYC	CHA-C4D-ND	2.08	129.98	125.29
3	B	177	CYC	C1B-C2B-C3B	-2.05	105.76	107.86
3	B	176	CYC	CHA-C4D-C3D	-2.04	122.83	127.22
3	B	177	CYC	CBB-CAB-C3B	2.02	117.90	112.42
3	L	176	CYC	O1D-CGD-CBD	-2.02	116.69	123.09
3	B	177	CYC	C1C-NC-C4C	-2.02	110.87	113.41

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	175	CYC	NA-C4A-CHB-C1B
3	A	175	CYC	C3A-C4A-CHB-C1B
3	A	175	CYC	C4C-C3C-CAC-CBC
3	A	175	CYC	NC-C4C-CHD-C1D
3	B	176	CYC	NA-C4A-CHB-C1B
3	B	176	CYC	C3A-C4A-CHB-C1B
3	B	176	CYC	C2B-C3B-CAB-CBB
3	B	177	CYC	NA-C4A-CHB-C1B
3	B	177	CYC	C3A-C4A-CHB-C1B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	177	CYC	C2C-C3C-CAC-CBC
3	K	175	CYC	NA-C4A-CHB-C1B
3	K	175	CYC	C3A-C4A-CHB-C1B
3	K	175	CYC	C4C-C3C-CAC-CBC
3	L	176	CYC	NA-C4A-CHB-C1B
3	L	176	CYC	C3A-C4A-CHB-C1B
3	L	177	CYC	NA-C4A-CHB-C1B
3	L	177	CYC	C3A-C4A-CHB-C1B
3	L	177	CYC	C2C-C3C-CAC-CBC
3	L	177	CYC	C4C-C3C-CAC-CBC
3	L	177	CYC	C2B-C3B-CAB-CBB
3	K	175	CYC	ND-C1D-CHD-C4C
3	L	177	CYC	ND-C1D-CHD-C4C
3	A	175	CYC	ND-C1D-CHD-C4C
3	B	177	CYC	ND-C1D-CHD-C4C
3	L	176	CYC	ND-C1D-CHD-C4C
3	A	175	CYC	C2D-C1D-CHD-C4C
3	B	176	CYC	C2D-C1D-CHD-C4C
3	B	177	CYC	C2D-C1D-CHD-C4C
3	K	175	CYC	C2D-C1D-CHD-C4C
3	L	176	CYC	C2D-C1D-CHD-C4C
3	L	177	CYC	C2D-C1D-CHD-C4C
3	B	176	CYC	ND-C1D-CHD-C4C
3	B	176	CYC	C4B-C3B-CAB-CBB
3	A	175	CYC	C2B-C3B-CAB-CBB
3	K	175	CYC	NA-C1A-CHA-C4D
3	L	176	CYC	C2A-CAA-CBA-CGA
3	A	175	CYC	C2C-C3C-CAC-CBC
3	K	175	CYC	C2C-C3C-CAC-CBC
3	K	175	CYC	C2B-C3B-CAB-CBB
3	A	175	CYC	C4B-C3B-CAB-CBB
3	A	175	CYC	NA-C1A-CHA-C4D
3	B	177	CYC	C4C-C3C-CAC-CBC
3	L	177	CYC	C4B-C3B-CAB-CBB
3	K	175	CYC	CAA-CBA-CGA-O2A
3	A	175	CYC	CAA-CBA-CGA-O1A
3	A	175	CYC	CAA-CBA-CGA-O2A
3	L	177	CYC	CAA-CBA-CGA-O1A
3	K	175	CYC	CAA-CBA-CGA-O1A
3	B	177	CYC	CAA-CBA-CGA-O2A
3	L	177	CYC	CAA-CBA-CGA-O2A
3	B	177	CYC	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	B	177	CYC	NA-C1A-CHA-C4D
3	B	177	CYC	CAD-CBD-CGD-O1D
3	B	177	CYC	CAA-CBA-CGA-O1A
3	L	177	CYC	CAD-CBD-CGD-O1D
3	L	177	CYC	CAD-CBD-CGD-O2D
3	L	176	CYC	C2B-C3B-CAB-CBB

There are no ring outliers.


4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	K	175	CYC	1	0
3	A	175	CYC	1	0
3	L	177	CYC	2	0
3	B	176	CYC	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand CYC L 176




Ligand CYC A 175



Ligand CYC L 177



Ligand CYC B 176



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.