



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:13 PM UTC

PDB ID : 1CQ9 / pdb_00001cq9
Title : PEANUT LECTIN-TRICLINIC FORM
Authors : Ravishankar, R.; Suguna, K.; Surolia, A.; Vijayan, M.
Deposited on : 1999-08-06
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1140 (3.54-3.46)
Ramachandran outliers	187476	1113 (3.54-3.46)
Sidechain outliers	187428	1114 (3.54-3.46)
RSRZ outliers	180081	1084 (3.54-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	
1	B	236	
1	C	236	
1	D	236	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (PEANUT LECTIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	232	Total	C	N	O	S	0	0	0
			1743	1102	287	352	2			
1	B	232	Total	C	N	O	S	0	0	0
			1743	1102	287	352	2			
1	C	232	Total	C	N	O	S	0	0	0
			1743	1102	287	352	2			
1	D	232	Total	C	N	O	S	0	0	0
			1743	1102	287	352	2			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		


- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	B	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PROTEIN (PEANUT LECTIN)



• Molecule 1: PROTEIN (PEANUT LECTIN)



• Molecule 1: PROTEIN (PEANUT LECTIN)



• Molecule 1: PROTEIN (PEANUT LECTIN)





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.64Å 71.79Å 86.42Å 65.35° 77.66° 72.31°	Depositor
Resolution (Å)	10.00 – 3.50 10.00 – 3.50	Depositor EDS
% Data completeness (in resolution range)	43.1 (10.00-3.50) 41.2 (10.00-3.50)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.12 (at 3.00Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.217 , 0.278 0.203 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	29.8	Xtriage
Anisotropy	0.612	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 90.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	6980	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.27	10/1779 (0.6%)	1.54	28/2426 (1.2%)
1	B	1.31	12/1779 (0.7%)	1.48	19/2426 (0.8%)
1	C	1.16	4/1779 (0.2%)	1.38	19/2426 (0.8%)
1	D	1.20	6/1779 (0.3%)	1.48	19/2426 (0.8%)
All	All	1.24	32/7116 (0.4%)	1.47	85/9704 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	73	MET	SD-CE	-9.18	1.56	1.79
1	A	52	VAL	CA-CB	-8.61	1.44	1.54
1	D	80	ASP	CA-C	-8.20	1.43	1.53
1	C	133	PRO	C-N	-7.69	1.27	1.33
1	B	54	ILE	CA-CB	7.51	1.63	1.54
1	D	134	PRO	N-CD	-7.27	1.37	1.47
1	A	165	VAL	CA-CB	-6.92	1.44	1.54
1	C	135	THR	CA-CB	6.71	1.65	1.53
1	B	40	VAL	CA-CB	-6.55	1.46	1.54
1	D	227	SER	CA-C	-6.47	1.44	1.52
1	A	173	THR	CA-CB	-6.35	1.44	1.53
1	B	98	ALA	CA-C	6.35	1.61	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	62	VAL	CA-CB	6.34	1.63	1.54
1	A	140	ILE	CA-CB	-6.28	1.46	1.54
1	D	134	PRO	N-CA	6.10	1.54	1.47
1	B	163	VAL	CA-CB	-6.03	1.44	1.55
1	A	96	ILE	C-N	5.98	1.40	1.33
1	A	178	VAL	CA-CB	-5.93	1.47	1.54
1	A	139	GLY	CA-C	5.92	1.56	1.51
1	C	73	MET	SD-CE	-5.91	1.64	1.79
1	B	212	LEU	C-O	5.69	1.30	1.24
1	B	118	VAL	CA-CB	-5.54	1.47	1.54
1	D	161	VAL	CA-CB	5.47	1.60	1.54
1	B	120	VAL	CA-CB	5.45	1.61	1.54
1	C	134	PRO	CA-C	5.38	1.57	1.52
1	A	187	THR	CA-CB	5.30	1.65	1.54
1	B	98	ALA	C-O	5.18	1.30	1.24
1	D	49	ALA	CA-C	5.17	1.59	1.52
1	A	163	VAL	CA-CB	-5.13	1.47	1.54
1	B	73	MET	CG-SD	5.11	1.93	1.80
1	B	189	ALA	CA-CB	-5.10	1.41	1.54
1	B	211	SER	C-O	5.04	1.29	1.24

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	133	PRO	N-CA-C	-11.59	96.56	110.70
1	A	212	LEU	N-CA-C	-10.13	96.87	110.55
1	C	133	PRO	N-CA-C	-8.61	100.20	110.70
1	B	212	LEU	N-CA-C	-8.32	95.65	109.46
1	D	169	SER	N-CA-C	8.30	120.33	111.28
1	A	231	THR	N-CA-C	-8.16	96.66	109.72
1	C	48	TYR	N-CA-C	-7.79	98.28	109.96
1	A	48	TYR	N-CA-C	-7.79	97.34	109.25
1	D	147	SER	N-CA-C	7.76	121.18	110.24
1	A	15	ASN	CA-C-N	7.70	127.41	119.56
1	A	15	ASN	C-N-CA	7.70	127.41	119.56
1	A	59	THR	N-CA-C	-7.60	99.57	110.59
1	A	96	ILE	CA-C-N	7.33	127.77	119.93
1	A	96	ILE	C-N-CA	7.33	127.77	119.93
1	D	87	PHE	N-CA-C	-7.30	97.34	109.46
1	A	133	PRO	N-CA-C	-7.00	102.16	110.70
1	B	48	TYR	N-CA-C	-6.99	99.31	109.59
1	C	37	LEU	N-CA-C	6.95	119.74	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	40	VAL	N-CA-C	6.82	116.83	110.42
1	D	212	LEU	N-CA-C	-6.74	98.28	109.46
1	B	23	ASP	N-CA-C	6.73	120.95	113.21
1	A	23	ASP	N-CA-C	6.70	120.92	113.21
1	D	48	TYR	N-CA-C	-6.70	99.74	109.59
1	B	34	LEU	N-CA-C	6.68	119.91	111.69
1	D	181	ASP	CA-C-N	6.55	129.71	120.28
1	D	181	ASP	C-N-CA	6.55	129.71	120.28
1	A	118	VAL	N-CA-C	-6.52	98.75	108.46
1	D	183	GLY	N-CA-C	-6.51	106.18	113.79
1	C	176	VAL	N-CA-C	6.50	117.85	108.48
1	D	134	PRO	N-CA-CB	-6.43	96.76	103.19
1	B	133	PRO	N-CA-C	-6.42	102.86	110.70
1	D	227	SER	N-CA-C	-6.41	98.92	108.99
1	A	61	ASN	N-CA-C	6.39	119.74	110.28
1	C	15	ASN	CA-C-N	6.39	126.52	119.87
1	C	15	ASN	C-N-CA	6.39	126.52	119.87
1	C	57	SER	N-CA-C	-6.29	105.60	113.28
1	B	136	ASP	N-CA-C	-6.22	102.28	110.43
1	A	87	PHE	N-CA-C	-6.21	98.61	108.73
1	A	133	PRO	CA-C-N	6.12	125.74	119.56
1	A	133	PRO	C-N-CA	6.12	125.74	119.56
1	C	119	GLY	N-CA-C	6.11	120.57	110.55
1	D	126	SER	N-CA-C	6.09	118.70	107.99
1	C	132	ASP	N-CA-C	6.05	117.32	109.64
1	C	64	SER	N-CA-C	-6.00	99.93	109.59
1	A	170	SER	N-CA-C	5.92	117.41	111.07
1	C	90	ALA	N-CA-C	5.82	115.00	108.25
1	C	146	ASP	N-CA-C	-5.79	98.49	108.56
1	B	169	SER	N-CA-C	5.72	118.26	111.33
1	A	88	PHE	N-CA-C	5.71	118.36	109.52
1	A	34	LEU	N-CA-C	5.62	117.49	111.36
1	B	98	ALA	N-CA-C	5.59	120.55	111.37
1	A	18	ILE	N-CA-C	5.59	115.91	107.75
1	B	96	ILE	N-CA-C	-5.59	102.87	108.96
1	B	122	PHE	CA-C-N	5.56	129.78	121.72
1	B	122	PHE	C-N-CA	5.56	129.78	121.72
1	D	122	PHE	N-CA-C	-5.46	99.49	108.49
1	C	9	ASN	N-CA-C	-5.44	105.38	112.23
1	B	123	ASP	N-CA-C	5.42	117.54	109.25
1	A	62	VAL	N-CA-C	-5.39	100.72	108.48
1	A	147	SER	N-CA-C	5.36	117.80	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	100	SER	N-CA-C	5.28	118.23	110.30
1	D	24	VAL	N-CA-C	5.28	117.07	109.51
1	C	118	VAL	N-CA-C	-5.27	100.60	108.46
1	D	17	ALA	N-CA-C	-5.26	106.86	113.28
1	A	9	ASN	N-CA-C	-5.21	106.43	112.89
1	A	126	SER	N-CA-C	5.20	117.13	107.99
1	B	49	ALA	N-CA-C	5.19	117.68	111.71
1	A	109	SER	N-CA-C	5.17	117.14	109.69
1	B	109	SER	N-CA-C	5.15	117.99	109.85
1	C	34	LEU	N-CA-C	5.15	117.79	111.82
1	C	167	TYR	N-CA-C	-5.14	100.51	108.90
1	B	146	ASP	N-CA-C	-5.13	97.62	107.57
1	D	84	GLY	N-CA-C	5.12	117.52	111.63
1	B	87	PHE	N-CA-C	-5.11	100.98	109.46
1	A	54	ILE	N-CA-C	5.10	118.28	111.44
1	C	96	ILE	N-CA-C	-5.09	103.41	108.96
1	A	49	ALA	N-CA-C	5.09	117.56	111.71
1	C	92	GLU	N-CA-C	5.07	119.10	113.01
1	B	138	VAL	CA-C-N	-5.05	116.66	121.46
1	B	138	VAL	C-N-CA	-5.05	116.66	121.46
1	C	139	GLY	N-CA-C	5.05	118.63	110.90
1	D	109	SER	N-CA-C	5.04	117.07	109.41
1	A	122	PHE	N-CA-C	-5.04	98.14	107.71
1	D	61	ASN	N-CA-C	5.02	117.50	109.96
1	A	108	VAL	CB-CA-C	-5.01	105.21	110.62

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	130	TYR	Sidechain
1	D	53	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1743	0	1699	30	0
1	B	1743	0	1699	30	0
1	C	1743	0	1699	43	0
1	D	1743	0	1699	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
All	All	6980	0	6796	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:53:ARG:NH2	1:C:56:SER:HA	1.87	0.89
1:C:21:GLN:HE22	1:C:45:ARG:HH21	1.24	0.84
1:D:153:TRP:HE1	1:D:180:ASN:HD21	1.27	0.81
1:B:21:GLN:HE22	1:B:45:ARG:HH21	1.26	0.81
1:A:29:ASN:HD21	1:A:31:ASN:HB2	1.50	0.76
1:D:117:PHE:H	1:D:143:ASN:HD22	1.32	0.76
1:A:21:GLN:HE22	1:A:45:ARG:HH21	1.32	0.75
1:C:40:VAL:HG13	1:C:212:LEU:HB2	1.68	0.75
1:B:182:ASN:ND2	1:B:184:ASP:H	1.86	0.74
1:D:37:LEU:HG	1:D:76:ILE:HD13	1.69	0.73
1:A:41:ASN:HD22	1:A:211:SER:HA	1.52	0.73
1:A:182:ASN:HD21	1:A:184:ASP:HB2	1.54	0.70
1:A:15:ASN:HD22	1:A:16:PRO:HD2	1.58	0.69
1:D:15:ASN:HD22	1:D:16:PRO:HD2	1.58	0.69
1:D:213:GLY:H	1:D:215:ARG:NH1	1.91	0.68
1:B:34:LEU:O	1:B:44:GLY:HA3	1.96	0.66
1:A:171:THR:O	1:A:172:LYS:HB2	1.95	0.66
1:D:117:PHE:H	1:D:143:ASN:ND2	1.93	0.66
1:C:15:ASN:HD22	1:C:16:PRO:HD2	1.63	0.64
1:C:149:LYS:HG2	1:C:188:ILE:HD11	1.78	0.64
1:B:111:THR:HG22	1:B:112:LYS:HD3	1.78	0.63
1:B:41:ASN:HD22	1:B:211:SER:HA	1.63	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:153:TRP:HE1	1:C:180:ASN:HD21	1.44	0.63
1:C:21:GLN:HE22	1:C:45:ARG:NH2	1.94	0.63
1:B:29:ASN:C	1:B:29:ASN:HD22	2.07	0.62
1:C:53:ARG:NH2	1:C:56:SER:CA	2.61	0.61
1:C:77:LYS:H	1:C:77:LYS:HD2	1.65	0.61
1:D:21:GLN:HE22	1:D:45:ARG:HH21	1.47	0.61
1:D:21:GLN:HE22	1:D:45:ARG:NH2	1.98	0.61
1:C:10:SER:HB3	1:D:74:LYS:HE2	1.83	0.60
1:C:182:ASN:HD21	1:C:184:ASP:HB2	1.67	0.59
1:C:21:GLN:NE2	1:C:45:ARG:HE	2.01	0.58
1:D:133:PRO:HD2	1:D:137:HIS:CE1	2.39	0.58
1:A:29:ASN:ND2	1:A:31:ASN:H	2.02	0.58
1:D:213:GLY:H	1:D:215:ARG:HH12	1.49	0.58
1:A:37:LEU:HG	1:A:76:ILE:HD13	1.85	0.57
1:C:77:LYS:H	1:C:77:LYS:CD	2.16	0.57
1:D:159:ALA:HB1	1:D:181:ASP:HB2	1.86	0.57
1:A:15:ASN:HD22	1:A:16:PRO:CD	2.18	0.57
1:B:21:GLN:HE22	1:B:45:ARG:NH2	2.01	0.56
1:D:10:SER:HB2	1:D:30:GLY:HA3	1.86	0.56
1:A:117:PHE:H	1:A:143:ASN:HD22	1.52	0.56
1:C:21:GLN:HE21	1:C:45:ARG:HE	1.53	0.56
1:B:182:ASN:HD22	1:B:183:GLY:N	2.03	0.56
1:A:133:PRO:HD2	1:A:137:HIS:CE1	2.42	0.55
1:B:198:LEU:HB3	1:B:199:PRO:HD2	1.87	0.54
1:C:53:ARG:HH21	1:C:56:SER:HA	1.67	0.54
1:C:117:PHE:H	1:C:143:ASN:HD22	1.55	0.54
1:C:53:ARG:NH2	1:C:56:SER:CB	2.70	0.54
1:D:175:SER:HB3	1:D:189:ALA:HB2	1.89	0.54
1:B:117:PHE:H	1:B:143:ASN:HD22	1.54	0.54
1:C:74:LYS:HE2	1:D:10:SER:HB3	1.90	0.54
1:D:153:TRP:NE1	1:D:180:ASN:HD21	2.03	0.54
1:C:133:PRO:HD2	1:C:137:HIS:CE1	2.43	0.53
1:B:29:ASN:HD22	1:B:31:ASN:H	1.56	0.53
1:D:27:LEU:HD21	1:D:33:GLN:NE2	2.23	0.52
1:A:185:ILE:HG13	1:A:185:ILE:O	2.08	0.52
1:C:37:LEU:HG	1:C:76:ILE:HD13	1.92	0.51
1:B:24:VAL:HG21	1:B:45:ARG:O	2.10	0.51
1:C:138:VAL:HB	1:C:151:VAL:HG12	1.91	0.50
1:D:113:GLY:O	1:D:144:SER:HA	2.12	0.50
1:C:153:TRP:HE1	1:C:180:ASN:ND2	2.10	0.50
1:B:15:ASN:HD22	1:B:16:PRO:HD2	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:LEU:O	1:D:44:GLY:HA3	2.13	0.49
1:B:41:ASN:ND2	1:B:211:SER:HA	2.28	0.48
1:A:116:HIS:HD2	1:A:143:ASN:HD21	1.61	0.48
1:B:29:ASN:ND2	1:B:31:ASN:H	2.12	0.48
1:B:21:GLN:NE2	1:B:45:ARG:HE	2.11	0.48
1:D:175:SER:HB3	1:D:189:ALA:CB	2.43	0.48
1:A:29:ASN:ND2	1:A:31:ASN:HB2	2.24	0.48
1:D:24:VAL:HG21	1:D:45:ARG:O	2.14	0.47
1:C:41:ASN:HD22	1:C:41:ASN:N	2.11	0.47
1:A:212:LEU:O	1:A:214:GLY:N	2.47	0.47
1:C:32:ILE:HD13	1:C:46:VAL:HG21	1.96	0.47
1:D:81:PRO:HA	1:D:216:GLN:HB3	1.97	0.47
1:A:182:ASN:HD22	1:A:182:ASN:N	2.12	0.46
1:B:29:ASN:HD21	1:B:31:ASN:HB2	1.80	0.46
1:C:113:GLY:O	1:C:144:SER:HA	2.15	0.46
1:D:21:GLN:NE2	1:D:45:ARG:HH21	2.12	0.46
1:A:27:LEU:HB2	1:A:29:ASN:ND2	2.30	0.46
1:D:59:THR:C	1:D:61:ASN:H	2.23	0.46
1:C:153:TRP:CG	1:C:154:ASN:H	2.34	0.45
1:C:116:HIS:HA	1:C:143:ASN:ND2	2.32	0.45
1:C:176:VAL:O	1:C:187:THR:HA	2.16	0.45
1:B:140:ILE:HD12	1:B:174:LEU:HD23	1.99	0.45
1:C:29:ASN:ND2	1:C:31:ASN:H	2.14	0.45
1:A:212:LEU:HD23	1:A:213:GLY:H	1.82	0.45
1:A:24:VAL:HG21	1:A:45:ARG:O	2.16	0.45
1:B:182:ASN:ND2	1:B:182:ASN:C	2.74	0.45
1:D:39:LYS:HB3	1:D:39:LYS:HE2	1.67	0.44
1:B:3:THR:HA	1:B:227:SER:O	2.16	0.44
1:D:140:ILE:HD13	1:D:174:LEU:HD23	1.99	0.44
1:C:29:ASN:HA	1:D:217:ILE:HD13	1.99	0.44
1:C:153:TRP:CG	1:C:154:ASN:N	2.84	0.44
1:A:21:GLN:HE21	1:A:45:ARG:HE	1.65	0.44
1:D:19:ASN:HD21	1:D:203:LYS:HZ1	1.64	0.44
1:A:125:TYR:CD2	1:A:125:TYR:C	2.96	0.44
1:A:21:GLN:HE22	1:A:45:ARG:NH2	2.10	0.44
1:C:89:ILE:HG12	1:C:204:PHE:CD2	2.53	0.44
1:B:37:LEU:HG	1:B:76:ILE:HD13	2.00	0.43
1:D:41:ASN:ND2	1:D:211:SER:HA	2.32	0.43
1:C:50:MET:HA	1:C:51:PRO:HD3	1.88	0.43
1:C:15:ASN:ND2	1:C:16:PRO:HD2	2.30	0.43
1:C:32:ILE:O	1:C:219:LEU:HA	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:HIS:HA	1:A:143:ASN:ND2	2.34	0.43
1:B:39:LYS:HE2	1:B:39:LYS:HB3	1.68	0.43
1:C:70:SER:HA	1:C:161:VAL:O	2.18	0.42
1:B:123:ASP:HB3	1:B:137:HIS:CE1	2.54	0.42
1:D:19:ASN:ND2	1:D:203:LYS:NZ	2.67	0.42
1:C:13:GLU:HA	1:C:20:PHE:CZ	2.55	0.42
1:D:60:GLY:HA2	1:D:195:LYS:NZ	2.34	0.42
1:B:85:ILE:HG22	1:B:86:ILE:N	2.34	0.42
1:A:82:ALA:HA	1:A:83:ASP:HA	1.93	0.41
1:C:74:LYS:HB3	1:C:217:ILE:HD12	2.01	0.41
1:B:182:ASN:HD22	1:B:182:ASN:C	2.28	0.41
1:D:50:MET:HA	1:D:51:PRO:HD3	1.84	0.41
1:A:63:ALA:HB2	1:A:229:LEU:HB2	2.02	0.41
1:D:225:PHE:CD2	1:D:225:PHE:C	2.98	0.41
1:B:135:THR:O	1:B:136:ASP:C	2.63	0.41
1:A:7:ASN:OD1	1:A:224:SER:HB3	2.21	0.41
1:A:116:HIS:HA	1:A:143:ASN:HD22	1.86	0.41
1:C:29:ASN:HD22	1:C:29:ASN:C	2.28	0.41
1:D:90:ALA:HB1	1:D:91:PRO:HD2	2.03	0.41
1:D:116:HIS:O	1:D:117:PHE:HB3	2.21	0.41
1:B:116:HIS:HA	1:B:143:ASN:ND2	2.36	0.41
1:B:2:GLU:OE1	1:B:53:ARG:NH1	2.53	0.40
1:A:85:ILE:HG22	1:A:86:ILE:N	2.35	0.40
1:A:182:ASN:ND2	1:A:184:ASP:HB2	2.28	0.40
1:C:47:LEU:HD21	1:C:88:PHE:CZ	2.57	0.40
1:C:127:ASN:O	1:C:132:ASP:HB2	2.21	0.40
1:C:133:PRO:HD2	1:C:137:HIS:NE2	2.37	0.40
1:C:198:LEU:HB3	1:C:199:PRO:HD2	2.04	0.40
1:A:47:LEU:HD23	1:A:203:LYS:HB3	2.04	0.40
1:B:34:LEU:HD23	1:B:34:LEU:HA	1.85	0.40
1:B:185:ILE:O	1:B:185:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/236 (98%)	219 (95%)	11 (5%)	0	100	100
1	B	230/236 (98%)	219 (95%)	11 (5%)	0	100	100
1	C	230/236 (98%)	216 (94%)	14 (6%)	0	100	100
1	D	230/236 (98%)	218 (95%)	12 (5%)	0	100	100
All	All	920/944 (98%)	872 (95%)	48 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/201 (98%)	192 (98%)	5 (2%)	42	63
1	B	197/201 (98%)	191 (97%)	6 (3%)	36	60
1	C	197/201 (98%)	185 (94%)	12 (6%)	17	43
1	D	197/201 (98%)	184 (93%)	13 (7%)	15	41
All	All	788/804 (98%)	752 (95%)	36 (5%)	24	50

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	VAL
1	A	29	ASN
1	A	37	LEU
1	A	53	ARG
1	A	182	ASN
1	B	29	ASN
1	B	37	LEU
1	B	54	ILE
1	B	111	THR
1	B	148	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	182	ASN
1	C	25	THR
1	C	29	ASN
1	C	46	VAL
1	C	77	LYS
1	C	112	LYS
1	C	134	PRO
1	C	148	VAL
1	C	180	ASN
1	C	182	ASN
1	C	201	ARG
1	C	230	ILE
1	C	232	THR
1	D	5	SER
1	D	13	GLU
1	D	15	ASN
1	D	25	THR
1	D	29	ASN
1	D	37	LEU
1	D	91	PRO
1	D	112	LYS
1	D	140	ILE
1	D	182	ASN
1	D	212	LEU
1	D	231	THR
1	D	232	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	15	ASN
1	A	19	ASN
1	A	21	GLN
1	A	29	ASN
1	A	41	ASN
1	A	61	ASN
1	A	95	GLN
1	A	143	ASN
1	A	182	ASN
1	A	216	GLN
1	B	7	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	15	ASN
1	B	19	ASN
1	B	21	GLN
1	B	29	ASN
1	B	31	ASN
1	B	41	ASN
1	B	61	ASN
1	B	95	GLN
1	B	143	ASN
1	B	182	ASN
1	B	216	GLN
1	C	15	ASN
1	C	21	GLN
1	C	29	ASN
1	C	31	ASN
1	C	33	GLN
1	C	41	ASN
1	C	61	ASN
1	C	95	GLN
1	C	143	ASN
1	C	180	ASN
1	C	182	ASN
1	C	216	GLN
1	D	15	ASN
1	D	19	ASN
1	D	21	GLN
1	D	29	ASN
1	D	31	ASN
1	D	33	GLN
1	D	41	ASN
1	D	61	ASN
1	D	143	ASN
1	D	180	ASN
1	D	182	ASN
1	D	216	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	232/236 (98%)	-0.25	0	100	100	2, 15, 39, 70	0
1	B	232/236 (98%)	-0.31	2 (0%)	81	58	2, 15, 36, 73	0
1	C	232/236 (98%)	-0.09	3 (1%)	75	50	2, 22, 47, 59	0
1	D	232/236 (98%)	-0.26	1 (0%)	88	72	2, 19, 45, 63	0
All	All	928/944 (98%)	-0.23	6 (0%)	85	65	2, 19, 44, 73	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	113	GLY	3.4
1	C	58	ALA	2.6
1	B	232	THR	2.5
1	C	210	GLY	2.4
1	C	158	GLY	2.3
1	B	109	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MN	B	240	1/1	0.82	0.06	35,35,35,35	0
3	MN	A	238	1/1	0.93	0.06	32,32,32,32	0
3	MN	D	244	1/1	0.95	0.04	10,10,10,10	0
2	CA	A	237	1/1	0.97	0.05	2,2,2,2	0
3	MN	C	242	1/1	0.98	0.04	39,39,39,39	0
2	CA	C	241	1/1	0.99	0.02	2,2,2,2	0
2	CA	D	243	1/1	0.99	0.02	2,2,2,2	0
2	CA	B	239	1/1	0.99	0.02	2,2,2,2	0

6.5 Other polymers [i](#)

There are no such residues in this entry.