



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:08 AM UTC

PDB ID : 8CQA / pdb_00008cqa
Title : Mycobacterium tuberculosis dihydrofolate reductase in complex with N-(4-(2,6-diamino-5-(cyclopropylethynyl)pyrimidin-4-yl)phenyl)acetamide
Authors : Kirkman, T.J.; Dias, M.V.B.; Coyne, A.G.
Deposited on : 2023-03-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	 50% 50% .
1	B	159	 47% 53% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	307	-	-	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 2717 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrofolate reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	0	0
			1244	783	228	228	5			
1	B	159	Total	C	N	O	S	0	0	0
			1244	783	228	228	5			

- Molecule 2 is {N}-[4-[2,6-bis(azanyl)-5-(2-cyclopropylethyl)pyrimidin-4-yl]phenyl]ethanamide (CCD ID: VF6) (formula: C₁₇H₂₁N₅O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			23	17	5	1		
2	B	1	Total	C	N	O	0	0
			23	17	5	1		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is COBALT (II) ION (CCD ID: CO) (formula: Co).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Co 2 2	0	0

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O S 5 4 1	0	0
5	A	1	Total O S 5 4 1	0	0
5	A	1	Total O S 5 4 1	0	0
5	B	1	Total O S 5 4 1	0	0

- Molecule 6 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C N O S 12 6 1 4 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	30	Total O 30 30	0	0
7	B	23	Total O 23 23	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dihydrofolate reductase



• Molecule 1: Dihydrofolate reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.35Å 72.06Å 72.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.76 – 2.00 46.76 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (46.76-2.00) 99.4 (46.76-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.207 , 0.276 0.211 , 0.276	Depositor DCC
R_{free} test set	1075 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.323	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.457 for -h,l,k	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	2717	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VF6, SO4, CO, MES, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	1/1275 (0.1%)	0.79	2/1732 (0.1%)
1	B	0.63	1/1275 (0.1%)	0.79	0/1732
All	All	0.64	2/2550 (0.1%)	0.79	2/3464 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	23	ARG	CZ-NH2	-5.54	1.26	1.33
1	B	36	MET	SD-CE	-5.06	1.66	1.79

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	52	ALA	N-CA-C	-6.31	105.68	113.19
1	A	23	ARG	CB-CG-CD	5.15	123.14	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1244	0	1223	65	1
1	B	1244	0	1223	78	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	23	0	0	2	0
2	B	23	0	0	3	0
3	A	48	0	25	2	0
3	B	48	0	25	11	0
4	A	2	0	0	0	0
5	A	15	0	0	2	1
5	B	5	0	0	0	0
6	B	12	0	12	4	0
7	A	30	0	0	4	0
7	B	23	0	0	9	0
All	All	2717	0	2508	144	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:TYR:HB3	1:A:129:PRO:HG3	1.46	0.96
1:B:54:VAL:HG11	6:B:302:MES:H62	1.50	0.93
1:B:129:PRO:O	7:B:401:HOH:O	1.89	0.89
1:A:44:ARG:NH1	1:A:48:ASP:OD1	2.13	0.81
1:A:98:GLN:OE1	3:A:302:NDP:H8A	1.82	0.79
1:A:97:GLY:O	7:A:401:HOH:O	2.01	0.78
1:B:81:SER:OG	1:B:83:GLU:OE2	2.01	0.77
1:A:1:MET:SD	1:A:2:VAL:N	2.58	0.75
1:A:45:ARG:NH2	5:A:307:SO4:O1	2.21	0.73
1:A:145:SER:OG	1:A:149:LEU:O	2.05	0.73
1:B:144:PHE:O	7:B:402:HOH:O	2.05	0.73
1:A:94:ILE:O	3:A:302:NDP:H5N	1.89	0.73
1:A:142:TRP:CG	1:A:150:ARG:HH21	2.07	0.72
1:B:68:GLN:HB2	1:B:71:PHE:HB2	1.71	0.71
1:B:94:ILE:O	2:B:301:VF6:N05	2.24	0.71
1:B:132:ASP:OD2	1:B:134:THR:OG1	2.07	0.71
1:A:136:ARG:HD3	1:B:33:GLU:HG2	1.75	0.69
1:B:124:GLY:O	7:B:403:HOH:O	2.12	0.68
1:B:28:GLN:HG3	6:B:302:MES:H72	1.76	0.67
1:A:51:PRO:C	1:A:53:LYS:H	2.05	0.65
1:A:45:ARG:NH1	5:A:307:SO4:O4	2.28	0.65
1:A:142:TRP:CD1	1:A:150:ARG:HH21	2.14	0.65
1:B:24:LEU:HD23	1:B:27:ASP:HB2	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:LEU:H	1:B:62:ASN:HD21	1.42	0.65
1:B:84:GLU:OE1	7:B:404:HOH:O	2.14	0.65
1:B:16:ARG:NH2	1:B:125:ASP:OD2	2.29	0.65
1:B:16:ARG:NE	1:B:125:ASP:OD1	2.17	0.62
1:B:1:MET:N	1:B:89:PRO:O	2.18	0.62
1:B:112:VAL:HB	1:B:154:TYR:HB2	1.80	0.62
1:B:26:GLU:OE2	1:B:146:ARG:HG2	2.00	0.62
1:A:66:SER:O	1:A:80:GLY:HA2	2.00	0.61
1:B:16:ARG:NH2	1:B:120:PRO:O	2.32	0.61
1:B:67:ARG:N	3:B:303:NDP:O1X	2.34	0.60
1:A:99:VAL:O	1:A:103:ALA:N	2.31	0.60
1:B:26:GLU:OE1	1:B:145:SER:OG	2.14	0.60
1:B:14:ILE:O	3:B:303:NDP:H2N	2.02	0.59
1:B:66:SER:O	3:B:303:NDP:H2A	2.02	0.59
1:B:98:GLN:HG3	3:B:303:NDP:O1N	2.02	0.59
1:A:86:LEU:HD23	1:A:91:THR:HG21	1.84	0.59
1:A:63:VAL:HG11	1:A:85:ALA:HB2	1.84	0.59
1:A:83:GLU:N	1:A:83:GLU:OE2	2.33	0.58
1:B:145:SER:O	1:B:148:GLY:N	2.33	0.58
1:A:5:ILE:O	2:A:301:VF6:N05	2.38	0.57
1:B:15:GLY:HA3	3:B:303:NDP:H1D	1.86	0.56
1:A:109:ARG:HA	1:A:156:TYR:O	2.05	0.55
1:B:65:LEU:HD11	1:B:80:GLY:O	2.07	0.54
1:B:83:GLU:HA	1:B:86:LEU:HG	1.90	0.54
1:A:142:TRP:CE2	1:A:152:ARG:HD3	2.43	0.54
1:B:46:THR:O	1:B:49:SER:OG	2.25	0.54
1:A:83:GLU:OE1	1:A:106:TYR:OH	2.15	0.54
1:B:88:SER:HB3	7:B:416:HOH:O	2.07	0.53
1:A:61:ARG:NH2	1:A:77:GLU:OE1	2.40	0.53
1:A:93:VAL:O	1:A:100:TYR:HE2	1.92	0.53
1:B:36:MET:HE1	1:B:58:PRO:O	2.08	0.53
1:A:53:LYS:NZ	7:A:409:HOH:O	2.34	0.53
1:B:40:ILE:HG13	1:B:62:ASN:HA	1.91	0.53
1:B:79:VAL:HG21	1:B:85:ALA:HB2	1.91	0.53
1:B:50:LEU:HB2	1:B:55:ARG:HD2	1.91	0.52
1:B:132:ASP:HB2	7:B:414:HOH:O	2.09	0.52
1:B:146:ARG:NH2	7:B:405:HOH:O	2.42	0.51
1:A:67:ARG:NH1	7:A:402:HOH:O	2.09	0.51
1:A:42:MET:HE2	1:A:94:ILE:HD11	1.93	0.51
1:B:81:SER:OG	1:B:83:GLU:N	2.44	0.51
1:A:51:PRO:O	1:A:55:ARG:HD3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:SER:OG	1:B:67:ARG:N	2.44	0.50
1:B:50:LEU:HD21	2:B:301:VF6:C10	2.42	0.50
1:B:117:ILE:HG23	1:B:119:LEU:HB2	1.92	0.50
1:A:79:VAL:HB	1:A:84:GLU:HB2	1.93	0.49
2:B:301:VF6:C08	3:B:303:NDP:H42N	2.43	0.49
1:B:104:LEU:HD11	1:B:131:LEU:HD23	1.94	0.49
1:B:30:HIS:O	1:B:34:ILE:HG12	2.12	0.49
1:B:154:TYR:HB3	1:B:156:TYR:CE1	2.46	0.49
1:A:73:ALA:H	1:A:78:VAL:HG21	1.77	0.49
1:B:142:TRP:CG	1:B:150:ARG:NH2	2.81	0.49
1:A:56:PRO:HB2	1:A:62:ASN:ND2	2.27	0.49
1:A:142:TRP:CZ2	1:A:152:ARG:HD3	2.47	0.49
1:B:95:GLY:HA3	3:B:303:NDP:H5N	1.96	0.48
1:B:83:GLU:HA	1:B:86:LEU:HB2	1.96	0.48
1:B:116:ASP:HB2	1:B:142:TRP:CZ3	2.48	0.48
1:A:68:GLN:N	1:A:68:GLN:OE1	2.46	0.48
1:B:95:GLY:HA2	1:B:100:TYR:CZ	2.50	0.47
1:B:82:LEU:O	1:B:86:LEU:HG	2.14	0.47
1:A:108:THR:O	1:A:157:HIS:HA	2.15	0.47
1:B:50:LEU:O	1:B:55:ARG:HD3	2.15	0.47
1:B:83:GLU:O	1:B:86:LEU:N	2.46	0.47
1:A:36:MET:HE2	1:A:36:MET:HB2	1.74	0.47
1:A:136:ARG:HG2	7:B:408:HOH:O	2.14	0.47
1:B:73:ALA:HB3	1:B:76:ALA:HB3	1.96	0.47
1:A:67:ARG:HD2	7:A:402:HOH:O	2.15	0.46
1:B:10:THR:HG23	1:B:114:GLU:OE2	2.14	0.46
1:B:2:VAL:HB	1:B:106:TYR:O	2.14	0.46
1:A:126:ALA:C	1:A:127:LEU:HD23	2.41	0.46
1:B:3:GLY:HA2	1:B:109:ARG:O	2.16	0.46
1:B:50:LEU:HB2	1:B:55:ARG:CD	2.45	0.46
1:A:34:ILE:O	1:A:38:HIS:HD2	1.98	0.46
1:A:51:PRO:C	1:A:53:LYS:N	2.67	0.46
1:A:46:THR:O	1:A:49:SER:OG	2.21	0.45
1:B:54:VAL:HG12	1:B:54:VAL:O	2.16	0.45
1:A:100:TYR:HB3	1:A:129:PRO:CG	2.33	0.45
1:B:36:MET:CE	1:B:59:GLY:HA3	2.47	0.45
1:B:133:GLU:HG2	7:B:414:HOH:O	2.15	0.45
1:A:19:ASP:CG	1:A:20:ILE:H	2.24	0.45
1:A:73:ALA:H	1:A:78:VAL:CG2	2.30	0.45
1:B:104:LEU:O	1:B:158:ARG:NH2	2.50	0.45
1:A:104:LEU:O	1:A:158:ARG:NH2	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:THR:HA	1:A:154:TYR:CZ	2.53	0.44
1:B:144:PHE:CZ	1:B:150:ARG:HD2	2.51	0.44
1:B:83:GLU:C	1:B:86:LEU:H	2.25	0.44
1:B:50:LEU:CD2	6:B:302:MES:H21	2.47	0.44
1:B:83:GLU:HA	1:B:86:LEU:CG	2.47	0.44
1:B:114:GLU:OE1	1:B:154:TYR:OH	2.25	0.44
1:A:50:LEU:HB2	1:A:55:ARG:HD2	2.00	0.43
1:A:102:LEU:O	1:A:105:PRO:HD2	2.17	0.43
1:A:24:LEU:O	1:A:28:GLN:HG3	2.18	0.43
1:B:19:ASP:CG	1:B:20:ILE:H	2.27	0.43
1:B:67:ARG:HD2	3:B:303:NDP:O2X	2.18	0.43
1:A:4:LEU:O	1:A:110:CYS:HA	2.19	0.43
1:B:6:TRP:NE1	1:B:112:VAL:HG13	2.34	0.42
3:B:303:NDP:H2N	3:B:303:NDP:H71N	1.61	0.42
1:B:67:ARG:HB2	3:B:303:NDP:O2X	2.20	0.42
1:A:50:LEU:HB3	1:A:55:ARG:HG3	2.01	0.42
1:A:2:VAL:HG21	1:A:106:TYR:HB2	1.99	0.42
1:A:93:VAL:HG13	1:A:99:VAL:HG12	2.01	0.42
1:A:40:ILE:HG13	1:A:62:ASN:HA	2.02	0.42
1:A:35:THR:O	1:A:60:ARG:HG2	2.19	0.41
1:B:104:LEU:HD21	1:B:135:TRP:HE1	1.84	0.41
1:A:5:ILE:HG12	2:A:301:VF6:N03	2.36	0.41
1:B:56:PRO:HG3	1:B:75:GLY:HA3	2.03	0.41
1:A:57:LEU:HA	1:A:58:PRO:HD3	1.77	0.41
1:A:11:SER:O	1:A:121:ARG:NH2	2.53	0.41
1:A:30:HIS:O	1:A:34:ILE:HG13	2.21	0.41
1:A:72:MET:HB3	1:A:72:MET:HE2	1.75	0.41
1:B:35:THR:O	1:B:36:MET:C	2.63	0.41
1:B:36:MET:HE1	1:B:59:GLY:HA3	2.02	0.41
1:B:28:GLN:CG	6:B:302:MES:H72	2.47	0.41
1:A:6:TRP:HB3	1:A:100:TYR:CZ	2.55	0.41
1:B:95:GLY:HA3	3:B:303:NDP:C5N	2.51	0.41
1:B:103:ALA:O	1:B:104:LEU:C	2.64	0.41
1:A:23:ARG:HH11	1:A:23:ARG:HD3	1.76	0.41
1:A:24:LEU:HD11	1:A:145:SER:CB	2.50	0.41
1:A:40:ILE:HD11	1:A:62:ASN:OD1	2.21	0.41
1:B:51:PRO:HB2	1:B:53:LYS:HG2	2.03	0.41
1:B:42:MET:HE2	1:B:94:ILE:HD11	2.03	0.40
1:A:6:TRP:NE1	1:A:112:VAL:HG13	2.37	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:ARG:NH1	5:A:306:SO4:O3[2_554]	2.00	0.20
1:A:118:GLY:O	1:B:61:ARG:NH2[2_555]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/159 (99%)	146 (93%)	11 (7%)	0	100	100
1	B	157/159 (99%)	147 (94%)	9 (6%)	1 (1%)	21	17
All	All	314/318 (99%)	293 (93%)	20 (6%)	1 (0%)	36	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	74	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	127/127 (100%)	127 (100%)	0	100	100
1	B	127/127 (100%)	127 (100%)	0	100	100
All	All	254/254 (100%)	254 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	B	38	HIS
1	B	62	ASN
1	B	98	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	A	306	-	4,4,4	0.24	0	6,6,6	0.33	0
5	SO4	A	307	-	4,4,4	0.24	0	6,6,6	0.09	0
3	NDP	B	303	-	51,52,52	2.59	9 (17%)	71,80,80	1.71	17 (23%)
6	MES	B	302	-	12,12,12	2.30	1 (8%)	15,16,16	2.57	6 (40%)
5	SO4	A	305	-	4,4,4	0.24	0	6,6,6	0.17	0
2	VF6	A	301	-	25,25,25	2.67	13 (52%)	29,35,35	1.93	5 (17%)
5	SO4	B	304	-	4,4,4	0.27	0	6,6,6	0.26	0
2	VF6	B	301	-	25,25,25	2.59	13 (52%)	29,35,35	2.05	8 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NDP	A	302	-	51,52,52	2.60	11 (21%)	71,80,80	1.63	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDP	B	303	-	-	11/34/77/77	0/5/5/5
6	MES	B	302	-	-	1/6/14/14	0/1/1/1
2	VF6	A	301	-	-	4/13/15/15	0/3/3/3
2	VF6	B	301	-	-	8/13/15/15	0/3/3/3
3	NDP	A	302	-	-	7/34/77/77	0/5/5/5

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	303	NDP	P2B-O2B	15.29	1.86	1.59
3	A	302	NDP	P2B-O2B	12.43	1.81	1.59
3	A	302	NDP	PA-O3	8.35	1.68	1.59
6	B	302	MES	C8-S	-7.64	1.66	1.77
2	A	301	VF6	C02-N01	5.66	1.45	1.33
2	B	301	VF6	C02-N01	5.36	1.44	1.33
2	A	301	VF6	C18-N17	5.31	1.46	1.36
2	B	301	VF6	C18-N17	5.06	1.45	1.36
2	B	301	VF6	C08-C07	-4.79	1.32	1.52
2	A	301	VF6	C08-C07	-4.79	1.32	1.52
2	A	301	VF6	C04-N05	4.60	1.46	1.34
2	B	301	VF6	C04-N05	4.41	1.45	1.34
3	B	303	NDP	PN-O5D	4.09	1.75	1.59
3	A	302	NDP	PN-O5D	4.09	1.75	1.59
2	A	301	VF6	C13-C12	3.75	1.53	1.49
2	B	301	VF6	C13-C12	3.74	1.53	1.49
3	B	303	NDP	O4B-C4B	-3.71	1.36	1.45
3	A	302	NDP	PN-O3	3.45	1.63	1.59
2	B	301	VF6	C11-C10	-2.98	1.38	1.48
3	B	303	NDP	O3B-C3B	-2.95	1.35	1.43
2	A	301	VF6	C04-N03	-2.94	1.31	1.35
3	B	303	NDP	PN-O3	-2.89	1.56	1.59
3	B	303	NDP	O2B-C2B	-2.82	1.34	1.44
2	A	301	VF6	C11-C10	-2.79	1.38	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	VF6	C16-N17	2.73	1.47	1.41
3	A	302	NDP	C5D-C4D	2.70	1.59	1.51
3	A	302	NDP	C7N-C3N	-2.67	1.43	1.48
3	A	302	NDP	O3B-C3B	-2.67	1.36	1.43
2	B	301	VF6	C12-N23	-2.65	1.30	1.34
2	A	301	VF6	C12-N23	-2.63	1.30	1.34
3	A	302	NDP	C2B-C1B	2.52	1.59	1.53
3	A	302	NDP	O2B-C2B	-2.42	1.35	1.44
3	B	303	NDP	O2D-C2D	-2.40	1.37	1.43
2	A	301	VF6	C02-N23	-2.34	1.31	1.35
2	B	301	VF6	C04-N03	-2.33	1.31	1.35
2	B	301	VF6	C02-N03	-2.30	1.31	1.35
3	A	302	NDP	C3D-C4D	2.26	1.58	1.53
2	B	301	VF6	C19-C18	2.25	1.55	1.50
2	B	301	VF6	C02-N23	-2.24	1.31	1.35
2	A	301	VF6	O20-C18	-2.20	1.18	1.23
2	A	301	VF6	C02-N03	-2.17	1.31	1.35
3	A	302	NDP	O4B-C4B	-2.09	1.40	1.45
2	A	301	VF6	C19-C18	2.07	1.54	1.50
2	B	301	VF6	O20-C18	-2.06	1.18	1.23
3	B	303	NDP	O5B-C5B	-2.06	1.36	1.44
3	B	303	NDP	C6A-N6A	2.04	1.39	1.34
2	B	301	VF6	C11-C09	-2.02	1.38	1.49

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	302	MES	C2-C3-N4	-6.43	100.34	110.12
2	A	301	VF6	C19-C18-N17	5.74	123.59	114.95
3	A	302	NDP	O2B-P2B-O1X	-5.61	89.32	109.33
2	A	301	VF6	O20-C18-N17	-5.23	115.89	123.06
3	B	303	NDP	C4B-O4B-C1B	-4.99	98.46	109.47
3	B	303	NDP	P2B-O2B-C2B	-4.76	110.73	123.43
2	B	301	VF6	O20-C18-N17	-4.70	116.62	123.06
2	B	301	VF6	C19-C18-N17	4.55	121.80	114.95
2	B	301	VF6	C13-C12-N23	4.40	121.11	115.10
6	B	302	MES	C5-N4-C3	4.30	118.11	108.84
2	A	301	VF6	C12-N23-C02	4.07	121.03	117.03
3	B	303	NDP	C2B-C1B-N9A	3.93	120.22	113.75
2	B	301	VF6	C16-N17-C18	-3.59	121.28	127.98
3	A	302	NDP	O5D-PN-O1N	-3.39	95.50	108.94
2	B	301	VF6	C12-N23-C02	3.25	120.23	117.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	NDP	O2N-PN-O3	3.02	115.43	107.27
3	B	303	NDP	O3-PA-O1A	-2.92	101.91	110.70
3	B	303	NDP	C3B-C2B-C1B	-2.88	97.30	102.81
3	A	302	NDP	PA-O5B-C5B	-2.80	105.29	121.35
3	B	303	NDP	C2A-N1A-C6A	-2.72	114.25	118.73
3	A	302	NDP	C3N-C2N-N1N	-2.71	119.23	123.20
3	B	303	NDP	PA-O5B-C5B	-2.69	105.94	121.35
6	B	302	MES	C6-C5-N4	-2.69	106.03	110.12
2	A	301	VF6	C06-C12-N23	-2.68	118.55	122.75
3	A	302	NDP	P2B-O2B-C2B	-2.65	116.35	123.43
3	A	302	NDP	O4D-C1D-C2D	-2.64	100.98	106.62
3	A	302	NDP	C3B-C2B-C1B	-2.62	97.79	102.81
3	A	302	NDP	O3X-P2B-O2X	2.60	117.57	107.80
2	B	301	VF6	C06-C12-N23	-2.54	118.76	122.75
3	B	303	NDP	O2B-P2B-O1X	-2.53	100.30	109.33
3	B	303	NDP	O3X-P2B-O2X	2.48	117.09	107.80
3	B	303	NDP	O2N-PN-O5D	-2.47	96.37	107.57
3	A	302	NDP	C5A-C4A-N3A	-2.43	123.37	126.72
3	B	303	NDP	O7N-C7N-C3N	2.40	125.41	120.90
6	B	302	MES	C8-C7-N4	-2.37	103.41	112.36
6	B	302	MES	O1S-S-C8	2.34	110.26	106.73
3	A	302	NDP	N3A-C4A-N9A	2.28	131.05	127.17
6	B	302	MES	C7-N4-C5	2.28	117.31	111.24
3	B	303	NDP	O3X-P2B-O2B	-2.27	97.00	105.85
3	A	302	NDP	O3-PA-O1A	-2.25	103.93	110.70
3	B	303	NDP	PN-O5D-C5D	-2.22	108.61	121.35
2	B	301	VF6	C07-C08-C09	-2.20	110.27	114.16
3	B	303	NDP	N3A-C4A-N9A	2.20	130.91	127.17
3	B	303	NDP	O4D-C1D-C2D	-2.15	102.01	106.62
3	A	302	NDP	C2A-N1A-C6A	-2.15	115.20	118.73
2	A	301	VF6	C02-N03-C04	2.14	119.86	117.28
3	B	303	NDP	O2A-PA-O1A	2.11	122.27	112.44
2	B	301	VF6	C21-C16-C15	2.11	121.84	119.04
3	A	302	NDP	O2A-PA-O1A	2.11	122.25	112.44
3	A	302	NDP	C2D-C1D-N1N	-2.04	108.29	113.31
3	B	303	NDP	O2N-PN-O1N	2.01	121.79	112.44

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	VF6	C04-C06-C07-C08

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	301	VF6	C12-C06-C07-C08
2	B	301	VF6	C07-C08-C09-C10
3	A	302	NDP	PA-O3-PN-O5D
3	B	303	NDP	C5D-O5D-PN-O2N
3	A	302	NDP	O4D-C4D-C5D-O5D
3	A	302	NDP	C3D-C4D-C5D-O5D
3	B	303	NDP	O4D-C4D-C5D-O5D
3	B	303	NDP	C3D-C4D-C5D-O5D
2	A	301	VF6	C19-C18-N17-C16
2	B	301	VF6	C19-C18-N17-C16
2	B	301	VF6	C21-C16-N17-C18
2	B	301	VF6	C15-C16-N17-C18
3	B	303	NDP	O4B-C4B-C5B-O5B
2	A	301	VF6	O20-C18-N17-C16
2	B	301	VF6	O20-C18-N17-C16
3	B	303	NDP	C3B-C4B-C5B-O5B
3	A	302	NDP	C3B-C4B-C5B-O5B
3	B	303	NDP	C1B-C2B-O2B-P2B
3	A	302	NDP	O4D-C1D-N1N-C2N
2	B	301	VF6	C07-C08-C09-C11
3	A	302	NDP	C5D-O5D-PN-O2N
3	B	303	NDP	C5D-O5D-PN-O3
3	B	303	NDP	C5D-O5D-PN-O1N
6	B	302	MES	C8-C7-N4-C3
3	B	303	NDP	O4D-C1D-N1N-C2N
3	B	303	NDP	C3B-C2B-O2B-P2B
3	B	303	NDP	C2D-C1D-N1N-C2N
2	A	301	VF6	C21-C16-N17-C18
3	A	302	NDP	C2D-C1D-N1N-C2N
2	A	301	VF6	C15-C16-N17-C18

There are no ring outliers.


7 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	306	SO4	0	1
5	A	307	SO4	2	0
3	B	303	NDP	11	0
6	B	302	MES	4	0
2	A	301	VF6	2	0
2	B	301	VF6	3	0
3	A	302	NDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand VF6 A 301




Ligand VF6 B 301




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	159/159 (100%)	-0.96	0 100 100	27, 40, 58, 75	0
1	B	159/159 (100%)	-0.92	0 100 100	28, 40, 62, 81	0
All	All	318/318 (100%)	-0.94	0 100 100	27, 40, 59, 81	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	A	305	5/5	0.97	0.06	75,75,86,90	0
2	VF6	B	301	23/23	0.98	0.05	26,32,40,43	0
2	VF6	A	301	23/23	0.98	0.05	23,30,42,47	0
5	SO4	A	306	5/5	0.98	0.04	56,60,62,66	0
5	SO4	A	307	5/5	0.98	0.04	73,79,83,86	0
5	SO4	B	304	5/5	0.98	0.04	56,60,70,71	0
6	MES	B	302	12/12	0.98	0.06	41,46,54,61	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CO	A	304	1/1	0.99	0.03	54,54,54,54	0
3	NDP	A	302	48/48	0.99	0.04	30,41,49,52	0
3	NDP	B	303	48/48	0.99	0.04	30,35,50,60	0
4	CO	A	303	1/1	1.00	0.02	42,42,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around VF6 B 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VF6 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP B 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.