



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:42 AM UTC

PDB ID : 3CRJ / pdb_00003crj
Title : Crystal structure of a TetR transcription regulator from *Haloarcula marismortui* ATCC 43049
Authors : Tan, K.; Zhou, M.; Freeman, L.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2008-04-07
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	199	16% 67%24%5%
1	B	199	16% 60%30%5%6%
1	C	199	18% 58%28%10%
1	D	199	5% 63%24%8%5%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5920 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	Se	0	0	0
			1540	961	259	315	5			
1	B	188	Total	C	N	O	Se	0	2	0
			1532	960	254	312	6			
1	C	179	Total	C	N	O	Se	0	1	0
			1318	820	227	266	5			
1	D	189	Total	C	N	O	Se	0	0	0
			1529	955	255	314	5			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q5V649
A	-1	ASN	-	expression tag	UNP Q5V649
A	0	ALA	-	expression tag	UNP Q5V649
B	-2	SER	-	expression tag	UNP Q5V649
B	-1	ASN	-	expression tag	UNP Q5V649
B	0	ALA	-	expression tag	UNP Q5V649
C	-2	SER	-	expression tag	UNP Q5V649
C	-1	ASN	-	expression tag	UNP Q5V649
C	0	ALA	-	expression tag	UNP Q5V649
D	-2	SER	-	expression tag	UNP Q5V649
D	-1	ASN	-	expression tag	UNP Q5V649
D	0	ALA	-	expression tag	UNP Q5V649

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		

● Molecule 1: Transcription regulator



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.49Å 103.36Å 167.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.99 – 2.60 35.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.3 (35.99-2.60) 95.3 (35.99-2.60)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.234 , 0.288 0.232 , 0.284	Depositor DCC
R_{free} test set	1652 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	57.2	Xtriage
Anisotropy	0.078	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5920	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/1560	0.97	0/2106
1	B	0.72	0/1558	0.97	1/2103 (0.0%)
1	C	0.75	2/1330 (0.2%)	0.96	0/1801
1	D	0.71	0/1549	0.95	1/2092 (0.0%)
All	All	0.73	2/5997 (0.0%)	0.96	2/8102 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	77	VAL	CA-CB	5.26	1.59	1.53
1	C	25	ARG	CA-C	5.04	1.63	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	151	VAL	N-CA-CB	-6.06	105.16	112.07
1	B	123	ARG	N-CA-C	5.46	116.91	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1540	0	1476	33	0
1	B	1532	0	1476	53	0
1	C	1318	0	1181	42	0
1	D	1529	0	1463	37	0
2	A	1	0	0	0	0
All	All	5920	0	5596	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:74:ILE:HG21	1:C:134[A]:MSE:SE	1.93	1.18
1:B:141:HIS:HD2	1:C:136:LYS:NZ	1.60	0.99
1:D:79:THR:O	1:D:85:ARG:HD2	1.68	0.92
1:A:54:THR:HG22	1:A:56:ASP:H	1.37	0.87
1:C:73:SER:O	1:C:76:ASP:HB2	1.75	0.86
1:C:136:LYS:HB2	1:C:157:THR:HG21	1.59	0.83
1:A:160:LEU:O	1:A:164:ILE:HG12	1.81	0.80
1:D:20:THR:HG21	1:D:58:LEU:HD21	1.62	0.79
1:B:141:HIS:CD2	1:C:136:LYS:NZ	2.50	0.78
1:A:107:LEU:HD23	1:A:110:MSE:CE	2.14	0.78
1:B:79:THR:O	1:B:85:ARG:HD2	1.84	0.76
1:B:16:ILE:O	1:B:20:THR:HG23	1.85	0.76
1:B:141:HIS:HD2	1:C:136:LYS:HZ2	1.29	0.75
1:D:22:ARG:O	1:D:26:GLU:HG3	1.86	0.75
1:C:85:ARG:HH21	1:C:134[B]:MSE:HE2	1.50	0.74
1:C:153:ALA:O	1:C:157:THR:HG23	1.88	0.74
1:A:153:ALA:O	1:A:157:THR:HG23	1.88	0.72
1:A:73:SER:O	1:A:76:ASP:HB2	1.90	0.71
1:A:107:LEU:HA	1:A:110:MSE:HE2	1.73	0.70
1:B:107:LEU:CD1	1:B:111:ARG:HH12	2.03	0.70
1:A:100:ASN:N	1:A:101:PRO:HD3	2.05	0.70
1:A:107:LEU:HD23	1:A:110:MSE:HE1	1.74	0.69
1:B:96:LYS:O	1:B:99:GLU:HG3	1.92	0.68
1:D:118:GLU:H	1:D:118:GLU:CD	2.01	0.68
1:B:125:ARG:O	1:B:129:GLU:HG2	1.93	0.68
1:C:105:VAL:O	1:C:109:GLU:HG2	1.94	0.68
1:C:130:TYR:C	1:C:130:TYR:CD2	2.72	0.67
1:B:74:ILE:HG21	1:B:134[B]:MSE:SE	2.44	0.66
1:B:62:PHE:O	1:B:65:TYR:HB3	1.94	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:THR:O	1:B:24:LEU:HB2	1.95	0.66
1:B:73:SER:O	1:B:76:ASP:HB2	1.95	0.65
1:A:53:ASP:OD2	1:A:53:ASP:N	2.30	0.64
1:A:71:VAL:HG22	1:A:130:TYR:CZ	2.32	0.64
1:A:111:ARG:HD3	1:B:173:MSE:SE	2.48	0.63
1:A:112:SER:HA	1:B:108:LEU:HD13	1.81	0.63
1:B:107:LEU:HD12	1:B:111:ARG:HH12	1.63	0.62
1:B:23:ALA:HB2	1:B:40:GLU:HG3	1.82	0.62
1:B:141:HIS:CD2	1:C:136:LYS:HZ2	2.15	0.62
1:B:20:THR:HG22	1:B:37:ILE:HG21	1.81	0.62
1:B:107:LEU:CD1	1:B:111:ARG:NH1	2.62	0.62
1:C:66:LEU:O	1:C:70:PHE:HB2	1.99	0.62
1:B:20:THR:HG21	1:B:58:LEU:HD21	1.81	0.61
1:D:167:ALA:HB1	1:D:180:LEU:HD12	1.83	0.61
1:B:17:MSE:SE	1:B:62:PHE:HA	2.51	0.60
1:A:54:THR:HG22	1:A:56:ASP:N	2.14	0.60
1:D:170:ARG:HB3	1:D:179:GLU:HG2	1.83	0.60
1:C:85:ARG:HH21	1:C:134[B]:MSE:CE	2.14	0.60
1:C:131:VAL:HG13	1:C:134[A]:MSE:HE2	1.84	0.60
1:C:142:GLY:HA3	1:C:148:PHE:CD2	2.38	0.58
1:B:74:ILE:C	1:B:76:ASP:H	2.12	0.58
1:C:139:ILE:HD12	1:C:157:THR:HG22	1.84	0.58
1:A:107:LEU:HD23	1:A:110:MSE:HE2	1.85	0.58
1:C:69:ARG:HA	1:C:72:ASP:HB2	1.86	0.57
1:A:49:HIS:HA	1:A:52:TYR:O	2.05	0.57
1:D:49:HIS:HA	1:D:52:TYR:O	2.05	0.57
1:D:18:GLN:O	1:D:21:TYR:HB3	2.05	0.57
1:D:25:ARG:O	1:D:25:ARG:HG3	2.04	0.56
1:B:136:LYS:NZ	1:C:141:HIS:ND1	2.54	0.56
1:A:167:ALA:HB1	1:A:180:LEU:HD23	1.89	0.55
1:C:35:GLN:C	1:C:37:ILE:H	2.14	0.55
1:C:74:ILE:CG2	1:C:134[A]:MSE:SE	2.87	0.55
1:B:54:THR:HB	1:B:57:ASP:H	1.70	0.55
1:C:154:GLU:HG3	1:C:158:ARG:HH21	1.72	0.54
1:B:66:LEU:C	1:B:68:GLU:H	2.15	0.54
1:C:111:ARG:HH12	1:C:168:ARG:HH11	1.53	0.54
1:D:114:ALA:HB3	1:D:115:PRO:HD3	1.89	0.54
1:C:75:HIS:CE1	1:C:130:TYR:OH	2.61	0.53
1:C:64:ASP:O	1:C:68:GLU:HB2	2.08	0.53
1:C:136:LYS:CB	1:C:157:THR:HG21	2.36	0.53
1:B:74:ILE:HG21	1:B:134[B]:MSE:CE	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:MSE:HB2	1:B:124:PHE:HZ	1.74	0.52
1:D:21:TYR:O	1:D:25:ARG:HB3	2.08	0.52
1:B:20:THR:HG22	1:B:37:ILE:CG2	2.39	0.52
1:C:178:GLU:HA	1:C:181:GLU:HG2	1.91	0.51
1:A:100:ASN:N	1:A:101:PRO:CD	2.71	0.51
1:D:67:LEU:O	1:D:68:GLU:C	2.51	0.51
1:C:70:PHE:O	1:C:74:ILE:HD12	2.11	0.51
1:A:85:ARG:HB3	1:A:138:VAL:HG21	1.92	0.50
1:B:107:LEU:HD12	1:B:111:ARG:NH1	2.23	0.50
1:B:106:ALA:O	1:B:110:MSE:HG2	2.11	0.50
1:B:24:LEU:CD1	1:B:62:PHE:HE2	2.25	0.50
1:A:139:ILE:O	1:A:143:ILE:HG13	2.12	0.49
1:B:75:HIS:CD2	1:C:75:HIS:HB3	2.47	0.49
1:D:73:SER:HA	1:D:76:ASP:OD1	2.12	0.49
1:B:62:PHE:CD2	1:B:110:MSE:HE1	2.48	0.49
1:A:153:ALA:O	1:A:157:THR:CG2	2.58	0.48
1:B:70:PHE:CD2	1:B:70:PHE:C	2.90	0.48
1:C:79:THR:HG21	1:C:88:LEU:HD12	1.94	0.48
1:D:26:GLU:O	1:D:27:HIS:CG	2.67	0.48
1:B:24:LEU:HD12	1:B:62:PHE:CE2	2.49	0.48
1:B:74:ILE:HG13	1:B:134[B]:MSE:HE1	1.94	0.48
1:C:67:LEU:O	1:C:71:VAL:HG23	2.14	0.48
1:C:153:ALA:O	1:C:157:THR:CG2	2.59	0.48
1:D:194:MSE:HA	1:D:194:MSE:HE2	1.95	0.48
1:B:136:LYS:HE2	1:C:144:ASP:OD2	2.14	0.47
1:D:167:ALA:HB2	1:D:183:ALA:CB	2.44	0.47
1:B:173:MSE:HE3	1:B:174:LEU:HD21	1.95	0.47
1:B:63:LEU:C	1:B:65:TYR:H	2.23	0.47
1:D:25:ARG:HG2	1:D:26:GLU:HG2	1.97	0.47
1:A:33:THR:O	1:A:34:ILE:C	2.58	0.47
1:B:29:TYR:OH	1:B:113:GLN:HG3	2.14	0.47
1:D:107:LEU:HD21	1:D:168:ARG:HD3	1.95	0.47
1:C:63:LEU:O	1:C:67:LEU:HB2	2.15	0.46
1:D:185:GLN:HG2	1:D:189:GLU:OE2	2.15	0.46
1:A:99:GLU:C	1:A:101:PRO:HD3	2.40	0.46
1:D:74:ILE:HG13	1:D:89:LEU:HD22	1.96	0.46
1:A:158:ARG:O	1:A:158:ARG:HD3	2.16	0.46
1:B:108:LEU:HD12	1:B:172:VAL:CG2	2.45	0.46
1:B:192:ASP:HB2	1:B:196:GLN:HG3	1.97	0.46
1:C:77:VAL:HG21	1:C:89:LEU:HD13	1.98	0.46
1:C:96:LYS:N	1:C:97:PRO:HD2	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:THR:O	1:D:17:MSE:HG2	2.15	0.46
1:D:104:SER:HA	1:D:107:LEU:HD23	1.97	0.46
1:B:13:THR:HA	1:B:16:ILE:HD12	1.98	0.46
1:C:35:GLN:C	1:C:37:ILE:N	2.74	0.46
1:B:29:TYR:OH	1:B:117:LYS:NZ	2.49	0.45
1:B:102:ASP:OD2	1:B:102:ASP:N	2.50	0.45
1:A:103:LEU:HD12	1:A:103:LEU:HA	1.68	0.45
1:D:16:ILE:O	1:D:20:THR:HG23	2.17	0.45
1:D:70:PHE:HE2	1:D:93:LEU:HD12	1.82	0.44
1:A:173:MSE:SE	1:B:111:ARG:HE	2.50	0.44
1:C:131:VAL:HA	1:C:134[A]:MSE:HG2	2.00	0.44
1:D:172:VAL:CG2	1:D:173:MSE:N	2.81	0.44
1:C:106:ALA:O	1:C:107:LEU:C	2.61	0.44
1:D:25:ARG:HG2	1:D:26:GLU:CG	2.48	0.43
1:A:167:ALA:HB2	1:A:183:ALA:CB	2.48	0.43
1:D:66:LEU:O	1:D:67:LEU:C	2.61	0.43
1:B:96:LYS:N	1:B:97:PRO:CD	2.82	0.43
1:D:41:TYR:CE2	1:D:43:LYS:HD2	2.54	0.42
1:D:114:ALA:N	1:D:115:PRO:CD	2.82	0.42
1:B:184:ARG:NH1	1:B:188:SER:OG	2.47	0.42
1:D:22:ARG:NH2	1:D:40:GLU:O	2.51	0.42
1:D:191:ALA:O	1:D:195:LEU:HB2	2.19	0.42
1:B:24:LEU:CD1	1:B:62:PHE:CE2	3.02	0.42
1:D:25:ARG:C	1:D:26:GLU:CG	2.92	0.42
1:C:167:ALA:HB1	1:C:180:LEU:HD23	2.02	0.42
1:D:90:LEU:HB3	1:D:184:ARG:CZ	2.49	0.42
1:A:34:ILE:HG23	1:A:48:VAL:HG22	2.02	0.42
1:C:114:ALA:C	1:C:116:TYR:H	2.28	0.42
1:B:66:LEU:C	1:B:68:GLU:N	2.78	0.41
1:A:89:LEU:HG	1:A:134:MSE:HE3	2.02	0.41
1:A:168:ARG:O	1:A:172:VAL:HG12	2.20	0.41
1:B:74:ILE:HD12	1:B:89:LEU:HD22	2.02	0.41
1:A:20:THR:O	1:A:21:TYR:C	2.64	0.41
1:D:90:LEU:HD12	1:D:90:LEU:HA	1.97	0.41
1:D:152:ASP:OD1	1:D:152:ASP:C	2.64	0.41
1:A:34:ILE:HG23	1:A:48:VAL:CG2	2.52	0.40
1:C:111:ARG:HE	1:D:173:MSE:SE	2.54	0.40
1:B:22:ARG:HE	1:B:40:GLU:HB3	1.86	0.40
1:C:81:ASP:HA	1:C:82:PRO:HD3	1.94	0.40
1:D:81:ASP:OD1	1:D:81:ASP:C	2.63	0.40
1:A:17:MSE:HA	1:A:17:MSE:HE2	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:LEU:HD13	1:B:112:SER:HA	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	188/199 (94%)	183 (97%)	5 (3%)	0	100	100
1	B	188/199 (94%)	176 (94%)	11 (6%)	1 (0%)	24	46
1	C	174/199 (87%)	156 (90%)	17 (10%)	1 (1%)	21	42
1	D	187/199 (94%)	173 (92%)	11 (6%)	3 (2%)	7	16
All	All	737/796 (93%)	688 (93%)	44 (6%)	5 (1%)	18	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	48	VAL
1	D	30	ALA
1	D	55	LYS
1	D	67	LEU
1	B	63	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/165 (100%)	142 (86%)	23 (14%)	3	7
1	B	165/165 (100%)	141 (86%)	24 (14%)	3	6
1	C	122/165 (74%)	100 (82%)	22 (18%)	2	3
1	D	164/165 (99%)	136 (83%)	28 (17%)	2	3
All	All	616/660 (93%)	519 (84%)	97 (16%)	2	4

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	14	GLU
1	A	32	LEU
1	A	48	VAL
1	A	53	ASP
1	A	69	ARG
1	A	77	VAL
1	A	80	THR
1	A	83	GLU
1	A	88	LEU
1	A	89	LEU
1	A	94	LEU
1	A	95	VAL
1	A	100	ASN
1	A	108	LEU
1	A	123	ARG
1	A	127	ASN
1	A	157	THR
1	A	161	LEU
1	A	172	VAL
1	A	173	MSE
1	A	188	SER
1	A	195	LEU
1	B	13	THR
1	B	24	LEU
1	B	31	ASP
1	B	34	ILE
1	B	35	GLN
1	B	48	VAL
1	B	53	ASP
1	B	54	THR
1	B	88	LEU
1	B	90	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	93	LEU
1	B	99	GLU
1	B	100	ASN
1	B	104	SER
1	B	107	LEU
1	B	108	LEU
1	B	110	MSE
1	B	126	GLN
1	B	145	GLU
1	B	151	VAL
1	B	172	VAL
1	B	178	GLU
1	B	181	GLU
1	B	195	LEU
1	C	63	LEU
1	C	67	LEU
1	C	77	VAL
1	C	80	THR
1	C	81	ASP
1	C	89	LEU
1	C	90	LEU
1	C	93	LEU
1	C	94	LEU
1	C	96	LYS
1	C	107	LEU
1	C	108	LEU
1	C	127	ASN
1	C	129	GLU
1	C	130	TYR
1	C	135	LEU
1	C	145	GLU
1	C	151	VAL
1	C	157	THR
1	C	161	LEU
1	C	172	VAL
1	C	188	SER
1	D	20	THR
1	D	25	ARG
1	D	26	GLU
1	D	34	ILE
1	D	63	LEU
1	D	66	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	67	LEU
1	D	70	PHE
1	D	71	VAL
1	D	74	ILE
1	D	88	LEU
1	D	90	LEU
1	D	93	LEU
1	D	96	LYS
1	D	103	LEU
1	D	107	LEU
1	D	108	LEU
1	D	118	GLU
1	D	134	MSE
1	D	135	LEU
1	D	138	VAL
1	D	151	VAL
1	D	154	GLU
1	D	161	LEU
1	D	172	VAL
1	D	173	MSE
1	D	180	LEU
1	D	195	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	75	HIS
1	A	98	GLN
1	A	100	ASN
1	B	12	GLN
1	B	18	GLN
1	B	35	GLN
1	B	49	HIS
1	B	75	HIS
1	B	100	ASN
1	B	140	ASN
1	B	141	HIS
1	C	75	HIS
1	D	49	HIS
1	D	140	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	185/199 (92%)	0.24	2 (1%) 78 74	50, 61, 75, 83	0
1	B	183/199 (91%)	0.85	32 (17%) 4 3	46, 62, 81, 88	1 (0%)
1	C	174/199 (87%)	1.24	35 (20%) 3 2	53, 63, 86, 90	0
1	D	184/199 (92%)	0.62	9 (4%) 35 29	48, 63, 80, 87	0
All	All	726/796 (91%)	0.73	78 (10%) 11 9	46, 62, 83, 90	1 (0%)

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	11	ASP	9.5
1	C	56	ASP	6.1
1	C	31	ASP	6.1
1	C	14	GLU	5.3
1	C	44	SER	4.9
1	C	16	ILE	4.6
1	B	75	HIS	4.6
1	C	50	TYR	4.5
1	B	9	PHE	4.5
1	C	62	PHE	4.4
1	C	53	ASP	4.3
1	C	48	VAL	4.3
1	C	51	TYR	4.1
1	C	130	TYR	4.1
1	C	12	GLN	3.8
1	C	24	LEU	3.7
1	B	48	VAL	3.7
1	B	52	TYR	3.6
1	C	55	LYS	3.5
1	C	13	THR	3.5
1	C	54	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	51	TYR	3.4
1	B	77	VAL	3.3
1	B	29	TYR	3.3
1	C	59	LEU	3.2
1	B	76	ASP	3.1
1	B	130	TYR	3.1
1	B	33	THR	3.1
1	B	74	ILE	3.1
1	C	47	ALA	3.0
1	C	39	ASP	2.9
1	D	74	ILE	2.9
1	D	126	GLN	2.9
1	D	70	PHE	2.9
1	B	47	ALA	2.8
1	B	46	ALA	2.8
1	C	25	ARG	2.8
1	B	72	ASP	2.7
1	D	8	THR	2.7
1	B	34	ILE	2.6
1	C	71	VAL	2.6
1	B	53	ASP	2.6
1	C	75	HIS	2.6
1	B	70	PHE	2.6
1	B	44	SER	2.6
1	B	45	THR	2.6
1	B	32	LEU	2.6
1	C	78	GLU	2.6
1	C	23	ALA	2.5
1	C	15	GLU	2.5
1	D	80	THR	2.5
1	B	35	GLN	2.5
1	B	30	ALA	2.5
1	B	37	ILE	2.4
1	B	31	ASP	2.4
1	A	9	PHE	2.4
1	B	73	SER	2.4
1	C	52	TYR	2.4
1	B	65	TYR	2.4
1	C	45	THR	2.4
1	C	77	VAL	2.4
1	C	49	HIS	2.3
1	B	54	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	41	TYR	2.3
1	B	28	GLY	2.3
1	B	103[A]	LEU	2.3
1	C	65	TYR	2.3
1	C	57	ASP	2.2
1	D	32	LEU	2.2
1	B	59	LEU	2.2
1	C	107	LEU	2.2
1	D	101	PRO	2.2
1	C	167	ALA	2.1
1	B	10	SER	2.1
1	A	130	TYR	2.0
1	D	168	ARG	2.0
1	B	100	ASN	2.0
1	D	48	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	A	301	1/1	0.89	0.12	72,72,72,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.