



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 01:25 PM UTC

PDB ID : 6CRD / pdb_00006crd
Title : INFLUENZA VIRUS NEURAMINIDASE SUBTYPE N9 (TERN) with tetra-brachion (TB) domain stalk
Authors : Streltsov, V.A.; Schmidt, P.; McKimm-Breschkin, J.
Deposited on : 2018-03-16
Resolution : 2.57 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	
1	B	473	
1	C	473	
1	D	473	
1	E	473	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	473	
1	G	473	
1	H	473	
2	I	9	
2	L	9	
2	N	9	
2	Q	9	
2	T	9	
2	W	9	
2	Z	9	
2	c	9	
3	J	2	
3	M	2	
3	O	2	
3	P	2	
3	R	2	
3	S	2	
3	U	2	
3	V	2	
3	X	2	
3	Y	2	
3	a	2	
3	b	2	
3	d	2	
3	e	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	K	4	 75% 25%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 29975 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tetrabrachion, Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	438	Total 3465	C 2163	N 605	O 673	S 24	0	0	0
1	B	438	Total 3465	C 2163	N 605	O 673	S 24	0	0	0
1	C	435	Total 3447	C 2152	N 602	O 669	S 24	0	0	0
1	D	435	Total 3447	C 2152	N 602	O 669	S 24	0	0	0
1	E	438	Total 3465	C 2163	N 605	O 673	S 24	0	0	0
1	F	438	Total 3465	C 2163	N 605	O 673	S 24	0	0	0
1	G	435	Total 3447	C 2152	N 602	O 669	S 24	0	0	0
1	H	435	Total 3447	C 2152	N 602	O 669	S 24	0	0	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	I	9	Total 105	C 58	N 2	O 45	0	0	0
2	L	9	Total 105	C 58	N 2	O 45	0	0	0
2	N	9	Total 105	C 58	N 2	O 45	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	Q	9	105	58	2	45	0	0	0
2	T	9	105	58	2	45	0	0	0
2	W	9	105	58	2	45	0	0	0
2	Z	9	105	58	2	45	0	0	0
2	c	9	105	58	2	45	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	J	2	28	16	2	10	0	0	0
3	M	2	28	16	2	10	0	0	0
3	O	2	28	16	2	10	0	0	0
3	P	2	28	16	2	10	0	0	0
3	R	2	28	16	2	10	0	0	0
3	S	2	28	16	2	10	0	0	0
3	U	2	28	16	2	10	0	0	0
3	V	2	28	16	2	10	0	0	0
3	X	2	28	16	2	10	0	0	0
3	Y	2	28	16	2	10	0	0	0
3	a	2	28	16	2	10	0	0	0
3	b	2	28	16	2	10	0	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	d	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	e	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	K	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	E	1	Total	C	N	O	0	0
			14	8	1	5		
5	F	1	Total	C	N	O	0	0
			14	8	1	5		
5	G	1	Total	C	N	O	0	0
			14	8	1	5		
5	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	122	Total	O	0	0
			122	122		
6	B	111	Total	O	0	0
			111	111		
6	C	103	Total	O	0	0
			103	103		
6	D	122	Total	O	0	0
			122	122		
6	E	124	Total	O	0	0
			124	124		
6	F	111	Total	O	0	0
			111	111		
6	G	98	Total	O	0	0
			98	98		
6	H	142	Total	O	0	0
			142	142		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tetrabrachion, Neuraminidase


Chain A: 




• Molecule 1: Tetrabrachion, Neuraminidase

Chain B: 







● Molecule 1: Tetrabrachion, Neuraminidase




● Molecule 1: Tetrabrachion, Neuraminidase








• Molecule 1: Tetrabrachion, Neuraminidase




• Molecule 1: Tetrabrachion, Neuraminidase







• Molecule 1: Tetrabrachion, Neuraminidase



• Molecule 1: Tetrabrachion, Neuraminidase





- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 67% 33%



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L: 67% 33%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 78% 22%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  67% 33%



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  56% 44%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33% 67%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  56% 44%



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  67% 33%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%MAG1
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%


MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2

- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

75%

25%

MAG1
MAG2
BMA3
MAN4

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.00Å 142.33Å 163.30Å 90.00° 91.48° 90.00°	Depositor
Resolution (Å)	40.04 – 2.57 40.04 – 2.59	Depositor EDS
% Data completeness (in resolution range)	77.6 (40.04-2.57) 77.6 (40.04-2.59)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.208 , 0.306 0.209 , 0.289	Depositor DCC
R_{free} test set	5727 reflections (3.99%)	wwPDB-VP
Wilson B-factor (Å ²)	21.2	Xtriage
Anisotropy	0.838	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 11.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.165 for h,-k,-l	Xtriage
Reported twinning fraction	0.854 for H, K, L 0.146 for -h,-k,l	Depositor
Outliers	1 of 114357 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	29975	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/3550	1.24	10/4834 (0.2%)
1	B	0.58	0/3550	1.24	8/4834 (0.2%)
1	C	0.58	0/3532	1.24	8/4810 (0.2%)
1	D	0.57	0/3532	1.15	4/4810 (0.1%)
1	E	0.58	0/3550	1.22	17/4834 (0.4%)
1	F	0.56	0/3550	1.20	7/4834 (0.1%)
1	G	0.57	0/3532	1.16	4/4810 (0.1%)
1	H	0.60	0/3532	1.26	19/4810 (0.4%)
All	All	0.58	0/28328	1.21	77/38576 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	4
1	C	0	7
1	D	0	5
1	E	0	9
1	F	0	13
1	G	0	7
1	H	0	7
All	All	0	57

There are no bond length outliers.

The worst 5 of 77 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	166	PRO	N-CA-C	-8.52	100.30	110.70
1	H	81	ALA	CA-C-N	8.12	132.34	120.90
1	H	81	ALA	C-N-CA	8.12	132.34	120.90
1	H	81	ALA	N-CA-C	7.84	117.51	108.49
1	A	391	THR	CA-CB-OG1	-7.75	97.98	109.60

There are no chirality outliers.

5 of 57 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	156	ARG	Sidechain
1	A	304	ARG	Sidechain
1	A	364	ARG	Sidechain
1	A	430	ARG	Sidechain
1	A	79	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3465	0	3303	231	0
1	B	3465	0	3303	213	0
1	C	3447	0	3284	192	0
1	D	3447	0	3285	177	0
1	E	3465	0	3303	228	0
1	F	3465	0	3303	224	0
1	G	3447	0	3284	183	0
1	H	3447	0	3284	199	0
2	I	105	0	88	3	0
2	L	105	0	88	5	0
2	N	105	0	88	6	0
2	Q	105	0	88	2	0
2	T	105	0	88	3	0
2	W	105	0	88	6	0
2	Z	105	0	88	4	0
2	c	105	0	88	4	0
3	J	28	0	25	0	0
3	M	28	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	O	28	0	25	2	0
3	P	28	0	25	0	0
3	R	28	0	25	1	0
3	S	28	0	25	0	0
3	U	28	0	25	2	0
3	V	28	0	25	4	0
3	X	28	0	25	2	0
3	Y	28	0	25	0	0
3	a	28	0	25	2	0
3	b	28	0	25	3	0
3	d	28	0	25	1	0
3	e	28	0	25	3	0
4	K	50	0	43	1	0
5	A	14	0	13	0	0
5	B	28	0	26	1	0
5	C	14	0	13	1	0
5	E	14	0	13	0	0
5	F	14	0	13	0	0
5	G	14	0	13	1	0
5	H	14	0	13	0	0
6	A	122	0	0	10	0
6	B	111	0	0	13	0
6	C	103	0	0	2	0
6	D	122	0	0	10	1
6	E	124	0	0	5	0
6	F	111	0	0	11	0
6	G	98	0	0	7	0
6	H	142	0	0	9	0
All	All	29975	0	27550	1545	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

The worst 5 of 1545 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:299:ASN:HA	6:E:612:HOH:O	1.21	1.32
1:F:169:VAL:HG23	6:F:601:HOH:O	1.26	1.27
1:B:327:ARG:HE	1:B:368:ILE:HG22	1.04	1.18
1:D:321:VAL:HG13	1:D:364:ARG:HH21	1.07	1.12
1:G:304:ARG:HG3	1:G:304:ARG:HH11	1.02	1.12

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:D:710:HOH:O	6:D:715:HOH:O[2_443]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/473 (92%)	371 (85%)	51 (12%)	14 (3%)	3	5
1	B	436/473 (92%)	372 (85%)	52 (12%)	12 (3%)	4	6
1	C	433/473 (92%)	372 (86%)	51 (12%)	10 (2%)	5	9
1	D	433/473 (92%)	370 (86%)	52 (12%)	11 (2%)	4	7
1	E	436/473 (92%)	370 (85%)	51 (12%)	15 (3%)	3	4
1	F	436/473 (92%)	367 (84%)	55 (13%)	14 (3%)	3	5
1	G	433/473 (92%)	365 (84%)	58 (13%)	10 (2%)	5	9
1	H	433/473 (92%)	370 (86%)	52 (12%)	11 (2%)	4	7
All	All	3476/3784 (92%)	2957 (85%)	422 (12%)	97 (3%)	4	6

5 of 97 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	81	ALA
1	A	82	ARG
1	A	284	ARG
1	A	460	ASP
1	C	222	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	387/418 (93%)	344 (89%)	43 (11%)	6 11
1	B	387/418 (93%)	334 (86%)	53 (14%)	3 6
1	C	385/418 (92%)	343 (89%)	42 (11%)	6 12
1	D	385/418 (92%)	343 (89%)	42 (11%)	6 12
1	E	387/418 (93%)	346 (89%)	41 (11%)	6 13
1	F	387/418 (93%)	335 (87%)	52 (13%)	4 7
1	G	385/418 (92%)	344 (89%)	41 (11%)	6 13
1	H	385/418 (92%)	333 (86%)	52 (14%)	4 7
All	All	3088/3344 (92%)	2722 (88%)	366 (12%)	5 10

5 of 366 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	82	ARG
1	G	123	SER
1	F	193	CYS
1	F	365	THR
1	G	294	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 109 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	400	ASN
1	F	73	ASN
1	H	216	ASN
1	E	95	ASN
1	E	274	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

104 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	I	1	1,2	14,14,15	0.72	0	17,19,21	1.32	2 (11%)
2	NAG	I	2	2	14,14,15	0.92	1 (7%)	17,19,21	2.42	8 (47%)
2	BMA	I	3	2	11,11,12	0.66	0	15,15,17	1.86	3 (20%)
2	MAN	I	4	2	11,11,12	0.50	0	15,15,17	1.56	2 (13%)
2	MAN	I	5	2	11,11,12	1.07	1 (9%)	15,15,17	1.22	2 (13%)
2	MAN	I	6	2	11,11,12	0.74	0	15,15,17	1.93	5 (33%)
2	MAN	I	7	2	11,11,12	0.86	0	15,15,17	2.28	3 (20%)
2	MAN	I	8	2	11,11,12	1.12	1 (9%)	15,15,17	1.85	5 (33%)
2	MAN	I	9	2	11,11,12	0.96	0	15,15,17	1.40	3 (20%)
3	NAG	J	1	1,3	14,14,15	0.89	0	17,19,21	1.67	6 (35%)
3	NAG	J	2	3	14,14,15	0.57	0	17,19,21	1.64	4 (23%)
4	NAG	K	1	1,4	14,14,15	1.17	2 (14%)	17,19,21	2.35	8 (47%)
4	NAG	K	2	4	14,14,15	0.46	0	17,19,21	2.34	9 (52%)
4	BMA	K	3	4	11,11,12	0.85	0	15,15,17	2.64	4 (26%)
4	MAN	K	4	4	11,11,12	0.80	0	15,15,17	2.57	4 (26%)
2	NAG	L	1	1,2	14,14,15	0.49	0	17,19,21	2.20	3 (17%)
2	NAG	L	2	2	14,14,15	0.71	0	17,19,21	2.12	4 (23%)
2	BMA	L	3	2	11,11,12	0.64	0	15,15,17	1.70	4 (26%)
2	MAN	L	4	2	11,11,12	0.65	0	15,15,17	1.41	3 (20%)
2	MAN	L	5	2	11,11,12	0.66	0	15,15,17	1.73	1 (6%)
2	MAN	L	6	2	11,11,12	0.57	0	15,15,17	1.74	2 (13%)
2	MAN	L	7	2	11,11,12	0.77	0	15,15,17	1.94	4 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	L	8	2	11,11,12	0.77	0	15,15,17	1.06	1 (6%)
2	MAN	L	9	2	11,11,12	0.92	1 (9%)	15,15,17	1.94	3 (20%)
3	NAG	M	1	1,3	14,14,15	0.84	0	17,19,21	1.32	2 (11%)
3	NAG	M	2	3	14,14,15	0.93	1 (7%)	17,19,21	1.44	2 (11%)
2	NAG	N	1	1,2	14,14,15	0.99	0	17,19,21	1.23	1 (5%)
2	NAG	N	2	2	14,14,15	0.96	1 (7%)	17,19,21	1.72	3 (17%)
2	BMA	N	3	2	11,11,12	0.50	0	15,15,17	1.36	2 (13%)
2	MAN	N	4	2	11,11,12	0.73	0	15,15,17	2.04	6 (40%)
2	MAN	N	5	2	11,11,12	0.60	0	15,15,17	1.37	1 (6%)
2	MAN	N	6	2	11,11,12	0.55	0	15,15,17	1.80	5 (33%)
2	MAN	N	7	2	11,11,12	0.51	0	15,15,17	1.24	1 (6%)
2	MAN	N	8	2	11,11,12	0.55	0	15,15,17	1.52	4 (26%)
2	MAN	N	9	2	11,11,12	0.73	0	15,15,17	1.70	3 (20%)
3	NAG	O	1	1,3	14,14,15	0.65	0	17,19,21	1.94	3 (17%)
3	NAG	O	2	3	14,14,15	1.21	1 (7%)	17,19,21	2.71	5 (29%)
3	NAG	P	1	1,3	14,14,15	0.57	0	17,19,21	1.27	2 (11%)
3	NAG	P	2	3	14,14,15	0.54	0	17,19,21	1.63	5 (29%)
2	NAG	Q	1	1,2	14,14,15	0.75	0	17,19,21	2.58	8 (47%)
2	NAG	Q	2	2	14,14,15	0.95	1 (7%)	17,19,21	1.30	2 (11%)
2	BMA	Q	3	2	11,11,12	0.73	0	15,15,17	1.71	5 (33%)
2	MAN	Q	4	2	11,11,12	0.41	0	15,15,17	1.30	2 (13%)
2	MAN	Q	5	2	11,11,12	0.61	0	15,15,17	1.06	1 (6%)
2	MAN	Q	6	2	11,11,12	0.80	0	15,15,17	1.26	3 (20%)
2	MAN	Q	7	2	11,11,12	0.63	0	15,15,17	1.76	1 (6%)
2	MAN	Q	8	2	11,11,12	0.77	0	15,15,17	2.01	3 (20%)
2	MAN	Q	9	2	11,11,12	1.12	1 (9%)	15,15,17	2.42	5 (33%)
3	NAG	R	1	1,3	14,14,15	0.93	0	17,19,21	2.33	4 (23%)
3	NAG	R	2	3	14,14,15	0.72	0	17,19,21	1.96	2 (11%)
3	NAG	S	1	1,3	14,14,15	0.57	0	17,19,21	1.96	4 (23%)
3	NAG	S	2	3	14,14,15	1.12	1 (7%)	17,19,21	2.45	5 (29%)
2	NAG	T	1	1,2	14,14,15	0.95	0	17,19,21	2.46	6 (35%)
2	NAG	T	2	2	14,14,15	0.70	0	17,19,21	2.05	6 (35%)
2	BMA	T	3	2	11,11,12	0.96	0	15,15,17	1.58	4 (26%)
2	MAN	T	4	2	11,11,12	0.41	0	15,15,17	2.10	4 (26%)
2	MAN	T	5	2	11,11,12	0.55	0	15,15,17	0.94	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	T	6	2	11,11,12	0.99	1 (9%)	15,15,17	1.23	1 (6%)
2	MAN	T	7	2	11,11,12	0.72	0	15,15,17	2.08	5 (33%)
2	MAN	T	8	2	11,11,12	0.93	0	15,15,17	1.28	3 (20%)
2	MAN	T	9	2	11,11,12	0.87	0	15,15,17	2.34	3 (20%)
3	NAG	U	1	1,3	14,14,15	0.67	0	17,19,21	1.62	2 (11%)
3	NAG	U	2	3	14,14,15	0.59	0	17,19,21	2.12	5 (29%)
3	NAG	V	1	1,3	14,14,15	0.68	0	17,19,21	1.51	3 (17%)
3	NAG	V	2	3	14,14,15	0.93	1 (7%)	17,19,21	1.74	6 (35%)
2	NAG	W	1	1,2	14,14,15	0.79	0	17,19,21	1.85	5 (29%)
2	NAG	W	2	2	14,14,15	0.86	1 (7%)	17,19,21	2.10	5 (29%)
2	BMA	W	3	2	11,11,12	1.01	0	15,15,17	1.97	4 (26%)
2	MAN	W	4	2	11,11,12	0.78	0	15,15,17	2.08	3 (20%)
2	MAN	W	5	2	11,11,12	0.53	0	15,15,17	1.69	3 (20%)
2	MAN	W	6	2	11,11,12	0.66	0	15,15,17	1.25	2 (13%)
2	MAN	W	7	2	11,11,12	0.65	0	15,15,17	1.94	5 (33%)
2	MAN	W	8	2	11,11,12	0.75	0	15,15,17	1.39	1 (6%)
2	MAN	W	9	2	11,11,12	0.77	0	15,15,17	2.01	3 (20%)
3	NAG	X	1	1,3	14,14,15	0.59	0	17,19,21	1.32	1 (5%)
3	NAG	X	2	3	14,14,15	0.72	0	17,19,21	2.00	5 (29%)
3	NAG	Y	1	1,3	14,14,15	0.56	0	17,19,21	1.17	1 (5%)
3	NAG	Y	2	3	14,14,15	1.09	1 (7%)	17,19,21	2.53	4 (23%)
2	NAG	Z	1	1,2	14,14,15	0.71	0	17,19,21	2.00	6 (35%)
2	NAG	Z	2	2	14,14,15	0.58	0	17,19,21	1.73	3 (17%)
2	BMA	Z	3	2	11,11,12	0.67	0	15,15,17	1.42	3 (20%)
2	MAN	Z	4	2	11,11,12	0.74	0	15,15,17	1.96	4 (26%)
2	MAN	Z	5	2	11,11,12	0.46	0	15,15,17	1.77	3 (20%)
2	MAN	Z	6	2	11,11,12	1.08	0	15,15,17	2.59	7 (46%)
2	MAN	Z	7	2	11,11,12	0.84	0	15,15,17	2.36	4 (26%)
2	MAN	Z	8	2	11,11,12	0.63	0	15,15,17	1.65	2 (13%)
2	MAN	Z	9	2	11,11,12	0.77	0	15,15,17	2.15	3 (20%)
3	NAG	a	1	1,3	14,14,15	0.46	0	17,19,21	1.25	2 (11%)
3	NAG	a	2	3	14,14,15	0.65	0	17,19,21	1.38	2 (11%)
3	NAG	b	1	1,3	14,14,15	0.83	0	17,19,21	1.98	7 (41%)
3	NAG	b	2	3	14,14,15	0.90	1 (7%)	17,19,21	1.64	2 (11%)
2	NAG	c	1	1,2	14,14,15	1.13	1 (7%)	17,19,21	2.11	8 (47%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	c	2	2	14,14,15	0.73	0	17,19,21	2.17	3 (17%)
2	BMA	c	3	2	11,11,12	0.49	0	15,15,17	1.72	3 (20%)
2	MAN	c	4	2	11,11,12	0.94	0	15,15,17	1.88	5 (33%)
2	MAN	c	5	2	11,11,12	0.80	0	15,15,17	2.66	3 (20%)
2	MAN	c	6	2	11,11,12	0.64	0	15,15,17	1.20	1 (6%)
2	MAN	c	7	2	11,11,12	0.57	0	15,15,17	1.72	2 (13%)
2	MAN	c	8	2	11,11,12	0.46	0	15,15,17	1.69	1 (6%)
2	MAN	c	9	2	11,11,12	0.57	0	15,15,17	1.42	3 (20%)
3	NAG	d	1	1,3	14,14,15	1.12	2 (14%)	17,19,21	2.90	6 (35%)
3	NAG	d	2	3	14,14,15	1.17	1 (7%)	17,19,21	1.78	5 (29%)
3	NAG	e	1	1,3	14,14,15	0.53	0	17,19,21	1.84	5 (29%)
3	NAG	e	2	3	14,14,15	1.35	2 (14%)	17,19,21	2.06	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	BMA	I	3	2	-	0/2/19/22	0/1/1/1
2	MAN	I	4	2	-	0/2/19/22	0/1/1/1
2	MAN	I	5	2	-	0/2/19/22	0/1/1/1
2	MAN	I	6	2	-	0/2/19/22	0/1/1/1
2	MAN	I	7	2	-	0/2/19/22	0/1/1/1
2	MAN	I	8	2	-	0/2/19/22	0/1/1/1
2	MAN	I	9	2	-	2/2/19/22	1/1/1/1
3	NAG	J	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	J	2	3	-	4/6/23/26	0/1/1/1
4	NAG	K	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	BMA	K	3	4	-	2/2/19/22	0/1/1/1
4	MAN	K	4	4	-	2/2/19/22	0/1/1/1
2	NAG	L	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
2	BMA	L	3	2	-	2/2/19/22	0/1/1/1
2	MAN	L	4	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	L	5	2	-	0/2/19/22	0/1/1/1
2	MAN	L	6	2	-	2/2/19/22	0/1/1/1
2	MAN	L	7	2	-	2/2/19/22	0/1/1/1
2	MAN	L	8	2	-	2/2/19/22	0/1/1/1
2	MAN	L	9	2	-	2/2/19/22	0/1/1/1
3	NAG	M	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	2/6/23/26	0/1/1/1
2	NAG	N	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	BMA	N	3	2	-	0/2/19/22	0/1/1/1
2	MAN	N	4	2	-	0/2/19/22	0/1/1/1
2	MAN	N	5	2	-	0/2/19/22	0/1/1/1
2	MAN	N	6	2	-	2/2/19/22	0/1/1/1
2	MAN	N	7	2	-	2/2/19/22	0/1/1/1
2	MAN	N	8	2	-	2/2/19/22	0/1/1/1
2	MAN	N	9	2	-	0/2/19/22	0/1/1/1
3	NAG	O	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	2/6/23/26	0/1/1/1
3	NAG	P	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	P	2	3	-	5/6/23/26	0/1/1/1
2	NAG	Q	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	0/6/23/26	0/1/1/1
2	BMA	Q	3	2	-	2/2/19/22	0/1/1/1
2	MAN	Q	4	2	-	2/2/19/22	0/1/1/1
2	MAN	Q	5	2	-	0/2/19/22	0/1/1/1
2	MAN	Q	6	2	-	1/2/19/22	0/1/1/1
2	MAN	Q	7	2	-	2/2/19/22	0/1/1/1
2	MAN	Q	8	2	-	2/2/19/22	0/1/1/1
2	MAN	Q	9	2	-	0/2/19/22	0/1/1/1
3	NAG	R	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	1/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	3/6/23/26	0/1/1/1
2	NAG	T	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	T	2	2	-	5/6/23/26	0/1/1/1
2	BMA	T	3	2	-	0/2/19/22	0/1/1/1
2	MAN	T	4	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	T	5	2	-	0/2/19/22	0/1/1/1
2	MAN	T	6	2	-	0/2/19/22	0/1/1/1
2	MAN	T	7	2	-	1/2/19/22	0/1/1/1
2	MAN	T	8	2	-	0/2/19/22	0/1/1/1
2	MAN	T	9	2	-	2/2/19/22	0/1/1/1
3	NAG	U	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	NAG	V	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	V	2	3	-	4/6/23/26	0/1/1/1
2	NAG	W	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	1/6/23/26	0/1/1/1
2	BMA	W	3	2	-	1/2/19/22	0/1/1/1
2	MAN	W	4	2	-	1/2/19/22	0/1/1/1
2	MAN	W	5	2	-	0/2/19/22	0/1/1/1
2	MAN	W	6	2	-	1/2/19/22	0/1/1/1
2	MAN	W	7	2	-	2/2/19/22	0/1/1/1
2	MAN	W	8	2	-	2/2/19/22	0/1/1/1
2	MAN	W	9	2	-	0/2/19/22	0/1/1/1
3	NAG	X	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	X	2	3	-	0/6/23/26	0/1/1/1
3	NAG	Y	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	4/6/23/26	0/1/1/1
2	NAG	Z	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	0/6/23/26	0/1/1/1
2	BMA	Z	3	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	4	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	5	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	6	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	7	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	8	2	-	2/2/19/22	0/1/1/1
2	MAN	Z	9	2	-	0/2/19/22	0/1/1/1
3	NAG	a	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	a	2	3	-	4/6/23/26	0/1/1/1
3	NAG	b	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	b	2	3	-	5/6/23/26	0/1/1/1
2	NAG	c	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	c	2	2	-	0/6/23/26	0/1/1/1
2	BMA	c	3	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	c	4	2	-	2/2/19/22	0/1/1/1
2	MAN	c	5	2	-	0/2/19/22	0/1/1/1
2	MAN	c	6	2	-	2/2/19/22	0/1/1/1
2	MAN	c	7	2	-	0/2/19/22	0/1/1/1
2	MAN	c	8	2	-	0/2/19/22	0/1/1/1
2	MAN	c	9	2	-	1/2/19/22	0/1/1/1
3	NAG	d	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	d	2	3	-	1/6/23/26	0/1/1/1
3	NAG	e	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	e	2	3	-	2/6/23/26	0/1/1/1

The worst 5 of 23 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	O	2	NAG	C1-C2	3.39	1.57	1.52
3	d	2	NAG	C1-C2	2.87	1.56	1.52
2	N	2	NAG	C1-C2	2.81	1.56	1.52
2	Q	2	NAG	C1-C2	2.74	1.56	1.52
3	b	2	NAG	C1-C2	2.62	1.55	1.52

The worst 5 of 372 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	c	5	MAN	C1-O5-C5	8.80	123.98	112.19
3	Y	2	NAG	C1-O5-C5	8.16	123.13	112.19
2	Q	1	NAG	C1-O5-C5	8.00	122.91	112.19
3	R	1	NAG	C1-O5-C5	7.73	122.55	112.19
2	I	7	MAN	C1-O5-C5	7.61	122.39	112.19

There are no chirality outliers.

5 of 143 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	2	NAG	C8-C7-N2-C2
2	I	2	NAG	O7-C7-N2-C2
2	T	2	NAG	C1-C2-N2-C7
3	J	2	NAG	C3-C2-N2-C7
3	J	2	NAG	C8-C7-N2-C2

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	9	MAN	C1-C2-C3-C4-C5-O5

44 monomers are involved in 55 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	1	NAG	1	0
3	b	1	NAG	2	0
2	I	5	MAN	1	0
2	W	5	MAN	2	0
3	e	1	NAG	1	0
3	U	1	NAG	2	0
2	c	5	MAN	1	0
2	c	7	MAN	2	0
2	T	5	MAN	1	0
2	N	3	BMA	1	0
2	T	3	BMA	1	0
3	e	2	NAG	3	0
3	R	1	NAG	1	0
3	X	2	NAG	1	0
2	Q	1	NAG	1	0
2	I	4	MAN	1	0
2	Q	5	MAN	1	0
2	W	9	MAN	2	0
2	W	1	NAG	1	0
2	c	4	MAN	1	0
3	M	2	NAG	1	0
2	N	6	MAN	5	0
2	Q	4	MAN	1	0
2	Z	2	NAG	2	0
2	Z	4	MAN	1	0
2	T	7	MAN	1	0
3	a	2	NAG	2	0
2	T	9	MAN	1	0
2	W	7	MAN	3	0
3	O	2	NAG	1	0
2	L	3	BMA	1	0
2	W	4	MAN	1	0
2	W	3	BMA	1	0
2	I	6	MAN	2	0
2	Z	5	MAN	1	0
2	L	1	NAG	3	0
3	O	1	NAG	2	0
3	X	1	NAG	2	0
2	L	6	MAN	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	V	1	NAG	4	0
2	Z	6	MAN	1	0
3	a	1	NAG	1	0
3	b	2	NAG	3	0
3	d	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

































































5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	NAG	F	514	1	14,14,15	0.95	1 (7%)	17,19,21	1.50	4 (23%)
5	NAG	B	513	1	14,14,15	0.71	0	17,19,21	1.65	3 (17%)
5	NAG	A	516	1	14,14,15	0.76	0	17,19,21	1.53	3 (17%)
5	NAG	B	512	1	14,14,15	1.09	1 (7%)	17,19,21	2.28	4 (23%)
5	NAG	G	514	1	14,14,15	0.96	1 (7%)	17,19,21	1.86	3 (17%)
5	NAG	C	514	1	14,14,15	0.79	0	17,19,21	2.84	5 (29%)
5	NAG	E	514	1	14,14,15	0.78	1 (7%)	17,19,21	1.70	1 (5%)
5	NAG	H	514	1	14,14,15	0.87	1 (7%)	17,19,21	1.64	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	F	514	1	-	3/6/23/26	0/1/1/1
5	NAG	B	513	1	-	4/6/23/26	0/1/1/1
5	NAG	A	516	1	-	1/6/23/26	0/1/1/1
5	NAG	B	512	1	-	3/6/23/26	0/1/1/1
5	NAG	G	514	1	-	4/6/23/26	0/1/1/1
5	NAG	C	514	1	-	2/6/23/26	0/1/1/1
5	NAG	E	514	1	-	2/6/23/26	0/1/1/1
5	NAG	H	514	1	-	6/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	512	NAG	C1-C2	2.94	1.56	1.52
5	G	514	NAG	C1-C2	2.70	1.56	1.52
5	F	514	NAG	C1-C2	2.54	1.55	1.52
5	E	514	NAG	C1-C2	2.32	1.55	1.52
5	H	514	NAG	C3-C2	2.20	1.57	1.52

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	512	NAG	C1-O5-C5	7.77	122.60	112.19
5	C	514	NAG	C2-N2-C7	7.27	132.65	122.90
5	C	514	NAG	C1-O5-C5	6.29	120.61	112.19
5	E	514	NAG	C1-O5-C5	5.52	119.58	112.19
5	A	516	NAG	C4-C3-C2	4.71	117.92	111.02

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	513	NAG	C8-C7-N2-C2
5	B	513	NAG	O7-C7-N2-C2
5	G	514	NAG	C8-C7-N2-C2
5	G	514	NAG	O7-C7-N2-C2
5	C	514	NAG	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	513	NAG	1	0
5	G	514	NAG	1	0
5	C	514	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/473 (92%)	-1.49	0 100 100	8, 18, 40, 69	0
1	B	438/473 (92%)	-1.50	0 100 100	9, 18, 36, 68	0
1	C	435/473 (91%)	-1.46	0 100 100	10, 20, 42, 71	0
1	D	435/473 (91%)	-1.47	0 100 100	8, 20, 40, 63	0
1	E	438/473 (92%)	-1.45	0 100 100	6, 19, 45, 79	0
1	F	438/473 (92%)	-1.41	0 100 100	11, 23, 50, 78	0
1	G	435/473 (91%)	-1.45	0 100 100	13, 24, 43, 74	0
1	H	435/473 (91%)	-1.52	0 100 100	9, 16, 36, 57	0
All	All	3492/3784 (92%)	-1.47	0 100 100	6, 20, 43, 79	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	X	2	14/15	0.95	0.06	47,63,71,71	0
2	MAN	L	9	11/12	0.97	0.06	72,75,77,78	0
2	MAN	Q	9	11/12	0.97	0.06	42,55,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	J	2	14/15	0.97	0.05	54,69,77,80	0
3	NAG	M	2	14/15	0.97	0.06	49,57,61,61	0
3	NAG	O	2	14/15	0.97	0.05	58,62,66,66	0
3	NAG	P	2	14/15	0.97	0.05	58,64,71,72	0
3	NAG	R	2	14/15	0.97	0.05	40,58,61,64	0
2	MAN	I	9	11/12	0.97	0.05	37,39,43,44	0
2	MAN	Z	8	11/12	0.98	0.04	37,41,44,45	0
2	MAN	Z	9	11/12	0.98	0.04	43,51,51,57	0
3	NAG	J	1	14/15	0.98	0.05	53,57,65,71	0
2	MAN	N	4	11/12	0.98	0.05	25,29,32,32	0
3	NAG	M	1	14/15	0.98	0.04	40,46,50,57	0
2	MAN	N	9	11/12	0.98	0.05	36,50,53,58	0
3	NAG	O	1	14/15	0.98	0.05	36,45,51,60	0
2	MAN	Q	7	11/12	0.98	0.03	38,43,46,51	0
3	NAG	P	1	14/15	0.98	0.04	35,41,49,57	0
2	MAN	Q	8	11/12	0.98	0.04	36,41,44,45	0
3	NAG	R	1	14/15	0.98	0.05	42,46,52,61	0
2	MAN	L	8	11/12	0.98	0.04	28,33,40,41	0
3	NAG	S	2	14/15	0.98	0.04	27,31,35,36	0
3	NAG	U	2	14/15	0.98	0.04	43,48,52,54	0
3	NAG	V	1	14/15	0.98	0.04	31,42,48,52	0
3	NAG	V	2	14/15	0.98	0.05	45,52,58,59	0
2	MAN	W	9	11/12	0.98	0.04	42,46,50,55	0
3	NAG	Y	1	14/15	0.98	0.04	37,41,45,51	0
3	NAG	Y	2	14/15	0.98	0.05	45,57,59,63	0
4	MAN	K	4	11/12	0.98	0.04	41,44,52,52	0
2	MAN	Q	4	11/12	0.99	0.03	28,30,32,34	0
2	MAN	Q	5	11/12	0.99	0.03	28,32,35,36	0
2	MAN	Q	6	11/12	0.99	0.03	27,31,32,33	0
2	MAN	I	6	11/12	0.99	0.03	13,16,17,17	0
2	MAN	I	7	11/12	0.99	0.03	25,30,36,39	0
2	MAN	I	8	11/12	0.99	0.04	23,26,28,29	0
2	NAG	T	1	14/15	0.99	0.03	17,18,19,19	0
2	NAG	T	2	14/15	0.99	0.02	15,19,21,23	0
2	BMA	T	3	11/12	0.99	0.03	21,22,24,25	0
2	MAN	T	4	11/12	0.99	0.02	24,26,28,29	0
2	MAN	T	5	11/12	0.99	0.03	27,28,31,36	0
2	MAN	T	6	11/12	0.99	0.04	23,26,28,32	0
2	MAN	T	7	11/12	0.99	0.03	24,27,31,33	0
2	MAN	T	8	11/12	0.99	0.03	30,34,37,37	0
2	MAN	T	9	11/12	0.99	0.03	32,37,45,45	0
2	NAG	W	1	14/15	0.99	0.03	23,25,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	W	2	14/15	0.99	0.03	20,26,30,32	0
2	BMA	W	3	11/12	0.99	0.03	26,28,31,31	0
2	MAN	W	4	11/12	0.99	0.02	25,26,28,29	0
2	MAN	W	5	11/12	0.99	0.03	21,24,26,26	0
2	MAN	W	6	11/12	0.99	0.03	17,20,24,27	0
2	MAN	W	8	11/12	0.99	0.04	42,44,46,49	0
2	NAG	I	1	14/15	0.99	0.03	14,17,18,18	0
2	NAG	Z	1	14/15	0.99	0.03	23,24,27,29	0
2	NAG	Z	2	14/15	0.99	0.04	19,21,24,24	0
2	MAN	Z	4	11/12	0.99	0.03	29,31,34,36	0
2	MAN	Z	5	11/12	0.99	0.04	25,27,29,29	0
2	MAN	Z	6	11/12	0.99	0.03	22,25,28,29	0
2	MAN	Z	7	11/12	0.99	0.03	37,40,49,50	0
2	NAG	L	2	14/15	0.99	0.03	23,25,27,31	0
2	BMA	L	3	11/12	0.99	0.03	28,31,37,39	0
2	MAN	L	4	11/12	0.99	0.03	22,26,28,28	0
2	MAN	L	5	11/12	0.99	0.03	26,26,29,29	0
2	MAN	L	6	11/12	0.99	0.05	25,26,28,29	0
2	NAG	c	1	14/15	-	-	15,17,21,21	0
2	NAG	c	2	14/15	-	-	14,17,19,19	0
2	BMA	c	3	11/12	-	-	18,20,22,26	0
2	MAN	c	4	11/12	-	-	20,22,24,24	0
2	MAN	c	5	11/12	-	-	17,19,20,22	0
2	MAN	c	6	11/12	-	-	13,15,15,17	0
2	MAN	c	7	11/12	-	-	29,34,38,39	0
2	MAN	c	8	11/12	-	-	29,37,38,41	0
2	MAN	c	9	11/12	-	-	33,37,39,39	0
2	MAN	L	7	11/12	0.99	0.02	35,38,47,60	0
2	NAG	I	2	14/15	0.99	0.04	18,19,22,23	0
2	BMA	I	3	11/12	0.99	0.02	17,19,23,26	0
2	NAG	N	1	14/15	0.99	0.04	25,29,36,37	0
2	NAG	N	2	14/15	0.99	0.04	24,27,30,31	0
2	BMA	N	3	11/12	0.99	0.03	27,28,30,37	0
2	MAN	I	4	11/12	0.99	0.03	19,20,20,23	0
3	NAG	S	1	14/15	0.99	0.03	26,28,30,30	0
2	MAN	N	5	11/12	0.99	0.04	25,27,29,32	0
3	NAG	U	1	14/15	0.99	0.03	23,29,34,36	0
2	MAN	N	6	11/12	0.99	0.02	19,23,24,24	0
2	MAN	N	7	11/12	0.99	0.03	35,38,42,49	0
2	MAN	N	8	11/12	0.99	0.04	39,43,45,45	0
3	NAG	X	1	14/15	0.99	0.04	33,44,53,55	0
2	MAN	I	5	11/12	0.99	0.03	20,23,26,26	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	Q	1	14/15	0.99	0.03	18,19,21,21	0
2	NAG	Q	2	14/15	0.99	0.03	15,18,19,23	0
4	NAG	K	1	14/15	0.99	0.03	15,20,22,28	0
4	NAG	K	2	14/15	0.99	0.03	29,32,40,45	0
4	BMA	K	3	11/12	0.99	0.04	37,42,46,47	0
3	NAG	a	1	14/15	-	-	44,52,56,57	0
3	NAG	a	2	14/15	-	-	45,55,64,71	0
3	NAG	b	1	14/15	-	-	41,52,61,73	0
3	NAG	b	2	14/15	-	-	75,81,83,86	0
3	NAG	d	1	14/15	-	-	25,31,34,40	0
3	NAG	d	2	14/15	-	-	37,45,47,50	0
3	NAG	e	1	14/15	-	-	20,25,31,35	0
3	NAG	e	2	14/15	-	-	29,34,35,35	0
2	BMA	Q	3	11/12	0.99	0.04	26,29,36,40	0
2	NAG	L	1	14/15	1.00	0.02	17,21,22,24	0
2	MAN	W	7	11/12	1.00	0.02	30,33,39,45	0
2	BMA	Z	3	11/12	1.00	0.02	23,25,30,34	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Z:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain c:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain V:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain X:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Y:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain a:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain d:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	A	516	14/15	0.98	0.03	39,42,47,48	0
5	NAG	B	512	14/15	0.98	0.04	39,47,51,51	0
5	NAG	B	513	14/15	0.98	0.04	37,42,44,44	0
5	NAG	F	514	14/15	0.98	0.04	42,48,55,58	0
5	NAG	H	514	14/15	0.98	0.04	33,36,39,42	0
5	NAG	C	514	14/15	0.99	0.03	32,37,40,40	0
5	NAG	G	514	14/15	0.99	0.04	36,42,45,45	0
5	NAG	E	514	14/15	0.99	0.04	31,35,39,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.