



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:06 AM UTC

PDB ID : 7CTW / pdb_00007ctw
Title : Wild-type Plasmodium falciparum dihydrofolate reductase-thymidylate synthase (PfDHFR-TS) complexed with fragment 820, NADPH, dUMP
Authors : Vanichtanankul, J.; Vitsupakorn, D.
Deposited on : 2020-08-20
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	
1	B	608	

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 17776 atoms, of which 8799 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	534	Total	C	H	N	O	S	256	0	0
			8854	2874	4409	732	813	26			
1	B	523	Total	C	H	N	O	S	252	0	0
			8674	2816	4322	719	793	24			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	7	0
			74	21	26	7	17	3		
2	B	1	Total	C	H	N	O	P	7	0
			74	21	26	7	17	3		

- Molecule 3 is 1-(2-methylsulfanylphenyl)piperazine (CCD ID: GEX) (formula: $C_{11}H_{16}N_2S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	S	0	0
			30	11	16	2	1		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	39	Total 39	O 39	0	0
5	B	26	Total 26	O 26	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.19Å 154.73Å 163.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.81 – 2.51 24.81 – 2.62	Depositor EDS
% Data completeness (in resolution range)	83.3 (24.81-2.51) 81.4 (24.81-2.62)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.64Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.221 , 0.295 0.204 , 0.278	Depositor DCC
R_{free} test set	2043 reflections (4.67%)	wwPDB-VP
Wilson B-factor (Å ²)	18.4	Xtriage
Anisotropy	0.350	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 16.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Reported twinning fraction	0.890 for H, K, L 0.110 for -H, -L, -K	Depositor
Outliers	0 of 41512 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	17776	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GEX, PO4, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	0/4549	1.46	9/6143 (0.1%)
1	B	1.06	0/4455	1.44	5/6017 (0.1%)
All	All	1.05	0/9004	1.45	14/12160 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	345	ARG	CA-C-N	7.34	130.12	120.28
1	A	345	ARG	C-N-CA	7.34	130.12	120.28
1	A	303	ASN	CA-C-N	5.72	132.46	121.54
1	A	303	ASN	C-N-CA	5.72	132.46	121.54
1	B	303	ASN	CA-CB-CG	5.54	118.14	112.60
1	B	488	PRO	CB-CA-C	-5.38	106.33	111.39
1	A	353	LYS	CA-C-O	-5.25	115.63	121.51
1	B	308	HIS	CB-CA-C	5.25	115.16	110.44
1	A	166	GLY	CA-C-N	5.08	127.40	120.54
1	A	166	GLY	C-N-CA	5.08	127.40	120.54
1	A	479	VAL	CA-C-N	5.07	127.57	120.28
1	A	479	VAL	C-N-CA	5.07	127.57	120.28
1	B	338	ASN	CA-C-N	5.05	125.13	120.34
1	B	338	ASN	C-N-CA	5.05	125.13	120.34

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	604	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4445	4409	4394	75	0
1	B	4352	4322	4308	136	0
2	A	48	26	26	2	0
2	B	48	26	26	4	0
3	A	14	16	0	0	0
4	A	5	0	0	0	0
5	A	39	0	0	0	0
5	B	26	0	0	3	0
All	All	8977	8799	8754	202	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:PHE:HA	1:B:565:ASN:HD21	0.96	1.11
1:B:312:PHE:HA	1:B:565:ASN:ND2	1.77	1.00
1:B:312:PHE:CA	1:B:565:ASN:HD21	1.88	0.80
1:B:101:VAL:CG1	1:B:161:CYS:HA	2.12	0.79
1:A:359:LYS:HG2	1:A:544:ILE:HG12	1.62	0.79
1:B:290:PHE:CE2	1:B:294:ASN:ND2	2.52	0.77
1:B:109:TRP:O	1:B:117:LYS:NZ	2.19	0.75
1:A:308:HIS:HB3	1:A:309:PRO:HD2	1.69	0.73
1:B:12:TYR:HE1	1:B:180:LYS:HB3	1.51	0.73
1:B:118:PRO:HB2	1:B:124:ASN:OD1	1.89	0.73
1:A:335:ILE:HG21	1:A:552:VAL:HG23	1.71	0.72
1:A:12:TYR:OH	1:B:285:GLU:OE2	2.08	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:LEU:HD12	1:B:198:PRO:HB2	1.74	0.70
1:B:147:GLU:O	1:B:150:ILE:HG13	1.91	0.70
1:A:421:ARG:NH1	1:A:427:GLY:HA3	2.08	0.69
1:B:51:ASN:HB3	1:B:54:ASP:HB3	1.75	0.69
1:B:299:LYS:HG3	1:B:304:LYS:HG3	1.74	0.68
1:A:455:GLN:HB3	1:A:474:LEU:HD12	1.76	0.68
1:B:127:LEU:HA	1:B:143:ILE:HG12	1.75	0.67
1:B:12:TYR:CD2	1:B:160:LYS:HD3	2.31	0.65
1:B:127:LEU:HB2	1:B:143:ILE:HD11	1.77	0.65
1:A:308:HIS:HB3	1:A:309:PRO:CD	2.27	0.65
1:B:174:LEU:CD1	1:B:198:PRO:HB2	2.26	0.65
1:B:169:VAL:O	1:B:173:PHE:CD2	2.51	0.64
1:B:101:VAL:HG12	1:B:161:CYS:HA	1.78	0.64
1:B:102:VAL:HG23	1:B:124:ASN:HA	1.80	0.64
1:B:201:ASN:HB3	1:B:204:GLU:CB	2.28	0.64
1:B:201:ASN:HB3	1:B:204:GLU:HB3	1.80	0.63
1:A:357:ILE:HD11	1:A:544:ILE:HG23	1.80	0.63
1:B:65:VAL:HG13	1:B:159:TYR:HB3	1.80	0.62
1:B:10:ASP:HB2	1:B:77:ARG:NH2	2.14	0.62
1:A:479:VAL:HB	1:B:437:PHE:CD1	2.35	0.62
1:B:299:LYS:HD2	1:B:304:LYS:HD2	1.81	0.61
1:B:169:VAL:O	1:B:173:PHE:HD2	1.82	0.61
1:B:73:LEU:HA	1:B:76:LYS:HB2	1.83	0.60
1:B:378:GLY:HA2	1:B:401:VAL:HG22	1.83	0.60
1:B:172:GLU:O	1:B:176:LYS:HG3	2.01	0.60
1:A:348:VAL:HG12	1:A:349:GLY:N	2.17	0.60
1:B:176:LYS:O	1:B:178:LEU:N	2.36	0.59
1:B:12:TYR:CD1	1:B:181:LYS:HB2	2.38	0.58
1:A:99:GLN:HE21	1:A:123:ILE:HG13	1.69	0.58
1:B:77:ARG:CZ	1:B:158:TYR:HE2	2.17	0.58
1:B:126:ILE:O	1:B:142:ILE:HG22	2.04	0.58
1:B:302:LYS:O	1:B:302:LYS:HG2	2.02	0.57
1:A:56:LYS:NZ	1:B:296:ASN:OD1	2.37	0.56
1:A:144:ASN:C	1:A:144:ASN:HD22	2.13	0.56
1:A:427:GLY:HA2	1:A:441:TYR:CE2	2.40	0.56
1:B:127:LEU:HD21	2:B:701:NDP:C4A	2.36	0.55
1:B:210:VAL:HG21	1:B:326:TYR:HE2	1.70	0.55
1:A:357:ILE:HB	1:B:357:ILE:HD11	1.88	0.55
1:B:12:TYR:CE1	1:B:180:LYS:HB3	2.38	0.55
1:B:132:LYS:HB2	1:B:134:GLU:HG2	1.90	0.54
1:B:604:MET:O	1:B:605:ASP:HB2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:65:VAL:HG13	1:B:159:TYR:CB	2.37	0.54
1:B:312:PHE:HB3	1:B:315:TYR:HB3	1.90	0.54
1:B:314:ILE:O	1:B:318:LEU:HD23	2.08	0.53
1:A:102:VAL:HB	1:A:164:ILE:HD13	1.89	0.53
1:B:292:TYR:O	1:B:295:PHE:HB3	2.08	0.53
1:B:127:LEU:HD21	2:B:701:NDP:N9A	2.24	0.52
1:B:435:ARG:HH21	1:B:454:ASP:CG	2.16	0.52
1:B:137:ASP:OD2	1:B:137:ASP:N	2.42	0.52
1:B:373:LYS:HG3	1:B:598:HIS:CE1	2.45	0.52
1:B:408:GLY:HA3	1:B:424:ASN:HD22	1.73	0.52
1:A:299:LYS:HB2	1:A:301:GLU:H	1.75	0.52
1:B:59:CYS:O	1:B:63:THR:OG1	2.22	0.52
1:B:141:TYR:CD1	1:B:152:LEU:HD11	2.45	0.51
1:A:34:ASN:HD21	1:A:186:ARG:HH11	1.58	0.51
1:A:41:GLY:HA2	1:A:47:PRO:HD3	1.92	0.51
1:A:509:GLN:HG2	1:A:512:CYS:SG	2.50	0.51
1:B:106:ARG:HB2	1:B:131:LEU:HD11	1.92	0.51
1:B:174:LEU:HD12	1:B:198:PRO:CB	2.40	0.51
1:B:371:THR:HB	1:B:563:GLN:HG2	1.93	0.51
1:B:143:ILE:HD12	1:B:149:LEU:HB2	1.93	0.50
1:A:354:PHE:CZ	1:B:506:ILE:HD12	2.47	0.50
1:B:12:TYR:HD2	1:B:160:LYS:HD3	1.75	0.50
1:B:163:ILE:CD1	1:B:173:PHE:CE1	2.94	0.50
1:A:127:LEU:O	2:A:701:NDP:H1B	2.12	0.50
1:B:379:ILE:HD13	1:B:524:SER:HB2	1.94	0.50
1:B:126:ILE:HB	1:B:142:ILE:HG22	1.94	0.50
1:B:210:VAL:HG21	1:B:326:TYR:CE2	2.48	0.49
1:B:437:PHE:CE2	1:B:478:ASN:HB2	2.48	0.49
1:A:455:GLN:HB3	1:A:474:LEU:CD1	2.41	0.49
1:A:329:LEU:HD22	1:A:564:LEU:HD12	1.95	0.49
1:A:335:ILE:CG2	1:A:552:VAL:HG23	2.40	0.49
1:A:421:ARG:HH12	1:A:427:GLY:HA3	1.78	0.49
1:A:299:LYS:H	1:A:302:LYS:HB3	1.78	0.48
1:B:81:LEU:HD23	1:B:154:GLY:HA3	1.96	0.48
1:B:328:TYR:OH	1:B:514:LEU:O	2.29	0.48
1:B:509:GLN:NE2	1:B:521:ASN:OD1	2.37	0.48
1:B:141:TYR:CG	1:B:152:LEU:HD21	2.49	0.48
1:B:201:ASN:HB3	1:B:204:GLU:HB2	1.95	0.48
1:B:309:PRO:C	1:B:311:ASP:H	2.21	0.48
1:B:336:MET:HE2	1:B:557:ILE:HG23	1.95	0.48
1:B:10:ASP:OD2	1:B:73:LEU:HD11	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:VAL:HG11	1:B:122:ARG:HD2	1.95	0.48
1:B:577:ASN:ND2	1:B:590:ASP:OD1	2.47	0.48
1:A:344:ASP:OD2	1:B:470:ARG:NH2	2.47	0.48
1:B:456:LEU:O	1:B:459:ILE:HG13	2.13	0.48
1:A:186:ARG:O	1:A:221:LEU:HA	2.14	0.47
1:B:127:LEU:CD1	1:B:146:VAL:HG13	2.44	0.47
1:A:8:VAL:HA	1:A:76:LYS:HD3	1.95	0.47
1:B:181:LYS:HA	1:B:226:TYR:O	2.14	0.47
1:B:346:THR:HB	1:B:348:VAL:HG23	1.97	0.47
1:B:148:ASP:O	1:B:151:VAL:HB	2.14	0.47
1:A:127:LEU:HD23	1:A:143:ILE:HG13	1.97	0.47
1:A:493:LEU:HD22	1:B:492:ILE:HG21	1.96	0.46
1:B:379:ILE:HD13	1:B:524:SER:HA	1.96	0.46
1:A:456:LEU:O	1:A:459:ILE:HG13	2.15	0.46
1:B:127:LEU:HD23	2:B:701:NDP:O4B	2.15	0.46
1:B:146:VAL:HG12	1:B:173:PHE:CZ	2.50	0.46
1:A:304:LYS:HD3	1:A:339:GLY:O	2.15	0.46
1:A:433:GLN:O	1:A:437:PHE:HB2	2.16	0.46
1:B:518:VAL:N	1:B:519:PRO:CD	2.79	0.46
1:A:518:VAL:N	1:A:519:PRO:HD2	2.30	0.46
1:A:288:ASP:O	1:A:291:VAL:N	2.38	0.46
1:A:346:THR:HB	1:A:348:VAL:HG23	1.96	0.46
1:B:81:LEU:O	1:B:82:ASN:C	2.59	0.46
1:B:137:ASP:OD1	1:B:140:VAL:HG23	2.15	0.46
1:B:164:ILE:HG22	2:B:701:NDP:H41N	1.97	0.46
1:A:75:TYR:O	1:A:78:CYS:N	2.48	0.46
1:B:77:ARG:NH1	1:B:158:TYR:HE2	2.13	0.46
1:B:513:ASP:OD1	1:B:513:ASP:C	2.59	0.46
1:A:421:ARG:NH1	1:A:427:GLY:CA	2.77	0.46
1:A:552:VAL:HG13	1:A:560:LEU:CD1	2.46	0.46
1:B:112:ILE:O	1:B:117:LYS:NZ	2.46	0.46
1:A:171:GLN:NE2	1:A:175:GLU:OE2	2.34	0.45
1:B:143:ILE:HG21	1:B:149:LEU:HA	1.97	0.45
1:B:315:TYR:HB2	1:B:564:LEU:O	2.16	0.45
1:B:379:ILE:HD13	1:B:524:SER:CA	2.45	0.45
1:B:69:LYS:O	1:B:70:TYR:HB3	2.17	0.45
1:A:59:CYS:O	1:A:63:THR:HG23	2.17	0.45
1:B:332:ILE:HD12	1:B:560:LEU:HD22	1.99	0.45
1:A:493:LEU:C	1:A:493:LEU:HD12	2.42	0.45
1:B:127:LEU:HD13	1:B:146:VAL:HG13	1.98	0.45
1:A:100:ASN:OD1	1:A:159:TYR:HB3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:582:ASN:HB2	1:B:585:ASP:CG	2.42	0.45
1:B:380:ILE:HG12	1:B:527:ILE:HD13	1.99	0.44
1:B:14:ILE:HD12	1:B:61:VAL:HG11	1.98	0.44
1:B:179:ILE:HD12	1:B:179:ILE:HA	1.86	0.44
1:A:159:TYR:CD2	1:A:160:LYS:HG3	2.53	0.44
1:A:104:MET:HE2	1:A:164:ILE:HD11	2.00	0.44
1:A:112:ILE:HB	1:A:117:LYS:HD3	1.99	0.44
1:B:480:LYS:HD3	5:B:802:HOH:O	2.16	0.44
1:A:51:ASN:HB3	1:A:54:ASP:HB3	2.00	0.44
1:A:171:GLN:HE21	1:A:175:GLU:CD	2.24	0.44
1:B:545:HIS:CD2	1:B:547:LEU:CD2	3.01	0.44
1:A:103:VAL:HA	1:A:125:VAL:O	2.18	0.44
1:B:66:ASN:HD22	1:B:69:LYS:HB3	1.82	0.44
1:A:7:ASP:OD2	1:A:7:ASP:N	2.50	0.43
1:A:371:THR:HB	1:A:563:GLN:HG2	2.00	0.43
1:B:189:SER:HB2	1:B:191:TYR:CE1	2.54	0.43
1:B:473:LEU:HD12	1:B:495:GLN:HG3	1.99	0.43
1:A:555:ASN:ND2	1:A:605:ASP:OD2	2.52	0.43
1:A:306:SER:O	1:A:307:ILE:C	2.60	0.43
1:B:14:ILE:O	1:B:170:TYR:OH	2.23	0.43
1:B:325:GLU:CD	1:B:370:THR:H	2.27	0.43
1:A:12:TYR:HD1	1:A:181:LYS:HB2	1.84	0.43
1:A:437:PHE:CD1	1:B:479:VAL:HB	2.54	0.43
1:B:40:LEU:HD11	1:B:197:PHE:HD2	1.84	0.43
1:B:572:PRO:HB3	1:B:596:TYR:HA	2.01	0.43
1:B:435:ARG:NH2	1:B:454:ASP:OD2	2.52	0.43
1:B:185:THR:HG1	1:B:223:PHE:HE1	1.57	0.43
1:B:309:PRO:C	1:B:311:ASP:N	2.76	0.43
1:B:564:LEU:HD12	1:B:564:LEU:HA	1.82	0.43
1:B:75:TYR:HA	5:B:817:HOH:O	2.18	0.42
1:A:553:TYR:O	1:A:556:HIS:HB2	2.20	0.42
1:A:9:PHE:O	1:A:158:TYR:OH	2.26	0.42
1:A:518:VAL:N	1:A:519:PRO:CD	2.82	0.42
1:A:354:PHE:CE1	1:B:506:ILE:HD12	2.55	0.42
1:B:515:GLY:HA2	1:B:560:LEU:HD21	2.01	0.42
1:A:166:GLY:HA3	2:A:701:NDP:O5D	2.19	0.42
1:A:510:ARG:HG3	1:A:511:SER:N	2.35	0.42
1:B:164:ILE:H	1:B:164:ILE:HG13	1.74	0.42
1:B:181:LYS:HG2	1:B:226:TYR:O	2.20	0.42
1:B:509:GLN:HG2	1:B:512:CYS:SG	2.60	0.42
1:A:102:VAL:HA	1:A:162:PHE:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:416:ARG:NH2	1:A:482:LEU:O	2.53	0.42
1:B:582:ASN:ND2	1:B:585:ASP:OD2	2.51	0.42
1:B:133:LYS:CE	1:B:142:ILE:HG13	2.50	0.41
1:A:145:LYS:HD2	1:A:147:GLU:OE1	2.19	0.41
1:B:73:LEU:CD2	1:B:77:ARG:CZ	2.98	0.41
1:B:331:ILE:HG12	1:B:356:TYR:CD1	2.55	0.41
1:B:353:LYS:HE3	1:B:353:LYS:HB3	1.88	0.41
1:A:148:ASP:O	1:A:151:VAL:HB	2.21	0.41
1:A:298:GLU:HA	1:A:302:LYS:HD3	2.01	0.41
1:A:46:LEU:HA	1:A:47:PRO:HD3	1.98	0.41
1:A:172:GLU:O	1:A:176:LYS:HG3	2.21	0.41
1:B:12:TYR:CG	1:B:181:LYS:HB2	2.55	0.41
1:B:132:LYS:HG3	1:B:135:ASP:OD1	2.20	0.41
1:B:312:PHE:HE1	1:B:561:LYS:HG2	1.86	0.41
1:B:482:LEU:HD22	1:B:488:PRO:HB3	2.03	0.41
1:A:512:CYS:SG	1:A:547:LEU:HD22	2.61	0.41
1:A:513:ASP:OD1	1:A:513:ASP:C	2.63	0.40
1:B:176:LYS:HB2	1:B:178:LEU:HD12	2.03	0.40
1:A:81:LEU:O	1:A:83:LYS:CD	2.69	0.40
1:B:208:ILE:HA	1:B:318:LEU:HD22	2.03	0.40
1:B:312:PHE:CD1	1:B:312:PHE:N	2.89	0.40
1:B:480:LYS:HE2	5:B:801:HOH:O	2.21	0.40
1:A:302:LYS:C	1:A:304:LYS:H	2.30	0.40
1:B:49:LYS:H	1:B:49:LYS:HG2	1.64	0.40
1:B:362:LEU:HD13	1:B:530:HIS:CD2	2.56	0.40
1:A:185:THR:HG1	1:A:223:PHE:HD1	1.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	526/608 (86%)	479 (91%)	38 (7%)	9 (2%)	7	13
1	B	515/608 (85%)	449 (87%)	57 (11%)	9 (2%)	7	13
All	All	1041/1216 (86%)	928 (89%)	95 (9%)	18 (2%)	7	13

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	304	LYS
1	A	307	ILE
1	A	348	VAL
1	A	38	ARG
1	A	289	ASP
1	A	309	PRO
1	B	70	TYR
1	B	177	LYS
1	B	310	ASN
1	A	75	TYR
1	A	79	LYS
1	B	181	LYS
1	B	67	GLU
1	B	76	LYS
1	A	345	ARG
1	B	165	GLY
1	B	429	ILE
1	B	102	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	500/570 (88%)	451 (90%)	49 (10%)	7	16
1	B	489/570 (86%)	412 (84%)	77 (16%)	2	5
All	All	989/1140 (87%)	863 (87%)	126 (13%)	4	9

All (126) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASP
1	A	20	VAL
1	A	31	VAL
1	A	33	ASN
1	A	34	ASN
1	A	45	VAL
1	A	49	LYS
1	A	50	CYS
1	A	51	ASN
1	A	65	VAL
1	A	68	SER
1	A	71	GLU
1	A	74	LYS
1	A	81	LEU
1	A	84	GLU
1	A	85	THR
1	A	96	LYS
1	A	97	LYS
1	A	116	PHE
1	A	117	LYS
1	A	133	LYS
1	A	144	ASN
1	A	164	ILE
1	A	206	GLN
1	A	210	VAL
1	A	283	ASP
1	A	298	GLU
1	A	307	ILE
1	A	310	ASN
1	A	318	LEU
1	A	343	SER
1	A	345	ARG
1	A	357	ILE
1	A	376	LEU
1	A	447	ASN
1	A	457	LYS
1	A	480	LYS
1	A	487	LEU
1	A	514	LEU
1	A	524	SER
1	A	555	ASN
1	A	564	LEU
1	A	581	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	589	SER
1	A	594	GLN
1	A	600	GLU
1	A	602	ILE
1	A	604	MET
1	A	606	MET
1	B	11	ILE
1	B	19	LYS
1	B	20	VAL
1	B	32	PHE
1	B	33	ASN
1	B	40	LEU
1	B	49	LYS
1	B	51	ASN
1	B	54	ASP
1	B	63	THR
1	B	67	GLU
1	B	69	LYS
1	B	70	TYR
1	B	72	LYS
1	B	73	LEU
1	B	81	LEU
1	B	96	LYS
1	B	97	LYS
1	B	99	GLN
1	B	102	VAL
1	B	106	ARG
1	B	107	THR
1	B	114	LYS
1	B	115	LYS
1	B	117	LYS
1	B	121	ASN
1	B	124	ASN
1	B	127	LEU
1	B	132	LYS
1	B	134	GLU
1	B	135	ASP
1	B	137	ASP
1	B	139	ASP
1	B	143	ILE
1	B	145	LYS
1	B	146	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	147	GLU
1	B	150	ILE
1	B	155	LYS
1	B	156	LEU
1	B	164	ILE
1	B	168	VAL
1	B	179	ILE
1	B	192	GLU
1	B	195	VAL
1	B	199	GLU
1	B	200	ILE
1	B	202	GLU
1	B	220	THR
1	B	229	THR
1	B	231	ASN
1	B	286	GLU
1	B	297	LYS
1	B	301	GLU
1	B	302	LYS
1	B	303	ASN
1	B	304	LYS
1	B	310	ASN
1	B	312	PHE
1	B	318	LEU
1	B	319	LYS
1	B	341	LYS
1	B	346	THR
1	B	357	ILE
1	B	415	ASN
1	B	416	ARG
1	B	417	LYS
1	B	435	ARG
1	B	440	GLU
1	B	470	ARG
1	B	516	LEU
1	B	524	SER
1	B	552	VAL
1	B	564	LEU
1	B	584	GLU
1	B	594	GLN
1	B	601	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	ASN
1	A	34	ASN
1	A	42	ASN
1	A	99	GLN
1	A	144	ASN
1	A	201	ASN
1	A	231	ASN
1	A	303	ASN
1	A	316	ASN
1	A	338	ASN
1	A	340	ASN
1	A	394	ASN
1	A	400	ASN
1	A	415	ASN
1	A	424	ASN
1	A	551	HIS
1	A	555	ASN
1	A	556	HIS
1	B	66	ASN
1	B	121	ASN
1	B	201	ASN
1	B	206	GLN
1	B	231	ASN
1	B	303	ASN
1	B	394	ASN
1	B	424	ASN
1	B	565	ASN
1	B	595	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	A	701	-	51,52,52	2.22	13 (25%)	71,80,80	2.11	17 (23%)
3	GEX	A	702	-	15,15,15	0.27	0	19,19,19	2.31	5 (26%)
2	NDP	B	701	-	51,52,52	2.20	14 (27%)	71,80,80	2.17	21 (29%)
4	PO4	A	703	-	4,4,4	1.03	0	6,6,6	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	701	-	-	6/34/77/77	0/5/5/5
3	GEX	A	702	-	-	4/6/14/14	0/2/2/2
2	NDP	B	701	-	-	15/34/77/77	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	NDP	PN-O3	7.32	1.67	1.59
2	B	701	NDP	PN-O3	7.14	1.67	1.59
2	A	701	NDP	PA-O3	6.28	1.66	1.59
2	B	701	NDP	PA-O3	6.07	1.66	1.59
2	A	701	NDP	C4N-C3N	-5.48	1.39	1.50
2	B	701	NDP	C4N-C3N	-4.71	1.41	1.50
2	A	701	NDP	C2A-N1A	4.04	1.41	1.33
2	B	701	NDP	C2A-N3A	3.73	1.40	1.33
2	A	701	NDP	C7N-C3N	-3.73	1.40	1.48
2	A	701	NDP	O4B-C1B	3.30	1.49	1.42
2	B	701	NDP	C5A-N7A	-3.24	1.33	1.39
2	B	701	NDP	C4N-C5N	-3.23	1.40	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	NDP	C2A-N1A	3.09	1.39	1.33
2	B	701	NDP	C5A-C4A	-2.89	1.33	1.39
2	B	701	NDP	C7N-C3N	-2.88	1.42	1.48
2	A	701	NDP	C2A-N3A	2.87	1.39	1.33
2	A	701	NDP	C4A-N9A	-2.68	1.32	1.37
2	B	701	NDP	C5A-C6A	-2.62	1.33	1.41
2	B	701	NDP	C2N-C3N	2.54	1.42	1.35
2	A	701	NDP	C5A-C4A	-2.53	1.34	1.39
2	B	701	NDP	C6N-C5N	2.46	1.40	1.33
2	B	701	NDP	C8A-N9A	-2.40	1.33	1.37
2	A	701	NDP	C3B-C2B	-2.25	1.48	1.53
2	A	701	NDP	O4D-C1D	2.19	1.47	1.42
2	A	701	NDP	C8A-N9A	-2.12	1.33	1.37
2	B	701	NDP	C1D-N1N	2.11	1.52	1.46
2	A	701	NDP	C1B-N9A	2.04	1.52	1.46

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	NDP	O2N-PN-O3	-7.48	87.06	107.27
2	B	701	NDP	N3A-C2A-N1A	-7.04	117.92	128.58
2	A	701	NDP	N3A-C2A-N1A	-6.54	118.68	128.58
2	A	701	NDP	O2N-PN-O3	-6.24	90.41	107.27
2	A	701	NDP	O3-PN-O1N	-5.99	92.68	110.70
3	A	702	GEX	C2-C7-N1	5.51	121.36	117.83
3	A	702	GEX	C7-C2-S1	5.41	124.59	117.95
2	A	701	NDP	O4B-C1B-N9A	5.31	118.28	108.09
2	B	701	NDP	C5A-C4A-N3A	-4.73	120.20	126.72
2	B	701	NDP	O3-PN-O1N	-4.30	97.77	110.70
2	A	701	NDP	C5A-C4A-N3A	-4.09	121.08	126.72
2	B	701	NDP	O2N-PN-O5D	3.98	125.61	107.57
2	B	701	NDP	N9A-C8A-N7A	-3.97	108.30	113.94
2	A	701	NDP	N9A-C8A-N7A	-3.75	108.62	113.94
3	A	702	GEX	C8-N1-C7	3.61	124.76	116.19
2	B	701	NDP	O4D-C1D-N1N	3.55	114.86	108.08
2	A	701	NDP	C1D-N1N-C2N	-3.47	115.43	121.14
3	A	702	GEX	C3-C2-S1	-3.44	116.14	122.74
2	B	701	NDP	C2A-N3A-C4A	3.41	120.16	111.83
2	A	701	NDP	C2A-N3A-C4A	3.33	119.97	111.83
2	B	701	NDP	O4D-C4D-C3D	-3.19	98.83	105.15
3	A	702	GEX	C11-N1-C7	3.18	123.75	116.19
2	A	701	NDP	C4A-C5A-N7A	-3.16	106.97	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	NDP	O4D-C1D-N1N	-3.05	102.26	108.08
2	B	701	NDP	C5A-N7A-C8A	3.04	108.23	103.45
2	B	701	NDP	C5A-C6A-N6A	-2.96	115.95	123.29
2	B	701	NDP	C6N-N1N-C2N	-2.94	116.17	119.32
2	A	701	NDP	O2N-PN-O1N	2.85	125.71	112.44
2	A	701	NDP	C5A-C4A-N9A	2.82	108.89	105.81
2	A	701	NDP	O2N-PN-O5D	2.68	119.70	107.57
2	B	701	NDP	N3A-C4A-N9A	2.65	131.67	127.17
2	A	701	NDP	C4A-N9A-C1B	-2.64	120.46	126.63
2	B	701	NDP	O4B-C1B-N9A	2.62	113.12	108.09
2	B	701	NDP	O2B-P2B-O1X	-2.60	100.07	109.33
2	A	701	NDP	C5A-N7A-C8A	2.51	107.39	103.45
2	B	701	NDP	C6A-C5A-C4A	2.50	120.59	117.18
2	B	701	NDP	C4A-C5A-N7A	-2.45	107.78	110.58
2	A	701	NDP	O3X-P2B-O2X	2.42	116.88	107.80
2	B	701	NDP	O3X-P2B-O2X	2.40	116.81	107.80
2	B	701	NDP	C1D-N1N-C6N	2.33	125.71	120.77
2	A	701	NDP	C4A-N9A-C8A	2.28	108.14	105.74
2	B	701	NDP	O2N-PN-O1N	2.26	122.96	112.44
2	B	701	NDP	C5A-C4A-N9A	2.13	108.13	105.81

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	NDP	C5D-O5D-PN-O1N
2	B	701	NDP	C5B-O5B-PA-O1A
2	B	701	NDP	C5B-O5B-PA-O2A
2	B	701	NDP	C5B-O5B-PA-O3
2	B	701	NDP	O4B-C4B-C5B-O5B
2	B	701	NDP	C5D-O5D-PN-O3
2	B	701	NDP	C5D-O5D-PN-O1N
2	B	701	NDP	C4D-C5D-O5D-PN
2	B	701	NDP	C2D-C1D-N1N-C6N
3	A	702	GEX	C2-C7-N1-C8
3	A	702	GEX	C7-C2-S1-C1
2	B	701	NDP	C3B-C4B-C5B-O5B
2	B	701	NDP	C3D-C4D-C5D-O5D
2	B	701	NDP	C2D-C1D-N1N-C2N
2	B	701	NDP	O4D-C4D-C5D-O5D
3	A	702	GEX	C3-C2-S1-C1
3	A	702	GEX	C6-C7-N1-C11

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	701	NDP	C4D-C5D-O5D-PN
2	A	701	NDP	O4D-C1D-N1N-C2N
2	A	701	NDP	C2N-C3N-C7N-N7N
2	B	701	NDP	O4D-C1D-N1N-C6N
2	B	701	NDP	C2N-C3N-C7N-N7N
2	A	701	NDP	C2B-O2B-P2B-O1X
2	A	701	NDP	C2D-C1D-N1N-C2N
2	B	701	NDP	O4D-C1D-N1N-C2N


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	NDP	2	0
2	B	701	NDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/608 (87%)	-1.45	0 100 100	5, 17, 60, 100	0
1	B	523/608 (86%)	-1.24	0 100 100	5, 20, 88, 107	0
All	All	1057/1216 (86%)	-1.35	0 100 100	5, 19, 82, 107	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NDP	B	701	48/48	0.98	0.06	52,73,119,121	7
3	GEX	A	702	14/14	0.99	0.05	37,41,58,60	0
4	PO4	A	703	5/5	0.99	0.06	38,39,45,47	0
2	NDP	A	701	48/48	1.00	0.02	14,19,26,31	7

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NDP B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GEX A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.