



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:33 AM UTC

PDB ID : 4CU4 / pdb_00004cu4
Title : FhuA from E. coli in complex with the lasso peptide microcin J25 (MccJ25)
Authors : Mathavan, I.; Rebuffat, S.; Beis, K.
Deposited on : 2014-03-17
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	706	5% 86% 11% ..
2	B	21	33% 81% 19%
3	C	6	100%

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 6260 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FERRICHRONE-IRON RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	693	5430	3423	920	1072	15	0	3	0


There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	406	SER	-	expression tag	UNP P06971
A	407	SER	-	expression tag	UNP P06971
A	408	HIS	-	expression tag	UNP P06971
A	409	HIS	-	expression tag	UNP P06971
A	410	HIS	-	expression tag	UNP P06971
A	411	HIS	-	expression tag	UNP P06971
A	412	HIS	-	expression tag	UNP P06971
A	413	HIS	-	expression tag	UNP P06971
A	414	GLY	-	expression tag	UNP P06971
A	415	SER	-	expression tag	UNP P06971
A	416	SER	-	expression tag	UNP P06971

- Molecule 2 is a protein called MICROCIN J25.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	21	150	101	23	26	0	0	0

- Molecule 3 is an oligosaccharide called L-glycero- α -D-manno-heptopyranose-(1-3)-L-glycero- α -D-manno-heptopyranose-(1-5)-[3-deoxy- α -D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy- α -D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy- β -D-glucopyranose-(1-6)-2-amino-2-deoxy- α -D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	6	Total	C	N	O	0	0	0
			78	42	2	34			

- Molecule 4 is 3-HYDROXY-TETRADECANOIC ACID (CCD ID: FTT) (formula: $C_{14}H_{28}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	14	2		
4	A	1	Total	C	O	0	0
			16	14	2		
4	A	1	Total	C	O	0	0
			16	14	2		
4	A	1	Total	C	O	0	0
			16	14	2		

- Molecule 5 is LAURIC ACID (CCD ID: DAO) (formula: $C_{12}H_{24}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			13	12	1		

- Molecule 6 is MYRISTIC ACID (CCD ID: MYR) (formula: $C_{14}H_{28}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			15	14	1		

- Molecule 7 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			12	10	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			13	11	1	1		
7	A	1	Total	C	N	O	0	0
			14	12	1	1		
7	A	1	Total	C			0	0
			9	9				
7	A	1	Total	C			0	0
			10	10				
7	A	1	Total	C	N	O	0	0
			11	9	1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			11	9	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			14	12	1	1		
7	A	1	Total	C	N	O	0	0
			12	10	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		
7	A	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 8 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (CCD ID: 3PH) (formula: $C_{39}H_{77}O_8P$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	O	P	0	0
			35	26	8	1		

- Molecule 9 is DIPHOSPHATE (CCD ID: DPO) (formula: O_7P_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	P	0	0
			9	7	2		
9	A	1	Total	O	P	0	0
			8	6	2		

- Molecule 10 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	O	P	0	0
			4	3	1		
10	A	1	Total	O	P	0	0
			4	3	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	167	Total 167	O 167	0	0
11	B	1	Total 1	O 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: FERRICHROME-IRON RECEPTOR



• Molecule 2: MICROCIN J25



• Molecule 3: L-glycero-alpha-D-manno-heptopyranose-(1-3)-L-glycero-alpha-D-manno-heptopyranose-(1-5)-[3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy-beta-D-glucopyranose-(1-6)-2-amino-2-deoxy-alpha-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	95.98Å 277.05Å 106.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.46 – 2.30 30.46 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.5 (30.46-2.30) 98.5 (30.46-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.95 (at 2.31Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.212 , 0.255 0.219 , 0.266	Depositor DCC
R_{free} test set	3172 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	45.6	Xtriage
Anisotropy	0.853	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6260	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DPO, KDO, 3PH, GMH, PO4, LDA, MYR, DAO, GCS, PA1, FTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	1/5572 (0.0%)	1.16	14/7569 (0.2%)
2	B	1.16	1/156 (0.6%)	1.25	0/211
All	All	0.88	2/5728 (0.0%)	1.16	14/7780 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	6	VAL	CA-C	6.14	1.58	1.52
1	A	85	ASN	CA-C	5.68	1.59	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	257	PRO	CA-C-N	7.06	130.69	120.38
1	A	257	PRO	C-N-CA	7.06	130.69	120.38
1	A	379	ASP	CA-CB-CG	6.98	119.58	112.60
1	A	354	ASN	CA-CB-CG	6.75	119.35	112.60
1	A	656	ASP	CA-CB-CG	6.67	119.27	112.60
1	A	330	ALA	CA-C-N	6.11	128.47	120.28
1	A	330	ALA	C-N-CA	6.11	128.47	120.28
1	A	294	PHE	N-CA-C	5.67	118.14	108.90
1	A	268	GLU	CB-CG-CD	5.21	121.45	112.60
1	A	20	SER	CA-C-N	5.19	127.50	120.38
1	A	20	SER	C-N-CA	5.19	127.50	120.38
1	A	357	VAL	N-CA-CB	5.19	119.67	111.99
1	A	557	THR	CA-C-N	5.10	129.80	122.35
1	A	557	THR	C-N-CA	5.10	129.80	122.35

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5430	0	5157	36	0
2	B	150	0	137	2	0
3	C	78	0	56	0	0
4	A	64	0	106	2	0
5	A	13	0	23	1	0
6	A	15	0	27	0	0
7	A	282	0	517	4	0
8	A	35	0	43	3	0
9	A	17	0	0	0	0
10	A	8	0	0	0	0
11	A	167	0	0	1	0
11	B	1	0	0	0	0
All	All	6260	0	6066	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ASN:C	1:A:228:ASN:HD22	1.90	0.79
1:A:203:ALA:HB3	1:A:208:SER:HB3	1.76	0.68
1:A:66:VAL:HG23	11:A:3015:HOH:O	1.97	0.64
7:A:1732:LDA:H52	8:A:1744:3PH:H222	1.82	0.62
1:A:51:SER:OG	1:A:133:ARG:NH2	2.32	0.62
1:A:505:PHE:HE2	7:A:1741:LDA:H72	1.65	0.60
1:A:643:LEU:HD22	1:A:673:VAL:HG12	1.84	0.60
1:A:52:VAL:HG22	1:A:130:GLU:HG2	1.86	0.57
1:A:470:GLU:HG3	1:A:481:LYS:HG2	1.89	0.55
2:B:12:GLY:H	2:B:15:THR:HB	1.70	0.55
1:A:135:PRO:HB3	1:A:510:SER:HB3	1.89	0.55
8:A:1744:3PH:H252	8:A:1744:3PH:H342	1.90	0.54
1:A:298:GLN:HE22	4:A:1009:FTT:H143	1.72	0.54
1:A:137:SER:HB2	1:A:510:SER:HA	1.90	0.54
1:A:234:TYR:OH	1:A:236:GLN:NE2	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:505:PHE:HD1	1:A:534:VAL:HG22	1.74	0.53
1:A:381[B]:MET:HE1	1:A:383:MET:HB2	1.91	0.53
1:A:164:VAL:HG13	7:A:1726:LDA:H121	1.91	0.52
8:A:1744:3PH:H322	8:A:1744:3PH:H231	1.92	0.51
1:A:65:SER:OG	1:A:67:LYS:HG2	2.11	0.51
1:A:32:GLN:O	1:A:128:ARG:NH2	2.44	0.50
1:A:217:PRO:HD2	1:A:233:SER:OG	2.11	0.50
1:A:167:LYS:HB2	1:A:175:GLN:HB3	1.93	0.49
4:A:1009:FTT:H101	5:A:1012:DAO:H61	1.94	0.49
1:A:486:GLN:HG2	1:A:511:PHE:CG	2.49	0.48
1:A:72:TYR:HB3	1:A:596:VAL:HG12	1.95	0.47
1:A:228:ASN:C	1:A:228:ASN:ND2	2.59	0.47
1:A:276:SER:O	1:A:307:THR:HG23	2.16	0.46
1:A:126:LEU:HD22	1:A:151:MET:HB3	1.98	0.44
1:A:691:VAL:HG13	1:A:717:VAL:HG22	1.99	0.44
1:A:65:SER:HB3	1:A:85:ASN:HD21	1.83	0.43
1:A:76:VAL:HG13	1:A:92:ILE:HG12	1.99	0.43
1:A:297:ARG:HH22	1:A:362:GLN:CD	2.27	0.43
1:A:116:TYR:CZ	2:B:5:HIS:HB3	2.54	0.43
1:A:540:PRO:HD2	1:A:545:ILE:O	2.19	0.42
1:A:693:ASN:O	1:A:715:ARG:HB2	2.19	0.42
1:A:67:LYS:HD3	1:A:78:VAL:O	2.19	0.42
1:A:264:THR:HA	1:A:711:TRP:CD1	2.54	0.42
1:A:93:ARG:HG2	1:A:552:TYR:CZ	2.55	0.42
1:A:390:TRP:CE2	1:A:426:LYS:HB2	2.55	0.41
1:A:178:PHE:HD2	7:A:1726:LDA:H92	1.86	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	692/706 (98%)	667 (96%)	24 (4%)	1 (0%)	48	60
2	B	19/21 (90%)	18 (95%)	1 (5%)	0	100	100
All	All	711/727 (98%)	685 (96%)	25 (4%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	566	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	577/586 (98%)	556 (96%)	21 (4%)	31	47
2	B	14/14 (100%)	14 (100%)	0	100	100
All	All	591/600 (98%)	570 (96%)	21 (4%)	31	47

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	VAL
1	A	93	ARG
1	A	128	ARG
1	A	136	VAL
1	A	170	THR
1	A	189	VAL
1	A	208	SER
1	A	215	ILE
1	A	228	ASN
1	A	352	LEU
1	A	353	GLN
1	A	357	VAL
1	A	397	VAL
1	A	527	SER
1	A	570	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	571	VAL
1	A	579	ARG
1	A	611	THR
1	A	674	ARG
1	A	715	ARG
1	A	722	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	175	GLN
1	A	228	ASN
1	A	236	GLN
1	A	298	GLN
1	A	299	ASN
1	A	401	ASN
1	A	516	GLN
1	A	531	GLN
1	A	594	ASN
1	A	692	ASN
1	A	716	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PA1	C	1	3,9,4	11,11,12	0.81	1 (9%)	13,15,17	1.52	2 (15%)
3	GCS	C	2	3,10,4	11,11,12	1.14	1 (9%)	13,15,17	1.30	2 (15%)
3	KDO	C	3	3	15,15,16	1.38	1 (6%)	17,21,24	0.99	0
3	GMH	C	4	9,3	13,13,14	0.39	0	16,18,20	1.13	1 (6%)
3	GMH	C	5	3,10	13,13,14	0.44	0	16,18,20	1.15	1 (6%)
3	KDO	C	6	3	15,15,16	1.36	1 (6%)	17,21,24	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PA1	C	1	3,9,4	-	0/2/19/22	0/1/1/1
3	GCS	C	2	3,10,4	-	1/2/19/22	0/1/1/1
3	KDO	C	3	3	-	2/10/26/30	0/1/1/1
3	GMH	C	4	9,3	-	0/6/23/26	0/1/1/1
3	GMH	C	5	3,10	-	2/6/23/26	0/1/1/1
3	KDO	C	6	3	-	2/10/26/30	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	6	KDO	C2-C1	5.11	1.58	1.52
3	C	3	KDO	C2-C1	5.10	1.58	1.52
3	C	2	GCS	C1-C2	3.41	1.56	1.52
3	C	1	PA1	C1-C2	2.60	1.55	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	5	GMH	C1-O5-C5	4.12	118.23	111.48
3	C	4	GMH	C1-O5-C5	3.88	117.84	111.48
3	C	1	PA1	O3-C3-C2	-3.31	103.70	109.90
3	C	2	GCS	O3-C3-C2	3.24	115.96	109.90
3	C	2	GCS	O3-C3-C4	-2.65	104.13	110.38
3	C	1	PA1	O3-C3-C4	-2.32	104.92	110.38

There are no chirality outliers.


All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	3	KDO	C6-C7-C8-O8
3	C	3	KDO	O7-C7-C8-O8
3	C	5	GMH	O6-C6-C7-O7
3	C	6	KDO	O7-C7-C8-O8
3	C	5	GMH	C5-C6-C7-O7
3	C	6	KDO	C6-C7-C8-O8
3	C	2	GCS	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	LDA	A	1742	-	11,13,15	0.56	0	12,15,17	0.59	0
7	LDA	A	1734	-	13,15,15	0.61	0	14,17,17	0.34	0
10	PO4	A	2001	3	0,3,4	-	-	0,3,6	-	-
7	LDA	A	1732	-	13,15,15	0.46	0	14,17,17	1.64	2 (14%)
4	FTT	A	1013	6,3	14,15,16	0.18	0	15,15,17	0.31	0
9	DPO	A	2000	3	6,8,8	1.10	0	12,13,13	2.30	4 (33%)
4	FTT	A	1010	3	14,15,16	0.26	0	15,15,17	0.96	1 (6%)
7	LDA	A	1728	-	13,15,15	0.51	0	14,17,17	0.25	0
9	DPO	A	2004	3	3,7,8	0.73	0	6,10,13	0.91	0
7	LDA	A	1743	-	9,11,15	0.65	0	10,13,17	0.62	0
6	MYR	A	1014	4	13,14,15	0.61	1 (7%)	12,13,15	0.45	0
7	LDA	A	1740	-	8,10,15	0.64	0	9,12,17	0.87	0
7	LDA	A	1727	-	13,15,15	0.41	0	14,17,17	0.50	0
7	LDA	A	1736	-	11,13,15	0.66	0	12,15,17	0.26	0
7	LDA	A	1726	-	13,15,15	0.43	0	14,17,17	0.68	0
4	FTT	A	1011	3,5	14,15,16	0.28	0	15,15,17	0.67	1 (6%)
7	LDA	A	1733	-	9,11,15	0.57	0	10,13,17	0.66	0
7	LDA	A	1731	-	13,15,15	0.52	0	14,17,17	0.22	0
4	FTT	A	1009	3	14,15,16	0.27	0	15,15,17	0.58	0
7	LDA	A	1741	-	13,15,15	0.38	0	14,17,17	0.59	0
7	LDA	A	1745	-	13,15,15	0.41	0	14,17,17	0.44	0
7	LDA	A	1738	-	9,9,15	0.19	0	8,8,17	0.10	0
7	LDA	A	1729	-	13,15,15	0.56	0	14,17,17	0.39	0
5	DAO	A	1012	4	11,12,13	0.63	1 (9%)	10,11,13	0.46	0
7	LDA	A	1730	-	13,15,15	0.56	0	14,17,17	0.25	0
7	LDA	A	1737	-	8,8,15	0.20	0	7,7,17	0.09	0
7	LDA	A	1739	-	8,10,15	0.54	0	9,12,17	0.40	0
7	LDA	A	1735	-	10,12,15	0.58	0	11,14,17	0.58	0
8	3PH	A	1744	-	34,34,47	0.48	0	37,39,52	0.51	1 (2%)
10	PO4	A	2005	3	0,3,4	-	-	0,3,6	-	-
7	LDA	A	1746	-	13,15,15	0.35	0	14,17,17	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	LDA	A	1742	-	-	4/11/11/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	LDA	A	1734	-	-	8/13/13/13	-
7	LDA	A	1732	-	-	5/13/13/13	-
4	FTT	A	1013	6,3	-	10/14/14/15	-
9	DPO	A	2000	3	-	3/6/6/6	-
4	FTT	A	1010	3	-	9/14/14/15	-
7	LDA	A	1728	-	-	11/13/13/13	-
9	DPO	A	2004	3	-	0/2/5/6	-
7	LDA	A	1743	-	-	2/9/9/13	-
6	MYR	A	1014	4	-	8/12/12/13	-
7	LDA	A	1740	-	-	2/8/8/13	-
7	LDA	A	1727	-	-	8/13/13/13	-
7	LDA	A	1736	-	-	4/11/11/13	-
7	LDA	A	1726	-	-	6/13/13/13	-
4	FTT	A	1011	3,5	-	8/14/14/15	-
7	LDA	A	1733	-	-	4/9/9/13	-
7	LDA	A	1731	-	-	4/13/13/13	-
4	FTT	A	1009	3	-	9/14/14/15	-
7	LDA	A	1741	-	-	7/13/13/13	-
7	LDA	A	1745	-	-	9/13/13/13	-
7	LDA	A	1738	-	-	6/7/7/13	-
7	LDA	A	1729	-	-	8/13/13/13	-
5	DAO	A	1012	4	-	3/10/10/11	-
7	LDA	A	1730	-	-	6/13/13/13	-
7	LDA	A	1737	-	-	3/6/6/13	-
7	LDA	A	1739	-	-	3/8/8/13	-
7	LDA	A	1735	-	-	3/10/10/13	-
8	3PH	A	1744	-	-	17/36/36/49	-
7	LDA	A	1746	-	-	6/13/13/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1014	MYR	O1-C1	2.08	1.31	1.20
5	A	1012	DAO	O1-C1	2.03	1.31	1.20

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	2000	DPO	O2-P1-O1	-5.75	88.43	110.83
7	A	1732	LDA	CM2-N1-C1	4.30	119.27	110.23
7	A	1732	LDA	CM1-N1-C1	-4.09	101.63	110.23
4	A	1010	FTT	C3-C2-C1	-3.43	106.86	112.70
9	A	2000	DPO	O3-P1-O1	3.38	124.02	110.83
9	A	2000	DPO	O3-P1-O4	2.49	112.97	104.64
4	A	1011	FTT	C3-C2-C1	-2.29	108.81	112.70
9	A	2000	DPO	O3-P1-O2	2.09	115.66	107.80
8	A	1744	3PH	O13-P-O11	2.03	111.96	106.67

There are no chirality outliers.

All (176) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1010	FTT	C1-C2-C3-O3
4	A	1013	FTT	C1-C2-C3-C4
4	A	1013	FTT	C1-C2-C3-O3
6	A	1014	MYR	O1-C1-C2-C3
7	A	1726	LDA	C2-C1-N1-CM1
7	A	1727	LDA	C2-C1-N1-CM1
7	A	1728	LDA	C2-C1-N1-CM1
7	A	1728	LDA	C2-C1-N1-CM2
7	A	1728	LDA	N1-C1-C2-C3
7	A	1729	LDA	C2-C1-N1-CM1
7	A	1730	LDA	C2-C1-N1-CM1
7	A	1733	LDA	C2-C1-N1-CM1
7	A	1734	LDA	C2-C1-N1-CM1
7	A	1734	LDA	C2-C1-N1-CM2
7	A	1739	LDA	C2-C1-N1-CM1
7	A	1739	LDA	C2-C1-N1-CM2
7	A	1745	LDA	C2-C1-N1-CM1
8	A	1744	3PH	C1-O11-P-O13
8	A	1744	3PH	C1-O11-P-O14
8	A	1744	3PH	O22-C21-O21-C2
9	A	2000	DPO	P1-O4-P2-O6
8	A	1744	3PH	C22-C21-O21-C2
8	A	1744	3PH	C32-C31-O31-C3
8	A	1744	3PH	O32-C31-O31-C3
4	A	1010	FTT	C10-C11-C12-C13
7	A	1733	LDA	C2-C3-C4-C5
7	A	1745	LDA	C5-C6-C7-C8
7	A	1732	LDA	C6-C7-C8-C9
7	A	1733	LDA	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1746	LDA	C2-C3-C4-C5
7	A	1729	LDA	C6-C7-C8-C9
7	A	1746	LDA	C3-C4-C5-C6
4	A	1009	FTT	C11-C10-C9-C8
7	A	1745	LDA	C4-C5-C6-C7
8	A	1744	3PH	C37-C38-C39-C3A
8	A	1744	3PH	C3A-C3B-C3C-C3D
6	A	1014	MYR	C10-C11-C12-C13
7	A	1740	LDA	C3-C4-C5-C6
4	A	1010	FTT	C6-C7-C8-C9
7	A	1736	LDA	C6-C7-C8-C9
7	A	1742	LDA	C6-C7-C8-C9
6	A	1014	MYR	C7-C8-C9-C10
4	A	1010	FTT	C11-C10-C9-C8
7	A	1745	LDA	C2-C3-C4-C5
7	A	1741	LDA	C2-C3-C4-C5
4	A	1013	FTT	C9-C10-C11-C12
7	A	1733	LDA	C4-C5-C6-C7
7	A	1734	LDA	C11-C10-C9-C8
7	A	1741	LDA	C4-C5-C6-C7
7	A	1745	LDA	C6-C7-C8-C9
4	A	1009	FTT	C9-C10-C11-C12
4	A	1013	FTT	C4-C5-C6-C7
7	A	1732	LDA	C2-C3-C4-C5
4	A	1010	FTT	C7-C8-C9-C10
7	A	1727	LDA	C4-C5-C6-C7
7	A	1727	LDA	C1-C2-C3-C4
4	A	1009	FTT	O3-C3-C4-C5
7	A	1742	LDA	C4-C5-C6-C7
7	A	1726	LDA	C7-C8-C9-C10
7	A	1728	LDA	C11-C10-C9-C8
5	A	1012	DAO	C2-C3-C4-C5
8	A	1744	3PH	C35-C36-C37-C38
4	A	1013	FTT	C7-C8-C9-C10
7	A	1726	LDA	C3-C4-C5-C6
7	A	1734	LDA	C1-C2-C3-C4
6	A	1014	MYR	C4-C5-C6-C7
7	A	1728	LDA	C4-C5-C6-C7
4	A	1011	FTT	C7-C8-C9-C10
7	A	1729	LDA	C5-C6-C7-C8
7	A	1735	LDA	C1-C2-C3-C4
4	A	1009	FTT	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1738	LDA	C6-C7-C8-C9
7	A	1746	LDA	C6-C7-C8-C9
8	A	1744	3PH	C21-C22-C23-C24
4	A	1013	FTT	C11-C10-C9-C8
7	A	1738	LDA	C5-C6-C7-C8
8	A	1744	3PH	C1-O11-P-O12
7	A	1728	LDA	C5-C6-C7-C8
7	A	1740	LDA	C1-C2-C3-C4
7	A	1741	LDA	C3-C4-C5-C6
4	A	1011	FTT	C9-C10-C11-C12
7	A	1738	LDA	C3-C4-C5-C6
7	A	1728	LDA	C7-C8-C9-C10
7	A	1737	LDA	C4-C5-C6-C7
7	A	1726	LDA	C9-C10-C11-C12
7	A	1727	LDA	C6-C7-C8-C9
7	A	1729	LDA	C9-C10-C11-C12
8	A	1744	3PH	C24-C25-C26-C27
8	A	1744	3PH	C36-C37-C38-C39
8	A	1744	3PH	C23-C24-C25-C26
7	A	1745	LDA	C1-C2-C3-C4
7	A	1729	LDA	C3-C4-C5-C6
7	A	1729	LDA	C2-C3-C4-C5
4	A	1011	FTT	C11-C12-C13-C14
4	A	1013	FTT	C5-C6-C7-C8
7	A	1728	LDA	C3-C4-C5-C6
7	A	1728	LDA	C1-C2-C3-C4
4	A	1009	FTT	C7-C8-C9-C10
7	A	1731	LDA	C11-C10-C9-C8
7	A	1737	LDA	C6-C7-C8-C9
6	A	1014	MYR	C5-C6-C7-C8
7	A	1731	LDA	C6-C7-C8-C9
7	A	1736	LDA	C1-C2-C3-C4
7	A	1738	LDA	C1-C2-C3-C4
6	A	1014	MYR	C3-C4-C5-C6
4	A	1011	FTT	O3-C3-C4-C5
6	A	1014	MYR	C6-C7-C8-C9
7	A	1746	LDA	C7-C8-C9-C10
7	A	1730	LDA	C6-C7-C8-C9
7	A	1738	LDA	C2-C3-C4-C5
7	A	1726	LDA	C4-C5-C6-C7
7	A	1734	LDA	C5-C6-C7-C8
8	A	1744	3PH	C22-C23-C24-C25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1731	LDA	C9-C10-C11-C12
7	A	1741	LDA	C9-C10-C11-C12
7	A	1743	LDA	C4-C5-C6-C7
9	A	2000	DPO	P1-O4-P2-O7
7	A	1732	LDA	C4-C5-C6-C7
4	A	1010	FTT	C1-C2-C3-C4
4	A	1011	FTT	C1-C2-C3-C4
7	A	1727	LDA	C3-C4-C5-C6
4	A	1010	FTT	C5-C6-C7-C8
7	A	1726	LDA	C2-C1-N1-CM2
7	A	1729	LDA	C2-C1-N1-CM2
7	A	1730	LDA	C2-C1-N1-CM2
7	A	1732	LDA	C2-C1-N1-CM2
7	A	1745	LDA	C2-C1-N1-CM2
5	A	1012	DAO	C1-C2-C3-C4
7	A	1728	LDA	C6-C7-C8-C9
4	A	1011	FTT	C1-C2-C3-O3
7	A	1741	LDA	C1-C2-C3-C4
6	A	1014	MYR	C11-C10-C9-C8
4	A	1009	FTT	O2-C1-C2-C3
4	A	1011	FTT	O2-C1-C2-C3
7	A	1728	LDA	C2-C1-N1-O1
7	A	1734	LDA	C2-C1-N1-O1
7	A	1739	LDA	C2-C1-N1-O1
7	A	1745	LDA	C2-C1-N1-O1
7	A	1743	LDA	C2-C3-C4-C5
7	A	1741	LDA	C11-C10-C9-C8
7	A	1736	LDA	C4-C5-C6-C7
4	A	1009	FTT	C2-C3-C4-C5
4	A	1011	FTT	C2-C3-C4-C5
7	A	1727	LDA	N1-C1-C2-C3
7	A	1730	LDA	N1-C1-C2-C3
4	A	1013	FTT	C6-C7-C8-C9
7	A	1736	LDA	C5-C6-C7-C8
7	A	1737	LDA	C2-C3-C4-C5
7	A	1746	LDA	C9-C10-C11-C12
4	A	1013	FTT	C10-C11-C12-C13
7	A	1731	LDA	C7-C8-C9-C10
7	A	1734	LDA	C2-C3-C4-C5
7	A	1742	LDA	C3-C4-C5-C6
7	A	1746	LDA	C5-C6-C7-C8
7	A	1735	LDA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1732	LDA	C5-C6-C7-C8
7	A	1738	LDA	C7-C8-C9-C10
5	A	1012	DAO	C3-C4-C5-C6
4	A	1010	FTT	C4-C5-C6-C7
4	A	1009	FTT	C6-C7-C8-C9
7	A	1730	LDA	C7-C8-C9-C10
7	A	1727	LDA	C11-C10-C9-C8
4	A	1009	FTT	C3-C4-C5-C6
9	A	2000	DPO	P1-O4-P2-O5
7	A	1741	LDA	C5-C6-C7-C8
7	A	1735	LDA	N1-C1-C2-C3
7	A	1745	LDA	N1-C1-C2-C3
7	A	1729	LDA	C11-C10-C9-C8
7	A	1730	LDA	C2-C3-C4-C5
8	A	1744	3PH	C34-C35-C36-C37
7	A	1727	LDA	C2-C1-N1-CM2
4	A	1010	FTT	O2-C1-C2-C3
7	A	1734	LDA	C4-C5-C6-C7
4	A	1013	FTT	C11-C12-C13-C14
7	A	1742	LDA	C7-C8-C9-C10
8	A	1744	3PH	C25-C26-C27-C28


There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1732	LDA	1	0
7	A	1726	LDA	2	0
4	A	1009	FTT	2	0
7	A	1741	LDA	1	0
5	A	1012	DAO	1	0
8	A	1744	3PH	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	693/706 (98%)	0.35	32 (4%) 37 39	25, 53, 75, 104	3 (0%)
2	B	21/21 (100%)	1.52	7 (33%) 1 1	56, 70, 80, 95	0
All	All	714/727 (98%)	0.39	39 (5%) 30 32	25, 53, 76, 104	3 (0%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	21	GLY	6.4
1	A	25	ALA	4.7
1	A	26	ALA	3.8
2	B	13	ILE	3.6
1	A	158	THR	3.4
1	A	22	TRP	3.1
1	A	325	TYR	3.0
1	A	28	ILE	3.0
1	A	725	PHE	3.0
1	A	20	SER	3.0
1	A	258	ASN	3.0
1	A	402	LEU	3.0
1	A	21	ALA	2.8
2	B	3	ALA	2.8
2	B	16	PRO	2.8
1	A	324	ALA	2.8
1	A	315	TYR	2.7
1	A	404	ASN	2.6
1	A	542	ASP	2.6
1	A	170	THR	2.6
1	A	334	PRO	2.5
2	B	18	SER	2.5
1	A	330	ALA	2.4
1	A	568	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	418	ASN	2.3
1	A	425	ALA	2.3
1	A	307	THR	2.3
1	A	493	VAL	2.3
1	A	543	ARG	2.2
1	A	331	ALA	2.2
2	B	20	TYR	2.2
1	A	635	ASP	2.2
1	A	260	LYS	2.1
2	B	10	PHE	2.1
1	A	251	GLY	2.1
1	A	566	GLY	2.1
1	A	29	ALA	2.1
1	A	453	TRP	2.1
1	A	419	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GMH	C	5	13/14	0.65	0.16	109,117,120,127	0
3	KDO	C	6	15/16	0.78	0.14	69,81,89,90	0
3	GMH	C	4	13/14	0.91	0.10	74,81,92,100	0
3	KDO	C	3	15/16	0.93	0.09	66,73,77,79	0
3	GCS	C	2	11/12	0.96	0.06	50,54,67,72	0
3	PA1	C	1	11/12	0.97	0.06	47,47,51,51	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	PO4	A	2005	4/5	0.33	0.12	133,134,134,134	0
7	LDA	A	1742	14/16	0.63	0.23	78,88,103,104	0
7	LDA	A	1736	14/16	0.67	0.23	63,77,91,92	0
7	LDA	A	1733	12/16	0.68	0.30	91,99,106,106	0
7	LDA	A	1743	12/16	0.74	0.22	68,74,90,91	0
8	3PH	A	1744	35/48	0.74	0.17	55,85,114,114	0
7	LDA	A	1740	11/16	0.74	0.29	80,84,95,95	0
7	LDA	A	1729	16/16	0.75	0.24	70,74,97,99	0
7	LDA	A	1738	10/16	0.76	0.27	87,92,94,94	0
7	LDA	A	1734	16/16	0.76	0.21	64,77,96,96	0
7	LDA	A	1735	13/16	0.78	0.22	53,65,91,92	0
6	MYR	A	1014	15/16	0.79	0.24	81,86,92,92	0
7	LDA	A	1746	16/16	0.79	0.20	76,79,99,101	0
9	DPO	A	2004	8/9	0.80	0.11	88,98,105,107	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	LDA	A	1730	16/16	0.81	0.24	71,75,89,90	0
7	LDA	A	1739	11/16	0.82	0.22	55,67,85,86	0
7	LDA	A	1732	16/16	0.82	0.18	64,77,91,91	0
7	LDA	A	1728	16/16	0.83	0.17	46,60,89,89	0
7	LDA	A	1745	16/16	0.83	0.22	83,85,104,106	0
7	LDA	A	1731	16/16	0.84	0.23	81,83,91,92	0
7	LDA	A	1737	9/16	0.84	0.23	79,81,83,84	0
9	DPO	A	2000	9/9	0.85	0.14	47,56,71,74	0
7	LDA	A	1741	16/16	0.87	0.16	64,68,79,82	0
7	LDA	A	1726	16/16	0.88	0.19	67,72,76,78	0
4	FTT	A	1013	16/17	0.89	0.14	59,68,73,79	0
4	FTT	A	1010	16/17	0.91	0.11	52,60,74,74	0
4	FTT	A	1009	16/17	0.92	0.14	46,63,73,73	0
7	LDA	A	1727	16/16	0.93	0.14	51,58,69,71	0
5	DAO	A	1012	13/14	0.94	0.11	45,61,69,69	0
10	PO4	A	2001	4/5	0.95	0.07	60,66,66,71	0
4	FTT	A	1011	16/17	0.95	0.10	50,53,57,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.