



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:28 PM UTC

PDB ID : 5CUX / pdb_00005cux
Title : Crystal structure of N-terminal domain truncated Trypanosoma cruzi Vacuolar Soluble Pyrophosphatases in complex with PPI
Authors : Liu, W.D.; Yang, Y.Y.; Ko, T.P.; Zheng, Y.Y.; Chen, C.C.; Guo, R.T.
Deposited on : 2015-07-25
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	
1	B	263	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4434 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Acidocalcisomal pyrophosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	263	Total	C	N	O	S	0	0	0
			2152	1397	357	382	16			
1	B	257	Total	C	N	O	S	0	0	0
			2102	1364	349	374	15			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	146	MET	-	initiating methionine	UNP Q4JH30
B	146	MET	-	initiating methionine	UNP Q4JH30

- Molecule 2 is PYROPHOSPHATE 2- (CCD ID: POP) (formula: $\text{H}_2\text{O}_7\text{P}_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			9	7	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			9	7	2		
2	B	1	Total	O	P	0	0
			9	7	2		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	60	Total 60	O 60	0	0
4	B	58	Total 58	O 58	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Acidocalcisomal pyrophosphatase



• Molecule 1: Acidocalcisomal pyrophosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.89Å 122.89Å 127.67Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 2.80 25.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.6 (25.00-2.80) 96.4 (25.00-2.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.11 (at 2.80Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.198 , 0.233 0.196 , 0.236	Depositor DCC
R_{free} test set	1311 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	63.7	Xtriage
Anisotropy	0.189	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4434	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, POP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	4/2216 (0.2%)	1.26	18/2999 (0.6%)
1	B	0.91	0/2165	1.23	12/2933 (0.4%)
All	All	0.95	4/4381 (0.1%)	1.25	30/5932 (0.5%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	221	MET	SD-CE	7.28	1.97	1.79
1	A	312	ALA	CA-CB	-6.74	1.43	1.53
1	A	146	MET	CG-SD	5.52	1.94	1.80
1	A	154	MET	SD-CE	-5.04	1.67	1.79

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	300	ILE	N-CA-C	12.13	122.71	111.91
1	A	300	ILE	N-CA-C	10.88	122.52	112.29
1	B	372	GLN	N-CA-C	-8.67	103.22	112.93
1	B	203	ASP	N-CA-C	7.96	122.99	113.28
1	B	266	MET	N-CA-C	-7.77	97.36	109.25
1	A	292	ASN	N-CA-C	7.59	121.91	111.90
1	A	279	SER	N-CA-C	7.45	121.20	110.10
1	B	256	GLY	N-CA-C	-7.33	95.81	113.18
1	A	203	ASP	N-CA-C	7.08	122.09	113.38
1	A	151	PHE	N-CA-C	-6.83	95.99	107.80
1	B	192	THR	N-CA-C	6.61	119.49	111.82
1	A	157	VAL	N-CA-C	-6.54	98.23	108.23
1	B	263	HIS	N-CA-C	6.53	119.22	111.71
1	A	266	MET	N-CA-C	-6.38	99.49	109.25
1	B	279	SER	N-CA-C	6.30	119.38	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	LEU	N-CA-C	6.15	118.07	111.36
1	B	397	GLU	N-CA-C	-6.14	103.90	111.33
1	A	303	THR	N-CA-C	6.11	119.86	110.20
1	A	183	VAL	N-CA-C	-5.76	99.34	107.75
1	B	300	ILE	CB-CA-C	-5.71	105.63	112.19
1	A	217	ALA	N-CA-C	-5.56	105.76	112.54
1	A	400	TYR	N-CA-C	-5.55	104.87	111.03
1	A	240	ILE	N-CA-C	-5.37	101.80	108.89
1	A	192	THR	N-CA-C	5.33	119.27	112.87
1	B	204	ILE	CA-C-N	5.09	125.38	119.93
1	B	204	ILE	C-N-CA	5.09	125.38	119.93
1	A	256	GLY	N-CA-C	-5.07	101.17	113.18
1	A	263	HIS	N-CA-C	5.05	118.21	111.75
1	A	254	LYS	CA-C-N	-5.00	116.49	122.44
1	A	254	LYS	C-N-CA	-5.00	116.49	122.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2152	0	2103	105	0
1	B	2102	0	2050	100	0
2	A	18	0	0	1	0
2	B	9	0	0	1	0
3	A	20	0	0	0	0
3	B	15	0	0	0	0
4	A	60	0	0	1	0
4	B	58	0	0	3	0
All	All	4434	0	4153	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:LYS:C	1:A:149:LYS:HD2	1.73	1.10
1:B:255:ASN:HB3	1:B:257:VAL:HG12	1.33	1.06
1:B:279:SER:H	1:B:401:MET:CE	1.69	1.06
1:B:298:ILE:HD11	1:B:365:PHE:HE2	1.20	1.01
1:B:279:SER:H	1:B:401:MET:HE3	1.18	1.01
1:A:147:ALA:O	1:A:148:LYS:HD3	1.60	1.01
1:A:149:LYS:HD2	1:A:149:LYS:N	1.72	0.94
1:B:298:ILE:HD11	1:B:365:PHE:CE2	2.03	0.94
1:A:157:VAL:HG11	1:B:198:VAL:HG12	1.50	0.93
1:A:188:ARG:HH11	1:A:188:ARG:HG3	1.40	0.86
1:B:277:TRP:O	1:B:401:MET:HE2	1.76	0.84
1:A:165:GLN:O	1:A:190:MET:HG3	1.80	0.82
1:A:254:LYS:HD3	1:A:255:ASN:N	1.97	0.79
1:A:149:LYS:N	1:A:149:LYS:CD	2.45	0.79
1:B:279:SER:N	1:B:401:MET:HE3	1.98	0.78
1:A:292:ASN:HD22	1:B:152:PHE:HZ	1.31	0.75
1:A:402:TRP:CZ2	1:A:406:ARG:HD2	2.21	0.75
1:B:223:ARG:HG2	1:B:336:HIS:NE2	2.00	0.75
1:B:255:ASN:HB3	1:B:257:VAL:CG1	2.16	0.75
1:A:192:THR:OG1	1:A:194:LYS:HD3	1.87	0.75
1:A:198:VAL:HG12	1:B:157:VAL:HG11	1.69	0.74
1:B:327:MET:HA	1:B:327:MET:HE2	1.67	0.74
1:A:223:ARG:HE	1:A:336:HIS:CE1	2.05	0.74
1:A:210:ASP:HA	1:B:210:ASP:HA	1.70	0.73
1:B:381:PHE:O	1:B:382:ASN:HB2	1.88	0.73
1:B:157:VAL:HG13	1:B:157:VAL:O	1.87	0.72
1:A:166:GLN:HE21	1:A:187:PHE:HB3	1.55	0.71
1:A:406:ARG:HG2	1:A:406:ARG:HH11	1.54	0.70
1:B:254:LYS:HD2	4:B:637:HOH:O	1.90	0.70
1:B:279:SER:N	1:B:401:MET:CE	2.51	0.69
1:B:254:LYS:HG2	1:B:257:VAL:HG13	1.75	0.68
1:A:223:ARG:HG3	1:A:336:HIS:NE2	2.09	0.68
1:A:154:MET:CE	1:B:406:ARG:HG2	2.26	0.66
1:A:292:ASN:ND2	1:B:152:PHE:CZ	2.62	0.66
1:B:346:ASP:OD1	1:B:388:LYS:HG2	1.96	0.66
1:A:163:TYR:HB2	1:B:162:PRO:HG3	1.78	0.65
1:A:198:VAL:HG12	1:B:157:VAL:CG1	2.26	0.65
1:A:188:ARG:HG3	1:A:188:ARG:NH1	2.12	0.64
1:B:163:TYR:HD1	1:B:164:HIS:H	1.44	0.64
1:A:375:VAL:HG12	1:A:376:GLU:H	1.63	0.63
1:B:298:ILE:CD1	1:B:365:PHE:HE2	2.05	0.62
1:B:172:GLU:OE2	1:B:181:TYR:HE1	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:MET:HE3	1:A:323:ASP:HB2	1.80	0.62
1:A:381:PHE:O	1:A:382:ASN:HB2	1.99	0.62
1:B:211:LEU:HD23	1:B:211:LEU:N	2.15	0.62
1:B:172:GLU:OE2	1:B:181:TYR:CE1	2.53	0.61
1:A:406:ARG:HG2	1:A:406:ARG:NH1	2.16	0.61
1:A:219:LEU:HD12	1:A:220:PRO:HD2	1.83	0.61
1:A:237:LYS:HE3	1:A:259:ARG:HG2	1.82	0.60
1:B:406:ARG:HG2	1:B:406:ARG:HH11	1.65	0.60
1:B:273:LEU:HD12	1:B:295:ILE:HG21	1.83	0.60
1:B:401:MET:HG2	4:B:632:HOH:O	2.01	0.59
1:A:167:GLN:HB2	1:A:190:MET:HE3	1.85	0.59
1:A:237:LYS:HE3	1:A:259:ARG:CG	2.33	0.59
1:A:245:PRO:HA	1:B:153:SER:OG	2.00	0.59
1:B:223:ARG:HG2	1:B:336:HIS:CD2	2.37	0.59
1:A:375:VAL:HG12	1:A:376:GLU:N	2.17	0.59
1:B:171:ARG:NH2	1:B:195:GLU:OE1	2.35	0.59
1:A:223:ARG:NE	1:A:336:HIS:CE1	2.70	0.59
1:A:237:LYS:HE3	1:A:259:ARG:CD	2.33	0.59
1:A:157:VAL:CG1	1:B:198:VAL:HG12	2.29	0.58
1:B:318:ILE:HD11	1:B:329:TRP:HB3	1.86	0.58
1:A:298:ILE:HD11	1:A:365:PHE:CE2	2.39	0.58
1:B:395:ILE:O	1:B:398:SER:HB3	2.03	0.58
1:A:163:TYR:H	1:B:162:PRO:HG3	1.68	0.57
1:A:209:ARG:HD3	1:B:165:GLN:OE1	2.04	0.57
1:A:210:ASP:HB2	1:B:209:ARG:O	2.04	0.57
1:A:157:VAL:HG13	1:A:157:VAL:O	2.04	0.56
1:A:175:GLU:HB3	1:A:178:THR:HG21	1.87	0.56
1:B:157:VAL:O	1:B:159:PHE:N	2.38	0.56
1:A:254:LYS:HD3	1:A:254:LYS:C	2.30	0.56
1:A:223:ARG:HE	1:A:336:HIS:CG	2.24	0.56
1:B:401:MET:CG	4:B:632:HOH:O	2.52	0.56
1:A:154:MET:HE2	1:B:406:ARG:HG2	1.88	0.55
1:A:262:LYS:HE2	1:A:372:GLN:NE2	2.22	0.55
1:B:227:ILE:HD11	1:B:274:PRO:HB3	1.87	0.55
1:A:166:GLN:NE2	1:A:187:PHE:HB3	2.21	0.54
1:B:215:LYS:HE3	2:B:501:POP:O2	2.08	0.54
1:A:259:ARG:HG3	1:A:260:PHE:N	2.23	0.54
1:A:219:LEU:HD12	1:A:220:PRO:CD	2.39	0.53
1:B:224:TYR:OH	1:B:392:MET:HG2	2.08	0.53
1:B:166:GLN:HE21	1:B:187:PHE:HB3	1.74	0.53
1:A:242:THR:HA	1:A:247:ASN:HD22	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:VAL:HB	1:A:351:PRO:HD3	1.91	0.52
1:A:299:GLU:O	1:A:299:GLU:HG3	2.07	0.52
1:B:176:LEU:HG	1:B:177:TYR:CD2	2.44	0.52
1:A:175:GLU:HB3	1:A:178:THR:CG2	2.39	0.52
1:A:223:ARG:NE	1:A:336:HIS:ND1	2.50	0.52
1:A:277:TRP:CZ3	1:A:279:SER:HB2	2.45	0.52
1:A:322:ILE:HD11	1:A:380:VAL:HG13	1.92	0.52
1:A:245:PRO:O	1:A:246:PHE:HB2	2.09	0.51
1:B:276:THR:HB	1:B:398:SER:OG	2.10	0.51
1:A:201:TRP:CZ3	1:A:242:THR:HG22	2.46	0.51
1:A:289:VAL:HG23	1:A:290:GLY:O	2.10	0.51
1:B:232:LYS:HD3	1:B:233:TRP:CZ2	2.46	0.51
1:A:162:PRO:HG3	1:B:163:TYR:HB2	1.94	0.49
1:A:163:TYR:HB2	1:B:162:PRO:CG	2.40	0.49
1:B:164:HIS:CG	1:B:191:GLU:HG3	2.48	0.49
1:B:396:ASP:O	1:B:397:GLU:C	2.53	0.49
1:A:336:HIS:CE1	1:A:342:ARG:NH2	2.81	0.48
1:A:237:LYS:CD	1:A:259:ARG:HG2	2.43	0.48
1:B:269:ASN:HB2	1:B:299:GLU:HG3	1.96	0.48
1:A:292:ASN:ND2	1:B:152:PHE:CE2	2.82	0.48
1:B:232:LYS:HD3	1:B:233:TRP:CE2	2.49	0.48
1:B:346:ASP:CG	1:B:388:LYS:HG2	2.39	0.48
1:B:187:PHE:O	1:B:195:GLU:HA	2.13	0.47
1:A:162:PRO:HG2	1:B:162:PRO:HG2	1.95	0.47
1:A:380:VAL:HG23	1:A:381:PHE:CD2	2.50	0.47
1:B:161:VAL:HG13	1:B:211:LEU:HD13	1.97	0.47
1:B:188:ARG:HH11	1:B:188:ARG:HG3	1.80	0.47
1:A:254:LYS:HD3	1:A:255:ASN:HB2	1.96	0.47
1:A:296:ASP:HB2	1:A:329:TRP:O	2.15	0.47
1:B:182:ARG:HG2	1:B:182:ARG:HH11	1.79	0.47
1:A:150:ASP:HB3	1:A:152:PHE:CE2	2.50	0.47
1:B:245:PRO:O	1:B:246:PHE:HB2	2.14	0.47
1:A:318:ILE:HD11	1:A:329:TRP:HB3	1.97	0.46
1:A:162:PRO:HG3	1:B:163:TYR:H	1.79	0.46
1:B:406:ARG:HG2	1:B:406:ARG:NH1	2.31	0.46
1:B:224:TYR:CD1	1:B:315:VAL:HG23	2.50	0.46
1:A:150:ASP:HB3	1:A:152:PHE:HE2	1.81	0.45
1:A:298:ILE:CD1	1:A:365:PHE:HE2	2.29	0.45
1:A:321:MET:HB2	1:A:379:PHE:CE1	2.51	0.45
1:B:157:VAL:O	1:B:157:VAL:CG1	2.59	0.45
1:A:166:GLN:CD	1:B:159:PHE:HE2	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:232:LYS:HB3	1:A:304:GLN:HB2	1.99	0.45
1:B:322:ILE:HD11	1:B:380:VAL:HG13	1.97	0.45
1:A:184:LEU:HD12	1:A:186:TYR:OH	2.17	0.45
1:A:276:THR:HB	1:A:398:SER:OG	2.16	0.45
1:B:270:TYR:CE1	1:B:365:PHE:HZ	2.35	0.45
1:A:160:ALA:O	1:A:162:PRO:HD3	2.17	0.45
1:B:229:GLU:OE2	1:B:240:ILE:HG13	2.16	0.45
1:A:162:PRO:HD3	1:B:163:TYR:HD2	1.81	0.45
1:A:164:HIS:CG	1:A:191:GLU:HG3	2.52	0.44
1:A:176:LEU:O	1:A:177:TYR:HB2	2.17	0.44
1:B:277:TRP:CD2	1:B:405:LEU:HD22	2.53	0.44
1:A:244:GLU:O	1:B:153:SER:HB3	2.18	0.44
2:A:802:POP:O2	2:A:802:POP:O6	2.36	0.44
1:B:231:PRO:HB3	1:B:305:PHE:O	2.18	0.44
1:A:270:TYR:HD1	1:A:298:ILE:HG12	1.83	0.43
1:A:154:MET:CE	1:B:406:ARG:HH11	2.31	0.43
1:A:154:MET:HE3	1:B:406:ARG:HH11	1.82	0.43
1:B:166:GLN:NE2	1:B:187:PHE:HB3	2.33	0.43
1:A:275:GLN:HG2	1:A:402:TRP:CZ2	2.54	0.43
1:A:378:LYS:HA	1:A:378:LYS:HD3	1.66	0.43
1:A:237:LYS:HE3	1:A:259:ARG:HD2	2.00	0.43
1:A:298:ILE:CD1	1:A:365:PHE:CE2	3.02	0.43
1:B:284:PHE:O	1:B:285:GLU:C	2.61	0.43
1:B:187:PHE:CG	1:B:198:VAL:HG11	2.54	0.42
1:A:246:PHE:O	1:A:247:ASN:C	2.61	0.42
1:A:346:ASP:OD1	1:A:388:LYS:HG2	2.19	0.42
1:A:267:MET:HE3	1:A:268:TRP:CH2	2.55	0.42
1:B:402:TRP:CZ2	1:B:406:ARG:CD	3.02	0.42
1:A:162:PRO:HG2	1:B:162:PRO:CG	2.50	0.42
1:B:375:VAL:HG12	1:B:376:GLU:H	1.85	0.42
1:B:402:TRP:CE2	1:B:406:ARG:HD2	2.55	0.42
1:A:366:ARG:O	1:A:366:ARG:CG	2.68	0.41
1:B:380:VAL:HG23	1:B:381:PHE:CD2	2.55	0.41
1:A:377:ASN:HD22	1:A:377:ASN:HA	1.61	0.41
1:A:382:ASN:HD22	1:A:382:ASN:HA	1.71	0.41
1:B:189:ASP:OD1	1:B:192:THR:HG23	2.20	0.41
1:B:381:PHE:CE1	1:B:386:LYS:HE2	2.55	0.41
1:A:157:VAL:CG1	1:A:157:VAL:O	2.69	0.41
1:A:407:LYS:NZ	4:A:905:HOH:O	2.52	0.41
1:B:371:CYS:C	1:B:373:GLY:H	2.28	0.41
1:A:237:LYS:CE	1:A:259:ARG:HG2	2.49	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:226:PHE:O	1:B:310:VAL:HA	2.20	0.41
1:B:299:GLU:HA	1:B:333:CYS:O	2.20	0.41
1:B:320:GLY:HA3	1:B:380:VAL:HG22	2.02	0.41
1:A:166:GLN:OE1	1:B:159:PHE:CE2	2.74	0.41
1:A:381:PHE:O	1:A:384:GLU:HB2	2.21	0.41
1:B:175:GLU:HB3	1:B:178:THR:CG2	2.51	0.41
1:B:231:PRO:HD3	1:B:307:VAL:HG22	2.03	0.41
1:A:146:MET:O	1:A:149:LYS:HE3	2.21	0.40
1:A:166:GLN:OE1	1:B:159:PHE:HE2	2.04	0.40
1:A:187:PHE:O	1:A:195:GLU:HA	2.21	0.40
1:B:254:LYS:CG	1:B:255:ASN:N	2.83	0.40
1:B:279:SER:CB	1:B:401:MET:HE3	2.51	0.40
1:B:254:LYS:HG2	1:B:257:VAL:CG1	2.47	0.40
1:A:164:HIS:HB3	1:A:191:GLU:HG2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	261/263 (99%)	242 (93%)	17 (6%)	2 (1%)	16	44
1	B	255/263 (97%)	236 (92%)	14 (6%)	5 (2%)	6	21
All	All	516/526 (98%)	478 (93%)	31 (6%)	7 (1%)	9	30

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	162	PRO
1	B	158	ASP
1	B	162	PRO
1	B	163	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	163	TYR
1	B	374	GLY
1	B	285	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	214 (92%)	19 (8%)	10	33
1	B	228/233 (98%)	210 (92%)	18 (8%)	11	35
All	All	461/466 (99%)	424 (92%)	37 (8%)	11	34

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	156	SER
1	A	163	TYR
1	A	184	LEU
1	A	188	ARG
1	A	192	THR
1	A	231	PRO
1	A	242	THR
1	A	254	LYS
1	A	262	LYS
1	A	278	GLU
1	A	280	THR
1	A	289	VAL
1	A	292	ASN
1	A	299	GLU
1	A	327	MET
1	A	336	HIS
1	A	372	GLN
1	A	382	ASN
1	A	384	GLU
1	B	156	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	159	PHE
1	B	163	TYR
1	B	175	GLU
1	B	191	GLU
1	B	192	THR
1	B	194	LYS
1	B	211	LEU
1	B	257	VAL
1	B	258	PRO
1	B	277	TRP
1	B	278	GLU
1	B	295	ILE
1	B	299	GLU
1	B	336	HIS
1	B	367	VAL
1	B	369	LYS
1	B	375	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	165	GLN
1	A	166	GLN
1	A	197	GLN
1	A	372	GLN
1	A	377	ASN
1	A	382	ASN
1	B	166	GLN
1	B	247	ASN
1	B	263	HIS
1	B	362	HIS
1	B	372	GLN
1	B	377	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	B	502	-	4,4,4	1.51	1 (25%)	6,6,6	0.50	0
3	PO4	A	805	-	4,4,4	1.50	0	6,6,6	0.43	0
3	PO4	A	803	-	4,4,4	1.85	2 (50%)	6,6,6	0.45	0
3	PO4	B	504	-	4,4,4	1.59	0	6,6,6	0.43	0
2	POP	A	802	-	6,8,8	0.77	0	12,13,13	0.87	0
3	PO4	A	804	-	4,4,4	1.59	1 (25%)	6,6,6	0.43	0
3	PO4	B	503	-	4,4,4	1.57	1 (25%)	6,6,6	0.53	0
2	POP	A	801	-	6,8,8	0.73	0	12,13,13	1.12	1 (8%)
2	POP	B	501	-	6,8,8	0.76	0	12,13,13	1.09	0
3	PO4	A	806	-	4,4,4	1.48	1 (25%)	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	POP	A	802	-	-	3/6/6/6	-
2	POP	A	801	-	-	0/6/6/6	-
2	POP	B	501	-	-	4/6/6/6	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	803	PO4	P-O3	-2.25	1.48	1.54
3	A	803	PO4	P-O4	-2.20	1.48	1.54
3	B	503	PO4	P-O2	-2.18	1.48	1.54
3	A	804	PO4	P-O3	-2.17	1.48	1.54
3	B	502	PO4	P-O4	-2.02	1.48	1.54
3	A	806	PO4	P-O4	-2.01	1.48	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	POP	O3-P1-O	2.06	111.55	104.64

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	802	POP	P2-O-P1-O2
2	B	501	POP	P2-O-P1-O2
2	B	501	POP	P1-O-P2-O5
2	B	501	POP	P1-O-P2-O4
2	A	802	POP	P2-O-P1-O3
2	B	501	POP	P2-O-P1-O3
2	A	802	POP	P2-O-P1-O1

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	802	POP	1	0
2	B	501	POP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	263/263 (100%)	-0.17	8 (3%)	52	42	36, 56, 88, 116	0
1	B	257/263 (97%)	-0.20	9 (3%)	47	38	42, 57, 94, 126	0
All	All	520/526 (98%)	-0.19	17 (3%)	49	39	36, 56, 93, 126	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	160	ALA	4.9
1	B	161	VAL	4.8
1	A	408	ILE	4.0
1	A	146	MET	3.8
1	A	160	ALA	3.7
1	B	155	VAL	3.2
1	A	163	TYR	3.0
1	B	408	ILE	2.7
1	A	254	LYS	2.7
1	B	152	PHE	2.5
1	B	159	PHE	2.4
1	B	162	PRO	2.3
1	B	153	SER	2.1
1	B	254	LYS	2.1
1	A	406	ARG	2.1
1	A	161	VAL	2.0
1	A	147	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PO4	A	805	5/5	0.65	0.15	113,113,115,115	0
3	PO4	B	504	5/5	0.68	0.11	136,136,137,137	0
3	PO4	A	804	5/5	0.79	0.25	101,101,102,103	0
3	PO4	B	503	5/5	0.84	0.12	89,90,90,91	0
2	POP	A	802	9/9	0.86	0.11	107,108,115,116	0
2	POP	B	501	9/9	0.86	0.16	94,96,105,106	0
2	POP	A	801	9/9	0.86	0.16	89,90,101,101	0
3	PO4	A	806	5/5	0.89	0.17	115,116,116,116	0
3	PO4	A	803	5/5	0.95	0.12	88,89,90,91	0
3	PO4	B	502	5/5	0.95	0.11	89,90,90,91	0

6.5 Other polymers [i](#)

There are no such residues in this entry.