



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:45 AM UTC

PDB ID : 2CVS / pdb_00002cvs
Title : Structures of Yeast Ribonucleotide Reductase I
Authors : Xu, H.; Faber, C.; Uchiki, T.; Fairman, J.W.; Racca, J.; Dealwis, C.
Deposited on : 2005-06-14
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	888	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5435 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase large chain 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	657	5254	3349	890	984	31	0	0	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	181	Total	O	0	0
			181	181		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.51Å 117.17Å 63.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 50.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.8 (50.00-2.60) 97.7 (50.00-2.60)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.2.0007	Depositor
R, R_{free}	0.204 , 0.267 0.203 , 0.266	Depositor DCC
R_{free} test set	3208 reflections (9.80%)	wwPDB-VP
Wilson B-factor (Å ²)	46.1	Xtrriage
Anisotropy	0.513	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5435	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	1/5374 (0.0%)	1.05	10/7275 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	432	VAL	CA-CB	6.50	1.60	1.53

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	352	SER	N-CA-C	-6.28	102.16	110.07
1	A	334	ILE	N-CA-C	5.96	113.78	107.76
1	A	419	LEU	N-CA-C	5.71	117.50	111.28
1	A	179	HIS	N-CA-C	5.64	120.16	113.28
1	A	308	ILE	N-CA-C	5.41	116.14	110.62
1	A	460	GLY	N-CA-C	5.20	118.19	110.60
1	A	707	ASP	CA-CB-CG	-5.12	107.48	112.60
1	A	159	ILE	CA-C-N	-5.07	114.98	123.04
1	A	159	ILE	C-N-CA	-5.07	114.98	123.04
1	A	501	ARG	N-CA-C	5.05	116.59	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5254	0	5189	146	0
2	A	181	0	0	14	0
All	All	5435	0	5189	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:691:SER:OG	1:A:693:LYS:HD3	1.53	1.08
1:A:327:ASP:HA	2:A:941:HOH:O	1.70	0.92
1:A:662:TYR:CD1	1:A:673:LEU:HD21	2.14	0.83
1:A:276:ILE:HD12	1:A:299:LEU:HD13	1.62	0.82
1:A:390:TYR:O	1:A:394:GLU:HG3	1.83	0.78
1:A:262:ILE:H	1:A:267:GLY:HA2	1.49	0.77
1:A:693:LYS:HD2	1:A:693:LYS:H	1.47	0.77
1:A:557:TYR:CE1	1:A:559:THR:HG22	2.20	0.77
1:A:214:GLN:HG3	2:A:891:HOH:O	1.86	0.75
1:A:120:VAL:O	1:A:124:VAL:HG23	1.87	0.75
1:A:417:LYS:HE3	1:A:574:MET:HE1	1.69	0.73
1:A:445:LEU:HD13	1:A:506:ALA:HB3	1.71	0.71
1:A:589:ARG:O	1:A:593:MET:HG3	1.89	0.71
1:A:595:HIS:HD2	2:A:1064:HOH:O	1.72	0.69
1:A:256:ARG:HG2	1:A:260:SER:HB2	1.73	0.69
1:A:212:LYS:HD2	1:A:489:TYR:CZ	2.29	0.67
1:A:277:ARG:HH11	1:A:277:ARG:HG2	1.60	0.66
1:A:691:SER:OG	1:A:693:LYS:CD	2.39	0.66
1:A:320:LYS:HG2	1:A:321:GLU:H	1.61	0.65
1:A:170:LEU:HD22	1:A:173:ARG:NH2	2.11	0.65
1:A:692:GLN:O	1:A:696:ILE:HG12	1.97	0.65
1:A:376:LYS:HD3	2:A:980:HOH:O	1.97	0.65
1:A:557:TYR:HE1	1:A:559:THR:HG22	1.61	0.64
1:A:80:ARG:O	1:A:84:SER:HB2	1.97	0.64
1:A:401:THR:HB	1:A:402:PRO:HA	1.80	0.64
1:A:427:LEU:HB3	2:A:1012:HOH:O	1.98	0.63
1:A:125:MET:HA	1:A:125:MET:HE2	1.81	0.62
1:A:730:TYR:O	1:A:734:LYS:HG2	2.00	0.61
1:A:276:ILE:HD12	1:A:299:LEU:CD1	2.30	0.61
1:A:693:LYS:H	1:A:693:LYS:CD	2.09	0.61
1:A:717:ARG:O	1:A:719:PRO:HD3	2.01	0.60
1:A:332:LEU:HD11	1:A:392:ILE:HD12	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:557:TYR:CD1	1:A:559:THR:HG22	2.38	0.59
1:A:220:LEU:HD21	1:A:426:ASN:HB3	1.85	0.58
1:A:306:ALA:HA	1:A:350:LEU:HB3	1.84	0.58
1:A:467:PHE:HD2	1:A:538:THR:HG21	1.69	0.58
1:A:140:ASP:OD2	1:A:167:PRO:HB2	2.04	0.57
1:A:277:ARG:HG2	1:A:277:ARG:NH1	2.18	0.57
1:A:390:TYR:CD2	1:A:394:GLU:OE1	2.58	0.57
1:A:595:HIS:CD2	2:A:1064:HOH:O	2.52	0.56
1:A:665:THR:HG22	1:A:666:GLN:NE2	2.21	0.56
1:A:273:ILE:HD11	1:A:310:ASP:HB3	1.86	0.55
1:A:223:MET:HG2	1:A:255:ILE:HD11	1.88	0.55
1:A:534:GLN:O	1:A:538:THR:CG2	2.54	0.55
1:A:534:GLN:O	1:A:538:THR:HG23	2.06	0.55
1:A:606:MET:HB2	1:A:607:PRO:HD2	1.88	0.55
1:A:273:ILE:HG21	1:A:323:ILE:HA	1.89	0.54
1:A:389:TRP:HE1	1:A:393:LEU:HD11	1.73	0.53
1:A:184:GLU:HA	1:A:184:GLU:OE2	2.09	0.53
1:A:413:LYS:NZ	1:A:735:GLY:O	2.43	0.52
1:A:481:LEU:HB3	1:A:505:ILE:HD12	1.92	0.52
1:A:106:ASN:HB3	1:A:109:THR:HG22	1.91	0.52
1:A:426:ASN:ND2	1:A:428:CYS:H	2.08	0.52
1:A:109:THR:HG23	1:A:111:LYS:H	1.75	0.51
1:A:96:LYS:HD2	2:A:1024:HOH:O	2.09	0.51
1:A:702:ARG:HH11	1:A:710:HIS:HE1	1.58	0.51
1:A:646:LEU:HA	1:A:649:LEU:HD12	1.93	0.50
1:A:662:TYR:CG	1:A:673:LEU:HD21	2.47	0.50
1:A:594:LYS:HE3	1:A:594:LYS:HA	1.93	0.50
1:A:686:THR:CG2	1:A:688:TRP:HD1	2.25	0.50
1:A:538:THR:HB	1:A:583:TRP:NE1	2.26	0.49
1:A:447:SER:HB3	1:A:606:MET:CE	2.42	0.49
1:A:662:TYR:HA	1:A:665:THR:HB	1.95	0.49
1:A:109:THR:HG23	1:A:111:LYS:HG3	1.95	0.49
1:A:262:ILE:HB	1:A:266:ASN:O	2.13	0.49
1:A:692:GLN:NE2	1:A:715:PHE:H	2.11	0.49
1:A:603:MET:H	1:A:707:ASP:HB2	1.76	0.49
1:A:516:PHE:HB2	2:A:956:HOH:O	2.13	0.49
1:A:475:LYS:HD2	1:A:546:ALA:HB2	1.95	0.48
1:A:469:LYS:O	1:A:473:ILE:HG12	2.11	0.48
1:A:486:ASP:CG	1:A:503:ARG:HH22	2.22	0.48
1:A:298:ALA:HB2	1:A:427:LEU:HA	1.95	0.48
1:A:83:ILE:O	1:A:87:HIS:N	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:ASN:ND2	1:A:504:PRO:O	2.45	0.48
1:A:332:LEU:CD1	1:A:392:ILE:HD12	2.43	0.48
1:A:390:TYR:HD2	1:A:394:GLU:OE1	1.95	0.47
1:A:557:TYR:CZ	1:A:600:SER:HA	2.49	0.47
1:A:312:ILE:HG22	1:A:402:PRO:HG3	1.96	0.47
1:A:606:MET:HG2	1:A:608:THR:CG2	2.45	0.47
1:A:83:ILE:O	1:A:87:HIS:HB2	2.14	0.47
1:A:140:ASP:OD2	1:A:168:GLN:HG2	2.14	0.47
1:A:502:HIS:ND1	1:A:559:THR:HG21	2.29	0.47
1:A:320:LYS:HB3	1:A:323:ILE:CG2	2.45	0.47
1:A:506:ALA:HB1	1:A:604:ALA:HB3	1.95	0.47
1:A:326:ARG:O	1:A:326:ARG:HG2	2.16	0.46
1:A:686:THR:CG2	1:A:688:TRP:H	2.28	0.46
1:A:229:GLU:HB2	2:A:1058:HOH:O	2.15	0.46
1:A:702:ARG:HH11	1:A:710:HIS:CE1	2.34	0.46
1:A:641:VAL:HG13	1:A:646:LEU:HD22	1.99	0.45
1:A:673:LEU:HD23	1:A:673:LEU:HA	1.63	0.45
1:A:243:LYS:C	1:A:245:ALA:H	2.24	0.45
1:A:686:THR:HG23	1:A:688:TRP:H	1.82	0.45
1:A:481:LEU:O	1:A:485:ILE:HG13	2.17	0.45
1:A:745:THR:O	1:A:746:GLN:CB	2.64	0.45
1:A:85:ASN:O	1:A:89:GLN:HG2	2.17	0.45
1:A:676:VAL:O	1:A:681:LYS:NZ	2.49	0.45
1:A:447:SER:HB3	1:A:606:MET:HE3	1.99	0.44
1:A:170:LEU:HD22	1:A:173:ARG:HH21	1.80	0.44
1:A:120:VAL:HG21	1:A:209:GLY:HA2	1.98	0.44
1:A:567:GLN:HE21	1:A:567:GLN:HA	1.83	0.44
1:A:213:PRO:HD2	1:A:489:TYR:HB2	2.00	0.44
1:A:467:PHE:CD2	1:A:538:THR:HG21	2.52	0.44
1:A:472:GLU:HG2	2:A:1051:HOH:O	2.18	0.44
1:A:662:TYR:CD1	1:A:662:TYR:O	2.71	0.44
1:A:745:THR:O	1:A:746:GLN:HB2	2.18	0.44
1:A:251:HIS:HD2	2:A:902:HOH:O	2.01	0.44
1:A:273:ILE:HD11	1:A:310:ASP:CB	2.48	0.44
1:A:457:SER:O	1:A:458:GLU:HB2	2.18	0.44
1:A:606:MET:HG2	1:A:608:THR:HG23	1.98	0.44
1:A:276:ILE:CD1	1:A:299:LEU:HD13	2.40	0.43
1:A:363:TYR:HB2	1:A:408:ASP:OD1	2.18	0.43
1:A:388:LEU:O	1:A:392:ILE:HG12	2.18	0.43
1:A:560:PHE:CZ	1:A:596:GLY:HA2	2.53	0.43
1:A:210:THR:HB	1:A:211:PRO:HD2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:LYS:HD2	1:A:489:TYR:CE2	2.54	0.43
1:A:423:LYS:NZ	2:A:991:HOH:O	2.52	0.43
1:A:584:ASP:OD1	1:A:584:ASP:C	2.62	0.43
1:A:697:ASN:OD1	1:A:734:LYS:HE2	2.19	0.43
1:A:314:ILE:HD12	1:A:314:ILE:HA	1.84	0.43
1:A:724:LEU:HD21	1:A:740:MET:HE1	2.01	0.43
1:A:530:LEU:O	1:A:534:GLN:HG3	2.19	0.43
1:A:519:LEU:O	1:A:520:ARG:HB2	2.18	0.42
1:A:428:CYS:SG	1:A:607:PRO:HG2	2.59	0.42
1:A:659:MET:HE3	1:A:673:LEU:CD1	2.49	0.42
1:A:389:TRP:NE1	1:A:393:LEU:HD11	2.34	0.42
1:A:413:LYS:HE2	1:A:575:TRP:CE2	2.54	0.42
1:A:282:THR:O	1:A:286:VAL:HG23	2.20	0.42
1:A:410:CYS:SG	1:A:737:LYS:HB3	2.60	0.42
1:A:606:MET:HE3	1:A:608:THR:CG2	2.50	0.42
1:A:709:SER:OG	1:A:710:HIS:N	2.53	0.42
1:A:659:MET:HE3	1:A:673:LEU:HD13	2.02	0.41
1:A:602:THR:N	1:A:707:ASP:OD2	2.53	0.41
1:A:100:ASP:HB3	1:A:159:ILE:HD11	2.01	0.41
1:A:728:HIS:CE1	1:A:740:MET:HE3	2.55	0.41
1:A:320:LYS:HB3	1:A:323:ILE:HG22	2.02	0.41
1:A:273:ILE:HB	1:A:274:PRO:HD3	2.03	0.41
1:A:642:ASN:O	1:A:646:LEU:HD23	2.21	0.41
1:A:130:LYS:HB2	2:A:933:HOH:O	2.21	0.41
1:A:251:HIS:HB3	1:A:424:SER:HB3	2.03	0.41
1:A:389:TRP:CZ2	1:A:393:LEU:HD21	2.55	0.41
1:A:440:THR:O	1:A:495:ALA:HA	2.21	0.40
1:A:470:LEU:HD23	1:A:538:THR:OG1	2.21	0.40
1:A:417:LYS:HB3	1:A:417:LYS:HE2	1.88	0.40
1:A:298:ALA:CB	1:A:427:LEU:HA	2.51	0.40
1:A:340:LYS:O	1:A:344:GLU:HG3	2.22	0.40
1:A:427:LEU:CB	2:A:1012:HOH:O	2.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	651/888 (73%)	598 (92%)	42 (6%)	11 (2%)	7 15

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	145	TYR
1	A	318	HIS
1	A	457	SER
1	A	667	ASN
1	A	217	SER
1	A	264	GLY
1	A	268	THR
1	A	639	GLN
1	A	325	ALA
1	A	717	ARG
1	A	256	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	570/761 (75%)	513 (90%)	57 (10%)	7 16

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	SER
1	A	90	THR
1	A	131	LEU
1	A	145	TYR
1	A	146	PHE
1	A	149	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	GLU
1	A	170	LEU
1	A	176	LEU
1	A	187	LEU
1	A	195	LEU
1	A	217	SER
1	A	220	LEU
1	A	229	GLU
1	A	236	LYS
1	A	244	THR
1	A	265	THR
1	A	277	ARG
1	A	282	THR
1	A	301	LEU
1	A	314	ILE
1	A	318	HIS
1	A	323	ILE
1	A	324	ARG
1	A	337	LEU
1	A	359	LEU
1	A	383	ILE
1	A	388	LEU
1	A	432	VAL
1	A	443	CYS
1	A	463	SER
1	A	505	ILE
1	A	512	LEU
1	A	518	LEU
1	A	530	LEU
1	A	538	THR
1	A	559	THR
1	A	590	LYS
1	A	594	LYS
1	A	597	VAL
1	A	606	MET
1	A	638	PHE
1	A	641	VAL
1	A	646	LEU
1	A	664	ILE
1	A	666	GLN
1	A	667	ASN
1	A	686	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	693	LYS
1	A	707	ASP
1	A	712	LEU
1	A	714	LEU
1	A	721	MET
1	A	724	LEU
1	A	743	LEU
1	A	744	ARG
1	A	746	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	160	ASN
1	A	214	GLN
1	A	251	HIS
1	A	270	ASN
1	A	567	GLN
1	A	595	HIS
1	A	613	GLN
1	A	618	ASN
1	A	639	GLN
1	A	661	GLN
1	A	666	GLN
1	A	692	GLN
1	A	710	HIS
1	A	713	ASN
1	A	746	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	657/888 (73%)	0.08	26 (3%) 42 37	29, 47, 87, 112	1 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	638	PHE	4.0
1	A	263	ALA	4.0
1	A	663	LEU	3.9
1	A	264	GLY	3.8
1	A	323	ILE	3.4
1	A	86	LEU	3.4
1	A	295	GLY	3.2
1	A	662	TYR	3.1
1	A	76	THR	2.9
1	A	383	ILE	2.8
1	A	664	ILE	2.7
1	A	81	ILE	2.6
1	A	77	LEU	2.5
1	A	159	ILE	2.4
1	A	325	ALA	2.4
1	A	629	TYR	2.3
1	A	287	ASP	2.2
1	A	281	ASN	2.1
1	A	625	THR	2.1
1	A	145	TYR	2.1
1	A	457	SER	2.1
1	A	612	SER	2.0
1	A	461	LYS	2.0
1	A	659	MET	2.0
1	A	90	THR	2.0
1	A	318	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.