



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:23 PM UTC

PDB ID : 2CVW / pdb_00002cvw
Title : Structures of Yeast Ribonucleotide Reductase I
Authors : Xu, H.; Faber, C.; Uchiki, T.; Fairman, J.W.; Racca, J.; Dealwis, C.
Deposited on : 2005-06-14
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	888	4% 51% 18% • 27%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase large chain 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	649	Total	C	N	O	S	0	0	0
			5192	3308	880	973	31			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: C₁₀H₁₇N₂O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

- Molecule 4 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	124	Total O 124 124	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribonucleoside-diphosphate reductase large chain 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.53Å 117.39Å 64.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.2 (50.00-2.40) 98.2 (50.00-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.91 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0007	Depositor
R, R_{free}	0.204 , 0.266 0.204 , 0.264	Depositor DCC
R_{free} test set	3244 reflections (9.90%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.687	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5374	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, TTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	0/5313	1.09	6/7192 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	657	GLU	N-CA-C	-7.01	106.62	114.62
1	A	352	SER	N-CA-C	-6.67	101.66	109.93
1	A	503	ARG	CB-CA-C	-6.20	104.89	110.71
1	A	135	ILE	N-CA-C	5.55	116.24	109.30
1	A	308	ILE	N-CA-C	5.50	116.27	110.72
1	A	292	LYS	N-CA-C	5.41	117.47	107.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5192	0	5120	137	0
2	A	1	0	0	0	0
3	A	29	0	13	3	0
4	A	28	0	12	3	0
5	A	124	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5374	0	5145	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:746:GLN:HE21	1:A:746:GLN:HA	1.12	1.11
1:A:522:PRO:HG2	1:A:525:SER:HB3	1.44	1.00
1:A:693:LYS:H	1:A:693:LYS:CD	1.86	0.88
1:A:432:VAL:H	1:A:708:GLN:HE21	1.22	0.87
1:A:746:GLN:HA	1:A:746:GLN:NE2	1.84	0.87
1:A:277:ARG:HD2	1:A:322:GLU:O	1.73	0.87
1:A:693:LYS:H	1:A:693:LYS:HD3	1.41	0.83
1:A:538:THR:HB	1:A:583:TRP:NE1	1.96	0.80
1:A:106:ASN:OD1	1:A:109:THR:HG22	1.85	0.77
1:A:319:GLY:HA2	1:A:324:ARG:NH1	2.01	0.75
1:A:483:ARG:HH22	1:A:487:ARG:HD2	1.52	0.73
1:A:319:GLY:HA2	1:A:324:ARG:HH11	1.53	0.73
1:A:320:LYS:HB3	1:A:323:ILE:HG13	1.72	0.71
1:A:432:VAL:H	1:A:708:GLN:NE2	1.90	0.70
1:A:588:LEU:O	1:A:592:ILE:HG12	1.92	0.69
1:A:140:ASP:OD2	1:A:168:GLN:HG2	1.92	0.69
1:A:606:MET:HE3	1:A:608:THR:HG22	1.74	0.69
1:A:520:ARG:HH22	1:A:648:ASP:CG	2.00	0.69
1:A:383:ILE:HD11	1:A:387:LYS:HD3	1.76	0.68
1:A:401:THR:HB	1:A:402:PRO:HA	1.76	0.68
1:A:211:PRO:O	1:A:213:PRO:HD3	1.93	0.66
1:A:109:THR:HG23	1:A:111:LYS:HB2	1.77	0.66
1:A:297:PHE:HB2	1:A:328:LEU:HD22	1.77	0.66
1:A:686:THR:CG2	1:A:688:TRP:HD1	2.09	0.66
1:A:693:LYS:CD	1:A:693:LYS:N	2.57	0.66
1:A:746:GLN:HE21	1:A:746:GLN:CA	1.99	0.66
1:A:518:LEU:HD21	1:A:644:TYR:CE2	2.32	0.65
1:A:534:GLN:O	1:A:538:THR:HG22	1.97	0.65
1:A:214:GLN:HE22	1:A:216:SER:HB2	1.62	0.65
1:A:606:MET:HE3	1:A:608:THR:CG2	2.28	0.64
1:A:628:MET:HE2	1:A:664:ILE:HG23	1.79	0.63
1:A:691:SER:HB3	1:A:694:THR:OG1	1.98	0.62
1:A:481:LEU:HB3	1:A:505:ILE:HD12	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483:ARG:NH2	1:A:487:ARG:HD2	2.16	0.61
1:A:538:THR:HB	1:A:583:TRP:HE1	1.62	0.60
1:A:270:ASN:HB3	1:A:274:PRO:HG2	1.83	0.60
1:A:251:HIS:HD2	5:A:2019:HOH:O	1.86	0.58
1:A:475:LYS:O	1:A:479:ARG:HG3	2.03	0.58
1:A:431:ILE:HG23	1:A:708:GLN:HE22	1.68	0.58
1:A:127:ASN:HB2	1:A:131:LEU:HD22	1.85	0.57
1:A:697:ASN:OD1	1:A:734:LYS:NZ	2.24	0.57
1:A:101:LEU:CB	1:A:116:ILE:HD12	2.36	0.56
1:A:92:LYS:HG3	1:A:166:ARG:NH1	2.20	0.56
1:A:383:ILE:CD1	1:A:387:LYS:HD3	2.36	0.56
1:A:445:LEU:HD23	1:A:606:MET:HG3	1.87	0.56
1:A:534:GLN:O	1:A:538:THR:CG2	2.55	0.55
1:A:428:CYS:SG	4:A:1002:GDP:H3'	2.46	0.55
1:A:101:LEU:HB2	1:A:116:ILE:HD12	1.88	0.54
1:A:293:ARG:N	1:A:294:PRO:HD3	2.22	0.54
1:A:297:PHE:HB2	1:A:328:LEU:CD2	2.38	0.53
1:A:686:THR:CG2	1:A:688:TRP:CD1	2.91	0.53
1:A:717:ARG:O	1:A:719:PRO:HD3	2.08	0.52
1:A:210:THR:HB	1:A:211:PRO:HD2	1.92	0.52
1:A:214:GLN:HE21	1:A:488:ASN:HD21	1.58	0.52
1:A:332:LEU:HD11	1:A:392:ILE:HD12	1.92	0.52
1:A:560:PHE:CZ	1:A:596:GLY:HA2	2.44	0.52
1:A:630:SER:HB3	1:A:638:PHE:O	2.10	0.51
1:A:101:LEU:HB2	1:A:116:ILE:CD1	2.41	0.51
1:A:608:THR:N	4:A:1002:GDP:O2A	2.44	0.51
1:A:92:LYS:HG3	1:A:166:ARG:HH12	1.74	0.51
1:A:325:ALA:HB1	1:A:328:LEU:HD12	1.93	0.51
1:A:520:ARG:NH2	1:A:648:ASP:OD1	2.43	0.51
1:A:273:ILE:HB	1:A:274:PRO:HD3	1.92	0.51
1:A:654:ILE:O	1:A:659:MET:HG3	2.11	0.50
1:A:702:ARG:HH11	1:A:710:HIS:CE1	2.30	0.50
1:A:486:ASP:CG	1:A:503:ARG:HH22	2.19	0.50
1:A:551:ALA:HB2	1:A:597:VAL:C	2.38	0.49
1:A:589:ARG:O	1:A:593:MET:HG3	2.12	0.49
1:A:256:ARG:HG2	1:A:260:SER:CB	2.43	0.49
1:A:701:ASP:O	1:A:704:VAL:HG22	2.13	0.49
1:A:104:TYR:CD1	1:A:159:ILE:HG23	2.48	0.48
1:A:569:ILE:HG22	1:A:574:MET:HG3	1.94	0.48
1:A:92:LYS:HA	1:A:166:ARG:CZ	2.43	0.48
1:A:480:ASN:O	1:A:484:VAL:HG23	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:GLY:O	1:A:265:THR:HB	2.14	0.48
1:A:277:ARG:NH1	5:A:2028:HOH:O	2.46	0.48
1:A:153:ARG:HH11	1:A:153:ARG:HG3	1.80	0.47
1:A:165:GLU:HG2	1:A:169:HIS:HB2	1.97	0.47
1:A:277:ARG:CD	1:A:322:GLU:O	2.54	0.47
1:A:388:LEU:O	1:A:392:ILE:HG12	2.15	0.47
1:A:606:MET:CE	1:A:608:THR:CG2	2.93	0.47
1:A:256:ARG:HG2	1:A:260:SER:HB2	1.97	0.46
1:A:524:ASP:OD1	1:A:524:ASP:N	2.45	0.46
1:A:608:THR:C	5:A:2053:HOH:O	2.58	0.46
1:A:665:THR:HG22	1:A:666:GLN:NE2	2.31	0.46
1:A:91:THR:HG21	1:A:96:LYS:HB3	1.97	0.46
1:A:529:ARG:HB2	5:A:2052:HOH:O	2.15	0.46
1:A:116:ILE:HG22	1:A:117:SER:O	2.15	0.46
1:A:413:LYS:NZ	1:A:735:GLY:O	2.48	0.46
1:A:219:PHE:HA	1:A:441:ALA:O	2.16	0.46
1:A:641:VAL:O	1:A:642:ASN:C	2.59	0.45
1:A:456:THR:HA	1:A:463:SER:HA	1.97	0.45
1:A:648:ASP:HB3	1:A:680:LEU:HD11	1.99	0.45
1:A:509:VAL:O	1:A:620:CYS:HA	2.16	0.45
1:A:714:LEU:HB2	1:A:740:MET:HE2	1.98	0.45
1:A:215:MET:HE3	1:A:484:VAL:HG13	1.98	0.45
1:A:326:ARG:HB2	5:A:2050:HOH:O	2.18	0.44
1:A:506:ALA:HB1	1:A:604:ALA:HB3	1.98	0.44
1:A:686:THR:HG23	1:A:688:TRP:HD1	1.80	0.44
3:A:1001:TTP:O1B	3:A:1001:TTP:O1A	2.35	0.44
1:A:214:GLN:HE22	1:A:216:SER:CB	2.29	0.44
1:A:172:MET:O	1:A:176:LEU:HD22	2.18	0.43
1:A:530:LEU:O	1:A:534:GLN:HG3	2.18	0.43
1:A:693:LYS:H	1:A:693:LYS:HD2	1.77	0.43
1:A:106:ASN:HB3	1:A:109:THR:HG22	2.00	0.43
4:A:1002:GDP:PB	5:A:2053:HOH:O	2.76	0.43
1:A:521:LEU:HA	1:A:522:PRO:HD2	1.92	0.43
1:A:702:ARG:HH11	1:A:710:HIS:HE1	1.66	0.43
1:A:256:ARG:CZ	3:A:1001:TTP:H5'2	2.48	0.43
1:A:630:SER:HB3	1:A:639:GLN:HA	2.00	0.43
1:A:220:LEU:HD23	1:A:220:LEU:N	2.34	0.43
1:A:256:ARG:NH1	3:A:1001:TTP:O3G	2.38	0.43
1:A:517:MET:HE3	1:A:644:TYR:CE1	2.54	0.43
1:A:571:GLN:NE2	1:A:574:MET:HE3	2.33	0.43
1:A:251:HIS:HB3	1:A:424:SER:HB3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:LEU:HD22	1:A:724:LEU:HG	2.01	0.43
1:A:227:SER:O	1:A:231:ILE:HD12	2.19	0.42
1:A:101:LEU:HB3	1:A:116:ILE:HD12	2.01	0.42
1:A:514:ASP:O	1:A:518:LEU:HD23	2.20	0.42
1:A:306:ALA:HA	1:A:350:LEU:HB3	2.01	0.42
1:A:106:ASN:OD1	1:A:109:THR:CG2	2.63	0.42
1:A:447:SER:HB3	1:A:606:MET:CE	2.50	0.42
1:A:475:LYS:HB3	1:A:546:ALA:HB2	2.01	0.42
1:A:486:ASP:OD2	1:A:503:ARG:NH2	2.49	0.42
1:A:686:THR:HG21	1:A:688:TRP:HD1	1.84	0.42
1:A:98:VAL:HG13	1:A:116:ILE:HD13	2.01	0.41
1:A:723:LYS:HA	1:A:723:LYS:HD2	1.88	0.41
1:A:220:LEU:HD22	1:A:426:ASN:HB3	2.02	0.41
1:A:240:LEU:O	1:A:243:LYS:HB2	2.21	0.41
1:A:625:THR:HA	1:A:687:VAL:HG12	2.03	0.41
1:A:673:LEU:HA	1:A:674:PRO:HD2	1.90	0.41
1:A:220:LEU:HG	1:A:441:ALA:HB3	2.02	0.41
1:A:628:MET:O	1:A:629:TYR:C	2.63	0.41
1:A:484:VAL:O	1:A:485:ILE:C	2.61	0.41
1:A:388:LEU:HD22	1:A:392:ILE:HD11	2.02	0.40
1:A:314:ILE:HG12	1:A:325:ALA:HB3	2.02	0.40
1:A:606:MET:CE	1:A:608:THR:HG23	2.52	0.40
1:A:686:THR:HB	1:A:689:GLU:OE1	2.20	0.40
1:A:196:LYS:HG2	1:A:615:LEU:HD22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	645/888 (73%)	594 (92%)	40 (6%)	11 (2%)	7 10

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	459	ASP
1	A	457	SER
1	A	461	LYS
1	A	654	ILE
1	A	707	ASP
1	A	458	GLU
1	A	321	GLU
1	A	674	PRO
1	A	620	CYS
1	A	293	ARG
1	A	629	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	563/761 (74%)	504 (90%)	59 (10%)	6 10

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	LYS
1	A	131	LEU
1	A	146	PHE
1	A	154	SER
1	A	163	VAL
1	A	165	GLU
1	A	173	ARG
1	A	176	LEU
1	A	183	ILE
1	A	187	LEU
1	A	195	LEU
1	A	212	LYS
1	A	220	LEU
1	A	243	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	256	ARG
1	A	276	ILE
1	A	292	LYS
1	A	293	ARG
1	A	301	LEU
1	A	314	ILE
1	A	317	ASN
1	A	321	GLU
1	A	323	ILE
1	A	324	ARG
1	A	337	LEU
1	A	359	LEU
1	A	388	LEU
1	A	443	CYS
1	A	459	ASP
1	A	461	LYS
1	A	464	THR
1	A	475	LYS
1	A	505	ILE
1	A	512	LEU
1	A	530	LEU
1	A	538	THR
1	A	578	LYS
1	A	606	MET
1	A	610	SER
1	A	624	VAL
1	A	630	SER
1	A	639	GLN
1	A	641	VAL
1	A	659	MET
1	A	664	ILE
1	A	665	THR
1	A	666	GLN
1	A	670	ILE
1	A	675	ASN
1	A	680	LEU
1	A	686	THR
1	A	693	LYS
1	A	694	THR
1	A	712	LEU
1	A	714	LEU
1	A	743	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	744	ARG
1	A	745	THR
1	A	746	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	ASN
1	A	168	GLN
1	A	214	GLN
1	A	251	HIS
1	A	270	ASN
1	A	281	ASN
1	A	345	ASN
1	A	666	GLN
1	A	678	GLN
1	A	692	GLN
1	A	708	GLN
1	A	710	HIS
1	A	713	ASN
1	A	746	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TTP	A	1001	2	29,30,30	1.60	5 (17%)	43,47,47	1.78	10 (23%)
4	GDP	A	1002	-	29,30,30	1.17	2 (6%)	45,47,47	1.90	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TTP	A	1001	2	-	5/22/34/34	0/2/2/2
4	GDP	A	1002	-	-	5/16/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	TTP	PB-O3B	4.97	1.64	1.59
4	A	1002	GDP	C5-C4	3.39	1.48	1.38
3	A	1001	TTP	C4-C5	3.14	1.49	1.44
3	A	1001	TTP	C6-C5	3.10	1.39	1.34
4	A	1002	GDP	PA-O3A	2.73	1.62	1.59
3	A	1001	TTP	C2-N1	2.45	1.42	1.38
3	A	1001	TTP	O2-C2	2.08	1.26	1.23

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1002	GDP	C5-C4-N3	-5.61	119.47	128.39
4	A	1002	GDP	C2-N3-C4	4.96	120.84	112.30
4	A	1002	GDP	N9-C4-N3	4.38	134.70	125.95
3	A	1001	TTP	N3-C2-N1	4.35	120.55	114.89
3	A	1001	TTP	C4-N3-C2	-4.32	121.67	127.34
3	A	1001	TTP	O4-C4-C5	-3.39	121.04	124.92
3	A	1001	TTP	O3G-PG-O3B	3.38	115.98	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1002	GDP	O6-C6-C5	-3.37	117.62	126.53
3	A	1001	TTP	C5-C4-N3	3.14	118.06	115.32
3	A	1001	TTP	C5-C6-N1	-3.01	120.05	123.31
4	A	1002	GDP	C6-C5-N7	2.97	135.69	130.29
3	A	1001	TTP	C5M-C5-C4	2.95	121.94	118.78
4	A	1002	GDP	C2'-C1'-N9	-2.90	105.17	113.25
3	A	1001	TTP	C5M-C5-C6	-2.60	119.33	122.85
3	A	1001	TTP	O3A-PB-O1B	2.20	117.32	110.70
3	A	1001	TTP	O2B-PB-O3B	2.19	113.20	107.27
4	A	1002	GDP	C4-C5-N7	-2.14	107.28	110.67
4	A	1002	GDP	C5-C6-N1	2.04	118.45	113.25
4	A	1002	GDP	O6-C6-N1	2.03	123.92	120.11

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1002	GDP	C5'-O5'-PA-O3A
4	A	1002	GDP	O4'-C4'-C5'-O5'
4	A	1002	GDP	C3'-C4'-C5'-O5'
3	A	1001	TTP	O4'-C4'-C5'-O5'
3	A	1001	TTP	C3'-C4'-C5'-O5'
4	A	1002	GDP	PB-O3A-PA-O5'
4	A	1002	GDP	C5'-O5'-PA-O1A
3	A	1001	TTP	PB-O3B-PG-O3G
3	A	1001	TTP	PB-O3A-PA-O2A
3	A	1001	TTP	PA-O3A-PB-O2B


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	TTP	3	0
4	A	1002	GDP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	649/888 (73%)	0.17	32 (4%) 35 31	25, 40, 75, 89	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	629	TYR	4.3
1	A	457	SER	4.0
1	A	294	PRO	3.8
1	A	323	ILE	3.5
1	A	458	GLU	3.5
1	A	460	GLY	3.4
1	A	320	LYS	3.4
1	A	727	MET	3.2
1	A	266	ASN	3.1
1	A	291	ASN	2.9
1	A	664	ILE	2.9
1	A	718	ALA	2.8
1	A	456	THR	2.7
1	A	638	PHE	2.6
1	A	136	VAL	2.5
1	A	390	TYR	2.5
1	A	146	PHE	2.4
1	A	91	THR	2.4
1	A	654	ILE	2.4
1	A	662	TYR	2.4
1	A	630	SER	2.3
1	A	289	GLY	2.3
1	A	267	GLY	2.2
1	A	322	GLU	2.2
1	A	326	ARG	2.2
1	A	141	PHE	2.2
1	A	461	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	270	ASN	2.1
1	A	293	ARG	2.0
1	A	659	MET	2.0
1	A	721	MET	2.0
1	A	321	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TTP	A	1001	29/29	0.91	0.10	30,40,58,59	0
2	MG	A	2001	1/1	0.93	0.10	54,54,54,54	0
4	GDP	A	1002	28/28	0.93	0.08	36,46,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around TTP A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP A 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.