



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 02:09 PM UTC

PDB ID : 7CVY / pdb_00007cvy
EMDB ID : EMD-30476
Title : Cryo-EM structure of Chikungunya virus in complex with Fab fragments of mAb CHK-124
Authors : Zhou, Q.F.; Fox, J.M.; Earnest, J.T.; Ng, T.S.; Kim, A.S.; Fibriansah, G.; Kostyuchenko, V.A.; Shu, B.; Diamond, M.S.; Lok, S.M.
Deposited on : 2020-08-27
Resolution : 5.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY







The reported resolution of this entry is 5.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Q-score	-	25397	712 (4.70 - 5.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	220	 70% 100%
1	I	220	 75% 100%
1	N	220	 76% 100%
1	S	220	 68% 100%
2	E	213	 74% 100%
2	J	213	 74% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	O	213	76% 100%
2	T	213	69% 100%
3	C	151	100%
3	H	151	100%
3	M	151	100%
3	R	151	5% 100%
4	A	439	100%
4	F	439	100%
4	K	439	100%
4	P	439	5% 100%
5	B	419	100%
5	G	419	100%
5	L	419	100%
5	Q	419	8% 100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5768 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms	AltConf	Trace
1	D	220	Total C 220 220	0	220
1	S	220	Total C 220 220	0	220
1	I	220	Total C 220 220	0	220
1	N	220	Total C 220 220	0	220

- Molecule 2 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms	AltConf	Trace
2	E	213	Total C 213 213	0	213
2	T	213	Total C 213 213	0	213
2	J	213	Total C 213 213	0	213
2	O	213	Total C 213 213	0	213

- Molecule 3 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms	AltConf	Trace
3	H	151	Total C 151 151	0	151
3	C	151	Total C 151 151	0	151
3	R	151	Total C 151 151	0	151
3	M	151	Total C 151 151	0	151

- Molecule 4 is a protein called E1 glycoprotein.

Mol	Chain	Residues	Atoms	AltConf	Trace
4	F	439	Total C 439 439	0	439
4	A	439	Total C 439 439	0	439
4	P	439	Total C 439 439	0	439
4	K	439	Total C 439 439	0	439


- Molecule 5 is a protein called E2 glycoprotein.

Mol	Chain	Residues	Atoms	AltConf	Trace
5	G	419	Total C 419 419	0	419
5	B	419	Total C 419 419	0	419
5	Q	419	Total C 419 419	0	419
5	L	419	Total C 419 419	0	419

Category	Percentage
Red Bar	75%
Green Bar	100%




76% 100%






74% 100%












• Molecule 2: Fab light chain




• Molecule 2: Fab light chain




• Molecule 2: Fab light chain







- Molecule 3: Capsid protein




- Molecule 3: Capsid protein




- Molecule 3: Capsid protein



- Molecule 3: Capsid protein




- Molecule 4: E1 glycoprotein




- Molecule 4: E1 glycoprotein

Chain A:  100%





- Molecule 4: E1 glycoprotein

Chain P:  5% 100%




- Molecule 4: E1 glycoprotein

Chain K:  100%



- Molecule 5: E2 glycoprotein

Chain G:  100%




- Molecule 5: E2 glycoprotein

Chain B:  100%




- Molecule 5: E2 glycoprotein

Chain Q:  8% 100%



- Molecule 5: E2 glycoprotein

Chain L:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	68406	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	21.989	Depositor
Minimum map value	-15.012	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	1.5	Depositor
Map size (Å)	1026.0, 1026.0, 1026.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.71, 1.71, 1.71	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	220	0	0	0	0
1	I	220	0	0	0	0
1	N	220	0	0	0	0
1	S	220	0	0	0	0
2	E	213	0	0	0	0
2	J	213	0	0	0	0
2	O	213	0	0	0	0
2	T	213	0	0	0	0
3	C	151	0	0	0	0
3	H	151	0	0	0	0
3	M	151	0	0	0	0
3	R	151	0	0	0	0
4	A	439	0	0	0	0
4	F	439	0	0	0	0
4	K	439	0	0	0	0
4	P	439	0	0	0	0
5	B	419	0	0	0	0
5	G	419	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	L	419	0	0	0	0
5	Q	419	0	0	0	0
All	All	5768	0	0	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30476. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 282



Y Index: 318




Z Index: 318


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 31953 nm³; this corresponds to an approximate mass of 28864 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.192 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.192 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.20	-	-
Author-provided FSC curve	5.22	6.51	5.41
Unmasked-calculated*	-	-	-


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30476 and PDB model 7CVY. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlays


9.1.1 Map-model overlay [i](#)



X




Y




Z


9.1.2 Map-model assembly overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7610	 0.1780
A	 0.9930	 0.2450
B	 0.9880	 0.2330
C	 0.9800	 0.1880
D	 0.3000	 0.0470
E	 0.2630	 0.0610
F	 0.9800	 0.2310
G	 0.9810	 0.2280
H	 0.9600	 0.2200
I	 0.2550	 0.0470
J	 0.2630	 0.0590
K	 0.9930	 0.2380
L	 0.9570	 0.2390
M	 0.9740	 0.2070
N	 0.2410	 0.0440
O	 0.2440	 0.0550
P	 0.9500	 0.2430
Q	 0.9190	 0.2000
R	 0.9470	 0.2120
S	 0.3230	 0.0740
T	 0.3050	 0.0860

