



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 05:51 AM UTC

PDB ID : 2CW5 / pdb_00002cw5
Title : Crystal structure of a conserved hypothetical protein from *Thermus thermophilus* HB8
Authors : Ebihara, A.; Yokoyama, S.; Kuramitsu, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-06-16
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	255	11% 74% 17% 8%
1	B	255	6% 75% 13% 12%
1	C	255	12% 73% 20% 7%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5460 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacterial fluorinating enzyme homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	235	Total	C	N	O	Se	0	0	0
			1753	1137	304	310	2			
1	B	224	Total	C	N	O	Se	0	0	0
			1686	1094	296	294	2			
1	C	238	Total	C	N	O	Se	0	0	0
			1794	1167	314	311	2			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q5SLF5
A	250	MSE	MET	modified residue	UNP Q5SLF5
B	1	MSE	MET	modified residue	UNP Q5SLF5
B	250	MSE	MET	modified residue	UNP Q5SLF5
C	1	MSE	MET	modified residue	UNP Q5SLF5
C	250	MSE	MET	modified residue	UNP Q5SLF5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	77	Total	O	0	0
			77	77		
2	B	92	Total	O	0	0
			92	92		
2	C	58	Total	O	0	0
			58	58		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Bacterial fluorinating enzyme homolog



• Molecule 1: Bacterial fluorinating enzyme homolog



• Molecule 1: Bacterial fluorinating enzyme homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.79Å 78.12Å 120.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.40 – 1.94 37.40 – 1.94	Depositor EDS
% Data completeness (in resolution range)	99.5 (37.40-1.94) 99.6 (37.40-1.94)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.96 (at 1.94Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.212 , 0.246 0.212 , 0.247	Depositor DCC
R_{free} test set	5353 reflections (10.14%)	wwPDB-VP
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.004 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5460	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1797	0.91	10/2458 (0.4%)
1	B	0.38	0/1725	0.87	5/2353 (0.2%)
1	C	0.38	0/1841	0.89	4/2515 (0.2%)
All	All	0.38	0/5363	0.89	19/7326 (0.3%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	69	VAL	N-CA-C	-6.88	95.79	106.72
1	A	79	ALA	N-CA-C	-6.69	98.30	109.07
1	B	138	PHE	N-CA-C	6.44	118.18	111.03
1	C	80	VAL	N-CA-C	5.68	116.89	108.65
1	B	207	VAL	N-CA-C	5.46	113.84	107.89
1	A	101	LEU	N-CA-C	-5.28	105.19	111.69
1	A	55	ALA	N-CA-C	5.25	118.15	111.69
1	A	36	LEU	N-CA-C	-5.24	105.01	111.40
1	A	32	ALA	N-CA-C	-5.14	102.68	110.28
1	A	6	PHE	N-CA-C	5.12	116.86	108.52
1	C	36	LEU	N-CA-C	-5.08	104.79	111.96
1	C	85	ARG	N-CA-C	-5.08	105.87	111.71
1	B	36	LEU	N-CA-C	-5.07	104.56	111.56
1	B	85	ARG	N-CA-C	-5.07	105.75	111.28
1	C	136	ASP	N-CA-C	5.07	119.51	113.23
1	B	81	ALA	N-CA-C	-5.05	100.80	109.24
1	A	138	PHE	N-CA-C	5.04	116.47	110.97
1	A	170	LEU	N-CA-C	-5.03	101.76	109.76
1	A	85	ARG	N-CA-C	-5.02	105.99	111.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1753	0	1789	36	0
1	B	1686	0	1729	27	0
1	C	1794	0	1829	36	0
2	A	77	0	0	0	0
2	B	92	0	0	1	0
2	C	58	0	0	1	0
All	All	5460	0	5347	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:73:VAL:HG22	1:A:135:ARG:HH22	1.38	0.89
1:A:201:GLU:HB2	1:A:255:LEU:HD11	1.67	0.77
1:C:115:ARG:HB3	1:C:115:ARG:NH1	2.02	0.75
1:C:78:ARG:HD2	1:C:110:LEU:HD21	1.69	0.74
1:A:61:GLU:OE2	1:A:85:ARG:HD3	1.87	0.74
1:C:115:ARG:HB3	1:C:115:ARG:HH11	1.53	0.71
1:A:183:ARG:HH22	1:C:16:TYR:HE2	1.41	0.67
1:A:159:PRO:HB2	1:A:162:THR:HG23	1.79	0.65
1:B:218:GLU:O	1:B:236:ASN:HB3	1.97	0.65
1:C:110:LEU:HD23	1:C:158:VAL:HG11	1.79	0.65
1:A:218:GLU:HG3	1:A:237:ARG:HD3	1.80	0.63
1:A:73:VAL:HG22	1:A:135:ARG:NH2	2.11	0.62
1:B:45:LEU:HD23	1:B:166:LEU:HD21	1.82	0.62
1:A:110:LEU:C	1:A:110:LEU:HD23	2.25	0.61
1:A:43:GLN:NE2	1:A:71:PRO:HA	2.15	0.61
1:A:2:ARG:NE	1:A:2:ARG:HA	2.16	0.60
1:B:47:ARG:HD3	1:B:180:THR:OG1	2.01	0.60
1:B:45:LEU:HD21	1:B:93:ASN:O	2.02	0.60
1:B:46:ARG:HG3	2:B:302:HOH:O	2.04	0.58
1:A:139:ALA:HB3	1:A:140:PRO:HD3	1.86	0.58
1:C:206:ARG:NH1	1:C:255:LEU:HD13	2.17	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:115:ARG:HH22	1:C:117:ARG:NH2	2.03	0.57
1:B:139:ALA:HB3	1:B:140:PRO:HD3	1.86	0.57
1:C:144:HIS:HE1	1:C:150:PRO:O	1.87	0.56
1:A:43:GLN:HB3	1:A:71:PRO:HB3	1.87	0.56
1:A:183:ARG:HH21	1:A:183:ARG:HG2	1.72	0.55
1:C:110:LEU:HD23	1:C:158:VAL:CG1	2.37	0.55
1:C:115:ARG:HH11	1:C:115:ARG:CB	2.19	0.55
1:C:81:ALA:HB2	1:C:111:LEU:HD21	1.89	0.54
1:A:212:THR:CG2	1:A:215:GLU:HG3	2.38	0.54
1:A:237:ARG:NH2	1:A:237:ARG:HB3	2.22	0.54
1:A:47:ARG:NH2	1:C:14:ASP:OD1	2.40	0.53
1:C:87:THR:HG21	1:C:145:LEU:HD13	1.90	0.53
1:C:236:ASN:OD1	1:C:237:ARG:HD3	2.09	0.53
1:C:188:ILE:HD13	1:C:232:GLU:HG2	1.91	0.52
1:B:45:LEU:HG	1:B:166:LEU:HD11	1.90	0.52
1:B:210:ARG:HG2	1:B:210:ARG:HH11	1.74	0.52
1:B:9:ASP:OD2	1:B:69:VAL:HG13	2.09	0.51
1:B:50:TYR:CE2	1:B:188:ILE:HD13	2.46	0.51
1:B:218:GLU:HG2	1:B:236:ASN:ND2	2.25	0.50
1:C:159:PRO:HB2	1:C:162:THR:HG23	1.93	0.50
1:A:231:LEU:C	1:A:231:LEU:HD23	2.37	0.49
1:C:115:ARG:HG3	1:C:136:ASP:HB3	1.94	0.49
1:C:83:LEU:HD23	1:C:87:THR:HG23	1.95	0.49
1:C:78:ARG:HG3	1:C:110:LEU:HD11	1.95	0.49
1:A:73:VAL:O	1:A:75:THR:HG23	2.13	0.48
1:C:231:LEU:HD23	1:C:231:LEU:C	2.38	0.48
1:B:45:LEU:CD2	1:B:166:LEU:HD21	2.42	0.48
1:B:81:ALA:HA	1:B:88:TYR:O	2.13	0.48
1:A:70:ASP:O	1:A:73:VAL:HG23	2.12	0.48
1:B:50:TYR:CZ	1:B:188:ILE:HD13	2.49	0.48
1:C:25:ALA:O	1:C:26:GLU:C	2.56	0.48
1:A:110:LEU:HD22	1:A:112:GLU:HG3	1.96	0.47
1:C:182:ASP:OD2	1:C:186:ASN:HB2	2.15	0.47
1:A:211:ARG:HB2	1:A:215:GLU:OE1	2.15	0.47
1:B:231:LEU:C	1:B:231:LEU:HD23	2.40	0.46
1:C:110:LEU:HB2	1:C:156:PRO:HG2	1.97	0.46
1:B:193:ARG:HH11	1:B:193:ARG:HB2	1.80	0.46
1:B:236:ASN:O	1:B:237:ARG:HB2	2.14	0.46
1:C:247:LYS:HB2	1:C:250:MSE:HE3	1.97	0.46
1:A:212:THR:HG22	1:A:215:GLU:HG3	1.97	0.46
1:C:175:GLU:H	1:C:175:GLU:CD	2.22	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:GLU:CG	1:A:237:ARG:HD3	2.45	0.46
1:A:71:PRO:HB2	1:B:237:ARG:NH1	2.30	0.46
1:A:183:ARG:NH2	1:C:16:TYR:HE2	2.11	0.46
1:C:205:ARG:CD	1:C:244:LEU:HD22	2.46	0.46
1:C:112:GLU:N	1:C:113:PRO:CD	2.79	0.45
1:C:100:TRP:CD1	1:C:105:PRO:HD3	2.51	0.45
1:C:109:PHE:CE2	1:C:151:PRO:HB2	2.52	0.45
1:C:139:ALA:N	1:C:140:PRO:HD2	2.31	0.44
1:C:250:MSE:HG2	2:C:280:HOH:O	2.17	0.44
1:A:164:ALA:O	1:A:165:ARG:HD3	2.18	0.44
1:A:81:ALA:HA	1:A:88:TYR:O	2.18	0.43
1:B:2:ARG:HA	1:B:2:ARG:HD3	1.84	0.43
1:A:202:VAL:O	1:A:202:VAL:HG13	2.19	0.43
1:B:235:VAL:HG23	1:B:240:ALA:HA	1.99	0.43
1:A:2:ARG:HA	1:A:2:ARG:HE	1.83	0.43
1:A:226:GLY:HA3	1:A:232:GLU:OE2	2.18	0.43
1:A:201:GLU:CB	1:A:255:LEU:HD11	2.44	0.43
1:B:210:ARG:HB3	1:B:211:ARG:H	1.62	0.42
1:C:221:PRO:HA	1:C:234:ALA:O	2.18	0.42
1:B:210:ARG:HG2	1:B:210:ARG:NH1	2.34	0.42
1:B:253:ARG:HH11	1:B:253:ARG:HG2	1.84	0.42
1:C:2:ARG:NH1	1:C:148:GLY:HA2	2.34	0.42
1:B:179:LEU:C	1:B:179:LEU:HD23	2.45	0.42
1:C:81:ALA:HA	1:C:88:TYR:O	2.20	0.42
1:C:196:VAL:HG12	1:C:211:ARG:HE	1.84	0.42
1:B:69:VAL:O	1:B:69:VAL:HG12	2.19	0.42
1:A:183:ARG:HG2	1:A:183:ARG:NH2	2.35	0.41
1:B:56:LEU:HB3	1:B:57:PRO:HD3	2.01	0.41
1:A:110:LEU:C	1:A:110:LEU:CD2	2.94	0.41
1:A:56:LEU:HB3	1:A:57:PRO:HD3	2.03	0.41
1:A:74:GLY:HA3	1:B:213:PHE:CD1	2.56	0.40
1:A:48:ALA:HB1	1:A:95:LEU:HD11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/255 (90%)	225 (98%)	4 (2%)	0	100	100
1	B	216/255 (85%)	210 (97%)	6 (3%)	0	100	100
1	C	230/255 (90%)	220 (96%)	10 (4%)	0	100	100
All	All	675/765 (88%)	655 (97%)	20 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/187 (94%)	173 (99%)	2 (1%)	65	60
1	B	167/187 (89%)	167 (100%)	0	100	100
1	C	178/187 (95%)	175 (98%)	3 (2%)	53	44
All	All	520/561 (93%)	515 (99%)	5 (1%)	68	64

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	GLU
1	A	110	LEU
1	C	110	LEU
1	C	171	THR
1	C	175	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	236	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	144	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/255 (91%)	0.51	27 (11%) 9 10	16, 25, 50, 58	0
1	B	222/255 (87%)	0.40	15 (6%) 23 26	16, 25, 44, 64	0
1	C	236/255 (92%)	0.73	30 (12%) 8 8	17, 30, 49, 67	0
All	All	691/765 (90%)	0.55	72 (10%) 11 13	16, 26, 48, 67	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	28	ALA	6.3
1	A	73	VAL	6.0
1	B	213	PHE	5.8
1	C	213	PHE	4.7
1	C	120	ALA	4.5
1	A	114	PRO	4.4
1	A	216	VAL	4.1
1	B	69	VAL	4.1
1	C	220	ALA	4.1
1	C	255	LEU	3.7
1	C	196	VAL	3.7
1	C	214	GLY	3.7
1	C	212	THR	3.7
1	C	126	ALA	3.6
1	A	255	LEU	3.6
1	B	196	VAL	3.5
1	C	128	GLY	3.5
1	C	70	ASP	3.5
1	A	135	ARG	3.4
1	A	72	GLY	3.3
1	B	218	GLU	3.3
1	B	212	THR	3.1
1	C	198	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	211	ARG	3.1
1	A	134	GLY	3.1
1	C	125	TRP	3.0
1	B	210	ARG	3.0
1	A	113	PRO	2.9
1	A	75	THR	2.8
1	A	237	ARG	2.8
1	A	74	GLY	2.7
1	B	112	GLU	2.7
1	C	219	GLY	2.7
1	A	183	ARG	2.7
1	A	211	ARG	2.7
1	C	131	THR	2.6
1	B	255	LEU	2.6
1	A	203	GLY	2.6
1	C	85	ARG	2.6
1	C	235	VAL	2.6
1	A	168	LEU	2.5
1	C	14	ASP	2.5
1	B	242	GLU	2.5
1	C	122	LEU	2.5
1	A	213	PHE	2.4
1	A	184	PHE	2.4
1	C	200	VAL	2.4
1	A	26	GLU	2.4
1	C	242	GLU	2.4
1	A	161	GLU	2.3
1	B	175	GLU	2.3
1	A	25	ALA	2.3
1	B	219	GLY	2.3
1	A	43	GLN	2.2
1	C	114	PRO	2.2
1	C	115	ARG	2.2
1	A	76	ALA	2.2
1	C	130	ALA	2.2
1	B	172	GLU	2.2
1	C	209	VAL	2.2
1	B	253	ARG	2.2
1	C	117	ARG	2.1
1	A	204	GLY	2.1
1	C	197	GLY	2.1
1	C	236	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	171	THR	2.0
1	A	202	VAL	2.0
1	C	121	ALA	2.0
1	C	211	ARG	2.0
1	A	199	PHE	2.0
1	A	212	THR	2.0
1	C	127	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.