



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 11:08 PM UTC

PDB ID : 3CWQ / pdb_00003cwq
Title : Crystal structure of chromosome partitioning protein (ParA) in complex with ADP from *Synechocystis* sp. Northeast Structural Genomics Consortium Target SgR89
Authors : Forouhar, F.; Neely, H.; Seetharaman, J.; Mao, L.; Xiao, R.; Janjua, H.; Maglaqui, M.; Foote, E.L.; Lee, D.; Everett, J.K.; Acton, T.B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2008-04-22
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	: 4-5-2 with Phenix2.0
Mogul	: 2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	: 2.0
EDS	: 3.0
Buster-report	: wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	: 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	: 9.0.010 (Gargrove)
Density-Fitness	: 1.0.12


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	209	
1	B	209	

Ideal geometry (proteins) : Engh & Huber (2001)
 Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3167 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ParA family chromosome partitioning protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	206	Total	C	N	O	S	Se	0	0	0
			1577	1002	269	303	1	2			
1	B	197	Total	C	N	O	S	Se	0	0	0
			1497	954	254	286	1	2			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	202	LEU	-	expression tag	UNP Q6YRW8
A	203	GLU	-	expression tag	UNP Q6YRW8
A	204	HIS	-	expression tag	UNP Q6YRW8
A	205	HIS	-	expression tag	UNP Q6YRW8
A	206	HIS	-	expression tag	UNP Q6YRW8
A	207	HIS	-	expression tag	UNP Q6YRW8
A	208	HIS	-	expression tag	UNP Q6YRW8
A	209	HIS	-	expression tag	UNP Q6YRW8
B	202	LEU	-	expression tag	UNP Q6YRW8
B	203	GLU	-	expression tag	UNP Q6YRW8
B	204	HIS	-	expression tag	UNP Q6YRW8
B	205	HIS	-	expression tag	UNP Q6YRW8
B	206	HIS	-	expression tag	UNP Q6YRW8
B	207	HIS	-	expression tag	UNP Q6YRW8
B	208	HIS	-	expression tag	UNP Q6YRW8
B	209	HIS	-	expression tag	UNP Q6YRW8

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	21	Total O 21 21	0	0
3	B	18	Total O 18 18	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ParA family chromosome partitioning protein



- Molecule 1: ParA family chromosome partitioning protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.61Å 70.14Å 112.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.62 – 2.47 29.62 – 2.47	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.62-2.47) 89.6 (29.62-2.47)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	10.94 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.2.0003	Depositor
R, R_{free}	0.221 , 0.282 0.216 , 0.271	Depositor DCC
R_{free} test set	842 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	52.4	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3167	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.61	14/1604 (0.9%)	1.58	13/2175 (0.6%)
1	B	1.69	20/1519 (1.3%)	1.65	22/2057 (1.1%)
All	All	1.65	34/3123 (1.1%)	1.61	35/4232 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	MSE	SE-CE	11.46	2.29	1.95
1	A	109	MSE	SE-CE	9.45	2.23	1.95
1	B	34	ILE	CA-C	7.00	1.61	1.52
1	B	134	PRO	CA-C	6.79	1.62	1.52
1	A	95	VAL	CA-CB	-6.68	1.45	1.54
1	B	7	SER	N-CA	6.62	1.54	1.45
1	B	160	TYR	N-CA	6.32	1.53	1.46
1	A	83	ASP	CA-C	6.25	1.61	1.52
1	B	109	MSE	SE-CE	5.98	2.13	1.95
1	B	96	ILE	CA-CB	-5.97	1.46	1.54
1	A	32	LEU	C-O	5.96	1.31	1.24
1	A	202	LEU	N-CA	5.90	1.53	1.46
1	A	1	MSE	SE-CE	5.78	2.12	1.95
1	A	5	VAL	CA-CB	5.74	1.60	1.53
1	B	51	LEU	CG-CD1	5.73	1.71	1.52
1	B	181	ALA	CA-CB	-5.72	1.44	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	132	PRO	CA-C	5.65	1.59	1.52
1	A	167	SER	CA-C	5.53	1.59	1.52
1	B	77	ALA	N-CA	5.51	1.53	1.46
1	B	57	ASP	N-CA	-5.50	1.38	1.45
1	A	146	THR	N-CA	-5.50	1.39	1.46
1	B	70	ASN	N-CA	5.46	1.52	1.46
1	A	160	TYR	CA-C	-5.45	1.46	1.52
1	B	96	ILE	C-O	-5.40	1.17	1.24
1	A	17	THR	CA-C	-5.23	1.46	1.52
1	B	141	ALA	CA-CB	-5.18	1.45	1.53
1	B	70	ASN	CA-C	5.18	1.58	1.52
1	B	135	SER	N-CA	5.18	1.52	1.46
1	B	131	PRO	CA-C	5.14	1.56	1.52
1	B	67	LYS	CD-CE	5.11	1.67	1.52
1	A	134	PRO	CA-C	5.10	1.59	1.52
1	A	202	LEU	CB-CG	5.05	1.63	1.53
1	B	190	ALA	CA-CB	-5.04	1.45	1.53
1	A	194	GLU	C-O	5.03	1.30	1.24

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	146	THR	N-CA-C	-9.02	101.02	111.03
1	B	165	LYS	N-CA-C	-8.69	101.71	111.71
1	B	167	SER	N-CA-C	-8.25	101.98	110.97
1	B	11	GLY	CA-C-N	7.97	133.72	120.64
1	B	11	GLY	C-N-CA	7.97	133.72	120.64
1	A	84	LEU	N-CA-C	7.14	118.71	111.07
1	B	60	GLN	N-CA-C	-6.83	103.53	112.41
1	A	109	MSE	N-CA-C	6.83	120.49	111.75
1	B	133	TYR	CA-C-N	-6.57	111.63	119.84
1	B	133	TYR	C-N-CA	-6.57	111.63	119.84
1	B	34	ILE	N-CA-C	6.45	117.87	108.58
1	B	192	GLY	N-CA-C	-6.44	105.03	112.50
1	A	147	THR	N-CA-C	6.19	118.82	111.33
1	A	64	TYR	N-CA-C	6.18	120.56	112.89
1	B	12	VAL	CA-C-O	-5.96	112.38	119.58
1	A	202	LEU	N-CA-CB	5.79	119.84	110.40
1	B	11	GLY	N-CA-C	-5.78	106.77	115.32
1	A	203	GLU	N-CA-C	-5.70	105.21	111.82
1	B	75	THR	N-CA-C	5.66	117.45	108.79
1	B	88	ALA	N-CA-C	-5.63	105.06	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	10	GLY	N-CA-C	-5.46	104.72	112.37
1	B	99	THR	N-CA-C	-5.46	103.04	110.36
1	B	168	LEU	N-CA-C	5.42	117.88	111.33
1	B	42	ALA	N-CA-C	5.35	117.81	111.33
1	A	114	THR	OG1-CB-CG2	-5.32	98.66	109.30
1	B	198	GLU	N-CA-C	-5.30	106.76	113.43
1	B	89	ASP	N-CA-CB	5.24	119.22	110.32
1	A	202	LEU	CB-CG-CD2	5.20	126.29	110.70
1	A	68	TYR	N-CA-C	5.16	117.82	109.40
1	A	111	THR	N-CA-C	5.16	119.63	113.23
1	A	120	ASN	CA-C-O	5.14	125.22	119.41
1	B	44	GLY	N-CA-C	-5.14	106.54	112.50
1	A	146	THR	N-CA-C	-5.11	105.36	111.03
1	B	50	SER	N-CA-C	5.05	116.49	108.96
1	B	160	TYR	N-CA-C	5.03	117.64	109.24

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	12	VAL	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1577	0	1610	67	0
1	B	1497	0	1548	55	0
2	A	27	0	12	5	0
2	B	27	0	12	1	0
3	A	21	0	0	4	0
3	B	18	0	0	1	0
All	All	3167	0	3182	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:MSE:SE	1:A:109:MSE:CE	2.23	1.35
1:B:1:MSE:CE	1:B:1:MSE:SE	2.29	1.30
1:A:69:GLN:HB3	3:A:317:HOH:O	1.48	1.09
1:A:82:GLU:OE2	1:A:82:GLU:HA	1.51	1.01
1:A:124:ARG:HH11	1:A:198:GLU:HG3	1.27	0.99
1:B:133:TYR:O	1:B:135:SER:N	2.03	0.89
1:B:194:GLU:O	1:B:198:GLU:HB2	1.72	0.88
1:B:108:LEU:O	1:B:111:THR:HG22	1.80	0.81
1:B:8:PHE:CD2	1:B:108:LEU:HD12	2.18	0.79
1:A:127:LEU:HB3	1:A:130:ILE:HD11	1.66	0.77
1:A:124:ARG:NH1	1:A:198:GLU:HG3	1.98	0.77
1:B:133:TYR:O	1:B:134:PRO:C	2.28	0.75
1:A:165:LYS:HB2	1:A:176:VAL:HG21	1.68	0.75
1:A:180:LYS:HB2	1:A:183:ILE:HG22	1.71	0.73
1:B:133:TYR:C	1:B:135:SER:H	1.99	0.70
1:B:116:GLN:O	1:B:118:LEU:N	2.24	0.68
1:B:93:LEU:HD12	1:B:195:ILE:HG23	1.75	0.68
1:B:160:TYR:OH	1:B:183:ILE:HD12	1.94	0.68
1:B:103:LEU:HD23	1:B:103:LEU:H	1.60	0.66
1:B:100:PRO:HD3	1:B:128:THR:O	1.95	0.65
1:B:124:ARG:HG2	1:B:153:PHE:CE2	2.33	0.64
1:A:165:LYS:HB2	1:A:176:VAL:CG2	2.27	0.64
1:B:7:SER:HB2	1:B:12:VAL:HG21	1.79	0.63
1:A:45:TRP:CD1	1:A:170:GLY:HA2	2.34	0.63
1:B:124:ARG:NH1	1:B:198:GLU:OE2	2.31	0.62
1:A:82:GLU:OE1	1:A:85:GLU:N	2.33	0.62
1:A:202:LEU:HD22	1:A:202:LEU:O	2.00	0.61
1:A:24:TYR:O	1:A:27:LEU:HB2	2.00	0.61
1:A:99:THR:CG2	1:A:129:ILE:HD12	2.33	0.59
1:B:133:TYR:C	1:B:135:SER:N	2.59	0.59
1:B:8:PHE:CD2	1:B:108:LEU:CD1	2.85	0.58
1:B:84:LEU:HA	1:B:87:LEU:HD12	1.85	0.57
1:A:105:LEU:O	1:A:109:MSE:HG3	2.05	0.56
1:A:17:THR:HB	1:A:188:TYR:CE1	2.40	0.56
1:A:17:THR:HB	1:A:188:TYR:HE1	1.71	0.56
1:A:65:ALA:N	1:A:66:PRO:CD	2.69	0.56
1:A:133:TYR:O	1:A:134:PRO:C	2.49	0.55
1:A:13:GLY:O	1:A:17:THR:CG2	2.54	0.55
1:B:141:ALA:O	1:B:142:ARG:C	2.49	0.55
1:A:82:GLU:OE2	1:A:82:GLU:CA	2.41	0.55
1:A:39:ASN:OD1	3:A:308:HOH:O	2.18	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:VAL:O	1:B:176:VAL:HG12	2.06	0.55
1:A:2:ILE:HG12	1:A:71:ILE:HB	1.89	0.55
1:A:158:LYS:HB2	1:A:160:TYR:CE1	2.42	0.55
1:A:195:ILE:O	1:A:199:ILE:HG12	2.07	0.54
1:B:153:PHE:O	1:B:154:LYS:C	2.50	0.54
1:B:37:ASP:HB3	3:B:303:HOH:O	2.08	0.54
1:B:183:ILE:O	1:B:183:ILE:HD13	2.09	0.53
1:A:77:ALA:O	1:A:78:ARG:HG2	2.09	0.53
1:B:124:ARG:HG2	1:B:153:PHE:CZ	2.44	0.53
1:A:112:ILE:HG12	1:A:150:LEU:HD11	1.91	0.52
1:B:8:PHE:CE2	1:B:108:LEU:HD12	2.45	0.52
1:B:164:GLN:C	1:B:166:ALA:N	2.66	0.52
1:A:13:GLY:O	1:A:17:THR:HG23	2.10	0.52
1:A:3:ILE:O	1:A:3:ILE:HG12	2.10	0.51
1:A:14:LYS:NZ	1:A:74:ASP:OD2	2.37	0.51
1:A:4:THR:HG21	1:A:87:LEU:HD22	1.92	0.51
1:A:100:PRO:HB2	1:A:137:ASP:HB3	1.92	0.51
1:A:124:ARG:HH21	1:A:151:PRO:HB2	1.75	0.51
1:B:63:LYS:HD3	1:B:64:TYR:CE1	2.45	0.50
1:B:8:PHE:HD2	1:B:108:LEU:CD1	2.22	0.50
1:B:3:ILE:HD11	1:B:25:LEU:HD11	1.93	0.50
1:B:180:LYS:O	1:B:181:ALA:C	2.53	0.50
1:A:15:THR:N	2:A:301:ADP:O1B	2.41	0.49
1:B:20:HIS:CD2	1:B:172:VAL:HG23	2.47	0.49
1:A:89:ASP:HB3	1:B:60:GLN:HE21	1.76	0.49
1:A:108:LEU:O	1:A:111:THR:HG22	2.13	0.49
1:A:120:ASN:OD1	1:A:120:ASN:N	2.46	0.48
1:B:1:MSE:N	1:B:69:GLN:O	2.46	0.48
1:B:2:ILE:HG12	1:B:71:ILE:HB	1.94	0.48
1:B:31:THR:HA	1:B:70:ASN:O	2.13	0.48
1:A:180:LYS:HB2	1:A:183:ILE:CG2	2.40	0.48
1:A:79:PRO:O	1:A:80:GLU:HG3	2.14	0.47
1:B:17:THR:HG22	1:B:188:TYR:OH	2.14	0.47
1:A:2:ILE:HA	1:A:71:ILE:O	2.15	0.46
1:A:9:LYS:HB3	1:A:9:LYS:HE3	1.64	0.46
1:A:14:LYS:O	1:A:15:THR:C	2.58	0.46
1:A:139:ASP:O	1:A:143:GLN:HG3	2.16	0.46
1:B:198:GLU:O	1:B:201:THR:HG22	2.16	0.46
1:A:69:GLN:CB	3:A:317:HOH:O	2.29	0.45
1:A:92:ASP:HB3	1:A:199:ILE:HD12	1.99	0.45
1:A:13:GLY:O	1:A:17:THR:HG22	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:LEU:O	1:A:202:LEU:CD2	2.64	0.45
1:B:17:THR:HB	1:B:188:TYR:CE1	2.52	0.44
1:B:150:LEU:O	1:B:152:LEU:CD1	2.65	0.44
1:B:16:THR:HG23	1:B:45:TRP:HH2	1.82	0.44
1:A:64:TYR:C	1:A:66:PRO:HD2	2.43	0.44
1:B:198:GLU:O	1:B:198:GLU:OE1	2.36	0.44
1:A:60:GLN:HB3	1:A:64:TYR:CD1	2.53	0.44
1:B:7:SER:CB	1:B:12:VAL:HG21	2.45	0.43
1:B:33:LEU:O	1:B:55:VAL:HA	2.18	0.43
1:A:133:TYR:N	1:A:134:PRO:HD2	2.33	0.43
1:A:21:LEU:HD12	1:A:21:LEU:HA	1.84	0.43
1:B:17:THR:HB	1:B:188:TYR:HE1	1.83	0.43
1:A:13:GLY:HA2	2:A:301:ADP:O1A	2.19	0.43
1:A:14:LYS:HB3	2:A:301:ADP:O1B	2.19	0.43
1:B:57:ASP:HB3	1:B:60:GLN:HG3	2.01	0.43
1:A:32:LEU:O	1:A:71:ILE:HA	2.18	0.42
1:A:136:LYS:O	1:A:137:ASP:C	2.63	0.42
1:A:115:LEU:HD23	1:A:115:LEU:HA	1.79	0.42
1:A:180:LYS:NZ	1:A:180:LYS:HB3	2.30	0.42
1:B:133:TYR:N	1:B:134:PRO:HD2	2.35	0.42
1:B:164:GLN:C	1:B:166:ALA:H	2.28	0.42
1:A:24:TYR:CD2	1:A:192:GLY:HA3	2.54	0.42
1:B:165:LYS:HB2	1:B:176:VAL:HG21	2.02	0.41
1:A:57:ASP:HB2	3:A:318:HOH:O	2.20	0.41
1:A:37:ASP:O	1:A:38:PRO:C	2.62	0.41
1:A:163:PHE:CD2	2:A:301:ADP:N6	2.88	0.41
1:A:203:GLU:OE1	1:A:203:GLU:N	2.54	0.41
1:A:40:ARG:HH11	1:A:57:ASP:CG	2.29	0.41
1:A:65:ALA:N	1:A:66:PRO:HD2	2.35	0.41
1:B:8:PHE:CZ	1:B:111:THR:HG21	2.55	0.41
1:A:128:THR:C	1:A:129:ILE:HG13	2.46	0.40
1:A:159:ARG:HA	2:A:301:ADP:N1	2.36	0.40
1:B:14:LYS:N	2:B:301:ADP:O1B	2.54	0.40
1:B:130:ILE:HG12	1:B:157:ILE:O	2.21	0.40
1:A:59:ARG:NH2	1:B:78:ARG:HG3	2.36	0.40
1:B:17:THR:O	1:B:21:LEU:HB2	2.21	0.40
1:B:106:ASP:O	1:B:107:ALA:C	2.64	0.40
1:B:195:ILE:O	1:B:199:ILE:HB	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/209 (98%)	185 (91%)	17 (8%)	2 (1%)	12	22
1	B	193/209 (92%)	174 (90%)	17 (9%)	2 (1%)	12	22
All	All	397/418 (95%)	359 (90%)	34 (9%)	4 (1%)	12	22

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	134	PRO
1	B	134	PRO
1	A	78	ARG
1	B	112	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/170 (99%)	134 (79%)	35 (21%)	1	2
1	B	160/170 (94%)	130 (81%)	30 (19%)	1	2
All	All	329/340 (97%)	264 (80%)	65 (20%)	1	2

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ILE
1	A	9	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	17	THR
1	A	21	LEU
1	A	28	GLN
1	A	32	LEU
1	A	33	LEU
1	A	55	VAL
1	A	58	GLU
1	A	80	GLU
1	A	82	GLU
1	A	84	LEU
1	A	93	LEU
1	A	99	THR
1	A	103	LEU
1	A	105	LEU
1	A	108	LEU
1	A	109	MSE
1	A	120	ASN
1	A	122	ARG
1	A	129	ILE
1	A	135	SER
1	A	136	LYS
1	A	152	LEU
1	A	164	GLN
1	A	165	LYS
1	A	167	SER
1	A	168	LEU
1	A	172	VAL
1	A	174	SER
1	A	175	GLU
1	A	176	VAL
1	A	180	LYS
1	A	183	ILE
1	A	202	LEU
1	B	3	ILE
1	B	14	LYS
1	B	15	THR
1	B	17	THR
1	B	21	LEU
1	B	28	GLN
1	B	32	LEU
1	B	55	VAL
1	B	83	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	84	LEU
1	B	93	LEU
1	B	103	LEU
1	B	105	LEU
1	B	110	LEU
1	B	111	THR
1	B	113	GLU
1	B	117	LYS
1	B	120	ASN
1	B	129	ILE
1	B	130	ILE
1	B	136	LYS
1	B	157	ILE
1	B	167	SER
1	B	172	VAL
1	B	175	GLU
1	B	183	ILE
1	B	189	LYS
1	B	198	GLU
1	B	199	ILE
1	B	201	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	B	116	GLN
1	B	169	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	301	-	28,29,29	1.91	4 (14%)	43,45,45	2.65	19 (44%)
2	ADP	B	301	-	28,29,29	1.64	4 (14%)	43,45,45	2.21	11 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	301	-	-	5/16/32/32	0/3/3/3
2	ADP	B	301	-	-	0/16/32/32	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	ADP	PA-O3A	7.84	1.68	1.59
2	B	301	ADP	C5-C4	4.37	1.46	1.39
2	B	301	ADP	C5-N7	-3.50	1.32	1.39
2	B	301	ADP	C5-C6	3.13	1.49	1.41
2	A	301	ADP	C5-N7	-3.08	1.33	1.39
2	B	301	ADP	PA-O3A	2.82	1.62	1.59
2	A	301	ADP	C5-C4	2.48	1.43	1.39
2	A	301	ADP	PB-O3B	-2.21	1.46	1.54

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	ADP	C5-C4-N3	-6.18	118.20	126.72
2	B	301	ADP	C5-C4-N3	-5.75	118.80	126.72
2	A	301	ADP	O2B-PB-O3A	5.73	123.86	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	ADP	C4-C5-N7	-4.96	104.91	110.58
2	B	301	ADP	O3B-PB-O1B	-4.78	92.19	110.83
2	A	301	ADP	N3-C4-N9	4.69	135.14	127.17
2	A	301	ADP	C4-C5-N7	-4.48	105.46	110.58
2	A	301	ADP	C5-N7-C8	4.46	110.46	103.45
2	B	301	ADP	O3B-PB-O2B	4.45	124.47	107.80
2	A	301	ADP	N9-C8-N7	-4.20	107.98	113.94
2	A	301	ADP	C2-N3-C4	4.14	121.94	111.83
2	B	301	ADP	C5-N7-C8	4.11	109.91	103.45
2	A	301	ADP	O4'-C1'-N9	3.99	115.76	108.09
2	B	301	ADP	N3-C4-N9	3.99	133.95	127.17
2	A	301	ADP	N3-C2-N1	-3.94	122.62	128.58
2	A	301	ADP	C4-N9-C8	3.54	109.45	105.74
2	A	301	ADP	O3B-PB-O3A	-3.50	92.88	104.64
2	B	301	ADP	O2A-PA-O3A	3.22	115.99	107.27
2	B	301	ADP	C2-N3-C4	3.00	119.16	111.83
2	A	301	ADP	O2A-PA-O3A	2.75	114.70	107.27
2	A	301	ADP	C6-C5-N7	2.73	137.35	132.09
2	A	301	ADP	O3B-PB-O2B	2.72	118.00	107.80
2	B	301	ADP	N9-C8-N7	-2.54	110.33	113.94
2	A	301	ADP	C2'-C1'-N9	-2.40	107.33	113.30
2	A	301	ADP	O2'-C2'-C1'	-2.32	102.12	110.10
2	A	301	ADP	C2'-C3'-C4'	2.27	106.99	102.61
2	A	301	ADP	C5'-C4'-C3'	-2.23	107.20	115.21
2	B	301	ADP	O4'-C4'-C5'	-2.19	102.31	109.33
2	B	301	ADP	C2-N1-C6	2.06	122.12	118.73
2	A	301	ADP	C3'-C2'-C1'	2.01	105.27	101.46

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	ADP	C5'-O5'-PA-O1A
2	A	301	ADP	C5'-O5'-PA-O2A
2	A	301	ADP	C5'-O5'-PA-O3A
2	A	301	ADP	O4'-C4'-C5'-O5'
2	A	301	ADP	C3'-C4'-C5'-O5'


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	ADP	5	0
2	B	301	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	204/209 (97%)	-0.03	3 (1%) 72 69	31, 44, 59, 82	0
1	B	195/209 (93%)	-0.14	2 (1%) 79 77	32, 42, 58, 77	0
All	All	399/418 (95%)	-0.08	5 (1%) 75 72	31, 43, 59, 82	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	83	ASP	4.1
1	B	201	THR	2.7
1	A	133	TYR	2.4
1	A	83	ASP	2.2
1	A	206	HIS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ADP	A	301	27/27	0.93	0.08	39,43,53,56	0
2	ADP	B	301	27/27	0.97	0.06	33,40,47,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.