



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:58 PM UTC

PDB ID : 4CW1 / pdb_00004cw1
Title : COMPLEX OF A B14 CHICKEN MHC CLASS I MOLECULE AND A 9MER CHICKEN PEPTIDE
Authors : Chappell, P.E.; Roversi, P.; Harrison, M.C.; Mears, L.E.; Kaufman, J.F.; Lea, S.M.
Deposited on : 2014-03-31
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	21% 82% 5% 13%
1	D	310	18% 81% 6% 13%
2	B	98	19% 95% 5%
2	E	98	19% 97% ..
3	C	9	56% 78% 22%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	9	56% 78% 22%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MAJOR HISTOCOMPATIBILITY COMPLEX CLASS I GLY-COPROTEIN HAPLOTYPE B14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	271	Total	C	N	O	S	0	0	0
			2168	1359	383	418	8			
1	D	271	Total	C	N	O	S	0	0	0
			2160	1356	380	416	8			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	273	ARG	-	expression tag	UNP A0ZXM3
A	274	SER	-	expression tag	UNP A0ZXM3
A	275	GLY	-	expression tag	UNP A0ZXM3
A	276	GLY	-	expression tag	UNP A0ZXM3
A	277	GLY	-	expression tag	UNP A0ZXM3
A	278	LEU	-	expression tag	UNP A0ZXM3
A	279	ASN	-	expression tag	UNP A0ZXM3
A	280	ASP	-	expression tag	UNP A0ZXM3
A	281	ILE	-	expression tag	UNP A0ZXM3
A	282	PHE	-	expression tag	UNP A0ZXM3
A	283	GLU	-	expression tag	UNP A0ZXM3
A	284	ALA	-	expression tag	UNP A0ZXM3
A	285	GLN	-	expression tag	UNP A0ZXM3
A	286	LYS	-	expression tag	UNP A0ZXM3
A	287	ILE	-	expression tag	UNP A0ZXM3
A	288	GLU	-	expression tag	UNP A0ZXM3
A	289	TRP	-	expression tag	UNP A0ZXM3
A	290	HIS	-	expression tag	UNP A0ZXM3
A	291	GLU	-	expression tag	UNP A0ZXM3
A	292	ASN	-	expression tag	UNP A0ZXM3
A	293	SER	-	expression tag	UNP A0ZXM3
A	294	SER	-	expression tag	UNP A0ZXM3
A	295	SER	-	expression tag	UNP A0ZXM3
A	296	VAL	-	expression tag	UNP A0ZXM3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	297	ASP	-	expression tag	UNP A0ZXM3
A	298	LYS	-	expression tag	UNP A0ZXM3
A	299	LEU	-	expression tag	UNP A0ZXM3
A	300	ALA	-	expression tag	UNP A0ZXM3
A	301	ALA	-	expression tag	UNP A0ZXM3
A	302	ALA	-	expression tag	UNP A0ZXM3
A	303	LEU	-	expression tag	UNP A0ZXM3
A	304	GLU	-	expression tag	UNP A0ZXM3
A	305	HIS	-	expression tag	UNP A0ZXM3
A	306	HIS	-	expression tag	UNP A0ZXM3
A	307	HIS	-	expression tag	UNP A0ZXM3
A	308	HIS	-	expression tag	UNP A0ZXM3
A	309	HIS	-	expression tag	UNP A0ZXM3
A	310	HIS	-	expression tag	UNP A0ZXM3
D	273	ARG	-	expression tag	UNP A0ZXM3
D	274	SER	-	expression tag	UNP A0ZXM3
D	275	GLY	-	expression tag	UNP A0ZXM3
D	276	GLY	-	expression tag	UNP A0ZXM3
D	277	GLY	-	expression tag	UNP A0ZXM3
D	278	LEU	-	expression tag	UNP A0ZXM3
D	279	ASN	-	expression tag	UNP A0ZXM3
D	280	ASP	-	expression tag	UNP A0ZXM3
D	281	ILE	-	expression tag	UNP A0ZXM3
D	282	PHE	-	expression tag	UNP A0ZXM3
D	283	GLU	-	expression tag	UNP A0ZXM3
D	284	ALA	-	expression tag	UNP A0ZXM3
D	285	GLN	-	expression tag	UNP A0ZXM3
D	286	LYS	-	expression tag	UNP A0ZXM3
D	287	ILE	-	expression tag	UNP A0ZXM3
D	288	GLU	-	expression tag	UNP A0ZXM3
D	289	TRP	-	expression tag	UNP A0ZXM3
D	290	HIS	-	expression tag	UNP A0ZXM3
D	291	GLU	-	expression tag	UNP A0ZXM3
D	292	ASN	-	expression tag	UNP A0ZXM3
D	293	SER	-	expression tag	UNP A0ZXM3
D	294	SER	-	expression tag	UNP A0ZXM3
D	295	SER	-	expression tag	UNP A0ZXM3
D	296	VAL	-	expression tag	UNP A0ZXM3
D	297	ASP	-	expression tag	UNP A0ZXM3
D	298	LYS	-	expression tag	UNP A0ZXM3
D	299	LEU	-	expression tag	UNP A0ZXM3
D	300	ALA	-	expression tag	UNP A0ZXM3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	301	ALA	-	expression tag	UNP A0ZXM3
D	302	ALA	-	expression tag	UNP A0ZXM3
D	303	LEU	-	expression tag	UNP A0ZXM3
D	304	GLU	-	expression tag	UNP A0ZXM3
D	305	HIS	-	expression tag	UNP A0ZXM3
D	306	HIS	-	expression tag	UNP A0ZXM3
D	307	HIS	-	expression tag	UNP A0ZXM3
D	308	HIS	-	expression tag	UNP A0ZXM3
D	309	HIS	-	expression tag	UNP A0ZXM3
D	310	HIS	-	expression tag	UNP A0ZXM3

- Molecule 2 is a protein called BETA-2-MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	98	Total	C	N	O	S	0	0	0
			779	499	126	149	5			
2	E	97	Total	C	N	O	S	0	0	0
			767	490	125	147	5			

- Molecule 3 is a protein called PEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			84	55	17	11	1			
3	F	9	Total	C	N	O	S	0	0	0
			84	55	17	11	1			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	34	Total	O	0	0
			34	34		
4	B	9	Total	O	0	0
			9	9		
4	C	2	Total	O	0	0
			2	2		
4	D	23	Total	O	0	0
			23	23		
4	E	8	Total	O	0	0
			8	8		
4	F	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MAJOR HISTOCOMPATIBILITY COMPLEX CLASS I GLYCOPROTEIN HAP-LOTYP E B14




- Molecule 1: MAJOR HISTOCOMPATIBILITY COMPLEX CLASS I GLYCOPROTEIN HAP-LOTYP E B14





- Molecule 2: BETA-2-MICROGLOBULIN





- Molecule 2: BETA-2-MICROGLOBULIN



● Molecule 3: PEPTIDE



● Molecule 3: PEPTIDE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.20Å 90.58Å 144.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	72.38 – 2.58 72.38 – 2.58	Depositor EDS
% Data completeness (in resolution range)	99.1 (72.38-2.58) 99.1 (72.38-2.58)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 2.58Å)	Xtriage
Refinement program	BUSTER 2.11.4	Depositor
R, R_{free}	0.286 , 0.291 0.291 , 0.301	Depositor DCC
R_{free} test set	1333 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.569	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 24.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6119	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2778e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/2226	1.17	4/3029 (0.1%)
1	D	0.70	0/2219	1.18	5/3022 (0.2%)
2	B	0.68	0/804	1.06	0/1092
2	E	0.69	0/791	1.04	0/1076
3	C	0.67	0/87	0.81	0/115
3	F	0.65	0/87	0.83	0/115
All	All	0.70	0/6214	1.14	9/8449 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	137	ALA	CA-C-N	6.63	125.64	120.33
1	D	137	ALA	C-N-CA	6.63	125.64	120.33
1	A	137	ALA	CA-C-N	6.63	125.64	120.33
1	A	137	ALA	C-N-CA	6.63	125.64	120.33
1	D	206	PRO	CA-C-N	5.40	126.84	120.09
1	D	206	PRO	C-N-CA	5.40	126.84	120.09
1	D	203	GLY	N-CA-C	5.39	123.47	113.76
1	A	206	PRO	CA-C-N	5.38	126.82	120.09
1	A	206	PRO	C-N-CA	5.38	126.82	120.09

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2168	0	2030	7	0
1	D	2160	0	2017	9	0
2	B	779	0	737	2	0
2	E	767	0	728	1	0
3	C	84	0	88	1	0
3	F	84	0	88	1	0
4	A	34	0	0	0	0
4	B	9	0	0	0	0
4	C	2	0	0	0	0
4	D	23	0	0	0	0
4	E	8	0	0	0	0
4	F	1	0	0	0	0
All	All	6119	0	5688	20	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (20) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:ARG:HD3	1:A:187:TRP:HE1	1.64	0.61
2:B:35:SER:HB3	2:B:82:GLU:HB2	1.86	0.57
2:E:35:SER:HB3	2:E:82:GLU:HB2	1.86	0.56
3:F:7:MET:HE3	3:F:8:THR:H	1.73	0.54
1:D:210:VAL:HB	1:D:258:GLU:HB2	1.91	0.52
1:A:210:VAL:HB	1:A:258:GLU:HB2	1.91	0.50
1:A:22:PHE:HB3	1:A:38:SER:HB3	1.98	0.46
1:A:5:LEU:HB2	1:A:165:LEU:HD13	1.98	0.46
1:A:182:PRO:HB3	1:A:204:PHE:HB3	1.98	0.46
1:D:5:LEU:HB2	1:D:165:LEU:HD13	1.98	0.45
1:D:22:PHE:HB3	1:D:38:SER:HB3	1.98	0.44
1:D:182:PRO:HB3	1:D:204:PHE:HB3	1.99	0.44
1:A:13:THR:HG23	1:A:77:LEU:HD22	1.99	0.43
1:D:13:THR:HG23	1:D:77:LEU:HD22	1.99	0.43
1:D:2:LEU:HD12	1:D:102:LEU:HA	2.00	0.43
1:D:15:PRO:N	1:D:16:GLY:HA2	2.36	0.41
1:D:29:ASP:HB2	1:D:176:LEU:HD22	2.03	0.41
1:A:15:PRO:N	1:A:16:GLY:HA2	2.36	0.40
3:C:6:PRO:HG2	1:D:149:TYR:HB3	2.02	0.40
2:B:40:LYS:HB2	2:B:45:MET:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/310 (87%)	264 (98%)	5 (2%)	0	100	100
1	D	269/310 (87%)	265 (98%)	4 (2%)	0	100	100
2	B	96/98 (98%)	94 (98%)	2 (2%)	0	100	100
2	E	95/98 (97%)	93 (98%)	2 (2%)	0	100	100
3	C	7/9 (78%)	7 (100%)	0	0	100	100
3	F	7/9 (78%)	7 (100%)	0	0	100	100
All	All	743/834 (89%)	730 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/256 (87%)	222 (100%)	1 (0%)	84	92
1	D	222/256 (87%)	220 (99%)	2 (1%)	70	85
2	B	86/86 (100%)	85 (99%)	1 (1%)	63	82
2	E	85/86 (99%)	85 (100%)	0	100	100
3	C	9/9 (100%)	8 (89%)	1 (11%)	6	11
3	F	9/9 (100%)	9 (100%)	0	100	100
All	All	634/702 (90%)	629 (99%)	5 (1%)	73	87

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	GLU
2	B	43	VAL
3	C	5	LYS
1	D	9	GLN
1	D	102	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	254	GLN
2	B	66	HIS
1	D	9	GLN
1	D	60	ASN
1	D	86	GLN
1	D	254	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	271/310 (87%)	1.46	64 (23%) 2 1	20, 40, 57, 64	0
1	D	271/310 (87%)	1.45	56 (20%) 2 2	22, 40, 57, 66	0
2	B	98/98 (100%)	1.22	19 (19%) 3 2	20, 35, 51, 57	0
2	E	97/98 (98%)	1.23	19 (19%) 3 2	20, 34, 52, 73	0
3	C	9/9 (100%)	2.59	5 (55%) 0 0	37, 44, 55, 75	0
3	F	9/9 (100%)	2.00	5 (55%) 0 0	34, 40, 54, 74	0
All	All	755/834 (90%)	1.41	168 (22%) 2 2	20, 39, 56, 75	0

All (168) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	222	GLN	6.7
1	D	272	PRO	4.9
1	D	220	ARG	4.8
2	B	74	GLY	4.7
1	D	149	TYR	4.4
1	A	113	ASP	4.4
3	C	6	PRO	4.3
1	D	122	ALA	4.3
2	E	97	GLU	4.2
2	E	53	MET	4.2
2	E	51	SER	4.1
3	C	7	MET	4.0
1	A	187	TRP	4.0
1	D	187	TRP	3.9
1	D	52	ALA	3.9
1	A	60	ASN	3.8
1	D	148	ASP	3.7
2	E	47	GLY	3.6
1	D	73	ASP	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	46	ARG	3.6
1	A	64	GLN	3.6
1	A	122	ALA	3.6
1	D	46	ARG	3.6
1	D	60	ASN	3.5
2	E	52	ASP	3.4
2	B	51	SER	3.4
1	D	146	GLU	3.4
1	A	37	ASN	3.4
1	A	153	LEU	3.4
1	A	271	GLU	3.3
2	B	48	ALA	3.3
2	E	45	MET	3.3
1	A	53	ASN	3.3
1	A	44	VAL	3.3
1	A	18	GLY	3.2
1	A	149	TYR	3.2
3	F	9	ARG	3.2
1	D	240	TRP	3.2
1	D	222	GLN	3.1
1	A	172	GLY	3.1
1	A	125	LYS	3.1
3	F	7	MET	3.1
1	D	173	LYS	3.1
1	D	71	GLN	3.0
2	B	50	TYR	3.0
1	D	37	ASN	3.0
1	D	102	LEU	3.0
2	B	98	PHE	3.0
1	A	142	ARG	3.0
1	A	1	GLU	3.0
2	B	53	MET	3.0
3	C	9	ARG	3.0
1	A	71	GLN	3.0
1	D	150	ALA	2.9
1	D	142	ARG	2.9
1	D	53	ASN	2.9
2	E	50	TYR	2.9
1	A	240	TRP	2.9
1	A	170	GLU	2.9
3	C	5	LYS	2.8
1	A	73	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	82	ARG	2.8
2	E	48	ALA	2.8
1	D	64	GLN	2.8
1	A	157	LEU	2.8
1	D	56	GLN	2.7
1	D	163	GLU	2.7
2	B	46	GLU	2.7
1	A	55	ASP	2.7
1	A	78	GLY	2.7
1	D	36	TYR	2.7
1	D	113	ASP	2.7
1	A	214	LEU	2.7
1	A	106	THR	2.7
1	A	154	LYS	2.6
1	A	146	GLU	2.6
1	A	191	ALA	2.6
1	A	148	ASP	2.6
1	D	221	GLY	2.6
1	A	132	ALA	2.6
1	D	185	ARG	2.5
3	C	4	ARG	2.5
2	B	49	GLN	2.5
2	E	16	ALA	2.5
1	A	84	TYR	2.5
1	A	17	PRO	2.5
1	D	65	ILE	2.5
1	D	82	ARG	2.5
2	B	97	GLU	2.5
1	A	220	ARG	2.5
2	B	96	PRO	2.5
1	A	87	THR	2.5
2	B	54	SER	2.5
1	D	172	GLY	2.4
1	D	217	GLY	2.4
1	A	143	LYS	2.4
1	D	192	ASP	2.4
2	E	49	GLN	2.4
1	D	170	GLU	2.4
1	A	107	ILE	2.4
2	B	73	SER	2.4
1	A	75	ASP	2.4
1	D	223	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	254	GLN	2.4
1	D	103	GLU	2.4
1	D	155	GLN	2.3
2	E	5	LYS	2.3
1	A	51	ALA	2.3
1	D	145	GLU	2.3
1	D	83	ARG	2.3
1	A	223	ASP	2.3
1	A	221	GLY	2.3
1	A	138	VAL	2.3
1	A	45	PRO	2.3
1	A	104	ASP	2.3
2	E	46	GLU	2.3
1	D	268	TYR	2.3
1	D	78	GLY	2.2
2	B	47	GLY	2.2
2	B	1	ASP	2.2
1	A	36	TYR	2.2
1	D	153	LEU	2.2
2	B	75	SER	2.2
1	A	58	TYR	2.2
1	A	188	GLY	2.2
2	B	15	SER	2.2
1	A	62	GLN	2.2
1	A	156	TYR	2.2
2	E	95	ASP	2.2
1	A	185	ARG	2.2
3	F	4	ARG	2.2
1	D	57	GLN	2.1
1	A	79	THR	2.1
1	A	102	LEU	2.1
1	D	109	GLY	2.1
2	E	17	GLY	2.1
1	D	107	ILE	2.1
1	D	171	TYR	2.1
3	F	6	PRO	2.1
1	A	123	PHE	2.1
1	A	57	GLN	2.1
2	B	78	ALA	2.1
1	A	147	GLY	2.1
1	D	129	THR	2.1
1	A	192	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	54	SER	2.1
1	A	189	LYS	2.1
1	D	17	PRO	2.1
2	B	76	THR	2.1
1	A	118	ARG	2.1
1	D	271	GLU	2.1
2	B	5	LYS	2.1
2	E	39	MET	2.1
1	A	264	GLN	2.1
1	A	137	ALA	2.1
1	A	165	LEU	2.1
1	D	16	GLY	2.1
1	D	84	TYR	2.1
3	F	1	SER	2.1
1	D	165	LEU	2.0
1	A	63	THR	2.0
1	D	54	THR	2.0
1	D	143	LYS	2.0
2	E	1	ASP	2.0
2	E	75	SER	2.0
1	D	81	GLN	2.0
1	D	233	GLY	2.0
2	E	73	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.